



Contact Center Performance Management Data Dictionary

Release 7.1
Issue 07.03
December 2022

Notice

While reasonable efforts have been made to ensure that the information in this document is complete and accurate at the time of printing, Avaya assumes no liability for any errors. Avaya reserves the right to make changes and corrections to the information in this document without the obligation to notify any person or organization of such changes.

Documentation disclaimer

"Documentation" means information published in varying mediums which may include product information, operating instructions and performance specifications that are generally made available to users of products. Documentation does not include marketing materials. Avaya shall not be responsible for any modifications, additions, or deletions to the original published version of Documentation unless such modifications, additions, or deletions were performed by or on the express behalf of Avaya. End User agrees to indemnify and hold harmless Avaya, Avaya's agents, servants and employees against all claims, lawsuits, demands and judgments arising out of, or in connection with, subsequent modifications, additions or deletions to this documentation, to the extent made by End User.

Link disclaimer

Avaya is not responsible for the contents or reliability of any linked websites referenced within this site or Documentation provided by Avaya. Avaya is not responsible for the accuracy of any information, statement or content provided on these sites and does not necessarily endorse the products, services, or information described or offered within them. Avaya does not guarantee that these links will work all the time and has no control over the availability of the linked pages.

Warranty

Avaya provides a limited warranty on Avaya hardware and software. Refer to your sales agreement to establish the terms of the limited warranty. In addition, Avaya's standard warranty language, as well as information regarding support for this product while under warranty is available to Avaya customers and other parties through the Avaya Support website: <https://support.avaya.com/helpcenter/getGenericDetails?detailId=C20091120112456651010> under the link "Warranty & Product Lifecycle" or such successor site as designated by Avaya. Please note that if You acquired the product(s) from an authorized Avaya Channel Partner outside of the United States and Canada, the warranty is provided to You by said Avaya Channel Partner and not by Avaya.

"Hosted Service" means an Avaya hosted service subscription that You acquire from either Avaya or an authorized Avaya Channel Partner (as applicable) and which is described further in Hosted SAS or other service description documentation regarding the applicable hosted service. If You purchase a Hosted Service subscription, the foregoing limited warranty may not apply but You may be entitled to support services in connection with the Hosted Service as described further in your service description documents for the applicable Hosted Service. Contact Avaya or Avaya Channel Partner (as applicable) for more information.

Hosted Service

THE FOLLOWING APPLIES ONLY IF YOU PURCHASE AN AVAYA HOSTED SERVICE SUBSCRIPTION FROM AVAYA OR AN AVAYA CHANNEL PARTNER (AS APPLICABLE), THE TERMS OF USE FOR HOSTED SERVICES ARE AVAILABLE ON THE AVAYA WEBSITE, [HTTPS://SUPPORT.AVAYA.COM/LICENSEINFO](https://support.avaya.com/LicenseInfo) UNDER THE LINK "Avaya Terms of Use for Hosted Services" OR SUCH SUCCESSOR SITE AS DESIGNATED BY AVAYA, AND ARE APPLICABLE TO ANYONE WHO ACCESSES OR USES THE HOSTED SERVICE. BY ACCESSING OR USING THE HOSTED SERVICE, OR AUTHORIZING OTHERS TO DO SO, YOU, ON BEHALF OF YOURSELF AND THE ENTITY FOR WHOM YOU ARE DOING SO (HEREINAFTER REFERRED TO INTERCHANGEABLY AS "YOU" AND "END USER"), AGREE TO THE TERMS OF USE. IF YOU ARE ACCEPTING THE TERMS OF USE ON BEHALF A COMPANY OR OTHER LEGAL ENTITY, YOU REPRESENT THAT YOU HAVE THE AUTHORITY TO BIND SUCH ENTITY TO THESE TERMS OF USE. IF YOU DO NOT HAVE SUCH AUTHORITY,

OR IF YOU DO NOT WISH TO ACCEPT THESE TERMS OF USE, YOU MUST NOT ACCESS OR USE THE HOSTED SERVICE OR AUTHORIZE ANYONE TO ACCESS OR USE THE HOSTED SERVICE.

Licenses

THE SOFTWARE LICENSE TERMS AVAILABLE ON THE AVAYA WEBSITE, [HTTPS://SUPPORT.AVAYA.COM/LICENSEINFO](https://support.avaya.com/LicenseInfo), UNDER THE LINK "AVAYA SOFTWARE LICENSE TERMS (Avaya Products)" OR SUCH SUCCESSOR SITE AS DESIGNATED BY AVAYA, ARE APPLICABLE TO ANYONE WHO DOWNLOADS, USES AND/OR INSTALLS AVAYA SOFTWARE, PURCHASED FROM AVAYA INC., ANY AVAYA AFFILIATE, OR AN AVAYA CHANNEL PARTNER (AS APPLICABLE) UNDER A COMMERCIAL AGREEMENT WITH AVAYA OR AN AVAYA CHANNEL PARTNER. UNLESS OTHERWISE AGREED TO BY AVAYA IN WRITING, AVAYA DOES NOT EXTEND THIS LICENSE IF THE SOFTWARE WAS OBTAINED FROM ANYONE OTHER THAN AVAYA, AN AVAYA AFFILIATE OR AN AVAYA CHANNEL PARTNER; AVAYA RESERVES THE RIGHT TO TAKE LEGAL ACTION AGAINST YOU AND ANYONE ELSE USING OR SELLING THE SOFTWARE WITHOUT A LICENSE. BY INSTALLING, DOWNLOADING OR USING THE SOFTWARE, OR AUTHORIZING OTHERS TO DO SO, YOU, ON BEHALF OF YOURSELF AND THE ENTITY FOR WHOM YOU ARE INSTALLING, DOWNLOADING OR USING THE SOFTWARE (HEREINAFTER REFERRED TO INTERCHANGEABLY AS "YOU" AND "END USER"), AGREE TO THESE TERMS AND CONDITIONS AND CREATE A BINDING CONTRACT BETWEEN YOU AND AVAYA INC. OR THE APPLICABLE AVAYA AFFILIATE ("AVAYA").

Avaya grants You a license within the scope of the license types described below, with the exception of Heritage Nortel Software, for which the scope of the license is detailed below. Where the order documentation does not expressly identify a license type, the applicable license will be a Designated System License as set forth below in the Designated System(s) License (DS) section as applicable. The applicable number of licenses and units of capacity for which the license is granted will be one (1), unless a different number of licenses or units of capacity is specified in the documentation or other materials available to You. "Software" means computer programs in object code, provided by Avaya or an Avaya Channel Partner, whether as stand-alone products, pre-installed on hardware products, and any upgrades, updates, patches, bug fixes, or modified versions thereto. "Designated Processor" means a single stand-alone computing device. "Server" means a set of Designated Processors that hosts (physically or virtually) a software application to be accessed by multiple users. "Instance" means a single copy of the Software executing at a particular time: (i) on one physical machine; or (ii) on one deployed software virtual machine ("VM") or similar deployment.

License type(s)

Concurrent User License (CU). End User may install and use the Software on multiple Designated Processors or one or more Servers, so long as only the licensed number of Units are accessing and using the Software at any given time. A "Unit" means the unit on which Avaya, at its sole discretion, bases the pricing of its licenses and can be, without limitation, an agent, port or user, an e-mail or voice mail account in the name of a person or corporate function (e.g., webmaster or helpdesk), or a directory entry in the administrative database utilized by the Software that permits one user to interface with the Software. Units may be linked to a specific, identified Server or an Instance of the Software.

Heritage Nortel Software

"Heritage Nortel Software" means the software that was acquired by Avaya as part of its purchase of the Nortel Enterprise Solutions Business in December 2009. The Heritage Nortel Software is the software contained within the list of Heritage Nortel Products located at <https://support.avaya.com/LicenseInfo> under the link "Heritage Nortel Products" or such successor site as designated by Avaya. For Heritage Nortel Software, Avaya grants Customer a license to use Heritage Nortel Software provided hereunder solely to the extent of the authorized activation or authorized usage level, solely for the purpose specified in the Documentation, and solely as embedded in, for execution on, or for communication with Avaya equipment. Charges for Heritage Nortel Software may be based on extent of activation or use authorized as specified in an order or invoice.

Copyright

Except where expressly stated otherwise, no use should be made of materials on this site, the Documentation, Software, Hosted Service, or hardware provided by Avaya. All content on this site, the documentation, Hosted Service, and the product provided by Avaya including the selection, arrangement and design of the content is owned either by Avaya or its licensors and is protected by copyright and other intellectual property laws including the sui generis rights relating to the protection of databases. You may not modify, copy, reproduce, republish, upload, post, transmit or distribute in any way any content, in whole or in part, including any code and software unless expressly authorized by Avaya. Unauthorized reproduction, transmission, dissemination, storage, and or use without the express written consent of Avaya can be a criminal, as well as a civil offense under the applicable law.

Virtualization

The following applies if the product is deployed on a virtual machine. Each product has its own ordering code and license types. Unless otherwise stated, each Instance of a product must be separately licensed and ordered. For example, if the end user customer or Avaya Channel Partner would like to install two Instances of the same type of products, then two products of that type must be ordered.

Third Party Components

"Third Party Components" mean certain software programs or portions thereof included in the Software or Hosted Service may contain software (including open source software) distributed under third party agreements ("Third Party Components"), which contain terms regarding the rights to use certain portions of the Software ("Third Party Terms"). As required, information regarding distributed Linux OS source code (for those products that have distributed Linux OS source code) and identifying the copyright holders of the Third Party Components and the Third Party Terms that apply is available in the products, Documentation or on Avaya's website at: <https://support.avaya.com/Copyright> or such successor site as designated by Avaya. The open source software license terms provided as Third Party Terms are consistent with the license rights granted in these Software License Terms, and may contain additional rights benefiting You, such as modification and distribution of the open source software. The Third Party Terms shall take precedence over these Software License Terms, solely with respect to the applicable Third Party Components to the extent that these Software License Terms impose greater restrictions on You than the applicable Third Party Terms.

The following applies only if the H.264 (AVC) codec is distributed with the product. THIS PRODUCT IS LICENSED UNDER THE AVC PATENT PORTFOLIO LICENSE FOR THE PERSONAL USE OF A CONSUMER OR OTHER USES IN WHICH IT DOES NOT RECEIVE REMUNERATION TO (i) ENCODE VIDEO IN COMPLIANCE WITH THE AVC STANDARD ("AVC VIDEO") AND/OR (ii) DECODE AVC VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED TO PROVIDE AVC VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION MAY BE OBTAINED FROM MPEG LA, L.L.C. SEE [HTTP://WWW.MPEGLA.COM](http://www.mpegla.com).

Service Provider

THE FOLLOWING APPLIES TO AVAYA CHANNEL PARTNER'S HOSTING OF AVAYA PRODUCTS OR SERVICES. THE PRODUCT OR HOSTED SERVICE MAY USE THIRD PARTY COMPONENTS SUBJECT TO THIRD PARTY TERMS AND REQUIRE A SERVICE PROVIDER TO BE INDEPENDENTLY LICENSED DIRECTLY FROM THE THIRD PARTY SUPPLIER. AN AVAYA CHANNEL PARTNER'S HOSTING OF AVAYA PRODUCTS MUST BE AUTHORIZED IN WRITING BY AVAYA AND IF THOSE HOSTED PRODUCTS USE OR EMBED CERTAIN THIRD PARTY SOFTWARE, INCLUDING BUT NOT LIMITED TO MICROSOFT SOFTWARE OR CODECS, THE AVAYA CHANNEL PARTNER IS REQUIRED TO INDEPENDENTLY OBTAIN ANY APPLICABLE LICENSE AGREEMENTS, AT THE AVAYA CHANNEL PARTNER'S EXPENSE, DIRECTLY FROM THE APPLICABLE THIRD PARTY SUPPLIER.

WITH RESPECT TO CODECS, IF THE AVAYA CHANNEL PARTNER IS HOSTING ANY PRODUCTS THAT USE OR

EMBED THE H.264 CODEC OR H.265 CODEC, THE AVAYA CHANNEL PARTNER ACKNOWLEDGES AND AGREES THE AVAYA CHANNEL PARTNER IS RESPONSIBLE FOR ANY AND ALL RELATED FEES AND/OR ROYALTIES. THE H.264 (AVC) CODEC IS LICENSED UNDER THE AVC PATENT PORTFOLIO LICENSE FOR THE PERSONAL USE OF A CONSUMER OR OTHER USES IN WHICH IT DOES NOT RECEIVE REMUNERATION TO: (I) ENCODE VIDEO IN COMPLIANCE WITH THE AVC STANDARD ("AVC VIDEO") AND/OR (II) DECODE AVC VIDEO THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED TO PROVIDE AVC VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION FOR H.264 (AVC) AND H.265 (HEVC) CODECS MAY BE OBTAINED FROM MPEG LA, L.L.C. SEE [HTTP://WWW.MPEGLA.COM](http://www.mpegla.com).

Compliance with Laws

You acknowledge and agree that it is Your responsibility for complying with any applicable laws and regulations, including, but not limited to laws and regulations related to call recording, data privacy, intellectual property, trade secret, fraud, and music performance rights, in the country or territory where the Avaya product is used.

Preventing Toll Fraud

"Toll Fraud" is the unauthorized use of your telecommunications system by an unauthorized party (for example, a person who is not a corporate employee, agent, subcontractor, or is not working on your company's behalf). Be aware that there can be a risk of Toll Fraud associated with your system and that, if Toll Fraud occurs, it can result in substantial additional charges for your telecommunications services.

Avaya Toll Fraud intervention

If You suspect that You are being victimized by Toll Fraud and You need technical assistance or support, call Technical Service Center Toll Fraud Intervention Hotline at +1-800-643-2353 for the United States and Canada. For additional support telephone numbers, see the Avaya Support website: <https://support.avaya.com> or such successor site as designated by Avaya.

Security Vulnerabilities

Information about Avaya's security support policies can be found in the Security Policies and Support section of <https://support.avaya.com/security>.

Suspected Avaya product security vulnerabilities are handled per the Avaya Product Security Support Flow (<https://support.avaya.com/css/P8/documents/100161515>).

Downloading Documentation

For the most current versions of Documentation, see the Avaya Support website: <https://support.avaya.com>, or such successor site as designated by Avaya.

Contact Avaya Support

See the Avaya Support website: <https://support.avaya.com> for product or Hosted Service notices and articles, or to report a problem with your Avaya product or Hosted Service. For a list of support telephone numbers and contact addresses, go to the Avaya Support website: <https://support.avaya.com> (or such successor site as designated by Avaya), scroll to the bottom of the page, and select Contact Avaya Support.

Trademarks

The trademarks, logos and service marks ("Marks") displayed in this site, the Documentation, Hosted Service(s), and product(s) provided by Avaya are the registered or unregistered Marks of Avaya, its affiliates, its licensors, its suppliers, or other third parties. Users are not permitted to use such Marks without prior written consent from Avaya or such third party which may own the Mark. Nothing contained in this site, the Documentation, Hosted Service(s) and product(s) should be construed as granting, by implication, estoppel, or otherwise, any license or right in and to the Marks without the express written permission of Avaya or the applicable third party.

Avaya is a registered trademark of Avaya Inc.

Avaya, the Avaya logo, Avaya one-X[®] Portal, Avaya Aura[®] Communication Manager, Avaya Aura[®] Experience Portal, Avaya Aura[®] Orchestration Designer, Avaya Aura[®] Session Manager, Avaya Aura[®] System Manager, and Application Enablement Services are either registered trademarks or trademarks of Avaya Inc. in the United States of America and/or other jurisdictions.

All non-Avaya trademarks are the property of their respective owners. Linux[®] is the registered trademark of Linus Torvalds in the U.S. and other countries.

Contents

Chapter 1: Introduction	18
Purpose.....	18
Intended audience.....	18
Related resources.....	18
Avaya Aura® Contact Center Documentation.....	18
Avaya Contact Center Select Documentation.....	22
Viewing Avaya Mentor videos.....	24
Support.....	25
Chapter 2: Changes in this release	26
Features.....	26
Other changes.....	26
Chapter 3: Performance Management Data Dictionary fundamentals	27
Access rights.....	27
Optional features.....	27
PABX references.....	27
Contact Center database.....	28
Database views.....	28
Statistic types.....	29
Part 1: Contact Center Manager Data dictionary	30
Chapter 4: Overview	31
Data types.....	31
Virtual Statistics.....	31
Statistical field types.....	32
Resource usage.....	32
Default applications.....	33
Access rights by view.....	34
Summarized Historical statistics.....	34
Contact statistics.....	34
Event statistics.....	34
Configuration statistics.....	35
Chapter 5: Summarized historical statistics	38
Statistics types.....	38
Types of views.....	39
Joining views.....	40
Contact types.....	42
ActivityCodeStat views.....	50
AgentByApplicationStat views.....	56
AgentBySkillsetStat views.....	65
AgentPerformanceStat views.....	75

ApplicationStat views.....	97
CDNStat views.....	116
DNISStat views.....	120
IVRPortStat views.....	126
IVRStat views.....	130
LicenseStat views.....	133
NetworkInCallStat views.....	135
NetworkOutStat views.....	140
RANMusicRouteStat views.....	146
RouteStat views.....	148
SkillsetStat views.....	151
TrunkStat views.....	162
Chapter 6: Contact statistics.....	166
Type of statistics.....	166
Linking views.....	166
Contact Summary view.....	167
Contact Codes view.....	184
Contact Observe and Barge In view.....	187
Contact Intrinsic view.....	188
Chapter 7: Event statistics.....	190
Types of historical statistics.....	190
eAgentLoginStat view.....	190
eCallByCallStat views.....	193
eIVRPortLoginStat view.....	208
Chapter 8: Integrated Reporting statistics.....	211
Multimedia Contact Summary view.....	211
Avaya Aura [®] Media Server Collection Status view.....	212
Avaya Aura [®] Media Server Contact Summary view.....	214
Chapter 9: Configuration views.....	215
AccessRights view.....	215
ActivityCode view.....	218
ActivityCodeByContactType.....	218
ActivityCodeBySkillset.....	220
Agent view.....	222
AgentCap View.....	230
Application view.....	231
ApplicationByScript view.....	232
ApplicationThresholdTemplate view.....	234
CDN view.....	235
CodeToMessageMap view.....	236
ContactType view.....	237
DNIS view.....	238
DNISThresholdTemplate view.....	240

Formula view.....	240
HistoricalStatCollection view.....	242
HistoricalStatDuration view.....	244
HistoricalStatStorage view.....	246
IVRPort view.....	248
IVRQueue view.....	249
NCCNetworkSkillset view.....	250
NCCR ranking view.....	252
NCCRemoteApplication view.....	253
NCCSite view.....	255
NetworkConfig view.....	257
NetworkRankingAssignment view.....	257
NetworkSkillsetStatus view.....	259
NetworkThresholdTemplate view.....	261
PhonsetDisplay view.....	262
Provider view.....	263
Ranking view.....	263
RealTimeColumn view.....	265
RealTimeStatCollection view.....	266
RealTimeTemplate view.....	269
RemoteApplication view.....	270
Route view.....	271
RouteThresholdTemplate view.....	272
ScheduledSkillsetAssignment view.....	273
ScheduledSupervisorAssignment view.....	276
Script view.....	278
ScriptVariableProperties view.....	279
ScriptVariables view.....	281
Site view.....	282
Skillset view.....	284
SkillsetByAgent view.....	289
SkillsetByAssignment view.....	290
SkillsetThresholdTemplate view.....	292
SummaryThresholdTemplate view.....	293
Supervisor view.....	294
SupervisorAgentAssignment view.....	302
SupervisorByAssignment view.....	304
SwitchPort view.....	306
TargetSwitchComm view.....	307
Treatment View.....	309
URIByAgent View.....	310
URIExceptions.....	310
UserTemplate view.....	311

UserThresholdTemplate view.....	313
UserValidationReport.....	314
UserValidationStatus.....	317
Views view.....	320
Part 2: Contact Center Network Control Center Data dictionary.....	321
Chapter 10: Overview of NCC.....	322
Types of data.....	322
Virtual Statistics.....	322
Statistical field types.....	323
Resource usage.....	323
Default applications.....	324
Access right by view.....	324
Chapter 11: Summarized Historical statistics.....	326
Types of statistics collected.....	326
Types of views.....	326
ApplicationConStat views.....	328
CDNConStat views.....	346
DNISConStat views.....	349
NetworkInCallConStat views.....	355
NetworkOutConStat views.....	360
SkillsetConStat views.....	365
Chapter 12: Event statistics.....	376
Data Collection option.....	376
When statistics are accumulated.....	376
eNetCallByCallStat views.....	376
Part 3: Contact Center Multimedia Data dictionary.....	381
Chapter 13: Overview of CCMM.....	382
Caché database.....	382
Custom Contact Center Multimedia reports and searches.....	384
Chapter 14: Multimedia database tables.....	386
Actions.....	386
ActivityCodes.....	392
Addresses.....	394
Administrators.....	396
Answers.....	398
ApprovalAudits.....	399
ArchiveEvents.....	401
ArchiveError.....	401
ArchiveProgress.....	401
DateTimeStamp.....	401
Header.....	401
ID.....	401

JobOK.....	402
JobPID.....	402
OfflineContactCount.....	402
OfflineCustomerCount.....	402
ProgressDeleteCampaigns.....	402
ProgressDeleteContacts.....	402
ProgressDeleteCustomers.....	402
ProgressRestoreCampaigns.....	402
ProgressRestoreContacts.....	403
ProgressRestoreCustomers.....	403
RestoreError.....	403
Restored.....	403
RestoreProgress.....	403
RestoreScheduleDate.....	403
TotalArchiveCampaigns.....	403
TotalArchiveContacts.....	403
TotalArchiveCustomers.....	403
ArchiveFilters.....	404
ID.....	404
ArchiveEventID.....	404
CampaignID.....	404
ContactID.....	404
CustomerID.....	404
Status.....	404
ArchiveHeaders.....	405
ID.....	405
ArchiveDescription.....	405
ArchiveName.....	405
ArchiveRuleID.....	405
ArchiveScheduleType.....	405
MarkAsDeleted.....	405
NextScheduledDate.....	406
ScheduleDayOfMonth.....	406
ScheduleDayOfWeek.....	406
ScheduleEndDateTime.....	406
ScheduleMonthOfYear.....	406
ScheduleStartDateTime.....	406
ArchiveNotes.....	406
ArchiveRules.....	410
AgeOfContacts.....	410
DeleteCampaign.....	410
ID.....	410
LastScheduledDate.....	411

NextScheduledDate.....	411
RuleDescription.....	411
RuleName.....	411
SelectedRuleCriteria.....	411
TotalNumberofRulesInc.....	411
AreaCodes.....	411
Attachments.....	413
Audits.....	414
AutoResponses.....	417
AutoResponseAttachments.....	418
AutoResponse_Categories.....	419
AutoResponses.....	419
Categories.....	419
element_key.....	419
ID.....	419
BarredOutBoundAddresses.....	419
Breaks.....	420
Field descriptions.....	420
Calendars.....	421
Field descriptions.....	421
CallBarrings.....	422
Campaigns.....	423
CampaignAudits.....	428
AuditType.....	428
CampaignID.....	428
ChangedByUser.....	428
CreationDate.....	428
ID.....	428
NewAutoDialTimeOut.....	428
NewCampaignScriptID.....	428
NewDailyEndTime.....	429
NewDailyStartTime.....	429
NewDescription.....	429
NewDispositionCodes.....	429
NewDialingPrefix.....	429
NewEndDateTime.....	429
NewLastLoadedDate.....	429
NewLoadContactsPerInterval.....	429
NewLoadInterval.....	430
NewMinimumRingTime.....	430
NewNumberOfContacts.....	430
NewPriority.....	430
NewSkillsetID.....	430

NewStartDateTime.....	430
NewStatusValue.....	430
OldAutoDialTimeOut.....	430
OldCampaignScriptID.....	430
OldDailyEndTime.....	431
OldDailyStartTime.....	431
OldDescription.....	431
OldDialingPrefix.....	431
OldDispositionCodes.....	431
OldEndDateTime.....	431
OldLastLoadedDate.....	431
OldLoadContactsPerInterval.....	431
OldLoadInterval.....	432
OldMinimumRingTime.....	432
OldNumberOfContacts.....	432
OldPriority.....	432
OldSkillsetID.....	432
OldStartDateTime.....	432
OldStatusValue.....	432
CampaignScripts.....	432
CarbonCopies.....	434
Field descriptions.....	434
Categories.....	434
Name.....	434
ID.....	435
Channel.....	435
Field descriptions.....	435
ClosedReasons.....	436
CodeMappings.....	437
Contacts.....	438
ContactTypes.....	448
CustomFields.....	449
Customer.....	451
Debugs.....	454
DispositionCodes.....	455
Durations.....	457
EmailAddresses.....	458
EmailAddressGroups.....	459
HolidayHours.....	460
Inboxes.....	461
InvalidXMLAudits.....	462
InvalidXMLChrs.....	463
InvalidXMLFields.....	464

KeywordGroups.....	465
Language.....	465
Field descriptions.....	466
Launch Entries.....	466
Licenses.....	467
OnHoldURLs.....	468
OutOfHoursRules.....	469
PageChanges.....	469
PagePushes.....	470
PagePushURLs.....	470
PhoneNumbers.....	471
Phrases.....	473
Preferences.....	474
Questions.....	475
RegularHours.....	477
RoutePoints.....	477
Rules.....	478
Rule_AutoSuggests.....	480
Field descriptions.....	480
RuleAdmins.....	481
RuleGroups.....	482
Field descriptions.....	482
RuleKeywordCriteria.....	483
Field descriptions.....	483
RuleKeywordGroups.....	484
Servers.....	485
Services.....	486
Sessions.....	487
SIP Uris.....	487
Sites.....	488
SiteComponents.....	491
SiteParameters.....	491
Skillset_Agent.....	493
Field descriptions.....	493
SkillsetAgentProperties.....	493
Skillsets.....	494
SkillsetOnHoldURLs.....	497
SkillsetThresholdTemplates.....	498
Field descriptions.....	498
SocialMediaHeaders.....	499
Field descriptions.....	499
SocialMediaRules.....	501
Field descriptions.....	501

ThresholdLevels.....	502
Field descriptions.....	503
TimeZones.....	503
Updates.....	504
Users.....	506
UserResets.....	509
WebCommsComfortGroups.....	509
Field descriptions.....	510
WebCommsComfortMessages.....	510
Field descriptions.....	510
WebCommsIntrinsics.....	511
Field descriptions.....	511
WebCommsMessages.....	512
WebCommsSessions.....	513
WebCommsSessions_Agents.....	515
Field descriptions.....	515
WebCommsSessionsParticipants.....	516
Additional Tables.....	517
Chapter 15: Multimedia database views.....	519
Campaign Agent Script Result.....	519
Campaign Call By Call Details.....	520
Campaign Summary.....	521
Contacts By Contacts.....	522
Contacts Outstanding.....	523
Contacts Outstanding Detail.....	524
Contacts Outstanding Summary.....	525
ScriptSummary.....	525
Chapter 16: Entity relationship diagrams.....	526
Contact Center Manager entity relationships.....	526
Contact Center Multimedia Data relationships.....	539
Part 4: Standard reports.....	542
Chapter 17: Overview of standard reports.....	543
Report descriptions.....	543
Selection criteria.....	545
Chapter 18: Standard agent performance reports.....	554
Activity Code by Agent.....	554
Agent Average Calls per Hour.....	555
Agent Average Calls per Hour, Bottom 5.....	556
Agent Average Calls per Hour, Top 5.....	557
Agent by Activity Code.....	558
Agent by Application Performance.....	559
Agent by Skillset Performance.....	561

Agent DN Performance.....	562
Agent DN Performance Calls Answered, Bottom 5.....	564
Agent DN Performance Calls Answered, Top 5.....	565
Agent Login/Logout.....	566
Agent NACD Activity.....	567
Agent Performance.....	568
Agent Performance by Supervisor.....	571
Agent Performance Calls Answered, Bottom 5.....	574
Agent Performance Calls Answered, Top 5.....	577
Agent Efficiency.....	579
Agent Efficiency by Contact Type.....	581
Agent Efficiency by Skillset.....	582
Agent Short Calls.....	584
Agent Transferred/Conferenced Activity.....	586
Estimated Revenue by Agent.....	590
Not Ready Reason Codes by Agent.....	591
Skillset by Agent Performance.....	593
Chapter 19: Standard call-by-call reports.....	595
Call by Call Statistics.....	595
Chapter 20: Standard configuration reports.....	598
Activity Code Properties.....	598
Agent By Supervisor Properties.....	599
Agent Properties.....	600
Agent Skillset Assignment.....	605
Agent Skillset Properties.....	606
Agent Supervisor Assignment.....	607
Application Script Properties.....	609
Application Template Properties.....	610
CDN (Route Point) Properties.....	611
Database View Definitions.....	612
DNIS Properties.....	613
Formula Properties.....	614
Historical and Real Time Statistics Properties.....	615
IVR Queue and Port Properties.....	621
Logged In Agent.....	623
Route Properties.....	625
Script Variable by Script.....	626
Script Variable Properties.....	627
Skillset Properties.....	628
Supervisor Properties.....	630
Telephone Display Properties.....	633
User Access Privilege.....	634
Chapter 21: Contact Summary Reports.....	636

Activity Code by Address.....	636
Agent by Address.....	637
Contact Duration.....	639
Contact Duration by Agent.....	641
Contact Summary.....	642
Contacts by Agent.....	645
Originator by Disposition.....	646
Media Server Call Distribution report.....	648
Chapter 22: Standard Multimedia reports.....	650
Contacts Closed by Reason Code.....	650
Contacts Closed by Skillset.....	651
Contacts Details.....	651
Contacts Outstanding Detail.....	653
Contacts Outstanding Summary.....	654
Contacts Received by Skillset.....	655
Chapter 23: Standard network reports.....	657
Network Site and Application Properties.....	657
Network Skillset Routing Properties.....	659
Crosstab - Network Incoming Calls.....	660
Crosstab - Network Outgoing Calls.....	661
Network Application Performance.....	662
Network DNIS Statistics.....	665
Network Incoming Calls.....	667
Network Outgoing Calls.....	669
Network Route Performance.....	670
Network Skillset Performance.....	672
Network Skillset Timeline.....	674
Network Skillset Timeline by Contact Type.....	677
Chapter 24: Additional CCMA reports in the Others folder.....	682
Activity Code by Application.....	682
Application by Activity Code.....	683
Application by Skillset.....	684
Application Call Treatment.....	686
Application Delay Before Abandon.....	690
Application Delay Before Answer.....	692
Application Performance.....	694
CDN (Route Point) Statistics.....	696
Crosstab—Application Performance.....	697
Crosstab—CDN (Route Point) Statistics.....	698
Crosstab—DNIS Statistics.....	699
Crosstab—Route Performance.....	700
Crosstab—Skillset Performance.....	702
Crosstab—Trunk Performance.....	703

DNIS Statistics.....	704
IVR Port First Login/Last Logout.....	706
IVR Port Statistics.....	706
IVR Queue Statistics.....	708
Music/RAN Route Statistics.....	709
Route Performance.....	711
Skillset by Application.....	712
Skillset Performance.....	714
Skillset Timeline.....	716
Skillset Timeline by Contact Type.....	719
Trunk Performance.....	723
Chapter 25: Standard administration reports.....	726
Access Classes.....	727
Report Groups.....	727
User Defined Partitions.....	728
Users.....	728
Chapter 26: Standard Outbound reports.....	730
Campaign Call Details.....	730
Campaign Script Results Details.....	731
Campaign Performance.....	732
Campaign Summary.....	732
Script Summary.....	733
Chapter 27: Standard Network Control Center reports.....	734
Network Call by Call Statistics.....	734
Network Consolidated Application Performance.....	736
Network Consolidated DNIS Statistics.....	738
Network Consolidated Incoming Calls.....	741
Network Consolidated Outgoing Calls.....	743
Network Consolidated Route Performance.....	745
Network Consolidated Skillset CallDistribution.....	747
Network Consolidated Skillset Performance.....	749
Network Site and Application Properties (NCC).....	751
Network Skillset Routing Properties (NCC).....	752
Network Table Routing Assignments (NCC).....	754
Nodal Consolidated Application Delay Before Abandon.....	755
Nodal Consolidated Application Delay BeforeAnswer.....	757
Nodal Consolidated Application Performance.....	759
Chapter 28: Report Creation Wizard.....	761
Overview.....	761
Sample Report Creation Wizard reports.....	761
Avaya Communication Server 1000 and SIP reports.....	763
License Manager Reports.....	771
Contact Center Multimedia reports.....	771

Network consolidated reports.....	777
Functions, operators, and formulas.....	778
Part 5: Pegging information.....	817
Chapter 29: Pegging examples.....	818
Pegging of local calls.....	818
Pegging of network calls.....	820
Pegging of Activity Codes.....	822
Pegging of Not Ready reason codes.....	824
Pegging of agent state timers.....	827
Pegging of ACD-DNs.....	828
Pegging of DNIS calls.....	829
Pegging of calls returned to queue.....	829
Pegging when a skillset is out of service.....	830
Pegging for calls networked out by NACD.....	831
Pegging blind transfers.....	832
Pegging when the caller leaves a message.....	834
Pegging of calls answered by a backup skillset.....	835
Chapter 30: Agent state tracking.....	836
Pegging agent state.....	836
Part 6: Frequently Asked Questions.....	839
Chapter 31: Frequently Asked Questions.....	840
General Questions.....	840
Questions about intervals.....	842
Questions about agent statistics.....	844
Questions about Activity and Not Ready statistics.....	848
Questions about skillset and application statistics.....	850
Questions about DNIS statistics.....	857
Questions about call-by-call statistics.....	858
Questions about ACD calls.....	858
Questions about DN calls.....	858
Questions about custom reports.....	859
Questions about Multimedia reporting.....	860
Questions about Contact Center Outbound campaign reporting.....	861
Questions about Contact Summary reports.....	862
Questions about Pull-mode contacts.....	863

Chapter 1: Introduction

Purpose

This document gives reference information for tracking data and statistics in your contact center.

This document gives reference information for the following contact center products:

- Avaya Aura® Contact Center
- Avaya Contact Center Select

The document describes the views and statistics you can track for the following components of Contact Center:

- Contact Center Manager Server
- Network Control Center
- Contact Center Multimedia

The document describes reports and provides a graphical sample of each report you can generate. The document provides examples of how statistics are pegged. The document also provides answers to frequently asked questions.

Intended audience

This guide is for Contact Center Manager Server administrators and supervisors who create, manage, and use reports.

Related resources

Avaya Aura® Contact Center Documentation

The following table lists the documents related to Avaya Aura® Contact Center. Download the documents from the Avaya Support website at <https://support.avaya.com>.

Title	Use this document to:	Audience
Overview		
<i>Avaya Aura® Contact Center Overview and Specification</i>	This document contains technical details you need to set up your Contact Center suite. The document contains the background information you need to plan and engineer your system (server preparation information, routing options, licensing configurations, and hardware configuration). The document also contains background information you require to install all software components that are part of and work with Contact Center. General information about considerations for upgrading your existing suite of Contact Center is also included. This document contains strategies and requirements to plan your network configuration and prepare your servers for Contact Center software installations.	Customers and sales, services, and support personnel
<i>Avaya Aura® Contact Center and Avaya Aura® Unified Communications Solution Description</i>	This document describes the solution architecture, suggested topologies, and capacities for the Avaya Aura® Unified Communications platform. This document also describes the features and functional limitations of certain configurations.	Customers and sales, services, and support personnel
<i>Avaya Aura® Contact Center and Avaya Communication Server 1000 Solution Description</i>	This document describes the solution architecture, suggested topologies, and capacities for the Avaya Communication Server 1000 platform. This document also describes the features and functional limitations of certain configurations.	Customers and sales, services, and support personnel
<i>Avaya Aura® Contact Center Documentation Catalog</i>	This document describes available Avaya Aura® Contact Center documentation resources and indicates the type of information in each document.	Customers and sales, services, and support personnel
<i>Avaya Aura® Contact Center Terminology</i>	This document contains definitions for the technical terms specific to Contact Center.	Customers and sales, services, and support personnel

Table continues...

Title	Use this document to:	Audience
<i>Contact Center Performance Management Data Dictionary</i>	This document contains reference tables that describe the statistics and data in the historical and real-time reports generated in Contact Center.	System administrators and contact center supervisors
Implementing		
<i>Avaya Aura® Contact Center and Avaya Aura® Unified Communications Integration</i>	This document contains information and procedures to integrate the Avaya Aura® Unified Communications platform with Contact Center.	Implementation personnel
<i>Avaya Aura® Contact Center and Avaya Communication Server 1000 Integration</i>	This document contains information and procedures to integrate the Avaya Communication Server 1000 platform with Contact Center.	Implementation personnel
<i>Deploying Avaya Aura® Contact Center DVD for Avaya Aura® Unified Communications</i>	This document contains information about Contact Center DVD installation, initial configuration, and verification for the Avaya Aura® Unified Communications platform.	Implementation personnel
<i>Deploying Avaya Aura® Contact Center DVD for Avaya Communication Server 1000</i>	This document contains information about Contact Center DVD installation, initial configuration, and verification for the Avaya Communication Server 1000 platform.	Implementation personnel
<i>Deploying Avaya Aura® Contact Center Software Appliance for Avaya Aura® Unified Communications</i>	This document describes how to deploy the Avaya Aura® Contact Center Software Appliance for the Avaya Aura® Unified Communications platform.	Implementation personnel
<i>Avaya Aura® Contact Center Commissioning for Avaya Aura® Unified Communications</i>	This document contains information for Contact Center preparation, process, initial configuration, and verification of the installation on the Avaya Aura® Unified Communications platform.	Implementation personnel
<i>Avaya Aura® Contact Center Commissioning for Avaya Communication Server 1000</i>	This document contains information for Contact Center preparation, process, initial configuration, and verification of the installation on the Avaya Communication Server 1000 platform.	Implementation personnel
<i>Avaya Aura® Contact Center and Proactive Outreach Manager Integration</i>	This document provides conceptual and procedural information on the integration between Avaya Aura® Contact Center (AACC) and Avaya Proactive Outreach Manager (POM); it describes the tasks required for AACC and POM integration.	Implementation personnel

Table continues...

Title	Use this document to:	Audience
<i>Upgrading and patching Avaya Aura® Contact Center</i>	This document contains information and procedures to upgrade from previous releases to Contact Center, migrating the databases, and information and procedures to download and install service packs.	Implementation personnel and system administrators
Administering		
<i>Avaya Aura® Contact Center Server Administration</i>	This document contains information and procedures for day-to-day maintenance of all servers in the Contact Center suite, including server maintenance tasks, administrative tasks, managing data, configuring data routing, performing archives, and backing up data. It also describes the optional configuration procedures for server configuration.	System administrators
<i>Avaya Aura® Contact Center Client Administration</i>	This document contains information and procedures to configure the users and user access, skillsets, server management, and configuration data in the Contact Center database.	System administrators and contact center supervisors
<i>Using Contact Center Orchestration Designer</i>	This document contains information and procedures to configure script and flow applications in Contact Center Orchestration Designer.	System administrators
Maintaining		
<i>Maintaining Avaya Aura® Contact Center</i>	This document contains routine maintenance procedures such as installing service packs, and maintaining the databases for the Contact Center system.	System administrators and support personnel
<i>Troubleshooting Avaya Aura® Contact Center</i>	This document contains system-wide troubleshooting information and procedures for Contact Center hardware, software, and network.	System administrators and support personnel
<i>Contact Center Event Codes</i>	This document contains a list of errors in the Contact Center suite and recommendations to resolve them. This document is a Microsoft Excel spreadsheet.	System administrators and support personnel
Using		

Table continues...

Title	Use this document to:	Audience
<i>Using Avaya Aura® Contact Center Reports and Displays</i>	This document contains procedures to generate performance reports, and to monitor and analyze performance data and performance measurements.	System administrators and contact center supervisors
<i>Using Agent Desktop for Avaya Aura® Contact Center</i>	This document provides information and procedures for agents who use the Agent Desktop application to accept, manage, and close contacts of all media types in Contact Center.	Contact center agents and supervisors
<i>Using the Contact Center Agent Browser application</i>	This document provides information and procedures for agents who use the Agent Browser application to log on to Contact Center and perform basic tasks.	Contact center agents
<i>Using Avaya Workspaces for AACC and ACCS</i>	This document describes the tasks that Contact Center agents can perform using Avaya Workspaces.	Contact center agents and supervisors

Avaya Contact Center Select Documentation

The following table lists the documents related to Avaya Contact Center Select. Download the documents from the Avaya Support website at <http://support.avaya.com>.

Title	Use this document to:	Audience
Overview		
<i>Avaya Contact Center Select Solution Description</i>	This document provides a technical description of Avaya Contact Center Select. It describes the product features, specifications, licensing, and interoperability with other supported products.	Customers and sales, services, and support personnel
<i>Avaya Contact Center Select Documentation Catalog</i>	This document describes available Avaya Contact Center Select documentation resources and indicates the type of information in each document.	Customers and sales, services, and support personnel
<i>Contact Center Performance Management Data Dictionary</i>	This document contains reference tables that describe the statistics and data in the historical and real-time reports generated in Contact Center.	System administrators and contact center supervisors
Implementing		

Table continues...

Title	Use this document to:	Audience
<i>Deploying Avaya Contact Center Select DVD</i>	This document contains information about Avaya Contact Center Select DVD installation, initial configuration, and verification. This document contains information about maintaining and troubleshooting the Avaya Contact Center Select server.	Implementation personnel
<i>Deploying Avaya Contact Center Select Software Appliance</i>	This document contains information about Avaya Contact Center Select Software Appliance (VMware) preparation, deployment, initial configuration, and verification. This document contains information about maintaining and troubleshooting the software appliance.	Implementation personnel
<i>Deploying Avaya Contact Center Select Hardware Appliance</i>	This document contains information about Avaya Contact Center Select Hardware Appliance (physical server) installation, initial configuration, and verification. This document contains information about maintaining and troubleshooting the hardware appliance.	Implementation personnel
<i>Avaya Contact Center Select Business Continuity</i>	This document contains information about deploying Avaya Contact Center Select Business Continuity.	Implementation personnel
<i>Upgrading and patching Avaya Contact Center Select</i>	This document contains information about upgrading and patching Avaya Contact Center Select.	Implementation personnel and system administrators
Administering		
<i>Administering Avaya Contact Center Select</i>	This document contains information and procedures to configure the users, skillsets, and contact center configuration data. This document contains information about creating Avaya Contact Center Select real-time and historical reports.	System administrators and contact center supervisors
<i>Avaya Contact Center Select Advanced Administration</i>	This document contains information about managing the Avaya Contact Center Select server, licensing, and multimedia configuration.	System administrators
<i>Using Contact Center Orchestration Designer</i>	This document contains information and procedures to configure script and flow applications in Contact Center Orchestration Designer.	System administrators
Maintaining		

Table continues...

Title	Use this document to:	Audience
<i>Contact Center Event Codes</i>	This document contains a list of errors in the Contact Center suite and recommendations to resolve them. This document is a Microsoft Excel spreadsheet.	System administrators and support personnel
Using		
<i>Using Agent Desktop for Avaya Contact Center Select</i>	This document provides information and procedures for agents who use the Agent Desktop application to accept, manage, and close contacts of all media types in Contact Center.	Contact center agents and supervisors
<i>Using the Contact Center Agent Browser application</i>	This document provides information and procedures for agents who use the Agent Browser application to log on to Contact Center and perform basic tasks.	Contact center agents
<i>Using Avaya Workspaces for AACC and ACCS</i>	This document describes the tasks that Contact Center agents can perform using Avaya Workspaces.	Contact center agents and supervisors

Finding documents on the Avaya Support website

Procedure

1. Go to <https://support.avaya.com>.
2. At the top of the screen, type your username and password and click **Login**.
3. Click **Support by Product > Documents**.
4. In **Enter your Product Here**, type the product name and then select the product from the list.
5. In **Choose Release**, select an appropriate release number.
6. In the **Content Type** filter, click a document type, or click **Select All** to see a list of all available documents.

For example, for user guides, click **User Guides** in the **Content Type** filter. The list displays the documents only from the selected category.

7. Click **Enter**.

Viewing Avaya Mentor videos

Avaya Mentor videos provide technical content on how to install, configure, and troubleshoot Avaya products.

About this task

Videos are available on the Avaya Support website, listed under the video document type, and on the Avaya-run channel on YouTube.

- To find videos on the Avaya Support website, go to <https://support.avaya.com/> and do one of the following:
 - In **Search**, type `Avaya Mentor Videos`, click **Clear All** and select **Video** in the **Content Type**.
 - In **Search**, type the product name. On the Search Results page, click **Clear All** and select **Video** in the **Content Type**.

The **Video** content type is displayed only when videos are available for that product.

In the right pane, the page displays a list of available videos.

- To find the Avaya Mentor videos on YouTube, go to www.youtube.com/AvayaMentor and do one of the following:
 - Enter a key word or key words in the **Search Channel** to search for a specific product or topic.
 - Scroll down Playlists, and click a topic name to see the list of videos available for the topic. For example, Contact Centers.

 **Note:**

Videos are not available for all products.

Support

Go to the Avaya Support website at <https://support.avaya.com> for the most up-to-date documentation, product notices, and knowledge articles. You can also search for release notes, downloads, and resolutions to issues. Use the online service request system to create a service request. Chat with live agents to get answers to questions, or request an agent to connect you to a support team if an issue requires additional expertise.

Chapter 2: Changes in this release

The following sections describe the changes in *Contact Center Performance Management Data Dictionary* Release 7.1.

Features

New features in Release 7.1

There are no new features in the Release 7.1 base build.

Other changes

Other changes in the Release 7.1 base build

There are no other changes in the Release 7.1 base build.

Chapter 3: Performance Management Data Dictionary fundamentals

Contact Center Manager Server provides a contact center solution for varied and changing business environments. It provides an open database that is accessible from the client application and from other report writers and applications that support Open Database Connectivity (ODBC), Java Database Connectivity (JDBC), Caché Database, and Structured Query Language (SQL). This section describes all report definitions.

This guide is for Contact Center Manager Server administrators and supervisors who create, manage, and use reports.

Access rights

You must have the required privileges and access rights to perform the procedures in this guide.

Optional features

Some of the features in this guide are optional. Fields and commands for features you do not purchase are not available.

PABX references

For Avaya Aura® Contact Center, Contact Center Manager Server provides support for the following PABX types:

- Avaya Aura® Unified Communications platform
- Avaya Communication Server 1000

For Avaya Contact Center Select, Contact Center Manager Server provides support for the following PABX type:

- Avaya IP Office Server Edition

Contact Center database

The Contact Center database is an open database. You can use the data in the following ways:

- Import the data into a spreadsheet for manipulation.
- Import the data into your corporate database.
- Import the data into a workforce management system for analysis.
- Develop custom reports using Microsoft SQL Server Report Builder or another reporting application.

The required software to access the data is on the Contact Center Manager Administration server. With the software, a browser on a client PC can access data through the applications available on the Contact Center Manager Server.

To directly access the data from any other PC, first install and configure the ODBC and JDBC drivers for Caché.

Database views

The actual structure of the database is hidden, and you cannot directly access the database tables. (Direct access to the tables can compromise the integrity of the database and jeopardize server performance.) You access data through database views, or logical representations of the database. Use database views to organize the information in the database for your use. This guide defines all database views.

When you create data warehouse applications, you use these database views. The database views contain all the information for custom reporting and queries, and are created on top of database tables. The database tables have indexes; therefore, SQL queries running on the database views use the table indexes where possible. When joining views or restricting the data being returned, using indexed fields for the joins or restrictions can improve the SQL performance. This guide lists indexed fields throughout the document. Each view includes a table of Join Key fields. These fields are always indexed.

The sysadmin logon account provides read-only access to a specific set of tables, but not to all table columns. For security and performance reasons, no logon account provides read-only access to all of the database tables. Third-party applications can access the database views using the sysadmin account. You can also use other accounts with reporting privileges on Contact Center Manager Server to access data from the database views.

Statistic types

There are four statistic or collections of data collected in the Contact Center database:

- summarized historical statistic views
- contact statistics
- event statistics
- configuration data

Summarized historical statistics

Summarized historical statistics are statistics accumulated over a period of time (15-minute interval, daily, weekly, or monthly). The system stores these statistics as totals in the database. For example, summarized historical statistics can indicate the number of answered calls during a 15-minute interval.

With historical statistics collection, you can choose the length of time to store various types of statistics. The duration you choose determines the amount of disk space required for the database.

With historical statistics collection, you can also choose the types of statistics to collect. For example, you can choose not to collect call-by-call or activity code statistics. The number and type of statistics you choose also affect the amount of disk space required for the database.

Contact statistics

Contact statistics accumulate after contacts arrive in the contact center and can continue to accumulate after the contact ends, while the agent performs tasks related to the previous contact. The system writes contact statistics to the database after it receives all information about the contact and agent post contact data, after the next pegging interval.

Event statistics

Event statistics are statistics collected for each event rather than accumulated over a period of time. Contact Center Manager Server records the following types of event statistics:

- agent logon and logoff statistics
- call-by-call statistics
- IVR port logon and logoff statistics

Configuration data

Configuration data describes the configuration of your server. For more information, see [Configuration views](#) on page 215.

Part 1: Contact Center Manager Data dictionary

- [Overview](#) on page 31
- [Summarized historical statistics](#) on page 38
- [Contact statistics](#) on page 166
- [Event statistics](#) on page 190
- [Integrated Reporting statistics](#) on page 211
- [Configuration views](#) on page 215

Chapter 4: Overview

The Contact Center Manager Server database is an open database. You can access the data in this database with any SQL-, JDBC- or ODBC-compliant application. This section describes the available information.

Data types

Four data types are available:

- summarized historical statistics—statistics accumulated over a period of time (15-minute interval, daily, weekly, or monthly)
- contact statistics—statistics that are calculated for each contact
- event statistics—statistics that report each occurrence of an event
- configuration data—information about the configuration of your server

You can use the data in many ways, including the following:

- Import it into a spreadsheet for manipulation.
- Import it into your corporate database.
- Develop custom reports using Report Creation Wizard, Microsoft SQL Server Report Builder, or another reporting application.

Virtual Statistics

Virtual statistics show the actual number of contacts offered to the contact center, or abandoned while queuing in the contact center.

Depending on the routing in the Contact Center, a contact can be offered to multiple skillsets. As a result, a single contact can show up as offered or abandoned multiple times when you consolidate skillset statistics for multiple skillsets. Virtual statistics counter this by pegging an offered or abandoned call against just one skillset.

For example, a flow application routes a call to multiple skillsets. Before an agent answers the voice contact, the caller hangs up. In this case, both the CallsOffered and CallsAbandoned statistics increment on all the skillsets to which the contact was queued. However, the

VirtualCallsOffered and VirtualCallsAbandoned increment only on the first skillset to which the contact was queued. Therefore the virtual statistics show the true number of contacts offered and abandoned, where a consolidated skillset report shows an artificially large number.

In a networked contact center using Network Skill Based Routing (NSBR), standard statistics increment both on the originating node skillset and the networked skillset. Virtual statistics identify where a voice contact is abandoned or offered. A voice contact that is abandoned increments the virtual statistics VirtualCallsAbandoned and VirtualCallsOffered only on the originating node skillset. A voice contact that is answered increments VirtualCallsOffered on the site on which an agent answers it.

Statistical field types

The following table describes the field types used in the statistics descriptions in this section. For each type, the table provides a range of valid values and a size.

Field type	Description	Value range	Size
binary	binary data	Not applicable	16 bytes
char	fixed character length	Not applicable	n bytes
datetime	timestamp	Jan 1, 1753 to Dec 31, 9999	8 bytes
float	integer	1 to 100,000	8 bytes
int	integer	- 2 147 483 648 to 2 147 483 647	4 bytes
numeric	large integer	0 to 999 999 999 999	6 bytes
smalldatetime	timestamp	Jan 1, 1900 to June 6, 2079	4 bytes
smallint	small integer	- 32 768 to 32 767	2 bytes
tinyint	tiny integer	0 to 255	1 byte
unsigned int	unsigned integer	0 to 4 294 967 296	4 bytes
varbinary	variable length binary data	Not applicable	n bytes, data dependent
varchar	variable length character	Not applicable	n bytes, data dependent

Resource usage

When you generate reports or export data from the database, you use system resources, including server CPU and LAN bandwidth.

Generate large reports or export large amounts of data during off-peak times in your contact center.

Default applications

Six default applications ship with Contact Center Manager Server: Master_Script, Network_Script, Switchover_Handling Script, ACD-DN, NACD-DN, and System. In some views, statistics peg against these default applications.

Application	Description
Master_Script	Contact Center Manager Server (CCMS) controlled calls enter the Master_Script, which hands off calls to a Primary application.
Network_Script	<p>The Network_Script Application applies only to Contact Centers that are networked.</p> <p>The CCMS calls are presented from an internal network of CCMSs.</p> <p>Although all incoming network calls do peg against the Network_Script Application, the Network_Script Application does not run for all incoming network calls. The network script runs for error conditions, such as when a reserved agent does not handle call. However, all network in calls handled by the reserved agent (nonerror condition) are pegged against the network application.</p> <p>At the destination site, all delays and events peg against the Network_Script Application regardless of whether the Network script actually runs.</p> <p>At the source site, delays and events that occur on the target site peg against the Master_Script Application or Primary_Script Application, whichever is appropriate.</p>
Switchover_Handling Script	<p>The Switchover_Handling Script is valid only for SIP High Availability Contact Centers.</p> <p>In Contact Centers using the Mission Critical High Availability feature, the Switchover_Handling Script handles calls in treatment during a switchover.</p> <p>The Switchover_Handling Script is the first script that is run by calls or contacts that are in treatment, after a SIP switchover from the active CCMS server to the newly active CCMS server. Any new calls or contacts received by the newly active CCMS server uses the default Master_Script.</p>
ACD_DN_Application	Calls presented to a Contact Center Manager Server agent through an ACD-DN (default calls).
NACD-DN_Application	NACD Calls presented to a Contact Center Manager Server agent through an ACD-DN.
System_Application	Null application used to peg information such as All Agent Busy Time, because more than one application can queue calls to a skillset.

Access rights by view

The following tables list the access rights needed to run reports, depending on which view you access. The sysadmin user has all access rights.

Summarized Historical statistics

The following table lists the access rights needed to run historical reports.

View	Item	Level of access
ActivityCodeStat	Reports—Agent Performance	Create and run any report
	Reports— Other	Create and run any report
AgentByApplicationStat	Reports— Agent Performance	Create and run any report
AgentBySkillsetStat	Reports— Agent Performance	Create and run any report
AgentPerformanceStat	Reports— Agent Performance	Create and run any report
ApplicationStat	Reports— Other	Create and run any report
CDNStat	Reports—Other	Create and run any report
DNISStat	Reports—Other	Create and run any report
IVRPortStat	Reports—Other	Create and run any report
IVRStat	Reports—Other	Create and run any report
NetworkInCallStat	Reports—Other	Create and run any report
NetworkOutStat	Reports—Other	Create and run any report
RANMusicRouteStat	Reports—Other	Create and run any report
RouteStat	Reports—Other	Create and run any report
SkillsetStat	Reports—Other	Create and run any report
TrunkStat	Reports—Other	Create and run any report

Contact statistics

The following table lists the required access rights to run contact reports.

View	Item	Level of access
eCSRStat	Reports—Contact Summary	Create and run any report
eCSRCodeStat	Reports—Contact Summary	Create and run any report

Event statistics

The following table lists the access rights needed to run event reports.

View	Item	Level of access
eAgentLoginStat	Reports—Agent Performance	Create and run any report

Table continues...

View	Item	Level of access
eCallByCallStat YYYYMMDD	Reports—CallByCall	Create and run any report
eIVRPortLoginStat	Reports—Other	Create and run any report
eNetCallByCallStat YYYYMMDD	Reports—CallByCall	Create and run any report

Configuration statistics

The following table lists the access rights needed to run configuration reports.

View	Item	Level of access
AccessRights	Reports—Other	Create and run any report
ActivityCode	Reports—Other	Create and run any report
Agent	Agent-to-Skillset Assignment	View all agents
	Agent-to-supervisor Assignment	View all agents
	Reports—Agent Performance	Create and run any report
	Reports—Call by Call	Create and run any report
	Users	View all users
AgentCap	Reports—Other	Create and run any report
Application	Reports—Other	Create and run any report
ApplicationByScript	Reports—Other	Create and run any report
ApplicationTemplate	Application Threshold Classes	Create and run any report
ApplicationThreshold Template	Application Threshold Classes	View
	Reports—Other	View
CDN	Reports—Other	Create and run any report
CodeToMessageMap	Reports—Other	Create and run any report
ContactType	Reports—Other	Create and run any report
DNIS	DINSs	View
	Reports—Other	Create and run any report
DNISThresholdTemplate	DINSs	View
Formula	Formula	View
	Reports—Other	Create and run any report
HistoricalStatCollection	Reports—Other	Create and run any report
HistoricalStatDuration	Reports—Other	Create and run any report
HistoricalStatStorage	Reports—Other	Create and run any report
IVRPort	Reports—Other	Create and run any report
IVRQueue	Reports—Other	Create and run any report
IVRThresholdTemplate	IVR ACD–DN Threshold Classes	View
	Reports—Other	Create and run any report

Table continues...

View	Item	Level of access
NCCConfig	Network Communications Parameters	View
NCCNetworkSkillset	Reports—Other	Create and run any report
NCCR ranking	Reports—Other	Create and run any report
NCCRemoteApplication	Reports—Other	Create and run any report
NCCSite	Reports—Other	Create and run any report
NetworkConfig	Network Communications Parameters	View
NetworkRanking Assignment	Reports—Other	Create and run any report
NetworkSkillsetStatus	Reports—Other	Create and run any report
NetworkThresholdTemplate	Reports—Other	Create and run any report
PhoneSetDisplay	Reports—Other	Create and run any report
Provider	Reports—Other	Create and run any report
Ranking	Reports—Other	Create and run any report
RealTimeColumn	Reports—Other	Create and run any report
RealTimeStatCollection	Reports—Other	Create and run any report
RealTimeTemplate	Reports—Other	Create and run any report
RemoteApplication	Reports—Other	Create and run any report
Route	Reports—Other	Create and run any report
RouteThresholdTemplate	Reports—Other	Create and run any report
	Route Threshold Classes	View
ScheduledSkillset Assignment	Reports—Agent Performance	Create and run any report
ScheduledSupervisor Assignment	Agent-to-supervisor Assignment	View all agents
	Reports—Agent Performance	Create and run any report
Scripts	Script	View
ScriptVariableProperties	Reports—Other	Create and run any report
ScriptVariables	Reports—Other	Create and run any report
Site	Reports—Other	Create and run any report
Skillset	Agent to Skillset Assignment	View all agents
	Reports—Other	Create and run any report
	Skillset	View
SkillsetByAgent	Agent to Skillset Assignment	View all agents
SkillsetByAssignment	Agent to Skillset Assignment	View all agents
SkillsetThresholdTemplate	Skillset Threshold Classes	View
SummaryThreshold Template	Nodal Threshold Classes	View
Supervisor	Agent-to-supervisor Assignment	View all agents

Table continues...

View	Item	Level of access
	Reports—Agent Performance	Create and run any report
	Reports—Other	Create and run any report
	Users	View all users
SupervisorAgentAssignment	Agent-to-supervisor Assignment	View all agents
	Reports—Agent Performance	Create and run any report
	Reports—Other	Create and run any report
SupervisorByAssignment	Agent-to-supervisor Assignments	View all agents
SwitchPort	PABX Resource	View
TargetSwitchComm	Reports—Other	Create and run any report
UserTemplate	Call Presentation Classes	View
UserThresholdTemplate	Agent Threshold Classes	View
Views	Reports—Other	Create and run any report

Chapter 5: Summarized historical statistics

Summarized historical statistics accumulate over a period of time (15-minute interval, daily, weekly, or monthly). For example, summarized historical statistics can indicate the number of calls answered during a 15-minute interval.

You can use these statistics in standard and user-defined reports. You can include these statistics in your Report Creation Wizard-created and your own reports.

Statistics types

When you configure the Historical Statistics Collection, you can choose whether to collect statistics in each of the following statistics groups:

- application statistics
- CDN and Route Point statistics
- skillset statistics
- activity code statistics
- DNIS statistics
- trunk statistics (Avaya Communication Server 1000 PABX)
- route statistics (Avaya Communication Server 1000 PABX)
- music and RAN route statistics
- contact summary statistics
- agent performance statistics
- agent by application statistics
- agent by skillset statistics
- agent login/logout statistics
- IVR ACD-DN statistics

You can enable or disable data collection for one a group while the system runs. The number and type of statistics you choose to collect affects the amount of disk space required for the database.

Storage duration

When you configure the Historical Statistics Collection, you can choose the length of time to store various statistic types. The duration you choose determines the amount of disk space required for the database.

Types of views

Summarized historical statistics are available in interval, daily, weekly, and monthly views.

Interval views

The server accumulates interval statistics for 15 minutes. The statistics accumulate in the server RAM until the end of the 15-minute interval. The server then creates a new record in the database for each entity (or combination of entities). The new record contains the summarized statistics for the entity for that interval. (The statistics collected depend on the type of entity.) The Timestamp field of the new record is in the format YYYY/MM/DD HH:MM:00:00; MM is 00, 15, 30, or 45.

For example, to record agent by skillset statistics, the server creates a record for each skillset for which an agent answered calls during the interval just ended.

Interval views begin with the prefix i.

Daily views

Immediately after the end of the business day (after 12:00 midnight), the server sums all interval records for the day and creates corresponding daily records. The Timestamp field of the daily records is in the format YYYY/MM/DD 00:00:00:00.

Current day statistics are not available until the beginning of the next day (after 12:00 midnight).

Daily views begin with the prefix d.

Weekly views

Immediately after the end of the first day of the week (after 12:00 midnight), the server creates weekly records that contain the daily totals. After the end of each subsequent day in the week, the server adds the day total to the fields in the weekly records. The Timestamp field of the weekly records is in the format YYYY/MM/DD 00:00:00:00; DD is the first day of the week.

You can configure the first day of the week in the Historical Statistics Configuration.

Weekly statistics are not available until after 12:00 midnight of the first day in the next week.

Weekly views begin with the prefix w.

Current week data is available—data includes all completed days so far for the current week.

Monthly views

Immediately after the end of the first day of the month (after 12:00 midnight), the server creates monthly records that contain each daily total. After the end of each subsequent day in the month, the server adds the day total to the fields in the monthly record. The Timestamp field of the monthly records is in the format YYYY/MM/DD 00:00:00:00; DD is 01.

Monthly statistics are not available until after 12:00 midnight of the first day in the next month.

Monthly views begin with the prefix m.

Current month data is available—data includes all completed days so far for the current month.

When statistics accumulate

Type	When accumulated
interval	Statistics are accumulated every 15 minutes, at 00, 15, 30, and 45 minutes for each hour of the day.
daily	Statistics are accumulated for the entire day immediately after the end of the day (after 12:00 midnight).
weekly	<p>The server creates weekly records containing daily totals immediately after the end of the first day of the week (after 12:00 midnight). After the end of each subsequent day in a week, the server adds the daily total to the fields in the weekly records.</p> <p>Statistics are accumulated for the entire week immediately after the end of the week (after 12:00 midnight on the first day of the next business week).</p> <p>You can run weekly reports at any time before the end of the week. This report shows statistics from the first day of the week up to and including data from the previous day.</p>
monthly	<p>The server creates monthly records containing daily totals immediately after the end of the first day of the month (after 12:00 midnight). After the end of each subsequent day in a month, the server adds the daily total to the fields in the monthly records.</p> <p>Statistics are accumulated for the entire month immediately after the end of the month (after 12:00 midnight on the first day of the next month).</p> <p>You can run monthly reports at any time before the end of the month. This report shows statistics from the first day of the month up to and including data from the previous day.</p>

Joining views

To generate custom reports that combine statistics from two or more views you can join views together using a common field that exists on all the views to be joined. These common fields are join keys.

If the SQL queries perform calculations such as Max, Min, Sum, or Avg, use the Group By statement to ensure that the joined view does not contain duplicate data. When you use the Group By statement, specify join keys only as the fields on which to group.

If you combine views that do not share a join key, or if you group by a field that is not a join key, the resulting statistics are meaningless and misleading.

When you compare join key values in the SQL where clause, use left outer join syntax. This ensures that rows in the left side view which do not have corresponding join key values in the right side view are included in the resulting joined view.

Example

The administrator of the BestAir contact center wants to create a report containing the following statistics for each agent:

- CallsAnswered
- ShortCallsAnswered
- PostCallProcessingTime

The AgentPerformanceStat view provides CallsAnswered and ShortCallsAnswered statistics. The AgentByApplicationStats view provides CallsAnswered and PostCallProcessingTime statistics, but it does not provide ShortCallsAnswered statistics.

The following tables provide examples of statistics for these views.

Table 1: AgentPerformanceStat view

Timestamp	Agent Logon	CallsAnswered	ShortCallsAnswered
13:00 31/10/2015	6709	8	2
13:00 31/10/2015	6761	5	1

Table 2: AgentByApplicationStat view

Timestamp	Agent Logon	Application ID	CallsAnswered	PostCallProcessingTime
13:00 31/10/2015	6709	10000	6	40
13:00 31/10/2015	6709	10001	2	10
13:00 31/10/2015	6761	10000	5	30

From the AgentPerformanceStat view, you can see that the number of CallsAnswered for UserID 6709 is 8. The AgentByApplicationStat view tells you that six calls are answered for Application ID 10000, and two calls are answered for ApplicationID 10001.

Proper join

To obtain correct grand totals, use the following SQL query:

```
select a.Timestamp
      ,a.UserID
      ,max(a.CallsAnswered)
      ,max(a.ShortCallsAnswered)
      ,sum(isnull(b.CallsAnswered,0))
      ,sum(isnull(b.PostCallProcessingTime,0))
from iAgentPerformanceStat a
```

Summarized historical statistics

```
left outer join iAgentByApplicationStat b
  on b.TimeStamp = a.TimeStamp
  and b.UserID = a.UserID
group by a.TimeStamp, a.UserID
```

In this SQL query, a is an alias for iAgentPerformanceStat and b is an alias for iAgentByApplicationStat. This SQL query uses Timestamp and UserID as join keys.

This query uses the CallsAnswered and ShortCallsAnswered fields from iAgentPerformanceStat, and the CallsAnswered and PostCallProcessingTime fields from iAgentByApplicationStat. The query requests the maximum value for the iAgentPerformanceStat statistics and the sum of the values for each agent for the iAgentByApplicationStat statistics. The group by statement used with these summary functions ensures that only one row for each unique combination of Timestamp and UserID returns. The group by statement is essential to obtaining the correct results.

A left outer join of the views ensures that all rows in the iAgentPerformanceStat view are included in the result, even if no row in iAgentByApplicationStat corresponds to the join key values. The isnull function provides a default value of 0 in this case. Without the isnull function, the sum function can return NULL values causing the query to fail.

The following table shows the resulting statistics for the interval beginning 13:00 on 31/10/2015.

Table 3: Resulting statistics for the interval

Timestamp	Agent Logon	Calls Answered	ShortCalls Answered	Calls Answered	PostCallProcessingTime
13:00 31/10/2015	6709	8	2	8	50
13:00 31/10/2015	6761	5	1	5	30

The grand totals are correct:

- CallsAnswered = 8 + 5 = 13
- ShortCallsAnswered = 2 + 1 = 3
- PostCallProcessingTime = 50 + 30 = 80

Elimination of the Group By statement causes the ShortCallsAnswered field to be counted multiple times for some agents. Each agent's total CallsAnswered is multiplied by the number of applications for which the agent answered calls. Therefore, it provides correct results, if each agent answered calls for only one application.

Contact types

The contact types described in this section are referred to in the descriptions of database views. Contacts are categorized by media—voice contact types, and multimedia (non voice) contact types.

The following voice contacts are available:

- Contact Center Manager calls

- Automatic Call Distribution (ACD) calls
- Network Automatic Call Distribution (NACD) calls
- Directory Number (DN) calls
- SIP voice calls

The following Multimedia contacts are available:

- Contact Center Multimedia contacts
 - Email
 - Web communications
 - Outbound
 - Scanned Document
 - Fax
 - Short Message Service (SMS)
 - Voice mail
 - Social Networking
- Contact Center Outbound contacts
- SIP Instant Message (IM) contacts

When the Network Skills Based Routing (NSBR) option is available, some contact types are also categorized by network scope—local contacts and NSBR contacts.

The following NSBR contacts are available:

- NSBR Contact Center Manager calls
- NSBR SIP voice calls

Unless otherwise specified, NSBR contacts include both incoming and outgoing contacts.

Names of statistics containing calls (for example, CallsAnswered) are exceptions and refer to all contact types.

In this document the term outbound refers to Contact Center Outbound contacts. Do not confuse outbound with the term outgoing, which refers to the contact routing direction and can apply to voice and multimedia contact types, including outbound.

Contact Center Manager calls

Contact Center Manager calls are calls that arrive at a Control Directory Number (CDN) acquired by Contact Center Manager Server and are presented to the Incalls key of a phone acquired by Contact Center Manager Server.

Contact Center Manager calls are also described as local or Network Skills Based Routing (NSBR) calls.

Local Contact Center Manager calls are calls that arrive at a CDN configured as a local CDN. NSBR Contact Center Manager calls are calls that arrive at a CDN configured as a network CDN

(incoming NSBR Contact Center Manager calls), calls offered to a remote site by the local server (outgoing NSBR Contact Center Manager calls), or calls that arrive at CDN Landing Pad or DNIS Landing Pad (Universal Networking Calls).

Unless otherwise specified, Contact Center Manager calls include both local Contact Center Manager calls and NSBR Contact Center Manager calls.

Contact Center Manager call tracking

Contact Center Manager calls are tracked from the time a call notification message arrives from the PABX until one of the following situations occurs:

- the call is abandoned
- the call is routed to the default DN
- the call is given Force Disconnect command
- the call is given Busy treatment
- the call is given Overflow treatment
- the call is given Queue to NACD treatment and then abandoned
- the call is given Queue to NACD treatment and then answered and released
- the call is given Queue to Network Skillset treatment and then abandoned
- the call is given Queue to Network Skillset treatment and then answered and released
- the call is given Queue to Network Skillset treatment and then reaches a non-ISDN trunk
- the call is given Queue to Network Skillset treatment and then treated by
- the Network script at the remote site
- the call is released
- the call is transferred or conferenced out by an agent or resource

ACD calls

ACD calls are calls to an Automatic Call Distribution Directory Number (ACDDN) that are presented to a phone acquired by Contact Center Manager Server. ACD calls do not apply in SIP-enabled contact centers.

Networking statistics contain only calls controlled by Contact Center Manager Server. They do not include ACD calls.

ACD call tracking

For ACD calls, the server does not record information about call activity on the PABX. ACD calls are tracked from the time they are answered at a phone acquired by Contact Center Manager Server. Therefore, the server does not record the following statistics for ACD calls:

- calls offered
- calls waiting
- calls abandoned (and abandon delay)
- calls returned to queue

NACD calls

NACD calls are ACD calls that arrived from the network through a Network ACD DN (ACD DN with a defined Day and Night network routing table) and are presented to an agent phone acquired by Contact Center Manager Server. NACD calls are not applicable in SIP-enabled contact centers.

Delay and abandon statistics are not available for NACD calls.

NACD call tracking

For NACD calls, the server does not record information about call activity on the PABX. NACD calls are tracked from the time they are answered by a Contact Center Manager Server. Therefore, the server does not record the following statistics for NACD calls:

- calls offered
- calls waiting
- calls abandoned (and abandon delay)
- calls returned to queue

DN calls

DN calls are presented to or originate from the DN key of a phone that is acquired by the Contact Center Manager Server. The server pegs DN calls primarily in the AgentPerformanceStat view. AgentByApplicationStat, AgentBySkillsetStat, ApplicationStat, and SkillsetStat views do not include DN calls, except for DNOutIntTalkTime and DNOutExtTalkTime. ActivityCodeStat views do not include DN calls.

Internal and External DN calls

An internal DN call is a call on an Avaya Communication Server 1000 PABX in which the agent is connected on a DN key to a DN configured in the same customer group on the PABX as the agent's DN. An external DN call is a call on an agent's DN key connected to any other DN.

For SIP-enabled Contact Center an internal DN call is a peer-to-peer call between two configured agents on the same Contact Center in Contact Center Manager Administration (CCMA). An external DN call is a call on an agent's DN key connected to any other DN.

DN call Tracking

DN calls are tracked from the time they are answered. The server does not track activity for incoming DN calls automatically redirected by the PABX, including the following calls:

- hunting
- call forward-busy
- call forward-all calls
- call forward-no answer

DN outcalls that originate as part of an outbound campaign are tracked as part of the Outbound contact, to avoid double pegging.

For SIP-enabled contact centers, with Contact Center Manager Server, you can configure and monitor only one DN key (SIP Line Address). Activity on other DN keys is not reported.

For the Avaya Communication Server 1000 PABX, you can track activity on multiple DN keys.

SIP voice calls

SIP voice calls are calls that:

- arrive at a Route Point (URI) hosted by Contact Center Manager Server through a SIP INVITE
- contain a voice-only component at the time of the initial SIP INVITE
- are presented to an agent's SIP address as configured in Contact Center Manager Administration

Unless otherwise specified, SIP Voice calls include both local SIP Voice calls and NSBR SIP Voice calls.

SIP voice calls tracking

SIP voice calls are tracked from the time a SIP INVITE message arrives from the call server until one of the following occurs:

- the call is abandoned
- the call is routed to the default RAN
- the call is given Force Disconnect command
- the call is given Busy treatment
- the call is given Overflow treatment
- the call is given Queue to Network Skillset treatment and then abandoned
- the call is given Queue to Network Skillset treatment and then answered and released
- the call is given Queue to Network Skillset treatment and then treated by the Network script at the remote site
- the call is released
- the call is transferred or conferenced out by an agent or resource

Multimedia contacts

The names of many of the statistics and statistics views reflect the terminology used in voice contact centers, even though these statistics and views can capture information about non-voice contacts. Do not take literally the voice-centric names of the statistics and statistics views. Where applicable, the descriptions of these statistics and statistics views are generalized in this document to reflect the possible contact types in a multimedia contact center. The actual names of the statistics and statistics views; however, do not change to more generalized forms, so that legacy reporting applications continue to function with this release.

Voice term	Generalized concept	Multimedia term
Call	An interaction between two parties in which communication in each direction can be either simultaneous (for example, voice call) or sequential (for example, email request and response).	Contact, Session
Caller	The customer that is interacting with the contact center.	Originator, Sender, Customer
Key	A part of the agent user interface allowing the agent to send commands or data to the contact center.	Button, Command
Switch, Call Server	Contact Provider—equipment that routes contact requests between a contact originator and the contact center.	Communication server, Contact Center Multimedia server, Contact Center Outbound server
Ringing	A contact state that indicates that the contact is routed to an agent but the agent has not yet initiated processing of it.	Alerting, Presenting
Answered	A contact state that indicates that the contact is routed to an agent and the agent has initiated processing of it.	Accepted
Released	A contact state that indicates that an agent finished processing the contact. In the case of sequentially processed contact parts (for example, email request, response, and response-to-the-response), this state as used in this document refers only to each individual part.	Released, Closed
Talk Time	The duration of time between an agent accepting a contact and closing it.	Processing Time, Handling Time
Conferenced	A contact state indicating that a third or subsequent party is added to parties simultaneously interacting with a contact.	Conferenced (applicable to voice contacts and SIP IM contacts only, and not applicable for other multimedia contacts)
CDN	Entry point for Contact Center Multimedia contact routing and queuing service.	Route Point (specified by URI)
DN	A destination that a contact can be presented to or the originator's ID.	Address (an email address, agentID, or URI)
DNIS	An identifier of the destination of the contact as known to the originator.	Address

The following Multimedia contacts are available:

- Contact Center Multimedia contacts
- Contact Center Outbound contacts
- SIP Instant Message (IM) contacts

When Contact Center Multimedia, Contact Center Outbound, or SIP is installed, skillset names must follow a naming convention that identifies skillsets handling contact types other than voice calls. Such skillset names begin with a configured three-character prefix that identifies the contact type handled by the skillset. If no prefix is used, the skillset is identified as a skillset for handling voice calls.

The following table lists the default skillset naming prefixes and the associated contact types.

Contact type naming prefix	Contact type display name
EM_	Email
FX_	Fax
IM_	Instant Message
OB_	Outbound
OQ_	Open Queue
PO_	POM Outbound
SER_	Outbound
SD_	Scanned documents
SM_	SMS
SN_	Social Networking
VM_	Voice mail
WC_	Web Communication

Contact Center Manager Server enforces that scripts queue contacts only of the correct type to appropriate skillsets. For reporting, the contact type display name pegs in the skillset statistics views along with every skillset statistic. Skillset statistics are selected and grouped by contact type in custom reports and Report Creation Wizard to provide summaries for each contact type.

Although not required, you can name applications by using this convention; if you do, the contact type display name pegs in the application statistics views, and you can select and group application statistics by contact type.

 **Important:**

In the case of applications, the naming convention is useful only for selecting and grouping statistics by contact type. Contact Center Manager Server does not enforce that an application only handles contacts of the type indicated by the naming prefix. Inappropriately named applications can handle contacts of the wrong type. In this case, application statistics selected or grouped by contact type are incorrect

Contact Center Multimedia contacts

Contact Center Multimedia (CCMM) contacts are contacts that

- are routed to a Route Point acquired by Contact Center Manager Server by the Contact Center Multimedia server
- are presented to the desktop of an agent whose phone is acquired by Contact Center Manager Server

CCMM contacts include the following contact types:

- Email
- Web_Communication
- Scanned_Document
- Fax
- SMS
- Voice_Mail

CCMM contacts are considered local contacts. NSBR support is not available for Contact Center Multimedia contacts.

A pull-mode multimedia contact is pulled by an agent so a response can be sent. Contacts already in process by Contact Center Manager Server, which are subsequently pulled, are pegged like other contacts up to the time they are pulled. Pull-mode multimedia contacts include no contact opened using the Read Only Contact command unless the agent subsequently opens it.

Unless otherwise specified, CCMM contacts include email contacts, Web communication contacts, local multimedia contacts, and pull-mode multimedia contacts.

CCMM contacts tracking:

Contact Center Multimedia contacts are tracked from the time a contact is accepted into Contact Center Manager Server by CCMM until one of the following occurs:

- the contact is routed to the default Route Point
- the contact is given Force Disconnect command
- the contact closes
- the contact is transferred out by an agent or resource

Contact Center Outbound contacts

Contact Center Outbound contacts are contacts that

- are routed to a Route Point acquired by Contact Center Manager Server by the Contact Center Outbound server
- are presented to the desktop of an agent whose phone is acquired by Contact Center Manager Server
- result in a DN outcall from the agent to a customer

Contact Center Outbound contacts are contacts that consist of visual information routed to and displayed on the agent desktop, for example a sales pitch script and a DN outcall. Together, the two parts of the contact count as one contact and peg as a single entity—the DN outcall does not peg separately from the visual part of the outbound contact.

Contact Center Outbound contacts are considered local contacts. NSBR support is not available for Contact Center Outbound contacts.

Contact Center Outbound contacts tracking:

Contact Center Outbound contacts are tracked from the time a contact enters Contact Center Manager Server by the Contact Center Outbound server until one of the following occurs:

- the contact is routed to the default Route Point
- the contact is given Force Disconnect command
- the contact is cancelled by the Outbound Campaign Management Tool
- the contact closes
- the contact is transferred out by an agent or resource

SIP IM contacts

SIP IM contacts are those that

- arrive at a Route Point (URI) hosted by Contact Center Manager Server through a SIP INVITE
- contain an IM-only component at the time of the initial SIP INVITE
- are presented to an agent's SIP address as configured in Contact Center Manager Administration.

SIP IM contact are local contacts. NSBR is not supported for SIP IM contacts.

SIP IM contacts tracking:

SIP IM contacts are tracked from the time a SIP INVITE message arrives from the call server until one of the following occurs:

- the contact is abandoned
- the contact is given Force Disconnect command
- the contact is released

ActivityCodeStat views

Activity code statistics identify the type of contacts handled by the agent, as well as provide detailed information about how Not Ready time is spent. This statistic provides information used to monitor agents' work and time distribution within a work day. The linkage of activity code, agent, and application provides another way to measure agents' performance.

Activity code statistics include statistics for Not Ready reason codes. Agents enter these codes when they go into Not Ready state.

For more information about Not Ready reason codes; see [Questions about Activity and Not Ready statistics](#) on page 848.

The server does not record activity time for DN calls.

System default activity code: The system default activity code (0) is the activity code against which contacts peg if an agent does not enter an activity code.

Skillset default activity code: For Avaya Communication Server 1000 PABX only. The skillset default activity code is the activity code against which contacts for a skillset peg if an agent does

not enter an activity code. Your options to define this code are as the system default (0), skillset default (00), or a valid activity code.

System default Not Ready reason code: The system default Not Ready reason code (000) is the Not Ready reason code against which Not Ready time pegs if an agent does not enter a Not Ready reason code.

System default ACW code: The system default ACW code (00000) is the Not Ready reason code against which post call processing time pegs.

To create ActivityCodeStat views, you must complete the following requirements:

- Define activity and Not Ready reason codes on the Contact Center Manager Server. If you do not, activity codes statistics are collected, but ActivityCodeName is blank.
- Configure the server to collect activity code and Not Ready reason code statistics. Statistics are collected for all activity codes and Not Ready reason codes; you cannot configure the system to collect statistics for selected codes.

Pegging

For pegging activity code examples; see [Pegging of Activity Codes](#) on page 822.

Avaya Communication Server 1000 PABX: For the interval in which a contact is answered, if this is the first activity code entered for the contact, activity time starts when the contact is answered or accepted. For subsequent activity codes entered during that interval, and for subsequent intervals, activity time starts when the agent enters the activity code.

Activity time stops when the agent enters a new activity code, when the call ends, or when the contact closes.

For pegging reason code examples, see [Pegging of Not Ready reason codes](#) on page 824.

For the interval in which an agent enters Not Ready state, if this is the first Not Ready reason code entered for the agent, the Not Ready reason time starts when the agent enters Not Ready state. For subsequent Not Ready reason codes entered during that interval, and for subsequent intervals, Not Ready reason time starts when the agent enters the Not Ready reason code.

If the agent places or receives a personal contact while in ACW state, time stops pegging against the ACW code but time starts to peg against the default NRR code. If the agent places or receives a personal contact while in NRR state, time continues to accumulate against the NRR code.

Not Ready reason time ends when

- the agent enters a new Not Ready reason code
- the agent enters Ready state
- the agent logs off

Database views

Activity code statistics use the following views:

- iActivityCodeStat
- dActivityCodeStat
- wActivityCodeStat

- mActionCodeStat

Joins with other statistics groups

You can join activity code statistics to other statistics groups to generate custom reports. For more information, see [Joining views](#) on page 40.

The following table shows the statistics groups you can join activity codes to, as well as the data fields used as join keys. Specify all these fields in your join statement in the order shown. All data fields described as join keys have indexes.

IF you generate a custom report using	THEN the join key data fields are
AgentByApplicationStat	Timestamp UserID ApplicationID
AgentBySkillset Stat	Timestamp UserID
AgentPerformanceStat	Timestamp UserID
ApplicationStat	Timestamp ApplicationID
SkillsetStat	Timestamp ApplicationID
NetworkInCallStat	Timestamp ApplicationID
NetworkOutStat	Timestamp ApplicationID

Field descriptions

This sections describes the fields for the ActivityCodeStat view.

ActivityCode

Description: A unique identifier for an activity code.

Type: varchar

Length: 32

ActivityCodeName

Description: The name of the activity code.

Type: varchar

Length: 30

ActivityTime

Description: The total time the agent spends on this activity.

ActivityTime for the first activity code entered in the call begins at the start of the call; however, ActivityTime for the first activity code is not stored in this view until the interval in which the first activity code is entered. In this interval, ActivityTime can be greater than 900 seconds (longer than the interval duration) for this call, because it can include the time from previous intervals for this call. In previous intervals to this, ActivityTime is 0.

Triggers: Activity time begins when an agent who

- answers a call or accepts a multimedia contact
- presses the Activity key and enters a code

Activity time ends when the agent enters another activity code, when the call ends, or when the multimedia contact closes.

Not Ready reason time ends when the agent

- presses the Activity key again to enter another Not Ready reason code
- enters Ready state
- logs off

Pegging: See [Pegging of Activity Codes](#) on page 822 and [Pegging of Not Ready reason codes](#) on page 824.

Type: int

Length: 4

ActivityShortName

Description: Displays the short name for the Not Ready reason code, which appears in Contact Center Manager Administration.

Type: varchar

Length: 30

AgentGivenName

Description: The given or first name of the agent.

Type: varchar

Length: 64

AgentLogin

Description: The numeric ID the agent uses to log on to the phone or agent desktop.

Type: varchar

Length: 16

AgentSurName

Description: The surname of the agent.

Type: varchar

Length: 64

Application

Description: The name of the application is the same name as the primary script.

Pegging: The following table shows how activity code statistics peg against applications.

Call type	Application
Local Contact Center Manager calls Local SIP voice calls Local Contact Center Multimedia contacts Local Contact Center Outbound calls	Master_Script or primary application, depending on the location of the contact in the system
Incoming NSBR calls	Network_Script Application
ACD calls	ACD_DN_Application
NACD calls	NACD_DN_Application

Statistics for Not Ready reason codes peg against the System_Application.

For more information about default applications mentioned in this table; see [Default applications](#) on page 33.

Type: varchar

Length: 30

ApplicationID

Description: A unique number assigned by the server to identify the application when it is defined.

Type: int

Length: 4

Occurrences

Description: The number of times the agent entered this activity code. An agent can enter multiple activity codes during a single call.

Triggers: Contact Center Manager Server pegs an activity code occurrence when an agent:

- Answers a voice call
- Accepts a multimedia contact

- Presses the Activity key on the phone and enters a code or uses the agent desktop to enter a code

Contact Center Manager Server pegs a Not Ready reason code occurrence when an agent:

- Enters Not Ready state
- Presses the Activity key on the phone and enters a Not Ready reason code or uses the agent desktop to enter a Not Ready reason code while in Not Ready state

Pegging: See [Pegging of Activity Codes](#) on page 822 and [Pegging of Not Ready reason codes](#) on page 824.

Type: int

Length: 4

Site

Description: The configured name of this Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if you delete a configured site and you add another with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

SourceApplicationName

Description: The name of the application that handled the calls reported in this row at the remote site that was the source for these calls. The name has the following format: application name_site ID.

Site ID is the internal identifier to uniquely identify a site. Site names can be determined from the Site ID through the CCMA networking configuration pages. This field applies only to Network In calls.

Type: varchar

Length: 30

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data. For more information about the format of the Timestamp in interval, daily, weekly, or monthly views; see [Types of views](#) on page 39.

Type: timestamp

Length: 16

UserID

Description: A unique number assigned by the server to identify the newly added agent.

Type: binary

Length: 16

AgentByApplicationStat views

For each application included in the report, the report lists summarized agent performance information for each agent that handled a contact from that application. You can use these statistics to monitor an agent’s contribution to an application.

Application performance is independent of skillset performance. The agent must be a member of a skillset that the application explicitly references (or implicitly does not—that is, the default skillset).

Statistics peg against a combination of agent and application only for those intervals in which a contact is answered by the specific agent and processed by the specific application. Except for DNOutExtTalkTime and DNOutIntTalkTime, these statistics do not include DN calls.

Configure the server to collect agent by application code statistics. Statistics are collected for all agents; you cannot configure the system to collect statistics for selected agents.

Application pegging

The following table shows how contacts peg.

Contact Type	Application
Local Contact Center Manager calls Local SIP voice calls Local Contact Center Multimedia contacts Local Contact Center Outbound calls	Master_Script or primary application depending on the location of the contact in the system
Incoming NSBR	Network_Script

Table continues...

Contact Type	Application
ACD calls	ACD_DN_Application
NACD calls	NACD_DN_Application

Database views

Agent by application statistics use the following views:

- iAgentByApplicationStat
- dAgentByApplicationStat
- wAgentByApplicationStat
- mAgentByApplicationStat

Joins with other statistics groups

You can join agent by application statistics to other statistics groups to generate custom reports. For more information, see [Joining views](#) on page 40.

The following table shows the statistics groups that agent by application statistics can join to and the data fields used as join keys. Specify all these fields as your join key in the specified order. All data fields described as join keys have indexes.

IF you generate a custom report using	THEN the join key data fields are
ActivityCodeStat	Timestamp UserID ApplicationID
AgentBySkillsetStat	Timestamp UserID
AgentPerformanceStat	Timestamp UserID
ApplicationStat	Timestamp ApplicationID
SkillsetStat	Timestamp ApplicationID
NetworkInCallStat	Timestamp ApplicationID
NetworkOutCallStat	Timestamp ApplicationID

Field descriptions

This section describes the fields for the AgentByApplicationStat view.

AgentGivenName

Description: The first or given name of the agent.

Type: varchar

Length: 64

If an agent record is deleted after the agent data is collected, the agent name is blank.

AgentLogin

Description: The numeric ID the agent uses to log on to the phone or agent desktop.

Type: varchar

Length: 16

AgentSurName

Description: The surname of the agent.

Type: varchar

Length: 64

If an agent record is deleted after the agent data is collected, the agent name is blank.

Application

Description: The name of the application handling the contact when the agent answered or accepted it.

Type: varchar

Length: 30

ApplicationID

Description: A unique number assigned by the server to identify the application when it is defined.

In a network environment at the destination, the Agent by Application view shows the Network_Script Application as the destination application for which the agent answered a call.

Type: int

Length: 4

BlendedActiveTime

Description: The elapsed time this agent was simultaneously active, excluding hold, on more than one contact in this or any other application.

Type: int

Length: 4

CallsAnswered

Description: The number of contacts, excluding DN calls, answered or accepted by an agent for this application.

Pegging: Voice calls peg upon answer, and multimedia contacts peg upon acceptance.

Type: int

Length: 4

CallsConferenced

Description: The number of local Contact Center Manager calls, SIP voice calls, SIP IM contacts, incoming NSBR calls, ACD calls, and NACD calls in this application that an agent conferenced.

Type: int

Length: 4

CallsOffered

Description: The number of local Contact Center Manager calls, SIP voice calls, local multimedia contacts, and incoming NSBR contacts handled by this application and presented to this agent. This statistic includes contacts returned to queue and contacts abandoned during presentation. On the Avaya Communication Server 1000 PABX, this statistic also includes parked calls handled by this application that return to this agent.

Pegging: Contacts are pegged against the Master_Script application upon arrival and against a primary application when the Master_Script application hands over control.

Type: int

Length: 4

CallsReturnedToQ

Description: The number of local Contact Center Manager calls, SIP voice calls, local multimedia contacts, and incoming NSBR contacts handled by this application that the agent returned to the skillset queue for reasons other than timeout.

Pegging: A voice call returns to the queue if the agent enters another state (for example, if the agent presses the Not Ready or DN key) while the call is presented. This statistic pegs when the agent state changes. A multimedia contact returns to the queue if the agent rejects it using the Reject button.

Type: int

Length: 4

CallsReturnedToQDueToTimeout

Description: The application handles the number of local Contact Center Manager calls, SIP voice calls, multimedia contacts, and incoming NSBR contacts. The calls and contacts that automatically return to the skillset queue while in alerting state, after a wait greater than or equal

to the answering timeout for this agent as defined in the call presentation class to which the agent belongs.

Type: int

Length: 4

CallsTransferred

Description: The number of Contact Center Manager calls, SIP voice calls, ACD calls, NACD calls transferred by this agent for this application.

Pegging: This statistic is pegged when the transfer is completed—when the transfer key is invoked for the second time.

Type: int

Length: 4

ConsultTime

Description: The total time an agent spends in consultation while handling contacts for this application. Consultation time occurs during a consult transfer if the caller disconnects and the answering agent remains on the line.

Triggers: Consult time starts when the customer releases the call and ends when the consult call is released.

Type: int

Length: 4

ContactHoldTime

Description: The Time Contact Center Manager contacts handled by this agent were on hold, after the contact is answered or accepted in this application. Contacts are automatically placed on hold when not in focus, and manually placed on hold by agents.

Type: int

Length: 4

ContactTalkTime

Description: The sum of time that Contact Center Manager contacts were handled, including on hold, by this agent after being accepted while processed by this application. Multiple contacts from this application handled by this agent can be in active state simultaneously.

Type: int

Length: 4

ContactType

Description: The type of contact determined by the name of this application as described in [Multimedia contacts](#) on page 46.

For example, if the application is named EM_application, ContactType pegs as email. If the application name has no prefix, ContactType pegs as Voice.

Type: varchar

Length: 30

DNOutExtTalkTime

Description: Avaya Communication Server 1000 PABX only. The total time spent in outgoing external DN calls, including hold time; see [DN calls](#) on page 45. This statistic does not include the time spent on the DN outcall part of a Contact Center Outbound contact.

If multiple DN keys are configured on agent phones, talk time can exceed 15 minutes (900 seconds) for each interval. Talk time exceeding 15 minutes for each interval occurs when an agent makes one DN call, places that call on hold, and then makes another DN call.

Triggers: Talk time begins when the call is answered and ends when the caller disconnects or the agent releases the call.

Pegging: DNOutExtTalkTime pegs against the last application for which the agent handled a contact during this session.

Type: int

Length: 4

DNOutIntTalkTime

Description: Avaya Communication Server 1000 PABX only. The total time spent on outgoing internal DN calls, including hold time; see [DN calls](#) on page 45. This statistic does not include the time spent on the DN outcall part of a Contact Center Outbound contact.

If you configure multiple DN keys on agent phones, talk time can exceed 15 minutes (900 seconds) for each interval. This occurs when an agent makes one DN call, places that call on hold, and then makes another DN call.

Triggers: Talk time begins when the call is answered and ends when the caller disconnects or the agent releases the call.

Pegging: DNOutIntTalkTime pegs against the last application for which the agent handled a contact during this session.

Type: int

Length: 4

HoldTime

Description: The elapsed time during which this agent placed all active Contact Center Manager contacts on hold, after the contact is accepted in this application.

Triggers: Hold time begins when the agent places a Contact Center Manager call in the Hold state. Hold time ends when the call resumes or terminates.

Pegging: Hold time pegs at the end of the interval (for calls that are active at the end of the interval), and when the call terminates.

Type: int

Length: 4

PostCallProcessingTime

Description: The elapsed time this agent was in PostCallProcessing state after all simultaneous contacts were released, for the skillset corresponding to the last of the simultaneous contacts to be released by this agent.

Triggers: Post call processing time begins when an agent enters the Not Ready state after releasing any contact, except DN calls, and does not enter a Not Ready reason code or enters an After Call Work Item (ACW) code. Post call processing time ends when an agent leaves this Not Ready state, places or receives a DN call, logs off, or enters a Not Ready reason code other than an ACW code.

Pegging: This statistic pegs against the last application for which the agent handled a contact.

Post Call Processing Time is calculated for the first Not Ready period after a contact closes. If the agent enters another state after the call (for example, by answering or receiving a DN call or logging out of the skillset), and then enters the Not Ready state, the Not Ready time does not peg against PostCallProcessingTime. Also, if the agent interrupts the Not Ready period to enter another state and then returns to the Not Ready state, the second Not Ready period does not peg against PostCallProcessingTime.

For Contact Center Multimedia contacts, PostCallProcessingTime does not include the time after replying to an email or disconnecting a Web Communication session, and closing the contact. The time between these two events can involve the agent setting closed reason codes or disposition codes, or adding agent notes to a contact. This time is recorded as TalkTime, not PostCallProcessing time.

Type: int

Length: 4

RingTime

Description: The total time an agent spends in the Ringing state before answering a Contact Center Manager call or SIP voice call in this application. Also the total time spent in the Alerting/Presenting state before accepting a multimedia contact in this application.

On the Avaya Communication Server 1000 PABX, if call force is configured for the agent's call presentation class, ring time equals the call force timer.

Triggers: Ring time begins when a contact is presented to the phone or agent desktop and ends when the contact is answered, accepted, returned to the queue, or abandoned.

Type: int

Length: 4

Site

Description: The configured name of this Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if you delete a configured site and you add another one with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

SourceApplicationName

Description: The name of the application that handled the calls reported in this row at the remote site that was the source for these calls. The name has the following format: application name_site ID.

Site ID is the internal identifier to uniquely identify a site. Site names can be determined from the Site ID through the CCMA networking configuration pages. This field applies only to Network In calls.

Type: varchar

Length: 30

TalkTime

Description: The elapsed time spent by this agent handling Contact Center Manager contacts accepted in this application.

Triggers:

- For voice calls, talk time begins when the agent answers the call.
- For the Avaya Communication Server 1000 PABX, talk time ends when the caller disconnects or the agent releases or transfers the call.
- For multimedia contacts, talk time begins when the agent accepts the contact and ends when the agent closes or transfers the contact.

- For Contact Center Outbound contacts, talk time begins when the agent accepts the contact, includes the time the agent is on the DN call, and ends when the agent releases the DN call and closes the contact.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data. For more information about the format of the Timestamp in interval, daily, weekly, or monthly views; see [Types of views](#) on page 39.

Type: smalldatetime

Length: 4

UserID

Description: A unique number assigned by the server to identify the newly added agent.

Type: binary

Length: 16

WaitTime

Description: The total time the agent spends waiting for a contact after releasing a voice call or closing a multimedia contact handled by this application.

Triggers: Wait time begins when the agent enters the idle state, for example, in the following situations:

- the agent releases a voice call or multimedia contact, and the agent's call presentation class is not configured for Break time or Variable Wrap.
- the agent's Break or Variable Wrap timer elapses after a contact is released or closed.
- the agent presses the Not Ready key a second time after entering Not Ready state.

WaitTime ends when the agent leaves the Idle state. If the agent handles another contact from the same application as the most recently handled contact, WaitTime resumes for that application when the agent returns to the Idle state. If the agent handles a contact from an application different from the most recently handled contact, WaitTime begins against the new application when the agent returns to the Idle state.

(NSBR option) WaitTime is not affected when an agent is reserved on the PABX.

For more information, see [How is WaitTime pegged if the agent places a DN call on hold and uses alternate call answer to accept another contact?](#) on page 845.

Pegging: WaitTime pegs against the last application for which the agent handled a contact during this session. If the agent has not yet handled a contact associated with an application, WaitTime is not pegged.

Type: int

Length: 4

AgentBySkillsetStat views

You can use agent by skillset statistics to monitor an agent's performance in a skillset. The data fields peg based on a combination of skillset and agent information.

These statistics include only contacts queued to a skillset. (If a skillset maps to an ACD DN, calls to that ACD DN are included.) Except for DNOutExtTalkTime and DNOutIntTalkTime, these statistics do not include DN calls.

Configure the server to collect agent by skillset statistics. Statistics are collected for all agents; you cannot configure the system to collect statistics for selected agents.

Pegging

Define a skillset threshold class value for the length (talk time) of a short call, and then assign the threshold class to the skillset. The value for short call length can then vary from one skillset to another. For more information about threshold classes.

All statistics peg against a specific skillset. The following table shows how contacts peg.

Contact Type	Skillset
Contact Center Manager contacts	<p>The answering skillset, or the Agent Queue To skillset for the contact type.</p> <p>* Note:</p> <p>For Agent Queue to skillset for the contact type, the following fields are not pegged in the AgentBySkillsetStat view:</p> <ul style="list-style-type: none"> • BlendedActiveTime • IdleTime • MaxCapacityIdleTime • MaxCapacityTotalStaffedTime • NotReadyTime • PostCallProcessingTime • TotalStaffedTime • WaitTime
SIP voice contacts	—
Contact Center Multimedia contacts	—
Contact Center Outbound contacts	—
ACD calls	The skillset to which this ACD-DN maps (if defined) or the Default_ACD skillset.
NACD calls	The skillset to which this Network ACD-DN maps (if defined) or the Default_NACD skillset.

Database view

Agent by skillset statistics use the following views:

- iAgentBySkillsetStat
- dAgentBySkillsetStat
- wAgentBySkillsetStat
- mAgentBySkillsetStat

Joins with other statistics groups

You can join agent by skillset statistics to other statistics groups to generate custom reports. For more information, see [Joining views](#) on page 40.

The following table shows the statistics groups that agent by skillset statistics can join to, and the data fields used as join keys.

Specify all these fields as your join key, in the specified order. All data fields described as join keys have indexes.

IF you generate a custom report using	THEN the join key data fields are
ActivityCodeStat	Timestamp UserID
AgentByApplicationStat	Timestamp UserID
AgentPerformanceStat	Timestamp UserID
ApplicationStat	Timestamp ApplicationID
SkillsetStat	Timestamp SkillsetID
NetworkInCallStat	Timestamp ApplicationID
NetworkOutstat	Timestamp ApplicationID

Field descriptions

This section describes the fields for AgentBySkillsetStat view.

AgentLogin

Description: The numeric ID the agent uses to log on to the phone or agent desktop.

Type: varchar

Length: 16

AgentGivenName

Description: The first or given name of the agent.

If an agent record is deleted after the agent data is collected, the agent name is blank.

Type: varchar

Length: 64

AgentSurName

Description: The last name or surname of the agent.

If an agent record is deleted after the agent data is collected, the agent name is blank.

Type: varchar

Length: 64

BlendedActiveTime

Description: The elapsed time this agent was simultaneously active, excluding hold, on more than one contact in this or any other skillset.

Type: int

Length: 4

CallsAnswered

Description: The number of contacts, excluding DN calls, answered or accepted by an agent for this skillset.

Pegging: Voice calls peg upon answer and multimedia contacts peg upon acceptance.

Type: int

Length: 4

CallsConferenced

Description: The number of contacts, excluding DN calls, in this skillset that an agent conferenced.

Type: int

Length: 4

CallsOffered

Description: The number of local Contact Center Manager calls, SIP voice calls, local multimedia contacts and incoming NSBR contacts handled by this skillset and presented to this agent. This statistic includes contacts returned to queue and contacts abandoned during presentation.

On the Avaya Communication Server 1000 PABX, this statistic also includes parked calls handled by this skillset that return to this agent.

Type: int

Length: 4

CallsReturnedToQ

Description: The number of local Contact Center Manager calls, SIP voice calls, local multimedia contacts, and incoming NSBR contacts handled by this skillset that the agent returned to the skillset queue for reasons other than timeout.

Pegging: A voice call returns to the queue if the agent enters another state (for example, if the agent presses the Not Ready or DN key) while the call is presented. This statistic pegs when the agent state changes. A multimedia contact returns to the queue if the agent rejects it using the Reject button.

Type: int

Length: 4

CallsReturnedToQDueToTimeout

Description: This skillset handles the number of local Contact Center Manager calls, SIP voice calls, local multimedia contacts, and incoming NSBR contacts. The calls and contacts that automatically returned to the skillset queue, after a wait greater than or equal to the answering timeout for the agent, as defined in the call presentation class to which the agent belongs.

Type: int

Length: 4

CallsTransferred

Description: The number of Contact Center Manager calls, SIP voice calls, ACD calls, NACD calls transferred by the agent for this skillset.

This statistic does not include transferred Contact Center Multimedia or Contact Center Outbound contacts.

Pegging: The call pegs when the transfer is complete—when the agent presses the transfer key for the second time.

Type: int

Length: 4

ConsultTime

Description: The total time an agent spends in consultation while handling contacts for this skillset. Consultation time occurs during a consult transfer if the caller disconnects and the answering agent remains on the line.

Triggers: Consult time starts when the customer releases the call. Consult time ends when the consult call is released.

Type: int

Length: 4

ContactHoldTime

Description: The time local and incoming network CDN contacts handled by this agent were on hold after the contact is accepted in this skillset. Contacts are automatically placed on hold when not in focus, and manually placed on hold by agents.

Type: int

Length: 4

ContactTalkTime

Description: The sum of time that contacts, excluding DN calls, were handled, including hold, by this agent after being accepted from this skillset. Multiple contacts from this skillset handled by this agent can be in active state simultaneously.

Type: int

Length: 4

ContactType

Description: The type of contact determined by the name of this skillset as described in [Multimedia contacts](#) on page 46.

For example, if the skillset is named EM_skillset, ContactType pegs as email. If the skillset name has no prefix, ContactType pegs as voice.

Type: varchar

Length: 30

DNOutExtTalkTime

Description: Avaya Communication Server 1000 PABX only. The total time spent on outgoing external DN calls, including hold time; see [DN calls](#) on page 45. DN calls made as part of a Contact Center Outbound contact are not included.

Where multiple DN keys are configured on agent phones, talk time can exceed 15 minutes (900 seconds) for each interval. This occurs when an agent makes one DN call, places that call on hold, and then makes another DN call.

Pegging: DNOutExtTalkTime pegs against the last skillset for which the agent answered a call.

Type: int

Length: 4

DNOutIntTalkTime

Description: Avaya Communication Server 1000 PABX only. The total time spent on outgoing internal DN calls, including hold time (see [DN calls](#) on page 45). DN calls made as part of a Contact Center Outbound contact are not included.

Where multiple DN keys are configured on agent phones, talk time can exceed 15 minutes (900 seconds) for each interval. Talk time can exceed 15 minutes when an agent makes one DN call, places that call on hold, and then makes another DN call.

Triggers: Talk time begins when the call is answered and ends when the caller disconnects or the agent releases the call.

Pegging: DNOutIntTalkTime pegs against the last skillset for which the agent answered a call.

Type: int

Length: 4

HoldTime

Description: The elapsed time during which this agent placed all active local and incoming network CDN contacts on hold, after the contact is accepted from this skillset.

Triggers: Hold time begins when the agent places a Contact Center Manager Server call in the Hold state. Hold time ends when the call resumes or terminates.

Type: int

Length: 4

IdleTime

Description: The elapsed time this agent was in the Idle state. The same Idle time is recorded in all skillsets to which this agent is assigned. IdleTime stops when the agent is no longer idle.

Type: int

Length: 4

MaxCapacityIdleTime

Description: The time this agent including the multiple capacities configured for this agent, were in the Idle state. Idle time is recorded in all of the skillsets this agent is assigned. MaxCapacityIdleTime stops when maximum capacity of the skillset or maximum capacity for the agent is reached.

Type: int

Length: 4

MaxCapacityTotalStaffedTime

Description: The time this agent was in the Login state, and assigned to this skillset, multiplied by their Maximum Capacity in this Skillset.

Type: int

Length: 4

NotReadyTime

Description: The total time an agent spends in the Not Ready state. The same Not Ready time is recorded in all skillsets to which this agent is assigned. Not Ready time includes post call processing time and Not Ready time with reason codes.

Triggers: Not Ready time begins when the agent enters the Not Ready state and ends when the agent leaves the Not Ready state.

Type: int

Length: 4

PostCallProcessingTime

Description: The elapsed time this agent was in PostCallProcessing state after all simultaneous contacts were released, for the skillset corresponding to the last of the simultaneous contacts to be released by this agent.

Triggers: Post call processing time begins when an agent enters the Not Ready state after releasing any contact, except DN calls, and does not enter a Not Ready reason code or enters an ACW code. Post call processing time ends when an agent leaves this Not Ready state, places or receives a DN call, logs off, or enters a Not Ready reason code other than an ACW code.

Pegging: If the agent is assigned to multiple skillsets, this statistic pegs against the last skillset for which the agent handled a contact.

Post Call Processing Time is calculated for the first Not Ready period after a contact closes. If the agent enters another state after the call (for example, by answering or receiving a DN call or logging out of the skillset), and then enters the Not Ready state, the Not Ready time does not peg against PostCallProcessingTime. Also, if the agent interrupts the Not Ready period to enter another state and then returns to the Not Ready state, the second Not Ready period does not peg against PostCallProcessingTime.

For Contact Center Multimedia contacts, PostCallProcessingTime does not include the time after replying to an email or disconnecting a Web Communication session, and closing the contact. The time between these two events can involve the agent setting closed reason codes or disposition codes, or adding agent notes to a contact. This time is recorded as TalkTime, not PostCallProcessing time.

Type: int

Length: 4

RingTime

Description: The total time an agent spends in the Ringing state before answering a Contact Center Manager call or SIP voice call from this skillset, and in the Alerting/Presenting state before accepting a multimedia contact from this skillset.

On the Avaya Communication Server 1000 PABX, if call force is configured for the agent's call presentation class, ring time equals the call force timer.

Triggers: Ring time begins when a contact is presented to the phone or agent desktop and ends when the contact is answered, accepted, returned to the queue, or abandoned.

Type: int

Length: 4

ShortCallsAnswered

Description: The total number of local Contact Center Manager calls, ACD calls, NACD calls, SIP voice calls, local multimedia contacts, and incoming NSBR calls accepted that have a talk time less than the short call threshold assigned to the threshold class for the skillset.

Type: int

Length: 4

Site

Description: The configured name of this Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if you delete a configured site and you add another one with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

Skillset

Description: The name of the skillset.

Type: varchar

Length: 30

SkillsetID

Description: A unique number assigned by the server to identify a skillset when the skillset is added.

Type: int

Length: 4

TalkTime

Description: The elapsed time spent by this agent handling contacts, excluding DN calls, after the contact is accepted from this skillset.

Triggers:

- For voice calls, talk time begins when the agent answers the call.

- For the Avaya Communication Server 1000 PABX, talk time ends when the caller disconnects or the agent releases or transfers the call.
- For multimedia contacts, talk time begins when the agent accepts the contact and ends when the agent closes or transfers the contact.
- For Contact Center Outbound contacts, talk time begins when the agent accepts the contact, includes the time the agent is on the DN call, and ends when the agent releases the DN call and closes the contact.

Talk time is pegged at the end of the interval (for contacts that are active at the end of an interval) and when the contact terminates.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data. For more information about the format of the Timestamp in interval, daily, weekly, or monthly views; see [Types of views](#) on page 39.

Type: timestamp

Length: 16

TotalStaffedTime

Description: The total time an agent is logged on and assigned to this skillset.

Triggers: Staffed time begins when an agent:

- logs on (if the agent is assigned to a skillset)
- is assigned to the skillset with a priority of 1 or more

Staffed time ends when an agent:

- logs off
- is removed from the skillset
- is placed on standby for the skillset

Type: int

Length: 4

UserID

Description: A unique number assigned by the server to identify the newly added agent.

Type: binary

Length: 16

WaitTime

Description: The total time this agent spends waiting for a contact after releasing a voice call or closing a multimedia contact from this skillset.

Triggers: Wait time begins when the agent enters the idle state. For example, if

- The agent releases a contact and the agent's call presentation class is not configured for Break time or Variable Wrap.
- The agent's Break or Variable Wrap timer elapses after a contact is released or closed.
- The agent presses the Not Ready key a second time after entering Not Ready state.

WaitTime ends when the agent leaves the Idle state. If the agent handles another contact that queues in the same skillset as the most recently handled contact, WaitTime resumes against that skillset when the agent returns to the Idle state. If the agent handles a contact that queues in a different skillset than the most recently handled contact, WaitTime begins against the new skillset when the agent returns to the Idle state.

(NSBR option) WaitTime is not affected when an agent is reserved on the PABX.

For more information, see [How is WaitTime pegged if the agent places a DN call on hold and uses alternate call answer to accept another contact?](#) on page 845.

Pegging: WaitTime pegs against the last skillset for which the agent handled a contact during this logon. If the agent has not yet handled a contact that queues in a skillset, WaitTime is not pegged.

Type: int

Length: 4

AgentPerformanceStat views

Agent performance statistics summarize performance measurement information for Contact Center Manager agents. The data fields peg based on agent activities.

Statistics peg only for those agents who are logged on.

Agents link to reporting supervisors. An agent can be assigned only one reporting supervisor at a time. However, the agent can be assigned a different supervisor at different times of the day. To ensure supervisors to monitor all of their reporting agents, these statistics ensure agents can link to multiple supervisors.

Agent performance statistics are collected only for the combination of agent and primary supervisor.

Configure the server to collect agent performance statistics. Statistics are collected for all agents; you cannot configure the system to collect statistics for selected agents.

*** Note:**

For SIP-enabled contact centers, Contact Center Manager Server can configure and monitor only one DN key. Transfers and conferences to or from other DN keys are not reported.

On the Avaya Communication Server 1000 PABX, a phone can contain multiple DN keys. If an agent answers a DN call, places it on hold, and makes another DN call, both DN hold time and DN talk time peg for the same period.

Agent actions

- **Transfers and conferences**

A transfer or conference pegs when an agent presses the key the second time to complete the transfer or conference.

- **Blind transfers and conferences**

Blind transfers peg as transfers or conferences to Other.

- **Expert consultation**

A peer-to-peer expert consultation is an agent-initiated outgoing contact made while the agent has an existing primary contact already opened. Expert consultations are initiated using the Agent Desktop client.

This feature is available only for SIP-enabled contact centers.

The Contact Type field in the Contact Summary report is IM Consult to indicate that this IM is a consultation contact.

Most other field values available in the Contact Summary report for a consultation contact show the same value as for the parent contact. For example, the Contact Summary report for an IM consultation contact shows an EM_Sales skillset if the IM consultation was initiated while the agent handles an email message from the EM_Sales skillset.

Database views

Agent performance statistic use the following views:

- iAgentPerformanceStat
- dAgentPerformanceStat
- wAgentPerformanceStat
- mAgentPerformanceStat

Field descriptions

This section describes the fields for this view.

ACDCallsAnswered

Description: The number of ACD calls that an agent answers. On the Avaya Communication Server 1000 PABX, this statistic includes parked ACD calls that return to an agent. ACD calls are not available in SIP-enabled contact centers.

Triggers: For answered calls, this statistic pegs when the call is answered. For parked calls, this statistic pegs when the Call Park feature is used.

Type: smallint

Length: 2

ACDCallsConfToCDN

Description: The number of ACD calls conferenced from a phone Contact Center Manager Server acquires to a CDN that the server acquires. On the Avaya Communication Server 1000 PABX, this statistic includes calls conferenced to agents on a remote node. ACD calls are not available in SIP-enabled contact centers.

Triggers: The call pegs when the conference is completed (that is, when the conference key is pressed a second time).

Type: int

Length: 4

ACDCallsConfToDN

Description: The number of ACD calls conferenced from a phone that the Contact Center Manager Server acquires to a personal or secondary DN key on a phone that the server acquires. ACD calls are not available in SIP-enabled contact centers.

Triggers: The call pegs when the conference is completed (that is, when the conference key is pressed a second time).

Type: int

Length: 4

ACDCallsConfToIncalls

Description: The number of ACD calls conferenced from a phone that Contact Center Manager Server acquires to an ACD-DN, and presented to a phone that the server acquires. ACD calls are not available in SIP-enabled contact centers.

Triggers: The call pegs when the conference is complete (when the conference key is pressed a second time).

Type: int

Length: 4

ACDCallsConfToOther

Description: The number of ACD calls conferenced from a phone that Contact Center Manager Server acquires to a resource external to the Contact Center Manager Server. ACD calls are not available in SIP-enabled contact centers.

Triggers: The call pegs when the conference is completed (that is, when the conference key is pressed a second time).

Type: int

Length: 4

ACDCallsTalkTime

Description: The total time spent on ACD calls, including hold time. ACD calls are not available in SIP-enabled contact centers.

Triggers: Talk time begins when the call is answered. Talk time ends when the caller disconnects or the agent releases the call.

Type: int

Length: 4

ACDCallsTransferredToCDN

Description: The number of ACD calls that are transferred from a phone that Contact Center Manager Server acquires to a CDN that the server acquires. This statistic includes calls transferred to agents at a remote node. ACD calls are not available in SIP-enabled contact centers.

Triggers: The call pegs when the transfer is completed (that is, when the transfer key is pressed a second time).

Type: int

Length: 4

ACDCallsTransferredToDN

Description: The number of ACD calls that are transferred from a phone that Contact Center Manager Server acquires to a personal or secondary DN key on a phone that the server acquires. ACD calls are not available in SIP-enabled contact centers.

Triggers: The call pegs when the transfer is completed (that is, when the transfer key is pressed a second time).

Type: int

Length: 4

ACDCallsTransferredToIncalls

Description: The number of ACD calls that are transferred from a phone that Contact Center Manager Server acquires to an ACD-DN, and presented to a phone that the server acquires. ACD calls are not available in SIP-enabled contact centers.

Triggers: The call pegs when the transfer is completed (that is, when the transfer key is pressed a second time).

Type: int

Length: 4

ACDCallsTransferredToOther

Description: The number of ACD calls that are transferred from a phone that Contact Center Manager Server acquires to a resource external to the Contact Center Manager system. ACD calls are not available in SIP-enabled contact centers.

Triggers: The call pegs when the transfer is completed (that is, when the transfer key is pressed a second time).

Type: int

Length: 4

AgentGivenName

Description: The first or given name of the agent.

Type: varchar

Length: 64

If an agent record is deleted after the agent data is collected, the agent name is blank.

AgentLogin

Description: The numeric ID the agent uses to log on to the phone or agent desktop.

Type: varchar

AgentSurName

Description: The surname of the agent.

Type: varchar

Length: 64

If an agent record is deleted after the agent data is collected, the agent name is blank.

BlendedActiveTime

Description: The elapsed time this agent was simultaneously active, excluding hold, on more than one contact, that is, a voice and a multimedia contact.

Triggers:

Type: int

Length: 4

BreakTime

Description: The total time an agent is in the Break state for all skillsets. You can configure an agent’s call presentation class to place the agent in Break state after each call. This applies to Contact Center calls only (not to DN calls).

Triggers: BreakTime begins when a contact, excluding DN, ACD and NACD calls, is released or closed, and ends when the break timer elapses.

Type: int

Length: 4

BusyMiscTime

Description: Avaya Communication Server 1000 PABX only, AML-based solutions only. The total time the Incalls key of an agent is busy because of events not related to DN calls (for example, programming the Call Forward key or ACD/NACD call ringing).

*** Note:**

If you use customized reports in a SIP-enabled solution, you can ignore the values displayed in BusyMiscTime as these values do not impact any other report data.

Triggers: The following table shows when busy time begins and ends.

Busy time begins when	and ends when
The agent presses the Forward key to program call forward	The agent presses the Forward key again to activate call forward
The agent presses the DN key	The agent finishes dialing the number
An ACD/NACD call is presented to the agent’s phone	The agent answers the ACD/NACD call

Type: int

Length: 4

BusyOnDNTime

Description: Avaya Communication Server 1000 PABX only. The total time the Incalls key of an agent is busy because the agent pressed the personal DN key or is busy on a DN call. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

Triggers: Busy time begins when the agent presses the DN key and ends when the DN call is released.

Type: int

Length: 4

CallsAnswered

Description: The number of local Contact Center Manager calls, SIP voice calls, local multimedia contacts, and incoming NSBR contacts answered. This statistic includes NACD calls routed to a local CDN.

This statistic includes Web Communication contacts presented to the agent, even if the originator abandons the Web Communication session.

Triggers: Voice calls peg upon answer, and multimedia contacts peg upon acceptance.

Restriction: This statistic does not include DN, ACD, or NACD calls answered.

Type: int

Length: 4

CallsOffered

Description: The number of local Contact Center Manager calls, SIP voice calls, local multimedia contacts, and incoming NSBR contacts that the application and the agent handled. This statistic includes contacts returned to queue and contacts abandoned during presentation.

On the Avaya Communication Server 1000 PABX, this statistic also includes parked calls, handled by this skillset, and returned to this agent.

Type: int

Length: 4

CallsReturnedToQ

Description: The number of Contact Center Manager contacts and incoming NSBR contacts handled by this application that the agent returned to the skillset queue for reasons other than timeout.

Pegging: A voice call returns to queue if the agent enters another state (for example, if the agent presses the Not Ready or DN key) while the call is presented. This statistic pegs when the agent state changes.

A multimedia contact returns to queue if the agent rejects it using the Reject button.

Type: int

Length: 4

CallsReturnedToQDueToTimeout

Description: The number of local Contact Center Manager calls, SIP voice calls, local multimedia contacts, and incoming NSBR contacts that this application handled and automatically returned to the skillset queue after a wait greater than or equal to the answering timeout for this agent, as defined in the call presentation class to which the agent belongs.

Type: int

Length: 4

CDNCallsConfToCDN

Description: The number of contacts, excluding ACD, NACD, and DN calls, conferenced to a CDN acquired by Contact Center Manager Server. On the Avaya Communication Server 1000 PABX, this statistic includes calls conferenced to a CDN at a remote site.

Triggers: This statistic pegs when the conference is completed (that is, when the conference key is pressed a second time).

Type: smallint

Length: 2

CDNCallsConfToDN

Description: The number of contacts, excluding ACD, NACD, and DN calls, conferenced to an agent's personal or secondary DN on a phone acquired by Contact Center Manager Server.

Triggers: This statistic pegs when the conference is completed (that is, when the conference key is pressed a second time).

Type: smallint

Length: 2

CDNCallsConfToIncalls

Description: The number of contacts, excluding ACD, NACD, and DN calls, conferenced to an ACD-DN and presented to a phone that Contact Center Manager Server acquired directly to an Incalls key.

Triggers: This statistic pegs when the conference is completed (that is, when the conference key is pressed a second time).

Type: smallint

Length: 2

CDNCallsConfToOther

Description: The number of contacts, excluding ACD, NACD, and DN calls, that are conferenced to a resource external to the Contact Center Manager system.

On the SIP PABX, no distinction is made on the nature of the target for conference. All calls are tagged as either CDNCallsConfToOther or DNCallsConfToOther.

Triggers: This statistic pegs when the conference is completed (that is, when the conference key is pressed a second time).

Type: smallint

Length: 2

CDNCallsTransferredToCDN

Description: The number of contacts, excluding ACD, NACD, and DN calls, that are transferred to a CDN that Contact Center Manager Server acquired. On the Avaya Communication Server 1000 PABX, this statistic includes calls transferred to a CDN at a remote site.

Triggers: This statistic pegs when the transfer is completed (that is, when the transfer key is pressed a second time).

Type: smallint

Length: 2

CDNCallsTransferredToDN

Description: The number of contacts, excluding ACD, NACD, and DN calls, that are transferred to a personal or secondary DN on a phone that Contact Center Manager Server acquired.

Triggers: This statistic pegs when the transfer is completed (that is, when the transfer key is pressed a second time).

Type: smallint

Length: 2

CDNCallsTransferredToIncalls

Description: The number of contacts, excluding ACD, NACD, and DN calls, that are transferred to an ACD-DN and presented to a phone that Contact Center Manager Server acquired.

Triggers: This statistic pegs when the transfer is completed (that is, when the transfer key is pressed a second time).

Type: smallint

Length: 2

CDNCallsTransferredToOther

Description: The number of contacts, excluding ACD, NACD, and DN calls, that are transferred to a resource external to the Contact Center Manager system.

On a SIP-enabled PABX, no distinction is made on the nature of the target for conference. All calls are tagged as either CDNCallsConfToOther or DNCallsConfToOther.

Triggers: This statistic pegs when the transfer is completed (that is, when the transfer key is pressed a second time).

Type: smallint

Length: 2

ConsultationTime

Description: Avaya Communication Server 1000 PABX only. The total time an agent spends in consultation with another agent during a call transfer or conference after the caller drops off the call.

Triggers: Consultation time begins when the caller disconnects and ends when the call is released.

Type: int

Length: 4

ContactHoldTime

Description: The sum of time local and incoming contacts handled by this agent were on hold, excluding DN calls, ACD calls, and NACD calls. Contacts are automatically placed on hold when not in focus, and manually placed on hold by agents.

Triggers:

Type: int

Length: 4

ContactTalkTime

Description: The sum of time that contacts, excluding DN calls, ACD calls, and NACD calls, were handled, including hold, by this agent. Multiple contacts handled by this agent can be in active state simultaneously.

Triggers:

Type: int

Length: 4

DNCallsConfToACDDN

Description: The number of DN calls that are conferenced from a phone that Contact Center Manager Server acquired to an ACD-DN and presented to a phone that the server acquired. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

Pegging: This statistic pegs upon answer.

Type: smallint

Length: 2

DNCallsConfToCDN

Description: The number of DN calls that are conferenced from a phone that Contact Center Manager Server acquired to a CDN that the server acquired. On the Avaya Communication Server 1000 PABX, this statistic includes calls conferenced to agents at a remote node. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

Triggers: This statistic pegs when the conference is completed (that is, when the conference key is pressed a second time).

Type: smallint

Length: 2

DNCallsConfToDN

Description: The number of DN calls that are conferenced from a phone that Contact Center Manager Server acquired to a personal or secondary DN on a phone that the server acquired. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

Triggers: This statistic pegs when the conference is completed (that is, when the conference key is pressed a second time).

Type: smallint

Length: 2

DNCallsConfToOther

Description: The number of DN calls conferenced from a phone that Contact Center Manager Server acquired to a resource external to the Contact Center Manager system. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

On a SIP PABX, no distinction is made on the nature of the target for conference. All calls are tagged as either CDNCallsConfToOther or DNCallsConfToOther.

Triggers: This statistic pegs when the conference is completed (that is, when the conference key is pressed a second time).

Type: smallint

Length: 2

DNCallsTransferredToACDDN

Description: The number of DN calls transferred from a phone that Contact Center Manager Server acquired to an ACD-DN and presented to a phone that Contact Center Manager Server acquired. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

ACD-DN is not applicable in SIP-enabled contact centers.

Triggers: This statistic pegs when the transfer is completed (that is, when the transfer key is pressed a second time).

Type: smallint

Length: 2

DNCallsTransferredToCDN

Description: The number of DN calls transferred from a phone that Contact Center Manager Server acquired to a CDN that the server acquired. On the Avaya Communication Server 1000 PABX, this statistic includes calls transferred to agents at a remote node. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

Triggers: This statistic pegs when the transfer is completed (that is, when the transfer key is pressed a second time).

Type: smallint

Length: 2

DNCallsTransferredToDN

Description: The number of DN calls transferred from a phone that Contact Center Manager Server acquired to a personal or secondary DN on a phone that Contact Center Manager Server acquired. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

Triggers: This statistic pegs when the transfer is completed (that is, when the transfer key is pressed a second time).

Type: smallint

Length: 2

DNCallsTransferredToOther

Description: The number of DN calls transferred from a phone that Contact Center Manager Server acquired to a resource external to the Contact Center Manager system. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

On a SIP PABX, no distinction is made on the nature of the target for conference. All calls are tagged as either CDNCallsConfToOther or DNCallsConfToOther.

Triggers: This statistic pegs when the transfer is completed (that is, when the transfer key is pressed a second time).

Type: smallint

Length: 2

DNInExtCalls

Description: For Avaya Communication Server 1000 PABX only. The number of incoming internal DN calls (for a definition of external DN calls; see [DN calls](#) on page 45. This statistic includes parked external calls returned to the agent.

Pegging: This statistic pegs upon answer.

All DN calls are pegged as internal DN calls for a SIP-enabled contact center. Therefore, the value of this element is zero.

Type: smallint

Length: 2

DNInExtCallsHoldTime

Description: The total time that incoming external DN calls spend on hold (for a definition of external DN calls; see [DN calls](#) on page 45).

Triggers: The following table shows when DNInExtCallsHold time begins and ends.

Hold time begins when	Hold time ends when
The agent presses the Hold key	The agent retrieves the call
The agent presses the Transfer or Conference key	The agent finishes entering the destination number

Type: int

Length: 4

DNInExtCallsTalkTime

Description: Avaya Communication Server 1000 PABX only. The total time spent on incoming external DN calls, including hold time.

Where multiple DN keys are configured on agent phones, talk time can exceed 15 minutes (900 seconds) for each interval. See [DN calls](#) on page 45. This happens when an agent answers one DN call, places that call on hold, and then answers another DN call.

Pegging: All DN calls are pegged as internal DN calls for a SIP-enabled contact center. Therefore, the value of this element is zero.

Triggers: Talk time begins when the call is answered and ends when the caller disconnects or the agent releases the call.

Type: int

Length: 4

DNInIntCalls

Description: For Avaya Communication Server 1000 PABX only and SIP-enabled contact centers. The number of incoming internal DN calls. This statistic includes parked internal calls returned to the agent.

Pegging: This statistic pegs upon answer.

All DN calls are pegged as internal DN calls for a SIP-PABX based contact center.

Type: int

Length: 4

DNInIntCallsHoldTime

Description: The total time that incoming internal DN calls spend on hold.

Triggers: The following table shows when DNInIntCallsHold time begins and ends.

Hold time begins when	And ends when
The agent presses the Hold key	The agent retrieves the call
The agent presses the Transfer or Conference key	The agent finishes entering the destination number

Type: int

Length: 4

DNInIntCallsTalkTime

Description: Avaya Communication Server 1000 PABX only. The total time spent on incoming internal DN calls, including hold time.

If you configure multiple DN keys are configured on agent phones, talk time can exceed 15 minutes (900 seconds) for each interval. This happens when an agent answers one DN call, places that call on hold, and then answers another DN call.

Pegging: All DN calls are pegged as internal DN calls for a SIP-enabled contact center.

Triggers: Talk time begins when the call is answered and ends when the caller disconnects or the agent releases the call.

Type: int

Length: 4

DNOutCalls

Description: SIP-enabled systems only. The number of DN calls that originated by the agent from the agent's DN key. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

Pegging: This statistic pegs when the DN call is answered.

Type: int

Length: 4

DNOutCallsTalkTime

Description: SIP-enabled systems only. The total time spent on outgoing DN calls, including hold time. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

Triggers: Talk time begins when the call is answered and ends when the agent releases the call.

Type: int

Length: 4

DNOutExtCalls

Description: For Avaya Communication Server 1000 PABX only. The total number of outgoing external DN calls. This statistic includes external parked calls retrieved by an agent. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

Pegging: This statistic pegs when the call is answered.

Type: int

Length: 4

DNOutExtCallHoldTime

Description: For Avaya Communication Server 1000 PABX only. The total time that outgoing external DN calls spent on hold. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

Pegging: The following table shows when DNOutExtCallsHold time begins and ends.

Hold time begins when	And ends when
The agent presses the Hold key	The agent retrieves the call
The agent presses the Transfer or Conference key	The agent finishes entering the destination number

All DN calls are pegged as internal DN calls for a SIP-enabled contact center. Therefore, the value of this element is zero.

Type: int

Length: 4

DNOutExtCallsTalkTime

Description: For Avaya Communication Server 1000 PABX only. The total time spent on outgoing external DN calls, including hold time. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

If you configure multiple DN keys on agent phones, talk time can exceed 15 minutes (900 seconds) for each interval. This happens when an agent answers one DN call, places that call on hold, and then answers another DN call.

Pegging: All DN calls are pegged as internal DN calls for a SIP-PABX based contact center. Therefore, the value of this element is zero.

Triggers: Talk time begins when the agent presses the DN key and ends when the caller disconnects or the agent releases the call.

Type: int

Length: 4

DNOutIntCalls

Description: For Avaya Communication Server 1000 PABX only. The total number of outgoing internal DN calls. This statistic includes internal parked calls retrieved by an agent. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

Pegging: This statistic pegs when the caller is connected.

All DN calls are pegged as internal DN calls for a SIP-enabled contact center.

Type: int

Length: 4

DNOutIntCallsHoldTime

Description: For Avaya Communication Server 1000 PABX only. The total time that outgoing internal DN calls spent on hold. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

For SIP-enabled contact centers, this includes hold time for all DN outcalls (excluding DN calls that originated as part of a Contact Center Outbound contact).

Pegging: The following table shows when DNOutIntCallsHold time begins and ends.

Hold time begins when	And ends when
The agent presses the Hold key	The agent retrieves the call
The agent presses the Transfer or Conference key	The agent finishes entering the destination number

All DN calls are pegged as internal DN calls for a SIP-enabled contact center.

Type: int

Length: 4

DNOutIntCallsTalkTime

Description: For Avaya Communication Server 1000 PABX only. The total time spent on outgoing internal DN calls, including hold time. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

If you configure multiple DN keys on agent phones, talk time can exceed 15 minutes (900 seconds) for each interval. Talk time exceeding 15 minutes happens when an agent answers one DN call, places that call on hold, and then answers another DN call.

Pegging: All DN calls are pegged as internal DN calls for a SIP-enabled contact center.

Triggers: Talk time begins when the call is answered and ends when the caller disconnects or the agent releases the call.

Type: int

Length: 4

HoldTime

Description: The elapsed time during which this agent placed all active local and incoming contacts on hold, excluding DN calls, ACD calls, and NACD calls. This hold time stops when the agent restores the call or contact. HoldTime also includes agent walkaway time.

Triggers: The following table shows when hold time begins and ends.

Hold time begins when	And ends when
The agent presses the Hold key	The agent retrieves the call (for example, by pressing the Incalls key).
The agent pressed the Transfer or Conference key	The agent finishes entering the destination number.

Type: int

Length: 4

LoggedInTime

Description: The total time an agent is in the Login state.

Triggers: Logon time begins after the agent enters a logon ID and (if required) a logon password, and the server determines that the agent is valid. Logon time ends when the agent logs off.

Type: int

Length: 4

MaxCapacityIdleTime

Description: The time this agent including the multiple capacities configured for this agent were in the Idle state.

Triggers:

Type: int

Length: 4

MaxCapacityLoggedInTime

Description: The time this agent was in the login state multiplied by their maximum capacity defined in the Multiplicity Presentation Class.

Triggers:

Type: int

Length: 4

MaxCapacityTime

Description: The time this agent was at maximum capacity.

Triggers:

Type: int

Length: 4

NACDCallsAnswered

Description: For Avaya Communication Server 1000 PABX only. The number of NACD calls answered by an agent. NACD calls are not available in SIP-enabled contact centers.

Pegging: This statistic pegs upon answer.

Type: int

Length: 4

NACDCallsTalkTime

Description: For Avaya Communication Server 1000 PABX only. The total time spent on NACD calls by an agent, including hold time. NACD calls are not available in SIP-enabled contact centers.

Triggers: Talk time begins when the call is answered and ends when the caller disconnects or the agent releases the call.

Type: int

Length: 4

NetworkCallsAnswered

Description: NSBR option only. The number of incoming NSBR contacts answered by an agent.

Pegging: For voice calls, this statistic pegs when the agent answers an incoming NSBR call. For multimedia contacts, this statistic pegs when the agent accepts an incoming NSBR contact.

This value is zero at all times.

Type: int

Length: 4

NetworkCallsTalkTime

Description: NSBR option only. The total time that the agent spent handling incoming NSBR contacts, including hold time.

Pegging: This value is zero at all times.

Triggers: For voice calls, talk time begins when the agent answers the call and ends when the caller disconnects or the agent releases the call. For multimedia contacts, talk time begins when the agent accepts the contact, and ends when the agent closes the contact.

Type: int

Length: 4

NotReadyTime

Description: The total time an agent spends in the Not Ready state. Not Ready time includes post call processing time and Not Ready time with reason codes.

Triggers: Not Ready time begins when the agent enters the Not Ready state and ends when the agent leaves the Not Ready state.

Type: int

Length: 4

NumberTimesNotReady

Description: The total number of times an agent enters the not ready state.

Pegging: This is pegged when the agent enters the not ready state.

Type: int

Length: 4

PostCallProcessingTime

Description: The elapsed time this agent was in PostCallProcessing state after all simultaneous contacts were released, for the skillset corresponding to first of the simultaneous contacts to be accepted by this agent.

Triggers: Post call processing time begins when an agent enters the Not Ready state after releasing any contact, except DN calls, and does not enter a Not Ready reason code or enters an After Call Work Item (ACW) code. Post call processing time ends when an agent leaves this Not Ready state, places or receives a DN call, logs off, or enters a Not Ready reason code other than an ACW code.

Pegging: If the agent is assigned to multiple skillsets, this statistic pegs against the last skillset for which the agent handled a contact.

Post Call Processing Time is calculated for the first Not Ready period after a contact closes. If the agent enters another state after the call (for example, by answering or receiving a DN call or logging out of the skillset), and then enters the Not Ready state, the Not Ready time does not peg against PostCallProcessingTime. Also, if the agent interrupts the Not Ready period to enter another state and then returns to the Not Ready state, the second Not Ready period does not peg against PostCallProcessingTime.

For Contact Center Multimedia contacts, PostCallProcessingTime does not include the time after replying to an email or disconnecting a Web Communication session, and closing the contact. The time between these two events can involve the agent setting closed reason codes or disposition codes, or adding agent notes to a contact. This time is recorded as TalkTime, not PostCallProcessing time.

Type: int

Length: 4

PresentationDeniedTime

Description: The time this agent worked under capacity and requested not to be presented with new contacts by pressing the NotReady key.

Triggers:

Type: int

Length: 4

ReservedForCall

Description: NSBR and NACD options only. The number of times the agent is reserved to answer an NSBR or NACD call.

Pegging: This value is zero at all times.

Type: int

Length: 4

ReservedTime

Description: NSBR and NACD options only. The total time the agent is in Reserved state.

Triggers: Reserved time begins when the PABX reserves the agent for an NSBR or NACD call, and ends when the call is presented or the agent reservation is canceled.

Type: int

Length: 4

RingTime

Description: The total time an agent spends in the Ringing state before answering a Contact Center Manager call or SIP voice call, and in the Alerting or Presenting state before accepting a multimedia contact.

On the Avaya Communication Server 1000 PABX, if call force is configured for the agent's call presentation class, ring time equals the call force timer.

Triggers: Ring time begins when a contact is presented to the phone or agent desktop and ends when the contact is answered, accepted, returned to the queue or abandoned.

Type: int

Length: 4

ShortCallsAnswered

Description: The number of contacts answered or accepted that have a talk time less than the short call threshold assigned to the threshold class for the skillset in which the contact is answered or accepted. This statistic does not apply to DN calls.

Type: int

Length: 4

Site

Description: The configured name of this Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if you delete a configured site and you add another one with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

SupervisorGivenName

Description: The first or given name of the agent's reporting supervisor, as defined by the supervisor.

Type: varchar

Length: 64

SupervisorLogin

Description: The numeric ID the supervisor uses to log on to the phone or desktop.

Type: varchar

Length: 16

SupervisorSurName

Description: The surname of the agent's supervisor, as defined by the supervisor.

Type: varchar

Length: 64

SupervisorUserID

Description: A unique number assigned by the server to identify the agent's reporting supervisor when the agent is added.

Type: binary

Length: 16

TalkTime

Description: The total time spent by the agent handling all contacts except DN calls, ACD calls, and NACD calls, including hold time.

Triggers:

- For voice calls, talk time begins when the agent answers the call.
- For the Avaya Communication Server 1000 PABX, talk time ends when the caller disconnects or the agent releases or transfers the call.
- For multimedia contacts, talk time begins when the agent accepts the contact and ends when the agent closes or transfers the contact.
- For Contact Center Outbound contacts, talk time begins when the agent accepts the contact, includes the time the agent is on the DN call, and ends when the agent releases the DN call and closes the contact.

Pegging: Talk time pegs at the end of the interval (for calls and contacts that are active at the end of an interval) and when the call is released or contact closes.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data. For more information about the format of the Timestamp in interval, daily, weekly, or monthly views; see [Types of views](#) on page 39.

Type: smalldatetime

Length: 4

UserID

Description: A unique number assigned by the server to identify the newly added agent.

Type: binary

Length: 16

WaitingTime

Description: The total time this agent spends waiting for contacts.

Triggers: Waiting time begins when the agent enters Idle state, for example, if:

- the agent logs on and presses the Not Ready key
- the agent releases a call, and the agent's call presentation class is not configured for Break time or Variable Wrap
- the agent's break or variable wrap timer elapses after a call is released
- the agent presses the Not Ready key a second time after entering Not Ready state

WaitingTime ends when the agent leaves the Idle state. WaitingTime continues to accumulate after return to the Idle state.

NSBR option only. WaitingTime is not affected when an agent is reserved on the PABX.

For more information, see [How is WaitTime pegged if the agent places a DN call on hold and uses alternate call answer to accept another contact?](#) on page 845.

Type: int

Length: 4

WalkawayTime

Description: The total time an agent is in the Walkaway state.

Triggers: Avaya Communication Server 1000 PABX: Walkaway time begins when:

- an agent places a Contact Center Manager call (ACD, NACD, or DN) on Hold, and disconnects or unplugs the headset
- an agent in Not Ready state places a DN call on hold

Walkaway time ends when the agent takes the phone off hook or plugs in the headset.

Type: int

Length: 4

ApplicationStat views

Application statistics summarize performance data on for each application. The server collects and reports application statistics to give contact center managers specific details about contact types, callers, or conditions. You can use these statistics to monitor the contribution of an application to the operation of a contact center.

Statistics peg against an application only for those intervals in which a contact arrives for that application. Except for DNOExtCallsTalkTime and DNOIntCallsTalkTime, these statistics do not include DN calls.

Configure the server to collect application statistics. Statistics are collected for all applications; you cannot configure the system to collect statistics for selected applications.

Pegging

When a local contact enters Contact Center Manager Server, it is handled by the Master script. Most contacts are handed off by the Master script to a primary script. The primary script might hand off the contact to a secondary script.

In some cases, a script queues a contact to a network skillset. (In these cases, the call is referred to as an outgoing NSBR contact.) Pegging for outgoing NSBR contacts is the same as for local contacts.

Contacts that receive Route Call treatment in a script are pegged against an application only until they are routed.

Contacts handled by Master script—If the contact does not leave the Master script, all time delays and events (such as treatments) peg against the Master_Script application.

Contacts handled by primary script—If a contact is handed off to a primary script, all events occurring up to the hand off peg against the Master_Script application. Events that occur after hand off peg against the primary application.

For contacts processed by a primary application, all delays begin when the contact interflows to the primary application and peg against the primary application only.

Contacts handled by secondary script—If a contact is handed off to a secondary script, all delays and events peg against the primary application.

Incoming NSBR contacts Incoming NSBR contacts peg against the Network_Script application.

ACD and NACD calls Contact Center Manager Server becomes aware of ACD and NACD calls only when they are answered. After answer, ACD calls peg against the ACD_DN_Application, and NACD calls against the NACD_DN_Application.

Contact Center Manager Server does not have access to abandoned events and delay statistics for ACD and NACD calls; therefore, these statistics are not applicable to ACD_DN and NACD_DN applications. ACD and NACD calls are not applicable to SIP-enabled contact centers.

CDN Terminated calls CDN Terminated calls map to ApplicationStat views by giving the number of local and incoming network CDN calls that:

- Terminate with one of the following treatments—Give Busy, Give Overflow, Disconnect, Route Call, or Default
- Reach a non-ISDN trunk during routing to a remote site (Networking Feature)
- Transfer in an IVR session (IVR Feature)
- Network out through an NACD queue (not applicable for incoming network calls) (NACD Feature)

Only calls that receive termination treatment initiated by Contact Center Manager Server but not by the PABX are recorded.

Application thresholds. You can define application threshold classes with different values for the service level threshold and short call length. Thus, the value for service level and short call length can vary from one application to another.

Non-ISDN trunks and call information. If a voice call encounters a non-ISDN trunk during networking to another Contact Center Manager site, the call information that normally travels with the call does not reach the destination site. This means that the destination site cannot identify

those calls that originate within the Contact Center Manager network. At the destination site, the NSBR call is treated as a new call. At the source site, the NSBR call is treated as terminated.

This field is not applicable for Universal Networking calls and SIP networking.

Database views

Application statistics use the following views:

- iApplicationStat
- dApplicationStat
- wApplicationStat
- mApplicationStat

Joins with other statistics groups

You can join application statistics to other statistics groups to generate custom reports. For more information, see [Joining views](#) on page 40.

The following table shows the statistics groups to which application statistics can join, as well as the data fields used as join keys.

Specify all these fields as your join key, in the specified order. All data fields described as join keys have indexes.

IF you generate a custom report using	THEN the join key data fields are
ActivityCodeStat	Timestamp ApplicationID
AgentByApplicationStat	Timestamp ApplicationID
SkillsetStat	Timestamp ApplicationID
NetworkInCallStat	Timestamp ApplicationID
NetworkOutStat	Timestamp ApplicationID

Field descriptions

This section describes the fields for this view.

AbdDelay2, AbdDelay4, AbdDelay6,... AbdDelay60 AbdDelay70, AbdDelay80, AbdDelay90,... AbdDelay300, AbdDelay360, AbdDelay420, AbdDelay480, AbdDelay540, AbdDelay600 AbdDelayBeyond

Description: An array of fields divided into incremental periods of time. Each field contains the number of contacts, excluding DN calls, ACD and NACD calls, that are abandoned after waiting

for a period less than or equal to the number of seconds specified, and greater than the number specified in the next lower range.

The delay time includes time that the caller spends navigating through menus and listening to announcements in this application.

Pegging: For local contacts and outgoing NSBR contacts, delays begin when the Master_Script hands off the contact to a primary application. For incoming NSBR contacts, delays begin when the contact logically queues to this site. Delays end when the caller disconnects.

Type: int

Length: 4

AnsDelay2, AnsDelay4, AnsDelay6,... AnsDelay60, AnsDelay70, AnsDelay80, AnsDelay90,... AnsDelay300 AnsDelay360, AnsDelay420, AnsDelay480, AnsDelay540, AnsDelay600 AnsDelayBeyond

Description: An array of fields divided into incremental periods of time. Each field contains the number of contacts, excluding DN calls, ACD and NACD calls, that are answered after waiting for a period less than or equal to the number of seconds specified, and greater than the number specified in the next lower range.

For voice calls, the delay time includes time that the caller spends navigating menus and listening to announcements in this application.

Pegging: For local contacts and outgoing NSBR contacts, delays begin when the Master_Script hands off the contact to a primary application. For incoming NSBR contacts, delays begin when the contact logically queues to this site. Delays end when the call is answered or contact is accepted.

Type: int

Length: 4

Application

Description: The name of the application.

Type: varchar

Length: 30

ApplicationID

Description: A unique number assigned by the server to identify an application when the application is defined.

Type: int

Length: 4

CallsAbandoned

Description: The number of contacts, excluding DN calls, ACD and NACD calls, that entered the application and are released before the calls are answered. This statistic includes calls abandoned during treatment such as IVR or Broadcast Announcement.

Pegging: This statistic pegs when a caller disconnects while still in queue or receiving treatment.

This statistic includes calls that receive the Give IVR treatment and are presented with a messaging system voice menu, if the menu commands are programmed with EM (to go to a mailbox).

Length: 4

Type: int

CallsAbandonedAftThreshold

Description: The number of contacts, excluding DN calls, ACD and NACD calls, abandoned for this application after a wait greater than or equal to the service level threshold for the threshold class to which the application belongs.

Triggers: For local contacts and outgoing NSBR contacts, delays begin when the Master_Script hands off the contact to a primary application. For incoming NSBR contacts, delays begin when the contact logically queues to this site. Delays end when the caller disconnects.

Type: int

Length: 4

CallsAbandonedDelay

Description: The wait time experienced by all contacts, excluding DN calls, ACD and NACD calls, that are abandoned by callers.

The delay time includes time that the caller spends reviewing menus and listening to announcements in this application. DNIS delay times include up-front menu time. Application delay times do not include up-front menu time.

Triggers: For local contacts and outgoing NSBR contacts, delays begin when the Master_Script hands off the contact to a primary application. For incoming NSBR contacts, delays begin when the contact logically queues to this site. Delays end when the caller disconnects. The following tables lists the database views.

Database view	Type	Length
iApplicationStat	int	4
dApplicationStat	int	4
wApplicationStat	numeric	6
mApplicationStat	numeric	6

CallsAnswered

Description: The number of contacts, excluding DN calls, answered or accepted for this application.

Pegging: Voice calls peg upon answer. Multimedia contacts peg upon acceptance. ACD calls peg against the ACD_DN_Application, and NACD calls against the NACD_DN_Application.

Type: int

Length: 4

CallsAnsweredAftThreshold

Description: The number of contacts, excluding DN calls, ACD and NACD calls, answered or accepted after a wait greater than or equal to the service level threshold for the threshold class to which the application belongs.

Triggers: For local and outgoing NSBR contacts, delays begin when the Master_Script hands off the contact to a primary application. For incoming NSBR voice contacts, delays begin when the contact logically queues to this site. Delays end when the contact is answered or the contact is accepted.

Type: int

Length: 4

CallsAnsweredDelay

Description: The wait time experienced by all contacts, excluding DN calls, ACD and NACD calls, answered or accepted for this application.

The delay time includes time that the caller spends navigating menus and listening to announcements in this application.

This statistic includes Contact Center Multimedia Web Communication and text chat contacts presented to the agent even if the customer abandons the contact.

Triggers: For local and outgoing NSBR contacts, delays begin when the Master_Script hands off the contact to a primary application. For incoming NSBR contacts, delays begin when the contact logically queues to this site. Delays end when the contact is answered or the contact is accepted.

Database view	Type	Length
iApplicationStat	int	4
dApplicationStat	int	4
wApplicationStat	numeric	6
mApplicationStat	numeric	6

CallsAnsweredDelayAtSkillset

Description: The total wait time experienced in the skillset queue by all contacts answered or accepted for this application.

Triggers: Delays begin when the contact queues against the first skillset and end when the contact is answered.

Database view	Type	Length
iApplicationStat	int	4
dApplicationStat	int	4
wApplicationStat	numeric	6
mApplicationStat	numeric	6

CallsConferencedIn

Description: The number of local Contact Center Manager calls, SIP calls, and incoming NSBR calls conferenced to this application.

Type: int

Length: 4

CallsConferencedOut

Description: The number of local Contact Center Manager calls, SIP calls, incoming NSBR calls, ACD calls, and NACD calls conferenced from this application.

Type: int

Length: 4

CallsGivenBroadcast

Description: For Avaya Communication Server 1000 PABX only. The number of local Contact Center Manager calls, SIP calls, and incoming NSBR calls given broadcast treatment for this application.

Broadcast is not applicable for SIP-enabled contact centers.

Pegging: This statistic pegs when the Give Controlled Broadcast Announcement script command runs.

Restriction: The count value remains the same if the same call receives this treatment more than once.

Type: int

Length: 4

CallsGivenDefault

Description: The number of local Contact Center Manager contacts, SIP calls, multimedia contacts, and incoming NSBR contacts given default treatment as the result of an error condition.

This statistic does not include calls given default treatment by the PABX. Contact Center Manager Server is unaware of these calls.

Pegging: Contacts receive default treatment under the following conditions:

- The script fails or end of script is reached before controlling treatment is given to the contact.
- A QUIT command or end of script is reached and the contact is not queued or routed.
- The script contains illegal first statements.
- An error condition occurred from which the script executor cannot recover.
- Contact Center Manager Server is down.
- All agents log out the skillsets to which a call queues, or all skillsets are placed out of service and a QUIT command or end of script is reached.
- All skillsets to which the script queues a new call are out of service.

Type: int

Length: 4

CallsGivenForceBusy

Description: The number of local Contact Center Manager calls and SIP calls given Force Busy treatment for this application.

Pegging: This statistic pegs when the Give Busy script command runs.

Type: int

Length: 4

CallsGivenForceDisconnect

Description: The number of local Contact Center Manager calls SIP calls, and multimedia contacts and incoming NSBR calls given Force Disconnect treatment for this application.

This statistic also includes Contact Center Outbound contacts removed from the system when an outbound campaign ends.

Pegging: This statistic pegs when the Disconnect script command runs.

Type: int

Length: 4

CallsGivenForceOverflow

Description: The number of local Contact Center Manager calls and SIP calls given Force Overflow treatment for this application.

Pegging: This statistic pegs when the Give Overflow script command runs.

Type: int

Length: 4

CallsGivenHostLookup

Description: The number of local contacts and incoming NSBR contacts for which data is obtained from a remote host through Host Data Exchange (HDX) for this application.

Pegging: This statistic pegs when the Send Request script command runs.

Restriction: The count values remains the same, if the same contact receives this treatment more than once.

Type: int

Length: 4

CallsGivenIVR

Description: The number of local Contact Center Manager calls and incoming NSBR calls given IVR treatment for this application.

Pegging: This statistic pegs when the Give IVR script command runs.

Restriction: The count remains the same, if the same call receives this treatment more than once.

Type: int

Length: 4

CallsGivenMusic

Description: The number of local Contact Center Manager calls, SIP voice calls, and incoming NSBR calls given music treatment through a music route for this application.

Pegging: This statistic pegs when the Give Music script command runs.

Restriction: The count remains the same if the same call receives this treatment more than once.

Type: int

Length: 4

CallsGivenNACD

Description: For Avaya Communication Server 1000 PABX only. The number of local Contact Center Manager calls given Network ACD (NACD) treatment. This treatment sends calls to a PABX that does not use the Contact Center Manager NSBR feature.

NACD is not applicable in SIP-enabled contact centers.

Pegging: This statistic pegs when the Queue To NACD script command runs.

Restriction: The count remains the same if the same call receives this treatment more than once.

Type: int

Length: 4

CallsGivenRAN

Description: The number of local Contact Center Manager calls, SIP calls, and incoming NSBR calls given recorded announcement (RAN) treatment for this application.

Pegging: This statistic pegs when the Give RAN script command runs.

Restriction: The count remains the same if the same call receives this treatment more than once.

Type: int

Length: 4

CallsGivenRouteTo

Description: The number of Contact Center Manager calls, SIP calls, and incoming NSBR contacts given Route Call treatment for this application.

Pegging: This statistic pegs when the Route Call script command runs.

Type: int

Length: 4

CallsNACDOut

Description: For Avaya Communication Server 1000 PABX only. The number of local Contact Center Manager calls networked through an NACD queue and answered at remote PABXs. NACD is used to send calls to a PABX that does not use the Contact Center Manager NSBR feature.

NACD is not applicable in SIP-enabled contact centers.

Pegging: This statistic pegs when a call is routed to the NACD-DN.

Type: int

Length: 4

CallsOffered

Description: The number of local contacts, incoming NSBR contacts, ACD calls, and NACD calls offered to this application.

Pegging: Local Contact Center Manager Server contacts peg against the Master_Script application upon arrival, and against a primary application when the Master_Script application hands over control. ACD and NACD calls peg when the call is answered. After answer, ACD calls peg against the ACD_DN_Application and NACD calls against the NACD_DN_Application.

This statistic includes calls that receive the Give IVR treatment and are presented with a messaging system voice menu, if the menu commands are programmed with either CL (to go to a mailbox through a DN) or Call Answering (to go to a mailbox).

Type: int

Length: 4

CallsTransferredIn

Description: For Avaya Communication Server 1000 PABX only. The number of local and incoming NSBR contacts transferred to this application.

This statistic does not include Contact Center Multimedia contacts transferred to an agent or skillset.

Pegging: This statistic pegs as soon as the transfer starts, regardless of whether the transfer completed.

Type: int

Length: 4

CallsTransferredOut

Description: The number of local contacts, incoming NSBR contacts, ACD calls, and NACD calls transferred from this application.

This statistic does not include Contact Center Multimedia contacts transferred from this application.

Pegging: This statistic pegs when the transfer is completed. If the agent stops the transfer before it is complete, this statistic does not peg.

Type: int

Length: 4

ContactType

Description: The type of contact determined by the name of this application. This applies to SIP-enabled contact centers, if Contact Center Multimedia, or Contact Center Outbound is installed and this application name begins with one of the configured prefixes as described in [Multimedia contacts](#) on page 46.

For example, if the application is named EM_application, ContactType pegs as email. If the application has no prefix, ContactType pegs as voice.

Type: varchar

Length: 30

DNOutExtCallsTalkTime

Description: For Avaya Communication Server 1000 PABX only. The total time spent by agents on outgoing external DN calls, including hold time, for this application. This statistic does not include the time spent on the DN outcall part of a Contact Center Outbound contact.

Triggers: DNOutExtCallsTalkTime begins when the call is answered and the agent's previous contact was handled by this application. Talk time ends when the caller disconnects or the agent releases the call.

Type: int

Length: 4

DNOutIntCallsTalkTime

Description: For Avaya Communication Server 1000 PABX only. The total time spent by agents on outgoing internal DN calls, including hold time, for this application. This statistic does not include the time spent on the DN outcall part of a Contact Center Outbound contact.

Triggers: DNOutIntCallsTalkTime begins when the call is answered and the agent's previous contact was handled by this application. Talk time ends when the caller disconnects or the agent releases the call.

Type: int

Length: 4

IVRAbandoned

Description: The number of local Contact Center Manager calls and incoming NSBR calls abandoned during IVR treatment.

Type: int

Length: 4

IVRTerminated

Description: The number of local Contact Center Manager calls and incoming NSBR calls that received and completed the IVR treatment in this application. This statistic includes calls transferred by IVR.

Type: int

Length: 4

IVRTransferred

Description: The number of local Contact Center Manager calls and incoming NSBR calls transferred from an IVR session for this application.

IVRTransfer is not applicable in SIP-enabled contact centers.

Type: int

Length: 4

MaxCallsAbandonedDelay

Description: The wait time experienced by the contact, excluding DN calls, ACD and NACD calls, that waited the longest before the caller abandoned it.

Triggers: For local contacts and outgoing NSBR calls, delays begin when the Master_Script hands off the contact to a primary application. For incoming NSBR contacts, delays begin when the contact logically queues to this site. Delays end when the caller disconnects.

Type: int

Length: 4

MaxCallsAnsDelay

Description: The wait time experienced by the local contact, incoming NSBR contact, or outgoing NSBR contact, excluding DN calls, ACD and NACD calls, that waited the longest before the contact is answered or accepted.

Triggers: For local contacts and outgoing NSBR contacts, delays begin when the Master_Script hands off the contact to a primary application. For incoming NSBR contact, delays begin when the contact logically queues to this site. Delays end when the contact is answered or accepted.

Type: int

Length: 4

MaxCallsAnsDelayAtSkillset

Description: The wait time experienced by the contact that waited the longest in the skillset queue before the contact is answered or accepted.

Triggers: Delays begin when the contact queues against the first skillset and end when the contact is answered or accepted for this application.

Type: int

Length: 4

MaxNetOutCallsAbandonedDelay

Description: NSBR option only. The wait time experienced by the outgoing NSBR contact routed by this application that waited the longest before the contact is abandoned at the destination site.

Triggers: Delays begin when the Master_Script hands off the contact to a primary application at the source site and end when the caller disconnects.

Type: int

Length: 4

MaxNetOutCallsAnsweredDelay

Description: For NSBR option only. The wait time experienced by the outgoing NSBR contact routed by this application that waited the longest before the contact is answered or terminated at the destination site.

Triggers: Delays begin when the Master_Script hands off the contact to a primary application at the source site and end when the contact is answered or accepted by an agent, answered by IVR, or terminated at the destination site.

Type: int

Length: 4

NetOutCalls

Description: NSBR option only. The number of outgoing NSBR contacts successfully routed by this application to another site. This statistic includes contacts answered (or accepted) or abandoned at the destination site, as well as calls terminating on non-ISDN trunks and calls blocked by an all trunks busy condition.

Type: int

Length: 4

NetOutCallsAbandoned

Description: For NSBR option only. The number of outgoing NSBR contacts sent by this application and abandoned at the destination sites.

Type: int

Length: 4

NetOutCallsAbandonedDelay

Description: For NSBR option only. The total time delay experienced by outgoing NSBR contacts sent by this application and abandoned at the destination sites.

Triggers: Delays begin when the Master_Script hands off the contact to a primary application at the source site and end when the caller disconnects.

The delay time includes time that the caller spends navigating menus and listening to announcements in this application. The following table lists the database views.

Database view	Type	Length
iApplicationStat	int	4
dApplicationStat	int	4
wApplicationStat	numeric	6
mApplicationStat	numeric	6

NetOutCallsAnswered

Description: NSBR option only. The number of outgoing NSBR contacts routed by this application and answered or accepted at the destination site.

This includes contacts that arrive at the destination site, but the reserved agent logs off or becomes unavailable, and the contact receives one of the following treatments:

- Disconnect
- Route
- Give Recorded announcement (RAN)
- Give IVR
- Give Music

Pegging: This statistic pegs when an agent answers a contact, when IVR answers a contact, or when a contact terminates at the destination site.

Type: int

Length: 4

NetOutCallsAnsweredDelay

Description: For NSBR option only. The total wait time experienced by all outgoing NSBR contacts routed by this application and answered or accepted at the destination site.

Triggers: Delays begin when the Master_Script hands off the contact to a primary application at the source site and end when the contact is answered or accepted by an agent, answered by IVR, or terminated at the destination site.

The delay time includes time that the caller spends navigating menus and listening to announcements in this application. The following table lists the database views.

Database view	Type	Length
iApplicationStat	int	4
dApplicationStat	int	4
wApplicationStat	numeric	6
mApplicationStat	numeric	6

NetOutCallsReachNonISDN

Description: NSBR option only. The number of outgoing NSBR calls sent by this application that reached a non-ISDN trunk on the way to the destination.

This field is not applicable for Universal Networking calls and SIP networking.

The SIP IM does not support networking features.

Type: int

Length: 4

PostCallProcessingTime

Description: This data is the total time agents spent performing post contact processing after handling a local or incoming NSBR contact in this application. Normally, agents use this time to complete work related to the contact, such as filling in forms or filing papers.

Triggers: Post call processing time begins when an agent enters the Not Ready state after releasing any contact, except DN calls, and does not enter a Not Ready reason code or enters an After Call Work Item (ACW) code. Post call processing time ends when an agent leaves this Not Ready state, places or receives a DN call, logs off, or enters a Not Ready reason code other than an ACW code.

Pegging: This statistic pegs against the last application for which the agent handled a contact.

Post Call Processing Time is calculated for the first Not Ready period after a contact closes. If the agent enters another state after the call (for example, by answering or receiving a DN call or logging out of the skillset), and then enters the Not Ready state, the Not Ready time does not peg against PostCallProcessingTime. Also, if the agent interrupts the Not Ready period to enter another state and then returns to the Not Ready state, the second Not Ready period does not peg against PostCallProcessingTime.

For Contact Center Multimedia contacts, PostCallProcessingTime does not include the time after replying to an email or disconnecting a Web Communication session, and closing the contact. The time between these two events can involve the agent setting closed reason codes or disposition codes, or adding agent notes to a contact. This time is recorded as TalkTime, not PostCallProcessing time.

Type: int

Length: 4

Site

Description: The configured name of this Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

TalkTime

Description: The total time in this interval that agents spent handling local and incoming NSBR contacts (excluding DN calls), that were handled by this application. This statistic includes hold time.

Triggers: The follow items trigger this statistic:

- For voice calls, talk time begins when the agent answers the call.
- For the Avaya Communication Server 1000 PABX, talk time ends when the caller disconnects or the agent releases or transfers the call.
- For multimedia contacts, talk time begins when the agent accepts the contact and ends when the agent closes or transfers the contact.

- For Contact Center Outbound contacts, talk time begins when the agent accepts the contact, includes the time the agent is on the DN call, and ends when the agent releases the DN call and closes the contact.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 5

TimeBeforeDefault

Description: The total time spent in the system by local Contact Center Manager calls, SIP voice calls, multimedia contacts, and incoming NSBR contacts that received default treatment for this application.

Pegging: For local contacts, pegging begins when the Master_Script starts. For incoming NSBR contacts, pegging begins when the contact queues to the site. Pegging ends when contact receives treatment.

Type: int

Length: 4

TimeBeforeForceBusy

Description: The total time spent in the system by local Contact Center Manager calls, SIP calls, and incoming NSBR calls that received Force Busy treatment for this application.

Pegging: For local calls, pegging begins when the Master_Script starts. For incoming NSBR calls, pegging begins when the contact queues to the site. Pegging ends when the contact receives Give Busy treatment.

Type: int

Length: 4

TimeBeforeForceDisconnect

Description: The total time spent in the system by local Contact Center Manager calls, SIP calls, multimedia contacts, and incoming NSBR calls that received Force Disconnect treatment for this application.

Pegging: For local contacts, pegging begins when the Master_Script starts. For incoming NSBR calls, pegging begins when the contact queues to the site. Pegging ends when the contact receives Give Disconnect treatment.

Type: int

Length: 4

TimeBeforeForceOverflow

Description: The total time spent in the system by local Contact Center Manager calls, SIP calls, and incoming NSBR calls that received Force Overflow treatment for this application.

Pegging: For local Contact Center Manager calls, pegging begins when the Master_Script starts. For incoming NSBR calls, pegging begins when the contact queues to the site. Pegging ends when the contact receives Give Overflow treatment.

Type: int

Length: 4

TimeBeforeInterflow

Description: The total amount of time that local contacts and outgoing NSBR contacts spent in the Master_Script application before the contact is passed to a primary application. For the Master_Script application, this is the total time spent in the Master_Script by all contacts. For primary applications, this is the total time spent in the Master_Script application by all contacts answered for the primary application.

Pegging: Pegging begins when the Master_Script starts, and ends when the contact is handed off to a primary application.

Type: int

Length: 4

TimeBeforeIVRTransferred

Description: The total time spent in the system by local Contact Center Manager calls and incoming NSBR calls transferred to an IVR session for this application.

IVRTransfer is not applicable in SIP-enabled contact centers.

Pegging: For local Contact Center Manager calls, pegging begins when the Master_Script starts. For incoming NSBR calls, pegging begins when the contact queues to the site. Pegging ends when the call transfers to an IVR session.

Type: int

Length: 4

TimeBeforeNACDOut

Description: The total time spent in the system by local Contact Center Manager calls networked out through the NACD queue and answered at remote nodes. NACD calls are sent to other PABXs without using the Contact Center Manager NSBR feature.

NACD is not applicable in SIP-enabled contact centers.

Pegging: Pegging begins when the call arrives at the site and ends when treatment is given.

Type: int

Length: 4

TimeBeforeNetOut

Description: For NSBR option only. The total time spent in the system by outgoing NSBR contacts networked out by this application.

Pegging: Pegging begins when the contact arrives at the site and ends when the contact is routed to the destination.

Type: int

Length: 4

TimeBeforeReachNonISDN

Description: For NSBR option only. The total time spent in the system by outgoing NSBR Contact Center Manager calls before they reached a non-ISDN trunk.

This field is not applicable for Universal Networking calls and SIP networking.

Pegging: Pegging begins when the call arrives at the site and ends when the call is routed to a non-ISDN trunk.

Type: int

Length: 4

TimeBeforeRouteTo

Description: The total time spent in the system by local Contact Center Manager calls, SIP voice calls, and incoming NSBR calls that received Route Call treatment.

Pegging: For local Contact Center Manager calls, pegging begins when the Master_Script starts. For incoming NSBR calls, pegging begins when the contact queues to the site. Pegging ends when the contact receives Route Call treatment.

Type: int

Length: 4

Timestamp

Description: The date and time when system pegs the data. For more information about the format of the Timestamp in interval, daily, weekly, or monthly views; see [Types of views](#) on page 39.

Type: smalldatetime

Length: 4

WaitTime

Description: The total time agents spend waiting for a contact after releasing a voice call or closing a multimedia contact handled by this application.

Triggers: WaitTime begins when the agent enters Idle state, for example, if

- an agent releases a voice call or closes a multimedia contact, and the agent's call presentation class is not configured for Break time or Variable Wrap
- an agent's Break or Variable Wrap timer elapses after a contact is released or closed
- an agent presses the Not Ready key a second time after entering Not Ready state

WaitTime ends when the agent leaves the Idle state. If the agent handles another contact from the same application as the most recently handled contact, WaitTime resumes against that application when the agent returns to the Idle state. If the agent handles a contact from an application different from recently handled contact, WaitTime begins against the new application when the agent returns to the Idle state.

NSBR option: WaitTime is not affected when an agent is reserved on the PABX.

For more information, see [How is WaitTime pegged if the agent places a DN call on hold and uses alternate call answer to accept another contact?](#) on page 845.

Pegging: WaitTime pegs for the last application for which the agent handled a contact during this logon. If the agent has not yet handled a contact associated with an application, WaitTime is not pegged.

Type: int

Length: 4

CDNStat views

Control Directory Number (CDN) statistics summarize contact traffic information for the CDNs and Route Points configured on the server.

Statistics peg only for those intervals in which contacts arrive at the contact center through a CDN or Route Point. Incoming ACD, NACD, and DN calls are not routed through CDNs or Route Points and are not included in these statistics.

To create a CDNStat view, complete the following requirements:

- Define CDNs and Route Points on Contact Center Manager Server.
- Configure the server to collect CDN statistics. Statistics are collected for all CDNs and Route Points; you cannot configure the system to collect statistics for only selected CDNs or Route Points.

Pegging

If a voice call encounters a non-ISDN trunk while it is networked to another Contact Center Manager site, the call information that normally travels with the call does not reach the destination site. This means that the destination site cannot distinguish that the call came from the Contact Center Manager network. At the destination site, the networked call is treated as a new call. At the source site, the network call is treated as terminated.

For Universal Networking, you can expect that voice calls encounter a non-ISDN trunk and the limitations the previous paragraph describes. The NSBR call arrives at the target node and the system treats as an incoming networked call.

SIP-enabled contact centers do not differentiate between ISDN and non-ISDN trunks. All calls peg on non-ISDN calls.

Database views

Control Directory Number (CDN) statistics use the following views:

- iCDNStat
- dCDNStat
- wCDNStat
- mCDNStat

Field descriptions

This section provides the fields for this view.

CallsAbandoned

Description: The number of local contacts and incoming NSBR calls abandoned from this CDN or Route Point. This includes local contacts networked out through the NSBR feature and abandoned or terminated at the destination site.

This statistic includes contacts that receive the Give IVR treatment and are presented with a messaging system voice menu, if the menu commands are programmed with CA (to go to a mailbox).

Type: int

Length: 4

CallsAnswered

Description: The number of local contacts and incoming NSBR contacts answered by this CDN or Route Point. This includes local contacts that are networked out through the NSBR feature and answered or accepted by an agent or IVR at the destination site.

Pegging: Voice calls peg upon answer and multimedia contacts peg upon acceptance.

A contact pegs as answered if, when it arrives at the destination site, the reserved agent logs off or becomes unavailable and it receives one of the following treatments:

- Disconnect
- Route
- Give Recorded announcement (RAN)
- Give IVR
- Give Music

Type: int

Length: 4

CallsOffered

Description: The number of local contacts and incoming NSBR contacts offered to this CDN or Route Point.

This statistics include voice calls that receive the Give IVR treatment and are presented with a messaging system voice menu, if the menu commands are programmed with either CL (to go to a mailbox through a DN) or EM (to go to a mailbox).

Type: int

Length: 4

CallsTerminated

Description: The number of local contacts and incoming NSBR contacts for this CDN or Route Point, which terminate under one of the following conditions:

- The contact received a Force Busy, Force Overflow, Force Disconnect, Route Call, or default treatment.
- (NSBR option only) The call reached a non-ISDN trunk while it is routed to a remote site.
- The voice call is transferred to an IVR queue.
- (Avaya Communication Server 1000 PABX only) The voice call is networked out through an NACD queue.

This statistic includes voice calls that receive the Give IVR treatment and are presented with a messaging system voice menu, if the menu commands are programmed with CL (to go to a mailbox through a DN).

Type: int

Length: 4

CDN

Description: A unique number to identify this CDN or Route Point, which the server assigns when the CDN or Route Point is added.

Type: varchar

Length: 30

CDNName

Description: The name of this CDN as configured when it is added.

Type: varchar

Length: 30

PreferredMediaServerFailed

Description

This statistic counts the number of times the Avaya Aura[®] MS used for the call (the Anchored Avaya Aura[®] MS) was not the Preferred Avaya Aura[®] MS. If the counter registers a non-zero value, this can indicate potential issues requiring investigation. The Preferred Media Server Failed statistic includes all times the Preferred Media server was not the server used to anchor the contact — this includes the instances when the preferred Media Server was Unknown or when No Preference was provided. This new column applies only if the Avaya Aura[®] MS Zoning feature is enabled.

Type

int

Length

4

Site

Description: The configured name of this Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. Custom reports can use the SiteID to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data. For more information about the format of the Timestamp in interval, daily, weekly, or monthly views; see [Types of views](#) on page 39.

Type: smalldatetime

Length: 4

URI

Description: The name of this Route Point as configured when it is added.

Type: varchar

Length: 255

DNISStat views

Dialed Number Identification Service (DNIS) statistics summarize information for each DNIS. These statistics provide a way to monitor the call traffic and call handling for each DNIS.

To configure the DNISStat views, you must complete the following requirements:

- Define DNISs on Contact Center Manager Server.
- Configure the server to collect DNIS statistics. Statistics are collected for all DNISs; you cannot configure the system to collect statistics for selected DNISs.

Database views

Dialed Number Identification Service (DNIS) statistics use the following views:

- iDNISStat
- dDNISStat
- wDNISStat
- mDNISStat

Field descriptions

This section provides the fields for this view.

CallsAbandoned

Description: The number of local Contact Center Manager calls and incoming NSBR calls abandoned for a DNIS number.

Type: int

Length: 4

CallsAbandonedAftThreshold

Description: The number of local Contact Center Manager calls and incoming NSBR calls abandoned that experienced a delay greater than or equal to the service level threshold for the DNIS number.

Triggers: For local Contact Center Manager calls, delays begin when the Master_Script starts. For incoming NSBR calls, delays begin when the call logically queues to this site.

Type: int

Length: 4

CallsAbandonedDelay

Description: The total wait time experienced by all local Contact Center Manager calls and incoming NSBR calls abandoned for a DNIS number.

Triggers: For local Contact Center Manager calls, delays begin when the Master_Script starts. For incoming NSBR calls, delays begin when the call logically queues to this site.

The delay time includes time that the caller spends navigating menus and listening to announcements before the call queues to a skillset.

Type: int

Length: 4

CallsAnswered

Description: The number of local Contact Center Manager calls and incoming NSBR calls answered for a DNIS number.

Pegging: Calls peg upon answer.

Type: int

Length: 4

CallsAnsweredAftThreshold

Description: The number of local Contact Center Manager calls and incoming NSBR calls answered that experienced a delay greater than or equal to the service level threshold for the DNIS number.

Triggers: For local Contact Center Manager calls, delays begin when the Master_Script starts. For incoming NSBR calls, delays begin when the call logically queues to this site.

Type: int

Length: 4

CallsAnsweredDelay

Description: The wait time experienced by all local Contact Center Manager calls and incoming NSBR calls answered for a DNIS number.

Triggers: For local Contact Center Manager calls, delays begin when the Master_Script starts. For incoming NSBR calls, delays begin when the call logically queues to this site.

The delay time includes time that the caller spends navigating menus and listening

Type: int

Length: 4

CallsGivenDefault

Description: The number of local Contact Center Manager calls and incoming NSBR calls given default treatment for a DNIS number.

Type: int

Length: 4

CallsGivenForceBusy

Description: The number of local Contact Center Manager calls and incoming NSBR calls given Force Busy treatment for a DNIS number.

Pegging: This statistic pegs when the Give Busy script command runs.

Type: int

Length: 4

CallsGivenForceDisconnect

Description: The number of local Contact Center Manager calls and incoming NSBR calls given Force Disconnect treatment for a DNIS number.

Pegging: This statistic pegs when the Disconnect script command runs.

Type: int

Length: 4

CallsGivenForceOverflow

Description: The number of local Contact Center Manager calls and incoming NSBR calls given Force Overflow treatment for a DNIS number.

Pegging: This statistic pegs when the Give Overflow script command runs.

Type: int

Length: 4

CallsGivenRouteTo

Description: The number of local Contact Center Manager calls and incoming NSBR calls given Route Call treatment for a DNIS number.

Pegging: This statistic pegs when the Route Call script command runs.

Type: int

Length: 4

CallsNACDOut

Description: For Avaya Communication Server 1000 PABX only. The number of local Contact Center Manager calls networked out through an NACD queue and answered at remote sites.

NACD is not applicable in SIP-enabled contact centers.

Type: int

Length: 4

CallsNetworkedOut

Description: For NSBR option only. The number of local Contact Center Manager calls routed to a remote site and answered or abandoned.

Networking features are not supported in SIP IM-enabled contact center. However, SIP-enabled contact centers support networking features.

Type: int

Length: 4

CallsOffered

Description: The number of local Contact Center Manager calls and incoming NSBR calls offered to this server with this DNIS number.

Pegging: Calls peg upon arrival.

Type: int

Length: 4

CallsReachNonISDN

Description: For NSBR option only. The number of local Contact Center Manager calls that reached a non-ISDN trunk while it is routed to a remote site.

This field is not applicable for Universal Networking calls and SIP networking.

Pegging: Calls networked out using the MCDN networking are pegged against this field if the call reaches a non-ISDN trunk.

Restriction: If a call encounters a non-ISDN trunk while it is networked to another Contact Center Manager site, the call information that normally travels with the call does not reach the destination

site. This means the destination site cannot determine that the call came from the Contact Center Manager network. At the destination site, the networked call is treated as a new call. At the source site, the NSBR call is pegged as terminated.

Type: int

Length: 4

DNIS

Description: A unique number used to identify a DNIS that the server assigns when the DNIS is defined.

Type: varchar

Length: 255

DNISName

Description: The name of a DNIS.

Type: varchar

Length: 30

DNIS_Prefix

Description: Stores the prefix of a DNIS number. You can sort, filter, and report on individual DNIS 800 numbers.

Type: varchar

Length: 16

IVRTransferred

Description: The number of local Contact Center Manager calls and incoming NSBR calls transferred from an IVR session for a DNIS number.

IVRTransfers are not applicable in SIP-enabled contact centers.

Type: int

Length: 4

NetworkCDN

Description: For future use. Not valid in this release.

Type: varchar

Length: 30

MaxAbandonedDelay

Description: The wait time experienced by the local Contact Center Manager calls or incoming NSBR call that waited the longest before it is abandoned.

Triggers: For local Contact Center Manager calls, delays begin when the Master_Script starts. For incoming NSBR calls, delays begin when the call logically queues to this site.

Type: int

Length: 4

MaxAnsweredDelay

Description: The wait time experienced by the local Contact Center Manager calls or incoming NSBR call that waited the longest before it is answered.

Triggers: For local Contact Center Manager calls, delays begin when the Master_Script starts. For incoming NSBR calls, delays begin when the call logically queues to this site.

Type: int

Length: 4

Site

Description: The configured name of this Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. Custom reports can use the SiteID to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

TalkTime

Description: The total time all agents spend on local Contact Center Manager calls and incoming NSBR calls for a DNIS number, including hold time.

Triggers:

- **Avaya Communication Server 1000 PABX:**

The call pegs when the caller disconnects or the agent releases the call.

Pegging: Talk time pegs at the end of the interval (for calls that are active at the end of an interval) and when the call terminates.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data. For more information about the format of the Timestamp in interval, daily, weekly, or monthly views; see [Types of views](#) on page 39.

Type: smalldatetime

Length: 16

Type

Description: Distinguishes between local and landing-pad DNIS.

Type: tinyint

Length: 1

URI

Description: For future use. Not valid in this release.

Type: varchar

Length: 255

IVRPortStat views

Interactive Voice Response (IVR) port (or voice port) statistics summarize performance measurement information for your IVR ports. These statistics provide a way to monitor the amount of time that these ports are in and out of service.

IVR statistics are not applicable to multimedia contacts. SIP-enabled contact centers do not support IVRPortStats.

To create the IVRPortStat views, you must complete the following requirements:

- Define voice ports on Contact Center Manager Server.

- Configure the server to collect IVR port statistics. Statistics are collected for all IVR ports; you cannot configure the system to collect statistics for selected ports.

*** Note:**

IVR statistics might not be available if a third-party IVR application is used instead of a messaging system application.

Database views

IVR port statistics use the following views:

- iIVRPortStat
- dIVRPortStat
- wIVRPortStat
- mIVRPortStat

Joins with other views

You can join IVR port statistics to other views to generate custom reports. For more information, see [Joining views](#) on page 40.

The following table shows the views which application statistics join to and the data fields used as a join key. Specify both of fields as your join key in the order shown. All data fields described as join keys have indexes.

If you generate a custom report using	THEN the join key data fields are
IVRStat	Timestamp IVRQueueID

Field descriptions

This section provides the fields for this view.

CallsAnswered

Description: The number of calls answered by this IVR port.

Pegging: Calls peg upon answer.

Type: int

Length: 4

CallsConferenced

Description: The number of calls conferenced from this IVR port.

Type: int

Length: 4

CallsTransferred

Description: The number of calls transferred from this IVR port.

Type: int

Length: 4

IVRPortID

Description: A unique number assigned by the server to identify an IVR port when the voice port is defined.

Type: varchar

Length: 30

IVRPortName

Description: The name of the IVR port.

Type: varchar

Length: 30

IVRQueueID

Description: A unique number assigned by the server to identify an IVR queue when the IVR ACD-DN is defined.

Type: varchar

Length: 7

IVRQueueName

Description: The name of the IVR queue.

Type: varchar

Length: 30

LoggedInTime

Description: The total time the IVR port is logged on.

Type: int

Length: 4

NotReadyTime

Description: The total time the IVR port spends in the Not Ready state.

Type: int

Length: 4

Site

Description: The configured name of this Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

TalkTime

Description: The total time the IVR port is in use.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data. For more information about the format of the Timestamp in interval, daily, weekly, or monthly views; see [Types of views](#) on page 39.

Type: smalldatetime

Length: 4

WaitingTime

Description: The total time the IVR port is idle.

Type: int

Length: 4

IVRStat views

Interactive Voice Response (IVR) statistics monitor port resource usage of an ACCESS IVR queue.

You can use these statistics to determine whether enough resources exist to handle the number of calls using Open/Close Voice Session, Give Controlled Broadcast, and Give IVR commands. IVR statistics are not applicable to multimedia contacts.

SIP-enabled contact center logs GiveIVR and GiveIVRComplete commands only, all other elements are not applicable.

To create IVRStat views, complete the following requirements:

- Define IVR ACD-DNs on Contact Center Manager Server.
- Configure the server to collect IVR queue statistics. Statistics are collected for all IVR queues; you cannot configure the system to collect statistics for selected IVR queues.

*** Note:**

IVR statistics might not be available if you use a third-party IVR application.

Database views

IVR statistics use the following views:

- iIVRStat
- dIVRStat
- wIVRStat
- mIVRStat

Joins with other statistics groups

You can join IVR statistics to other statistics groups to generate custom reports. For more information, see [Joining views](#) on page 40.

The following table shows the views which application statistics can join to and the data fields used as a join key. Specify both of these fields as your join key in the order shown. All data fields described as join keys have indexes.

IF you generate a custom report using	THEN the join key data fields are
IVRPortStat	Timestamp IVRQueueID

Field descriptions

This section provides the fields for this view.

CallsAnswered

Description: The number of calls answered by this IVR queue.

Pegging: Calls peg upon answer.

Type: int

Length: 4

CallsAnsweredAftThreshold

Description: The number of calls answered that experienced a delay greater than or equal to the service level threshold for the threshold class to which the IVR ACD-DN belongs.

Type: int

Length: 4

CallsAnsweredDelay

Description: The total wait time experienced by all the calls answered.

Triggers: The delay begins when a call enters the IVR queue.

Type: int

Length: 4

CallsConferenced

Description: The number of calls conferenced during an IVR session.

Type: int

Length: 4

CallsNotTreated

Description: The number of calls abandoned or pulled back while waiting in this IVR queue.

Type: int

Length: 4

CallsNotTreatedAftThreshold

Description: The number of calls abandoned or pulled back that experienced a delay greater than or equal to the service level threshold for the threshold class to which the IVR ACD-DN belongs.

Triggers: The delay begins when a call queues against the IVR queue and ends when the call is abandoned or pulled back.

Type: int

Length: 4

CallsNotTreatedDelay

Description: The total wait time experienced by all calls abandoned or pulled back from an IVR queue.

Triggers: The delay begins when a call queues against the IVR queue and ends when the call is abandoned or pulled back.

Type: int

Length: 4

CallsOffered

Description: The number of calls offered to this IVR queue.

Type: int

Length: 4

CallsTransferred

Description: The number of calls transferred during an IVR session.

Type: int

Length: 4

IVRAbandoned

Description: The number of calls abandoned during an IVR session.

Type: smallint

Length: 2

IVRCompleted

Description: The number of calls for which the IVR session completed successfully.

Pegging: This statistic pegs when the IVR port disconnects.

Type: smallint

Length: 2

IVRInterrupted

Description: The number of calls interrupted by a script command during an IVR session.

Type: smallint

Length: 2

IVRQueueID

Description: A unique number assigned by the server to identify an IVR queue when the IVR ACD-DN is defined.

Type: varchar

Length: 7

IVRQueueName

Description: The name of the IVR queue.

Type: varchar

Length: 30

Site

Description: The configured name of this Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. Custom reports can use the SiteID to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data. For more information about the format of the Timestamp in interval, daily, weekly, or monthly views; see [Types of views](#) on page 39.

Type: smalldatetime

Length: 4

LicenseStat views

You can use License Manager statistics to view the distribution of licenses between each Contact Center Manager application—Contact Center Manager Server, Contact Center Manager

Administration, Communication Control Toolkit, and Contact Center Multimedia—in the network. Statistics are collected on the server running the Contact Center License Manager.

License Manager statistics are collected by default.

 **Note:**

Servers are identified by the IP address and not the server name.

Database views

License Manager statistics use the following views:

- iLicenseStat
- dLicenseStat
- wLicenseStat
- mLicenseStat

Field descriptions

This section describes the fields for this view.

ClientAddress

Description: The IP address of the client computer where the licenses are issued.

Type: varchar

Length: 30

Feature

Description: The Contact Center Manager feature issued to the client.

Type: varchar

Length: 70

MaxNumber Licenses

Description: The maximum number of licenses held by the client computer in that interval. For example, the maximum number of licenses held each day.

Type: int

Length: 4

Timestamp

Description: The date and time when the system pegs the data. For more information about the format of the Timestamp in interval, daily, weekly, or monthly views; see [Types of views](#) on page 39.

Type: datetime

Length: 8

NetworkInCallStat views

For NSBR option only. Network call statistics provide information used to monitor contact distribution and handling in a network environment. They record statistics for all incoming NSBR contacts received at a site.

Network statistics report only on contacts that the server controls (Contact Center Manager contacts and multimedia contacts). They do not report DN, ACD, or NACD calls.

In these statistics, the local site is the destination site.

Networking of SIP voice calls is supported.

Configure the server to collect network call statistics. Statistics are collected for all applications; you cannot configure the system to collect statistics for selected applications.

* **Note:**

Network call statistics generated on the server are collected on the destination site only. To report on network contact handling at all sites, generate a network-wide report from the Network Control Center.

Database views

Network call statistics use the following views:

- iNetworkInCallStat
- dNetworkInCallStat
- wNetworkInCallStat
- mNetworkInCallStat

Joins with other statistics groups

You can join network call statistics to other statistics groups to generate custom reports. For more information, see [Joining views](#) on page 40.

The following table shows the statistics groups that network call statistics can join to and the data fields used as join keys.

Specify all these fields as your join key in the specified order. All data fields described as join keys have indexes.

IF you generate a custom report using	THEN the join key data fields are
ActivityCodeStat	Timestamp ApplicationID

Table continues...

IF you generate a custom report using	THEN the join key data fields are
AgentByApplicationStat	Timestamp ApplicationID
ApplicationStat	Timestamp ApplicationID
SkillsetStat	Timestamp ApplicationID
NetworkOutStats	Timestamp ApplicationID

Field descriptions

This section describes the fields for this view.

CallsAbandoned

Description: The number of incoming NSBR contacts abandoned at the local site.

Type: int

Length: 4

CallsAbandonedAftThreshold

Description: The number of incoming NSBR contacts abandoned at the local site after a wait that exceeds the service level threshold for the application.

Type: int

Length: 4

CallsAbandonedDelay

Description: The total wait time experienced by all incoming NSBR contacts abandoned at the local site.

Triggers: Delays begin when the Master_Script starts at the source site and end when the contact is abandoned at the local site.

The delay time includes time that the caller spends navigating menus and listening

Statistic	Type	Length
iNetworkInCallStat	int	4
dNetworkInCallStat	int	4
wNetworkInCallStat	numeric	6
mNetworkInCallStat	numeric	6

CallsAbandonedDelayAtDest

The total wait time experienced at the local site by all incoming NSBR contacts abandoned at the local site.

Triggers: Delays begin when the Master_Script starts and ends when the contact is abandoned at the local site.

Statistic	Type	Length
iNetworkInCallStat	int	4
dNetworkInCallStat	int	4
wNetworkInCallStat	numeric	6
mNetworkInCallStat	numeric	6

CallsAnswered

Description: The number of incoming NSBR contacts answered or accepted at the local site.

Type: int

Length: 4

CallsAnsweredAftThreshold

Description: The number of incoming NSBR contacts answered or accepted at the local site after a wait greater than or equal to the service level threshold for the application. The delay begins when a contact enters the local site. The service level threshold is configured during system configuration of the local site.

Type: int

Length: 4

CallsAnsweredDelay

Description: The total wait time experienced by all incoming NSBR contacts answered or accepted at the local site.

Triggers: Delays begin when the Master_Script starts at the source site and end when the contact is answered or accepted at the local site.

The delay time includes time that the caller spends navigating menus and listening to announcements in this application.

Statistic	Type	Length
iNetworkInCallStat	int	4
dNetworkInCallStat	int	4
wNetworkInCallStat	numeric	6
mNetworkInCallStat	numeric	6

CallsAnsweredDelayAtDest

Description: The total wait time experienced at the local site by all incoming NSBR contacts answered or accepted at the local site.

Triggers: Delays begin when the contact queues to the local site and end when the contact is answered or accepted at the local site.

Statistic	Type	Length
iNetworkInCallStat	int	4
dNetworkInCallStat	int	4
wNetworkInCallStat	numeric	6
mNetworkInCallStat	numeric	6

CallsOffered

Description: The number of incoming NSBR contacts offered to the local site.

Type: int

Length: 4

DstApplication

Description: The name of the destination application. This name is always Network_Script.

Type: varchar

Length: 30

DstApplicationID

Description: A unique number assigned by the server to identify the Network_Script application.

Type: int

Length: 4

DstSite

Description: The name of the local Contact Center Manager site, as defined on the Network Control Center.

Type: varchar

Length: 30

DstSiteID

Description: A unique number assigned by the server to identify the local Contact Center Manager site when the site is defined on the Network Control Center.

Type: int

Length: 4

MaxCallAbandonedDelay

Description: The wait time experienced by the incoming NSBR contact that waited the longest before it is abandoned at the local site.

Triggers: Delays begin when the Master_Script starts at the source site and end when the contact is abandoned at the local site.

Type: int

Length: 4

MaxCallAbandonedDelayAtDest

Description: The wait time experienced by the contact that waited the longest at the local site before it is abandoned.

Triggers: Delays begin when a contact logically queues to the local site and end when the contact is abandoned.

Type: int

Length: 4

MaxCallAnsweredDelay

Description: The total wait time experienced by all calls answered or contacts accepted at the local site.

Triggers: Delays begin when the Master_Script starts at the source site and end when the call is answered or contact is accepted at the local site.

Type: int

Length: 4

MaxCallAnsweredDelayAtDest

Description: The wait time experienced by the contact that waited the longest at the local site before it is answered or accepted.

Triggers: Delays begin when a contact logically queues to the local site and end when the contact is answered or accepted.

Type: int

Length: 4

SrcApplication

Description: The name of the source application.

Type: varchar

Length: 30

SrcApplicationID

Description: A unique number assigned by the server to identify the source application when the application is defined.

Type: int

Length: 4

SrcSite

Description: The name of the source Contact Center Manager site, as assigned when the site is defined on the Network Control Center.

Type: varchar

Length: 30

SrcSiteID

Description: The unique identifier for the source Contact Center Manager site at which a call originated.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data, in local (destination) site time. For more information about the format of the Timestamp in interval, daily, weekly, or monthly views; see [Types of views](#) on page 39.

Type: smalldatetime

Length: 4

NetworkOutStat views

NSBR option only. Network outgoing contact statistics summarize performance measurement information based on the origin and destination of a contact. They record statistics for all contacts networked from a site.

In these statistics, the local site is the source site.

Networking of SIP voice calls is supported.

Configure the server to collect network outcall statistics.

*** Note:**

At each Contact Center Manager site, the historical network outgoing contact statistics are collected only for the local site. These statistics contain network outgoing contact traffic and handling information for contacts for which the local site is the source.

Database views

Network outgoing contact statistics use the following views:

- iNetworkOutStat
- dNetworkOutStat
- wNetworkOutStat
- mNetworkOutStat

Joins with other statistic groups

You can join network outcall statistics to other statistics groups to generate custom reports. For more information, see [Joining views](#) on page 40.

The following table shows the statistics groups that network call statistics can join to, as well as the data fields used as join keys.

Specify all these fields as your join key in the specified order. All data fields described as join keys have indexes.

IF you generate a custom report using	THEN the join key data fields are
ActivityCodeStat	Timestamp ApplicationID
AgentByApplicationStat	Timestamp ApplicationID
ApplicationStat	Timestamp ApplicationID
SkillsetStat	Timestamp ApplicationID
NetworkOutStats	Timestamp ApplicationID

Field descriptions

This section describes the fields for this view.

CallsAbandoned

Description: The number of contacts abandoned at the destination site.

Type: int

Length: 4

CallsAbandonedDelayAtDest

Description: The total wait time experienced at the destination site by all contacts from the local site abandoned at the destination site.

This statistic does not include Contact Center Multimedia Web Communication or abandoned text chat contacts.

Triggers: Delays begin when the contact queues to the destination site and end when the contact is abandoned.

Statistic	Type	Length
iNetworkInCallStat	int	4
dNetworkInCallStat	int	4
wNetworkInCallStat	numeric	6
mNetworkInCallStat	numeric	6

CallsAnswered

Description: The number of contacts answered or accepted by an agent, answered by IVR, or terminated at the destination site.

Pegging: A contact pegs as answered if, when it arrives at the destination site, the reserved agent logs off or becomes unavailable and it receives one of the following treatments:

- Disconnect
- Route
- Give Recorded announcement (RAN)
- Give IVR
- Give Music

CallsAnsweredDelayAtDestination

Description: The total wait time experienced at the destination site by all contacts from the local site answered or accepted by an agent, answered by IVR, or terminated at the destination site.

Triggers: Delays begin when the contact queues to the destination site and end when the contact is answered or accepted.

Statistic	Type	Length
iNetworkInCallStat	int	4
dNetworkInCallStat	int	4
wNetworkInCallStat	numeric	6
mNetworkInCallStat	numeric	6

CallsOffered

Description: The number of contacts offered to the destination site.

Type: int

Length: 4

DstApplication

Description: The name of the destination application (this is always Network_Script).

Type: varchar

Length: 30

DstApplicationID

Description: A unique number assigned by the server to identify the destination application.

Type: int

Length: 4

DstSite

Description: The name of the destination Contact Center Manager site, as defined when you configure the site on the Network Control Center.

Type: varchar

Length: 30

DstSiteID

Description: A unique number assigned by the server to identify a destination site when you configure the site on the Network Control Center.

Type: int

Length: 4

MaxCallsAbandonedDelay

Description: The wait time experienced by the contact originating at the local site that waited the longest before it is abandoned at the destination site.

Triggers: Delays begin when the Master_Script starts at the local site and end when the contact is abandoned.

Type: int

Length: 4

MaxCallsAbandonedDelayAtDest

Description: The wait time experienced by the contact originating at the local site that waited the longest at the destination site before it is abandoned.

Triggers: Delays begin when the contact queues to the destination site and end when the contact is abandoned.

Type: int

Length: 4

MaxCallsAnsweredDelay

Description: The wait time experienced by the contact originating at the local site that waited the longest before it is answered or accepted by an agent, answered by IVR, or terminated at the destination site.

Triggers: Delays begin when the Master_Script starts at the local site and end when the contact is answered or accepted.

Type: int

Length: 4

MaxCallsAnsweredDelayAtDest

Description: The wait time experienced by the contact originating at the local site that waited the longest at the destination site before it is answered or accepted by an agent, answered by IVR, or terminated.

Triggers: Delays begin when the contact logically queues to the destination site and end when the contact is answered or accepted.

Type: int

Length: 4

SrcApplication

Description: The name of the source application.

Type: varchar

Length: 30

SrcApplicationID

Description: A unique number assigned by the server to identify the source application when the application is defined.

Type: int

Length: 4

SrcSite

Description: The name of the local site, as defined when the site is defined on the Network Control Center.

Type: varchar

Length: 30

SrcSiteID

Description: A unique number assigned by the server to identify a source Contact Center Manager site where a call originated when the site is defined on the Network Control Center.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data, in local (source) site time. For more information about the format of the Timestamp in interval, daily, weekly, or monthly views; see [Types of views](#) on page 39.

Type: smalldatetime

Length: 5

TotalCallsAbandonDelay

Description: The total wait time experienced by all contacts from the local site abandoned at the destination site.

Triggers: Delays begin when the Master_Script starts at the local site and end when the contact is abandoned.

Statistic	Type	Length
iNetworkInCallStat	int	4
dNetworkInCallStat	int	4
wNetworkInCallStat	numeric	6
mNetworkInCallStat	numeric	6

TotalCallsAnsweredDelay

Description: The total wait time experienced by all contacts from the local site answered or accepted by an agent, answered by IVR, or terminated at the destination site.

Triggers: Delays begin when the Master_Script starts at the local site and end when the contact is answered.

Statistic	Type	Length
iNetworkInCallStat	int	4
dNetworkInCallStat	int	4
wNetworkInCallStat	numeric	6
mNetworkInCallStat	numeric	6

RANMusicRouteStat views

Recorded announcement (RAN) and music route statistics summarize resource usage information for each RAN and music route.

RAN and music route statistics are not applicable to multimedia contacts.

To create the RANMusicRouteStat view, complete the following requirements:

- Define RAN and music routes codes on Contact Center Manager Server.
- Configure the server to collect music and route statistics. Statistics are collected for all music and RAN routes; you cannot configure the system to collect statistics for selected routes.

Database views

RAN and music route statistics use the following views:

- iRANMusicRouteStat
- dRANMusicRouteStat
- wRANMusicRouteStat
- mRANMusicRouteStat

Field descriptions

This section describes the fields for this view.

RouteAccess

Description: The number of times a music or RAN route is accessed. Each time the route is accessed by a single call, this statistic increments.

Type: int

Length: 4

RouteAccessTime

Description: The total time a music or RAN route is in use.

Type: int

Length: 4

RouteID

Description: A unique number assigned by the server to identify a music or RAN route when the route is defined.

Type: int

Length: 4

RouteName

Description: The name of the music or RAN route.

Type: varchar

Length: 30

Site

Description: The configured name of this Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data. For more information about the format of the Timestamp in interval, daily, weekly, or monthly views; see [Types of views](#) on page 39.

Type: smalldatetime

Length: 4

RouteStat views

For Avaya Communication Server 1000 PABX only. Route statistics summarize all occurrences of all trunks busy (ATB) and network outcall blocked information for each route.

SIP-enabled contact center does not support Routes.

To configure the RouteStat views, complete the following requirements:

- Define routes on Contact Center Manager Server.
- Configure the server to collect route statistics. Statistics are collected for all routes; you cannot configure the system to collect statistics for selected routes.

Pegging

CallsBlockedByAllTrunksBusy statistics apply to multiple routes and peg against the Default_Route, 999.

Database views

Route statistics use the following views:

- iRouteStat
- dRouteStat
- wRouteStat
- mRouteStat

Joins with other statistics groups

You can join route statistics to other statistics groups to generate custom reports. For more information, see [Joining views](#) on page 40.

The following table shows the views that route statistics can join to and the data fields used as a join key. Specify both of these fields as your join key in the order shown. All data fields described as join keys have indexes.

IF you generate a custom report using	THEN the join key data fields are
TrunkStat	Timestamp RouteID

Field descriptions

This section describes the fields for this view.

AllTrunksBusy

Description: The number of times all trunks in this route are busy.

Type: int

Length: 4

AllTrunksBusyTime

Description: The total time all trunks in this route are busy.

Type: int

Length: 4

CallsBlockedByAllTrunksBusy

Description: For NSBR option only. The number of calls offered to the network through this route that are blocked because all trunks are busy.

Pegging: This field pegs only against the Default_Route, 999.

Type: int

Length: 4

CallsReachNonISDN

Description: For NSBR option only. The number of calls that reached a non-ISDN trunk while it is routed to a remote site through this route.

Universal Networking does not rely on ISDN trunking to pass the call information to the destination site. If a Universal Networking call encounters a non-ISDN trunk, the NSBR call arrives at the target node and the system treats in as an incoming networked call.

A SIP-enabled contact center does not differentiate between ISDN and non-ISDN trunks. The system pegs all calls as non-ISDN calls.

Restriction: If a call encounters a non-ISDN trunk while it is networked to another Contact Center Manager site, the call information that normally travels with the call does not reach the destination site. This means the destination site cannot tell that the call came from the Contact Center

Manager network. At the destination site, the networked call is treated as a new call. At the source site, the NSBR call is treated as terminated.

Type: int

Length: 4

RouteID

Description: A unique number assigned by the server to identify a route when the route is defined.

Type: int

Length: 4

RouteName

Description: The name of the route.

Type: varchar

Length: 30

Site

Description: The configured name of this Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data. For more information about the format of the Timestamp in interval, daily, weekly, or monthly views; see [Types of views](#) on page 39.

Type: smalldatetime

Length: 4

SkillsetStat views

A skillset is a group of skills, or level of expertise in a certain area, to which an agent is assigned. Agents can be assigned more than one skillset. Skillset statistics summarize performance information based on a combination of skillset and application contact information. Statistics peg against a combination of skillset and application.

Statistics peg for a skillset only for intervals in which the skillset is staffed.

Only contacts queued to a skillset are included in these statistics (if a skillset maps to an ACD DN or NACD DN, calls to that DN are included). Except for DNOExtCallsTalkTime and DNOIntCallsTalkTime, these statistics do not include DN calls.

Support is unavailable for ACD DN and NACD DN in SIP-enabled contact centers.

Configure the server to collect skillset statistics. Statistics are collected for all skillsets; you cannot configure the system to collect statistics for selected skillsets.

Pegging

All statistics peg against a specific skillset and application combination and either the local or originating site.

Local contacts. Local Contact Center Manager contacts peg against the Master_Script or primary application (depending on the location of the call in the system) and against the answering skillset, or the Agent Queue To skillset (if the contact queues to a specific agent for the contact type).

Closed contacts pulled for additional processing by the agent are pegged against the Agent Queue To skillset for the contact type. New and New Reply contacts pulled while already within Contact Center Manager Server are pegged against the skillset they queue in, if any, up to the time they are pulled, and then against the Agent Queue To skillset for the contact type. Local contacts peg against the local site.

Note:

For Agent Queue to skillset for the contact type, the following fields are not pegged in the SkillsetStat view:

- ActiveTime
- AllAgentsBusyTime
- IdleTime

Summarized historical statistics

- MaxCapacityIdleTime
- MaxCapacityTotalStaffedTime
- NotReadyTime
- PostCallProcessingTime
- TotalStaffedTime
- WaitTime

Incoming NSBR contacts. Incoming NSBR contacts peg against the Network_Script Application and the originating site.

ACD calls. ACD calls peg against the ACD_DN_Application and either the skillset to which this ACD-DN maps (if defined) or the Default_ACD skillset. ACD calls peg against the local site.

Support is not available for ACD DN and NACD DN in SIP-enabled contact centers.

NACD calls. NACD calls peg against the NACD_DN_Application and either the skillset to which this Network ACD-DN maps (if defined) or the Default_NACD skillset. NACD calls peg against the local site.

ACD DN and NACD DN are not supported in SIP-enabled contact centers.

Statistics pegged against the System_Application. The following statistics are applicable to multiple applications and peg against the System_Application and the local site:

- ActiveTime
- AllAgentBusyTime
- TotalStaffedTime

The System_Application does not appear on the standard reports. On the standard reports, these totals are in the summary line for the skillset statistics.

Thresholds. You can define skillset threshold classes with different values for the service level threshold and the length (talk time and handling time) of a short call or contact. Thus, the value for service level and short call length can vary from one skillset to another.

Mapping Skillsets to ACD-DNs. Using Contact Center Manager Administration, you can map a skillset to an ACD-DN or NACD-DN. If you do so, statistics for that ACD-DN or NACD-DN peg against the skillset.

For ACD calls, the server does not record information about call activity on the PABX. ACD calls are tracked from the time they are answered at a phone acquired by Contact Center Manager Server.

Support is not available for ACD DN and NACD DN in SIP-enabled contact centers.

For pegging examples; see [Pegging of ACD-DNs](#) on page 828.

Database views

Skillset statistics use the following views:

- iSkillsetStat
- dSkillsetStat

- wSkillsetStat
- mSkillsetStat

Joins with other statistics groups

You can join skillset statistics to other statistics groups to generate custom reports. For more information, see [Joining views](#) on page 40.

The following table shows the statistics groups which skillset statistics can join to, as well as the data fields used as join keys. Specify both of these fields as your join key in the order shown. All data fields described as join keys have indexes.

IF you generate a custom report using	THEN the join key data fields are
ActivityCodeStat	Timestamp ApplicationID
AgentByApplicationStat	Timestamp ApplicationID
AgentBySkillsetStat	Timestamp ApplicationID
ApplicationStat	Timestamp ApplicationID
NetworkInCallStat	Timestamp ApplicationID
NetworkOutStat	Timestamp ApplicationID

Field descriptions

This section describes the fields for this view.

ActiveTime

Description: The amount of time a skillset is in service. A skillset is in service when it is not in Out of Service mode and at least one agent is logged on.

Pegging: This field pegs only against the System_Application.

Type: int

Length: 4

AllAgentBusyTime

Description: The total time that all agents assigned to this skillset are busy with contacts or no agents are logged on.

Pegging: This field pegs only against the System_Application.

Type: int

Length: 4

Application

Description: The name of the application that queued the contact to this skillset.

Type: varchar

Length: 30

ApplicationID

Description: A unique number assigned by the server to identify an application when the application is defined.

Type: int

Length: 4

CallsAnswered

Description: The number of local contacts (excluding DN calls), incoming NSBR calls, ACD calls, and NACD calls answered or accepted by agents in this skillset.

Support is not available for ACD DN and NACD DN in SIP-enabled contact centers.

Triggers: Calls peg upon answer or acceptance.

Pegging: Local contacts peg against the Master_Script or primary application (depending on the location of the call in the system) and against the answering or accepting skillset. Incoming NSBR contacts peg against the Network_Script Application. ACD calls peg against the ACD_DN_Application and either the skillset to which this ACD-DN maps (if defined) or the Default_ACD skillset. NACD calls peg against the NACD_DN_Application and either the skillset to which this Network ACD-DN maps (if defined) or the Default_NACD skillset.

Network statistics, such as NSBR contacts, are not applicable to SIP IM-enabled contact centers.

Restriction: This statistic does not include DN calls handled by agents assigned to this skillset.

Type: int

Length: 4

CallsAnsweredAfterThreshold

Description: The number of local contacts (excluding DN, ACD, and NACD calls) and incoming NSBR contacts answered or accepted after a wait greater than or equal to the service level threshold for the threshold class to which the skillset belongs.

ACD DN and NACD DN are not supported in SIP-enabled contact centers. Network statistics, such as NSBR contacts, are not applicable to SIP IM-enabled contact centers.

Pegging: Local contacts peg against the Master_Script or primary application, depending on the location of the contact in the system, and against the answering or accepting skillset.

Incoming NSBR contacts peg against the Network_Script application and against the answering or accepting skillset.

Triggers: Delays begin when the contact queues at the skillset and end when the contact is answered or accepted. If a contact queues to the same skillset, the delay begins when the contact first queues.

Restriction: This statistic does not include ACD and NACD calls because delay statistics are not available for these types of calls.

Type: int

Length: 4

CallsAnsweredDelay

Description: The wait time experienced by all local contacts (excluding DN, ACD, and NACD calls) and incoming NSBR contacts answered or accepted for this skillset. Network statistics, such as NSBR contacts, are not applicable to SIP IM-enabled contact centers.

Pegging: Local contacts peg against the Master_Script or primary application, depending on the location of the contact in the system, and against the answering or accepting skillset. Incoming NSBR contacts peg against the Network_Script application and against the answering or accepting skillset.

Triggers: Delays begin when the contact queues at the skillset and end when it is answered or accepted. If a contact queues to the same skillset, the delay begins when the contact first queues.

Restriction: This statistic does not include ACD and NACD calls, because delay statistics are not available for these call types.

Type: int

Length: 4

CallsOffered

Description: The number of contacts, excluding DN, ACD, and NACD calls, offered to this skillset, regardless of whether the contacts are answered or accepted for this skillset. This statistic does not increment if the same contact is offered to this skillset again.

Triggers: Contacts peg against the Master_Script application upon arrival, and against a primary application when the Master_Script application hands over control.

If a contact is offered to multiple skillsets, this statistic pegs multiple times.

Type: int

Length: 4

ContactType

Description: The type of contact determined by the name of this skillset. This applies to SIP-enabled contact centers, if Contact Center Multimedia, or if Contact Center Outbound is installed

and this skillset name begins with one of the configured prefixes as described in [Multimedia contacts](#) on page 46.

For example, if the skillset is named EM_application, ContactType pegs as email. If the skillset has no prefix, ContactType pegs as voice.

Type: varchar

Length: 30

DNOutExtCallsTalkTime

Description: For Avaya Communication Server 1000 PABX only. The total time agents spend on outgoing external DN calls, including hold time, for this skillset. This statistic does not include the time spent on the DN outcall part of a Contact Center Outbound contact.

Triggers: DNOutExtCallsTalkTime begins when the call is answered and the agent's previous contact queued in this skillset. Talk time ends when the caller disconnects or the agent releases the call. For a three-way conference call, talk time ends only when the agent releases the call.

Type: int

Length: 4

DNOutIntCallsTalkTime

Description: For Avaya Communication Server 1000 PABX only. The total time agents spend on outgoing internal DN calls, including hold time, for this skillset. This statistic does not include the time spent on the DN outcall part of a Contact Center Outbound contact.

Triggers: DNOutIntCallsTalkTime begins when the call is answered and the agent's previous contact queued for this skillset. Talk time ends when the caller disconnects or the agent releases the call. For a three-way conference call, talk time ends only when the agent releases the call.

Type: int

Length: 4

IdleTime

Description: The cumulative time that all agents belonging to this skillset were in the Idle state.

Type: int

Length: 4

MaxAnsweredDelay

Description: The wait time experienced by the local contact (excluding DN, ACD, and NACD calls) or incoming NSBR contact that waited the longest before it is answered or accepted.

Network statistics, such as NSBR contacts, are not applicable to SIP IM-enabled contact centers.

Pegging: Local contacts peg against the Master_Script or primary application, depending on the location of the contact in the system, and against the answering or accepting skillset.

Incoming NSBR contacts peg against the Network_Script application and against the answering or accepting skillset.

Restriction: This statistic does not include ACD and NACD calls, because delay statistics are not available for these call types.

Type: int

Length: 4

MaxCapacityIdleTime

Description: The cumulative time that all agents belonging to this skillset, including the multiple capacities configured for these agents, were in the Idle state. MaxCapacityIdleTime stops when maximum capacity of the skillset or maximum capacity for the agent is reached.

Type: int

Length: 4

MaxCapacityTotalStaffedTime

Description: The cumulative time that all agents belonging to this skillset were in the Login state multiplied by their Maximum Capacity in this skillset.

Type: int

Length: 4

MaxSkillsetAbandonedDelay

Description: The wait time experienced by the local contact (excluding DN, ACD, and NACD calls) or incoming NSBR contact queued to this skillset that waited the longest before it is abandoned.

Network statistics, such as NSBR contacts, are not applicable to SIP IM-enabled contact centers.

Triggers: The delay begins when a contact queues to the skillset.

Type: int

Length: 4

NetCallsAnswered

Description: For NSBR option only. The number of incoming NSBR contacts answered or accepted for this skillset.

Network statistics, such as NSBR contacts, are not applicable to SIP IM-enabled contact centers.

Pegging: Incoming NSBR contacts peg against the Network_Script application.

Type: int

Length: 4

NotReadyTime

Description: The total time that all agents belonging to this skillset spend in the Not Ready state. Not Ready time includes post call processing time and Not Ready time with reason codes.

Triggers: Not Ready time begins when the agent enters the Not Ready state and ends when the agent leaves the Not Ready state.

Type: int

Length: 4

PostCallProcessingTime

Description: This data is the total time agents spend performing post contact processing. Normally, agents use this time to complete work related to the contact just completed, such as filling in forms or filing papers.

Triggers: Post call processing time begins when an agent enters the Not Ready state after releasing any contact, except DN calls, and does not enter a Not Ready reason code or enters an After Call Work Item (ACW) code. Post call processing time ends when an agent leaves this Not Ready state, places or receives a DN call, logs off, or enters a Not Ready reason code other than an ACW code.

Pegging: This statistic pegs against the last skillset for which the agent handled a contact.

Post Call Processing Time is calculated for the first Not Ready period after a contact closes. If the agent enters another state after the call (for example, by answering or receiving a DN call or logging out of the skillset), and then enters the Not Ready state, the Not Ready time does not peg against PostCallProcessingTime. Also, if the agent interrupts the Not Ready period to enter another state and then returns to the Not Ready state, the second Not Ready period does not peg against PostCallProcessingTime.

For Contact Center Multimedia contacts, PostCallProcessingTime does not include the time after the agent replies to an email or disconnects a Web Communication session, and closes the contact. The time between these two events can involve the agent setting closed reason codes or disposition codes, or adding agent notes to a contact. This time records as TalkTime, not PostCallProcessing time.

Type: int

Length: 4

Site

Description: The configured name of the Contact Center Manager site to which the fields are applicable. For incoming NSBR contacts, this is the originating site.

Network statistics, such as NSBR contacts, are not applicable to SIP IM-enabled contact centers.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify the Contact Center Manager site to which the fields are applicable. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. You can use the SiteID in custom reports to identify statistics applicable to a site.

For incoming NSBR contacts, this is SiteID of the originating site. For the local site, the SiteID is 0. SIP uses the configuration default SiteID.

Type: int

Length: 4

Skillset

Description: The name of the skillset.

Type: varchar

Length: 30

SkillsetAbandoned

Description: The number of contacts abandoned while queuing in this skillset. This statistic includes contacts abandoned while being presented to an agent.

Type: int

Length: 4

SkillsetAbandonedDelay

Description: The total wait time experienced by contacts abandoned while queuing in this skillset.

Triggers: The delay begins when the contact queues to this skillset and ends when the contact is abandoned.

Type: int

Length: 4

SkillsetAbandonAftThreshold

Description: The number of contacts abandoned while queuing in this skillset after a wait greater than or equal to the service level threshold for the threshold class to which the skillset belongs.

Type: int

Length: 4

SkillsetID

Description: A unique number assigned by the server to identify this skillset when the skillset is added. For network skillsets, this is the ID as it appears on the local site.

Type: int

Length: 4

TalkTime

Description: The total time that agents spend handling contacts (excluding DN calls) in this interval that queued in this skillset. This statistic includes hold time.

Triggers: The follow items trigger this statistic:

- For voice calls, talk time begins when the agent answers the call.
- For the Avaya Communication Server 1000 PABX, talk time ends when the caller disconnects or the agent releases or transfers the call.
- For multimedia contacts, talk time begins when the agent accepts the contact and ends when the agent closes or transfers the contact.
- For Contact Center Outbound contacts, talk time begins when the agent accepts the contact, includes the time the agent is on the DN call, and ends when the agent releases the DN call and closes the contact.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: int

Length: 5

Timestamp

Description: The date and time when the system pegs the data. For more information about the format of the Timestamp in interval, daily, weekly, or monthly views; see [Types of views](#) on page 39.

Type: smalldatetime

Length: 4

TotalStaffedTime

Description: The amount of logon time for all agents belonging to this skillset.

Pegging: This field pegs only against the System_Application.

Triggers: The logon time begins when an agent logs on to the skillset or is reassigned (while logged on) to the skillset and ends when the agent logs off or is reassigned to another skillset.

Type: int

Length: 4

VirtualCallsAbandoned

Description: The number of contacts abandoned while queuing in this skillset if

- the contact queues to multiple skillsets simultaneously, this skillset is the first listed skillset in the script
- for NSBR contacts, the contact originated from this site

Type: int

Length: 4

VirtualCallsAbnAftThreshold

Description: The number of contacts abandoned while queuing in this skillset, that exceed the skillset service level threshold, provided that

- if the contact queues to multiple skillsets simultaneously, this skillset is the first listed skillset in the script
- For NSBR contacts, the contact originated from this site

Type: int

Length: 4

VirtualCallsOffered

Description: The number of contacts offered in this skillset that are

- answered or accepted by an agent in this skillset and on this site.
- abandoned and originated on this site and, if queued to multiple skillsets simultaneously, this skillset is the first listed skillset in the script.

VirtualCallsOffered increments if the contact is answered, accepted, or abandoned. It is not counted if the contact is not answered, accepted, or abandoned, for example, if it is removed from queue in an application script or routed outside the system.

VirtualCallsOffered is always pegged against the first skillset to which the call was queued.

Type: int

Length: 4

WaitTime

Description: The total time agents spend waiting for a contact after releasing a voice call or closing a multimedia contact handled that queued in this skillset.

Triggers: WaitTime begins when the agent enters Idle state, for example, if

- an agent releases a voice call or closes a multimedia contact, and the agent's call presentation class is not configured for Break time or Variable Wrap
- an agent's Break or Variable Wrap timer elapses after a contact is release or closed

- an agent presses the Not Ready key a second time after entering Not Ready state

WaitTime ends when the agent leaves the Idle state. If the agent handles another contact from the same skillset as the most recently handled contact, WaitTime resumes against that skillset when the agent returns to the Idle state. If the agent handles a contact from a different skillset than the most recently handled contact, WaitTime begins against the new skillset when the agent returns to the Idle state.

For NSBR option, WaitTime is not affected when an agent is reserved on the PABX.

For more information, see [How is WaitTime pegged if the agent places a DN call on hold and uses alternate call answer to accept another contact?](#) on page 845.

Pegging: WaitTime pegs against the last skillset for which the agent handled a contact during this logon. If the agent has not yet handled a contact that queued in a skillset, WaitTime is not pegged.

Type: int

Length: 4

TrunkStat views

For Avaya Communication Server 1000 PABX only. Trunk statistics summarize trunk resource usage information. These statistics provide a way to monitor call traffic with available trunk resources.

This view does not contain statistics for

- ACD or NACD calls; trunk usage information is not available for these call types.
- Integrated Services Access (ISA) trunks.

Trunk statistics are not applicable to multimedia contacts.

Trunks are not applicable in SIP-enabled Contact Centers as a SIP-enabled contact center does not differentiate between ISDN and non-ISDN trunks. All calls are pegged as non-ISDN calls.

To configure TrunkStat views, configure the following requirements:

- Define the routes to which the trunks belong on Contact Center Manager Server.
- Configure the server to collect trunk statistics. Statistics are collected for all trunks; you cannot configure the system to collect statistics for selected trunks.

Database views

Trunk statistics use the following views:

- iTrunkStat
- dTrunkStat
- wTrunkStat

- mTrunkStat

Joins with other views

You can join trunk statistics to other views to generate custom reports. For more information, see [Joining views](#) on page 40.

The following table shows the views which application statistics can join to, as well as the data fields used as a join key. Specify both of these fields as your join key in the order shown. All data fields described as join keys have indexes.

IF you generate a custom report using	THEN the join key data fields are
RouteStat	Timestamp RouteID

Field descriptions

This section describes the fields for this view.

CallsAbandoned

Description: The number of Contact Center Manager calls abandoned while waiting on this trunk.

Type: int

Length: 4

CallsAbandonedDelay

Description: The total wait time experienced by Contact Center Manager calls that are abandoned.

Triggers: For local Contact Center Manager calls and outgoing NSBR calls, delays begin when the Master_Script starts. For incoming NSBR calls, delays begin when the call logically queues to this site.

Type: int

Length: 4

CallsAnswered

Description: The number of Contact Center Manager calls answered.

Triggers: Calls peg upon answer.

Type: int

Length: 4

CallsAnsweredDelay

Description: The total wait time experienced by all Contact Center Manager calls that came in through a trunk.

Triggers: For local Contact Center Manager calls and outgoing NSBR calls, delays begin when the Master_Script starts. For incoming NSBR calls, delays begin when the call logically queues to this site.

Type: int

Length: 4

CallsOffered

Description: The number of Contact Center Manager calls offered to this trunk.

Triggers: Calls peg upon arrival.

Type: int

Length: 4

OccupancyTime

Description: The total time the trunk is occupied with Contact Center Manager calls.

Triggers: Occupancy times begin when the Master_Script starts at the source site and end when the call ends.

Type: int

Length: 4

Route

Description: The name of the route.

Type: varchar

Length: 30

RouteID

Description: A unique number assigned by the server to identify the route to which the trunk belongs when the route is defined.

Type: int

Length: 4

Site

Description: The configured name of this Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value. SIP uses the configuration default SiteID.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data. For more information about the format of the Timestamp in interval, daily, weekly, or monthly views; see [Types of views](#) on page 39.

Type: smalldatetime

Length: 4

TrunkID

Description: A unique number assigned by the server to identify the trunk within the route.

Type: int

Length: 4

Chapter 6: Contact statistics

Contact statistics are collected for each contact rather than accumulated over a period of time. This section describes the various contact statistic report views.

Contact statistics accumulate after contacts arrive in the contact center and can continue to accumulate after the contact ends, while the agent performs tasks related to the previous contact. Contact statistics are written to the database after all information about the contact and agent post contact data is obtained, after the next pegging interval (that is, at the next 3-minute interval boundary after finishing data accumulation).

Type of statistics

When you configure Historical Statistics Collection, you can collect Contact Summary statistics. You can enable or disable this data collection option at any time while the system runs. You can also configure the number days to store the contact statistics.

Linking views

To generate custom reports that combine data from Contact Statistics view, use a database join between the views. To obtain the correct results, use a left outer join, for which the eCSRStat view is the left view, and the eCSRCodeStat view is the right view. Keys used to link the views are specified in the subsections below for each view.

You can link Contact Summary statistics to Contact Codes statistics to generate custom reports. The Contact Codes view contains information about each Activity Code or Post Contact Processing code entered by the agent against each contact.

Specify all the fields as your linkage key in the specified order. Linkage keys use the following data fields:

- eCSRStat.ContactOriginatedStamp
- eCSRStat.CCMID

Contact Summary view

The Contact Summary view contains information about each contact arriving at this site in the Contact Center. It also contains inter-contact agent statistics relevant to the last contact handled by the agent. Each row in the view corresponds to a single contact segment, which is a call or contact involving a monitored agent or Route Point/CDN. A contact that involves more than one agent has contact statistics on two rows in the contact summary view; for example, calls between agents. Transferred and conferenced voice calls are represented by a separate contact segment for each call leg, provided the call is transferred or conferenced to a monitored agent DN or a Route Point/CDN.

The amount of data generated for Contact statistics can be extensive; therefore, the required time to generate a report using contact statistics can be much greater than the required time to generate a report using summarized statistics.

With the multiplicity feature enabled in Contact Center Multimedia (CCMM) Administration, if an agent handles more than one Web Communication contact, the real-time displays (RTDs) and the historical reports record only the last contact that the agent receives. The reports display the last contact that the agent receives. The contact also displays on Agent Desktop.

Configure the server to collect call flow and contact summary statistics. Statistics are collected for all contacts; you cannot configure the system to collect statistics for selected contacts.

Pegging

Where applicable, all data in a Contact Summary record is pegged against a specific skillset and application combination, the local and remote site, the contact address (for example, DNIS, To: email address), Route Point, agent, supervisor, and originator (for example, CLID, From: email address). Each segment of a multi-segment contact is recorded separately in the Contact Summary view. A contact segment is a part of a contact associated with an agent or Route Point or CDN, for example a transferred voice call leg. Statistics in each row pertain only to the contact segment represented by that row.

Agents and supervisors: Agents link to reporting supervisors. An agent can have only one assigned reporting supervisor at a time. However, the agent can be assigned a different supervisor at different times of the day. To ensure supervisors to monitor all of their reporting agents, these statistics allow agents to link to multiple supervisors. Agent intercontact statistics are collected only for the combination of agent and primary supervisor assigned at the time that contact statistics finished being accumulated (typically when the agent receives another contact).

Mapping a skillset to an ACD-DN: Using Contact Center Manager Administration, you can map a skillset to an ACD-DN or NACD-DN. If you do so, statistics for that ACD-DN or NACD-DN peg against the skillset. For ACD, NACD, and DN calls, the server does not record information about call activity on the PABX. These calls are tracked from the time they are answered at a phone acquired by Contact Center Manager Server. Support for ACD DN and NACD DN is not available in SIP-enabled contact centers.

Transferred and conferenced calls: A transfer or conference pegs when an agent presses the key the second time to complete the transfer or conference. Each leg of the transfer or conferenced call records as a separate contact segment. Support for transfer and conference pegging is available for Voice, Instant Message (IM), and Web Communication (WC) contact types.

*** Note:**

IM and WC transfer is reported as conference. In the Contact summary report, the Final Disposition for a transferred call is set to “Released” (for voice it is transferred) and the Initial Disposition for a consult call is set to “Conferenced” (for voice it is transferred). In the Call by call report the “Call Conferenced” event is displayed.

DN calls: A phone can have multiple DN keys. If an agent answers a DN call, places it on hold, and makes another DN call, both hold time and handling time peg concurrently for the first DN call.

DN calls internal and external: An internal DN call is a call on an Avaya Communication Server 1000 PABX in which the agent connects on a DN key to a DN configured in the same customer group on the PABX as the agent’s DN. An external DN call is a call on an agent’s DN key connected to any other DN.

ACD and NACD calls: On Avaya Communication Server 1000 PABX, ACD calls peg against the ACD_DN_Application and either the skillset to which this ACD-DN maps (if defined) or the Default_ACD skillset. ACD calls peg against the local site. NACD calls peg against the NACD_DN_Application and either the skillset to which this Network ACD-DN maps (if defined) or the Default_NACD skillset. NACD calls peg against the local site.

Local contacts: Local Contact Center Manager contacts peg against the Master_Script or primary application (depending on the progress of the contact handling in the system when the contact ends). It pegs against the accepting skillset (if the contact queues to a skillset and accepted), or the Agent Queue To skillset (if the contact queues to a specific agent for the contact's contact type). If the contact is abandoned by the caller, then if the contact was presented to an agent, it is pegged to the first queued skillset on which the agent logged on, or to the first queued skillset. Local contacts peg against the local site.

Incoming NSBR contacts: Incoming NSBR contacts peg against the Network_Script Application and the originating and destination (remote and local) sites. The application name at the originating site is also included. Incoming NSBR contacts peg only at the selected destination site; they do not peg at sites where contacts queue awaiting final destination site selection unless the configured NSBR routing rules cause that site to be selected as the routing destination.

Outgoing NSBR contacts: Outgoing NSBR contacts peg against the primary application and network skillset, and the originating and destination (local and remote) sites. If an agent at a remote site is selected as the routing destination for this networked out contact, then the contact also pegs as a network in contact at the destination site.

Database view

Contact statistics use the eCSRStat view.

Linkages with other views

You can link Contact Summary statistics to Contact Code statistics to generate a custom report. You can use the following data fields as linkage keys.

eCSRStat.ContactOriginatedStamp

eCSRStat.CCMID

Field descriptions

The section includes field descriptions for the Contact Summary view.

Address

Description: The entry point for this contact into the contact center, as known to the contact originator. For incoming local and network Contact Center Manager voice calls, this is a DNIS number, or the CDN number if no DNIS number is available. For email contacts, this is the sender email message. For SIP contacts, this is the SIP service URI. For Web_Communications contacts, this is the URI of the Webservice. For Open Queue contacts, the external application assigns the value with the Open Queue interface. For ACD calls, this is the ACD-DN. For NACD calls, this is the NACD-DN. For DN calls, this is the called DN.

Type: varchar

AgentGivenName

Description: The first or given name of the agent.

Type: varchar

Length: 64

AgentId

Description: The agent that made the change. This is link to the cls.UserDetails table.

Type: binary

Length: 16

AgentSurName

Description: The surname of the agent.

Type: varchar

Length: 64

AnchoredMediaServer

Description

Name of the Avaya Aura[®] MS server the call is anchored on.

Type

String

Length

50

AppAbandonedDelay

Description: The amount of time in seconds the contact spends in the application before the originator abandons the contact.

Type: int

AppAcceptedDelay

Description: The amount of time in seconds the contact spends in the application before an agent accepts the contact.

Type: int

ApplicationID

Description: A unique number that the server assigns to identify the defined application. This application ID identifies the master script or primary application that processes the contact when the agent accepts or abandons the contact.

For DN calls, the application ID always 0.

Type: int

ApplicationName

Description: The name of the application that manages the contact when the agent answers, accepts, or abandons the contact.

Type: varchar

Length: 30

ApplicationStartStamp

Description: If the contact is accepted or abandoned while in the Master_Script, this field contains the timestamp indicating when the Master_Script began processing the contact. If the contact is processed by a primary script, this field contains the timestamp indicating when the contact entered the primary application from the Master_Script.

For DN calls, ACD calls, NACD calls and Network In calls that applications do not process, this field contains the same value as the OriginatedStamp field, unless the agent abandons the contact; in which case, the value contains the FinalDispositionStamp.

Type: datetime

Length: 8

CCMID

Description: An internal value that represents the contact ID as known throughout applications in the Contact Center suite. For Avaya Communication Server 1000 calls, CCMID is derived from the Call ID on the PABX. For all other contacts, this is an artificial value used only within the contact center. CCMID also appears in CallByCall reports as the Call ID and IntercallID.

Multi-segment contacts such as voice calls between agents, and transferred or conferenced voice calls, have the same CCMID value, which is the same as the Call ID of the first call leg. These multiple segments also have the same ContactOriginatedStamp value.

Various classes of contact types are allocated different ranges of CCMIDs, and each range has a limited number of values.

The CCMID value is guaranteed to be unique for the life of the contact segment but can be reused later for new contacts. When the CCMID range for a contact type is exceeded, new contacts of the same type are assigned previously used CCMIDs. On systems with high traffic, or systems that restart frequently, various contacts can be assigned the same CCMID in a span of time. Reports extracting data in this time span must be carefully crafted to account for this.

For Avaya Communication Server 1000 PABX only. The CCMID range is affected by the number of Call Registers configured on the PABX. The smaller the number of Call Registers, the quicker CCMIDs are re-used. CCMID values are not necessarily sequential. Do not assume patterns in the assignment of Call IDs. To match Contact Summary reports records to CallByCall recorded, CCMID for all contact segments is the Call ID of the first leg of the contact. The Contact Summary report field IntercallID refers to the CallByCall ID for subsequent call legs.

To match CSR records to CallByCall records, the CCMID for all contact segments is the Call ID of the first leg of the contact. The CSR field IntercallID refers to the CallByCall Call ID for subsequent call legs.

Type: Int

ConsultTime

Description: The time in seconds an agent spends in an incomplete consult-transfer after the caller disconnects. Consult time starts when the customer releases the call and ends when the consult call is released. Applicable to voice contacts only.

Type: int

ContactOriginatedStamp

Description: The timestamp for the time the contact arrives in the contact center, or for Network In calls, the time it queues at this site. For multi-segment contacts, this field is the OriginatedStamp for the first segment.

This value, with the CCMID, identifies contact segments that make up a single composite contact, for example, all legs of a transferred call.

Type: datetime

ContactProximity

Description: Applies to DN In and DN Out calls only. This field indicates whether the DN In call is from an internal extension or external DN, and whether a DN Out call is to an internal extension or external DN.

Type: varchar

ContactSubType

Description: A value indicating the subtype of the contact whose statistics are in this record. Only Avaya Communication Server 1000 type (voice) contacts have a subtype. ContactSubType receives the following values:

- DN (a DN call)

Contact statistics

- DI (a DN Incall)
- DO (a DN Outcall)
- CD (a CDN call)
- NI (a Network In call)
- NO (a Network Out call)
- CO (a Consultation contact)
- A (an ACD call)
- NA (a NACD call)
- empty (not a Voice contact)

Type: varchar

ContactType

Description: A value indicating the primary type of contact whose statistics are recorded in this record. ContactType receives the following values:

- 10000 = voice
- 10001 = email
- 10002 = web communication
- 10003 = outbound
- 10006 = instant message
- 10008 = open queue
- 10009 = scanned document
- 10010 = fax
- 10011 = SMS
- 10012 = voice mail
- 10013 = POM predictive outbound
- 10015 = Social Networking

Type: int

ContactTypeName

Description: The name corresponding to the primary contact type of the contact whose statistics are recorded in this record. ContactTypeName receives the following values:

- Voice
- Email
- Web_communication

- Outbound
- IM
- SER_Outbound
- OpenQ
- Scanned_Document
- Fax
- SMS
- Voice_Mail
- POM_Outbound
- Social_Networking

Type: varchar

Length: 30

CustID

Description: The CCMS customer ID, which is always 1 in Contact Center.

Type: int

DisconnectSource

Description: A number that specifies the disconnecting party when a call ends.

Valid values are as follows:

- UNKNWN {0} (Disconnecting Party is unknown)
- CLD PRTY {3} (Call released by the called party)
- CLNG PRTY {4} (Call released by the calling party)
- TRNSFR {5} (Call released due to a transfer)
- CONF {6} (Call released due to a conference party dropping out)
- CONF2SIMP {7} (The last call release in a conference tear down)
- SYS {8} (Call released due to a system generated event: agent presses Not Ready key, or selecting the Walk-away feature)
- ABSENT {-1} (Call released from ACD: agent presses RLS or Goodbye key)

Type: varchar

FinalDisposition

Description: A string identifying the state of the contact when it ends.

The values determine if an agent accepts a contact. If an agent accepts the contact, the contact has a FinalDisposition of RL, RH, RC or XF.

Valid values are as follows:

- AB (Abandoned)
- RL (Released)
- RH (Released on Hold)
- RC (Released during Consult)
- XF (Transferred)
- GD (Given Default)
- FB (Forced Busy)
- FO (Forced Overflow)
- FD (Forced Disconnect)
- RT (Routed)
- GN (Given NACD)
- AT (Encountered All Trunks Busy)
- JN (Join)

Type: varchar

FinalDispositionInterval

Description: The timestamp at the start of the reporting interval in which the contact segment ends.

Type: varchar

FinalDispositionStamp

Description: The date and time when the contact segment ends.

Type: datetime

GUID

Description: An internal value generated by the contact center that uniquely identifies this contact segment. This GUID can also be stored on external applications that have programmatic access to the contact center routing capabilities. This field applies to multimedia contacts and SIP voice calls, if you run a Communication Control Toolkit (CCT) application, such as the Agent Desktop.

Type: varchar

Length: 36

HandlingTime

Description: The total time that agents spend on a contact, excluding Post Contact Processing time. For voice calls, this statistic includes hold time.

The following actions trigger the HandlingTime statistic:

- For voice calls, handling time begins when the agent answers the call and ends when the caller disconnects or the agent releases or transfers the call.
- For multimedia contacts, handling time begins when the agent accepts the contact and ends when the agent closes or transfers the contact.
- For Contact Center Outbound contacts, handling time begins when the agent accepts the contact, includes the time the agent is on the DN call, and ends when the agent releases the DN call and closes the contact.

Type: int

HoldTime

Description: The total time in seconds that the contact holds.

Type: int

InitialDisposition

Description: A string identifying the state of the contact upon arrival into the contact center, or the arrival manner.

Valid values are as follows:

- L (Local arrival)
- X (Transferred in)
- C (Consultation call)
- N (Network arrival)
- E (Established)

Type: varchar

Length: 1

IntercallID

Description: The Call ID of the temporary call leg during a call transfer or conference. This value can be used to match separate call legs appearing in the contact statistics with call events in the CallByCall statistics. This field is applicable only to voice calls.

Type: int

LastTreatmentID

Description: A number that identifies the last applied treatment to the contact with a script command in an application.

Valid values are as follows:

- 0 (GIVE_FORCE_BUSY)

Contact statistics

- 1 (GIVE_MUSIC)
- 2 (GIVE_RAN)
- 3 (GIVE_RINGBACK)
- 4 (GIVE_SILENCE)
- 5 (GIVE_IVR)
- 6 (GIVE_BROADCAST)
- 7 (DIGIT_COLLECTION)
- 8 (PLAY_PROMPT)
- 9 (GIVE_ROUTE_TO)
- 10 (FORCE_DISCONNECT)
- 11 (FORCE_OVERFLOW)

Type: int

LastTreatmentStamp

Description: The timestamp corresponding to the start of the last treatment applied to this contact from a script command in an application.

Type: datetime

Length: 8

LastTreatmentTime

Description: The duration in seconds of the last treatment applied to this contact by a script command in an application.

Type: int

LocalUserID

Description: A unique number the server assigns to an added agent. This field appears to link tables in data queries.

Type: binary

Length: 16

NextAddress

Description: For transferred or conferenced voice calls, this is the address to which this leg of the call transfers, or with which this leg is conferenced, if known. For transfers or conferences to a CDN, NextAddress shows the CDN. For transfers/conferences to other types of DN, NextAddress shows the answering DN. In general, NextAddress is the same as the Address field in the Contact Summary record for the incoming call leg resulting from the transfer or conference, if it exists, or the destination DN reported by the PABX if it does not.

Type: varchar

Length: 30

NextSegmentID

Description: For transferred or conferenced voice calls, this is the SequenceID to which the leg of the call transfers, or with which this leg conferences.

Type: unsigned int

NumContactBargeIns

Description: The number of times which supervisors of the agent handling this contact used the barge feature to allow them to actively participate in the call between the customer and agent.

Type: int

Length: 4

NumContactObserves

Description: The number of times that supervisors of the agent handling this contact used the observe feature to allow them to silently participate in the call between the customer and agent.

Type: int

Length: 4

NumContactWhisperCoachings

Description: The number of times that supervisors of the agent handling this contact used the whisper feature to allow them to coach an agent in the call between the customer and agent.

Type: int

Length: 4

NumberofTimesOnHold

Description: The number of times the agent places the contact on hold.

Type: int

NumberOfTimesRTQ

Description: The number of times the contact returns to queue. A contact can return to queue if an agent presses the Not Ready key while the agent receives the contact, or if the contact remains as presented to an agent for a long time. If the originator abandons the contact, the last presented-to-agent appears in the AgentID field. If the agent accepts the contact, the AgentID field can vary from the same agent that causes the contact to return to queue.

Type: int

OriginatedInterval

Description: The timestamp at the start of the reporting interval in which a contact segment arrives in the contact center or, for Network In calls, the timestamp at the start of the interval in which a contact segment queues at the site.

Type: varchar

Originator

Description: The known originator of the contact. For voice calls, this can be a CLID or ANI number or the calling DN. For SIP contacts, this can be the URI of the originator's user agent. For email contacts, this can be the sender address.

For DN Out calls from an agent logged on to a phone having more than one DN key, the first DN appears as the originator DN regardless of the DN key that the agent uses.

Type: varchar

OriginatedStamp

Description: The timestamp indicating when the contact segment arrives the contact center, or for Network In calls, the time the contact queues at the site.

Type: datetime

Length: 8

PCPFirstCode

Description: The first Not Ready Reason Code that the agent enters in Post Contact Processing state after contact.

Type: varchar

Length: 32

PCPTime

Description: The total time the agent spends on post contact processing after a contact. Normally, agents use this time to complete work related to the last completed contact, such as filling in forms or filing papers.

PCP time begins when an agent enters the first Not Ready state after their last contact is released, and does not enter a Not Ready reason code or enters an After Call Work Item (ACW) code. It continues until the agent leaves this Not Ready state, or places or receives a DN call, logs off, or enters a Not Ready reason code other than an ACW code.

PCP Time is calculated for the first Not Ready period after a contact is released or transferred. If the agent enters another state after the call (for example, by answering or receiving a DN call or logging off the skillset), and then enters Not Ready state, this Not Ready time does not peg against PCPTime. Also, if the agent interrupts the first Not Ready period to enter another state, and then returns to the Not Ready state, the second Not Ready period does not peg against PCPTime.

Type: int

Length: 4

PreferredMediaServer

Description

The name of the Avaya Aura[®] MS server targeted for the call. This name appears first in the priority list for Avaya Aura[®] MS Zoning.

Type

String

Length

50

PreferredMediaServerResult

Description

Status value that indicates whether or not the call was anchored on the preferred media server. This includes a reason code describing the failure reason.

Type

int

Length

4

PreferredMediaServerResultDesc

Description

This describes the PreferredMediaServerResult status value. The supported status values are:

- - 1 Not applicable
- 0 Success
- 1 Invalid
- 2 Blacklisted
- 3 No preference
- 4 Server error
- 5 Unknown

Type

String

Length

80

PresentingTime

Description: In Voice calls, the total time the contact spends in the Ringing state before an agent receives the contact. In multimedia calls, the total time the contact spends in Alerting or Presenting state.

On the Avaya Communication Server 1000 PABX, if call force is configured for the agent's call presentation class, ring time equals the call force timer. Ring time begins when a contact is presented to the phone or agent desktop and ends when the contact is answered, accepted, returned to the queue or abandoned, or a script command causes the contact to be routed outside the control of the contact center.

The last agent to receive the contact appears in the AgentID field.

Type: int

Priority

Description: The initial priority of a contact when it queued to the skillset, or zero if it did not queue.

Type: small int

Provider

Description: The value identifying the external system that provided the contact request into the contact center.

For Local voice calls from Avaya Communication Server 1000 PABX systems, this is the PABX ID. For Network In calls, the value is NSBR. For SIP call server contacts, the value is SIP. For Contact Center Multimedia contacts or Contact Center Outbound contacts, the value is CCMM. For Open Queue service contacts, the value is not specified.

Type: varchar

ProviderContactId

Description: The contact ID as known to the external system that provided the contact request into the contact center. For SIP calls, the ProviderContactID is the ID generated by the passive provider. For Avaya Communication Server 1000 calls, CCMID is identical to the Call ID on the PABX. For Network In calls, it is the Call ID on from the call server at the source site. For contacts provided by Contact Center Multimedia or Contact Center Outbound, this is the Contact ID value stored in the CCMM database. For contacts provided by the Open Queue service, this value was configured by the external application connecting to Open Queue and can correspond to a value held in that external application database.

Type: varchar

RemoteSiteID

Description: A unique number that the system assigns to identify the remote Contact Center Manager site that participates in the contact. For network out calls, this is the destination site. For network in calls, this is the source site.

Type: int

RemoteSiteName

Description: The name of the Contact Center Manager site that records the configured contact summary record in CCMA.

Type: varchar

RoutePoint

Description: The CDN or Route Point from which the Contact Center Manager Server controls the incoming contact.

Type: varchar

Length: 30

SequenceID

Description: The relative arrival order of this contact segment. SequenceIDs increase by one for every contact segment recorded in the Contact Summary view and for every Network In contact queued locally, even if this contact is not recorded in the Contact Summary view (as can happen if this site is not selected by NSBR as the contact routing destination). After the SequenceID reaches the maximum value for the data type, it is reset to zero.

Type: unsigned int

ServiceInterval

Description: The timestamp at the start of the reporting interval in which this contact segment was accepted or abandoned.

Type: varchar

ServiceStamp

Description: The timestamp indicating when the contact segment is accepted or by an agent or abandoned.

Type: datetime

Length: 8

SiteID

Description: A unique number that the systems assigns to identify the Contact Center Manager site that records the contact summary record. The assigned SiteID remains unique over time even if you delete configured site and add another one with the same name. Use the SiteID in custom reports to identify contacts applicable to this site.

Type: int

SiteName

Description: The name of the Contact Center Manager site that records the configured contact summary record in CCMA.

Type: varchar

SkillsetID

Description: A unique number the server assigns to an added skillset. The SkillsetID identifies the skillset in which this contact queues when an agent receives the contact or the originator abandons the contact. If the contact does not queue to a skillset, this field has the value 0. For network skillsets, this is the ID that appears on the local site.

Type: int

SkillsetName

Description: The name of the skillset in which the contact queues when an agent receives the contact or the originator abandons the contact.

Type: varchar

Length: 30

SkillsetQueuedStamp

Description: If an agent accepts a skillset queued contact, the field contains the timestamp indicating when the contact begins to queue in the skillset. If the contact does not queue, the field contains the same value as the OriginatedStamp field. If the originator abandons the contact, the field has the FinalDispositionStamp.

Type: varchar

Length: 30

SourceApplicationName

Description:The name of the application at the source site that networks the contact to the local site. The source application name appends to the source SiteID to distinguish the name from local application names or source application names from other sites.

Type: varchar

Length: 30

SksAbandonDelay

Description: The amount of time in seconds the contact spends in queue in the skillset before the originator abandons it.

Type: int

SksAcceptedDelay

Description: The amount of time in seconds the contact spends in queue in the skillset before an agent accepted the contact.

Type: int

SupervisorGivenName

Description: The first or given name of the agent's reporting supervisor that the supervisor defines.

Type: varchar

Length: 64

SupervisorID

Description: A numeric ID the supervisor uses to log on to the phone or desktop.

Type: binary

Length: 16

SupervisorSurName

Description: The surname of the agent's supervisor.

Type: varchar

Length: 64

Treatment

Description: A string that identifies the last applied treatment to the contact with a script command in an application.

Valid values are as follows:

- GIVE_FORCE_BUSY
- GIVE_MUSIC
- GIVE_RAN
- GIVE_RINGBACK
- GIVE_SILENCE
- GIVE_IVR
- GIVE_BROADCAST
- DIGIT_COLLECTION
- PLAY_PROMPT
- GIVE_ROUTE_TO

- FORCE_DISCONNECT
- FORCE_OVERFLOW

Type: varchar

WaitTime

Description: The amount of idle time in seconds before the agent answers the contact.

Type: int

Contact Codes view

The Contact Codes view contains information about each Activity Code or Post Contact Processing code entered by the agent against each contact.

Contact Codes are Activity Codes that an agent enters while active on an accepted contact with a supported Activity Codes feature or a Post Contact Processing Codes (PCP Codes). PCP Codes are Not Ready Reason Codes that an agent enters in the first Not Ready period after a contact ends.

An activity (or Line of Business) code is a number that an agent enters on the phone or agent desktop while active on a contact. Activity codes provide a way to track the time an agent spends on various types of incoming contacts. For example, the activity code 720 can be used to track sales calls. Agents enter 720 on the phones during sales calls and this information appears in this view. Agents can add activity codes for any contact except for DN calls.

Configure the server to collect Contact Summary statistics. Contact Code statistics are collected automatically whenever you enable Contact Summary statistics, even if you do not enable Activity Code statistics collection.

Define activity codes and Not Ready reason codes on the Contact Center Manager Server. If you do not do this, activity codes statistics are collected, but the CodeName is null.

Default codes

The system default activity code (0) is the activity code against which contacts peg if an agent does not enter an activity code.

For Avaya Communication Server 1000 PABX only. The skillset default activity code is the activity code against which contacts for a skillset peg if an agent does not enter an activity code. Your options to define this code are as the system default (0), skillset default (00), or a valid activity code.

The system default ACW code (00000) is the code against which post call processing time pegs.

Pegging

All codes statistics peg against a specific contact segment. A contact segment is a part of a contact that associates with an agent, for example a transferred call leg. The Contact Codes view includes each code in a separate record.

Database view

Contact Codes statistics use the eCSRCodeStat view.

Links with other views

You can link Contact Code statistics to Contact Summary statistics to generate customized report. Use the following data fields as linkage keys. Specify all these fields as your linkage key, in the specified order.

eCSRCodeStat.ContactOriginatedStamp eCSRCodeStat.CCMID

Field descriptions

This section describes the fields for the Contact Codes view.

CCMID

The CCMID value of the contact segment for which this code applies.

Use the value with the ContactOriginatedStamp to identify contact segments that apply for this code. CCMID can also match the CallID and InterCallID values in CallByCall reports.

Type: int

Code

Description: The Activity Code or Post Contact Processing code digits entered by an agent.

Type: varchar

Length: 32

CodeName

Description: The name associated with an Activity Code or Post Contact Processing code entered by an agent.

Type: varchar

Length: 30

CodeSequence

Description: The relative order of occurrence of the Activity Code or Post Contact Processing code for the associated contact segment. The first code (Activity Code or Post Contact Processing code) entered for this contact segment has the CodeSequence 1 and this increases by 1 for every subsequent code entered.

Type: int

CodeStartStamp

Description: The timestamp for the Activity Code or Post Contact Processing code that an agent enters.

Type: datetime

CodeType

Description: A value identifying whether this code is an Activity code or a Post Contact Processing code.

Valid values:

- 0 (Activity Code)
- 1 (Post Contact Processing Code)

Type: int

ContactOriginatedStamp

Description: The ContactOriginatedStamp value for the contact for which this code applies. This value with CCMID identifies contact segments that apply for this code.

Type: datetime

CustID

Description: For future use. The CCMS customer ID, which is always 1 in this release.

Type: int

Duration

Description: The total time of an active activity code during a contact.

Duration for activity codes begins if an agent performs one of the following:

- answers a call or accepts a multimedia contact
- presses the Activity key and enters a code

Duration for PCP codes begins when an agent:

- enters the Post Contact Processing state

Duration for PCP codes ends when an agent:

- presses the Activity key and enters a Not Ready reason code other than an After Call Work Item (ACW) code
- enters the Ready state
- logs off

Type: int

OriginatedStamp

Description: The timestamp indicating when this contact segment arrived in the contact center, or for Network In calls, the time it queued at this site.

Type: datetime

Contact Observe and Barge In view

View: eCSRObserveBargeInStat

Field descriptions

This section describes the fields for the eCSRObserveBargeInStat view.

CCMID

Description: The CCMID value of the contact segment for which this Observe or Barge In applies. Use the value with the ContactOriginatedStamp to identify contact segments that apply for this Observe or Barge In. CCMID can also match the CallID and InterCallID values in CallByCall reports.

Type: int

Length: 4

ContactOriginatedStamp

Description: The ContactOriginatedStamp value for the contact for which this Observe or Barge In applies.

This value with CCMID identifies contact segments that apply for this Observe or Barge In.

Type: datetime

Length: 8

ObserveBargeInEndStamp

Description: The time at which the Observe/Barge-In was ended by the supervisor.

Type: datetime

Length: 8

ObserveBargeInSequenceID

Description: For each Observe or Barge-In action against a call this number is incremented.

Type: int

Length: 4

ObserveBargeInStartStamp

Description: The time at which the Observe/Barge-In was started by the supervisor.

Type: datetime

Length: 8

ObserveBargeInType

Description: This indicates whether this record represents an Observe operation or a Barge-In operation.

Type: varchar

Length: 32

OriginatedStamp

Description: The timestamp indicating when this contact segment arrived in the Contact Center, or for Network In calls, the time it queued at this site

Type: datetime

Length: 8

SupervisorGivenName

Description: The first or given name of the agent's reporting supervisor that the supervisor defines.

Type: varchar

Length: 64

SupervisorID

Description: A numeric ID the supervisor uses to log on to the phone or desktop.

Type: binary

Length: 16

SupervisorSurName

Description: The surname of the agent's supervisor.

Type: varchar

Length: 64

Contact Intrinsic view

View: eCSRIntrinsicStat

The eCSRIntrinsicStat view is not available for CS1000.

Field descriptions

This section describes the fields for the eCSRIntrinsicStat view.

CCMID

Description: The CCMID value of the contact segment for which this Intrinsic applies. Use the value with the ContactOriginatedStamp to identify contact segments that apply for this Intrinsic. CCMID can also match the CallID and InterCallID values in CallByCall reports.

Type: int

Length: 4

ContactOriginatedStamp

Description: The ContactOriginatedStamp value for the contact for which this Intrinsic applies. This value with CCMID identifies contact segments that apply for this Intrinsic.

Type: datetime

Length: 8

IntrinsicKey

Description: The name of the intrinsic.

Type: varchar

Length: 32

IntrinsicValue

Description: The value of the intrinsic.

Type: varchar

Length: 80

OriginatedStamp

Description: The timestamp indicating when this contact segment arrived in the Contact Center, or for Network In calls, the time it queued at this site.

Type: datetime

Length: 8

Chapter 7: Event statistics

Event statistics are collected for each event rather than accumulated over a period of time. This section describes the various event statistic report views.

Types of historical statistics

When you configure Historical Statistics Collection, you can choose whether to collect each of the following types of event statistics:

- agent logon and logoff statistics
- call-by-call statistics
- network call-by-call statistics (NSBR option)
- IVR port logon and logoff statistics

You can enable or disable the data collection option while the system is running. Event statistics accumulate as events occur and are written to the database at the end of each event statistics interval (that is, every 3 minutes).

eAgentLoginStat view

Agent logon and logoff statistics provide detailed information about the distribution of an agent's time during work hours. Agent logon and logoff statistics show the amount of time spent on events such as Login, Logout, Walkaway, and Return from walkaway. Ready and Not Ready events also peg here.

Statistics peg only logged on agents. Configure the server to collect agent logon statistics. Statistics are collected for all agents; you cannot configure the system to collect statistics for selected agents.

Database view

Agent logon and logoff statistics use the eAgentLoginStat view.

Field descriptions

This section describes the fields for the eAgentLoginStat view.

AgentGivenName

Description: The first or given name of the agent.

Type: varchar

Length: 64

AgentLogin

Description: The numeric ID the agent uses to log on to the phone or agent desktop.

Type: varchar

Length: 16

AgentSurName

Description: The surname of the agent.

Type: varchar

Length: 64

Duration

Description: For events of type logoff, the time between first logon (or, if the first event of the day is not logon–12:00 midnight) and the last logoff of the day (or if the last event of the day is not logoff–12:00 midnight).

For events of type walkaway, the amount of time the agent is in the Walkaway state.

For all other event types, this field contains zeros.

Type: int

Length: 4

Event Type

Description: A unique identifier for an agent event.

Valid values are as follows:

- LI (Login)
- LO (Logout)
- WW (Walkaway)
- RT (Return from walkaway)
- RY (Ready)

- NR (Not Ready)

Type: char

Length: 2

FirstEventTimeStamp

Description: The timestamp for the first event for this agent.

Type: datetime

Length: 8

PositionID

Description: A unique identifier for the agent's position ID, as received from the PABX.

Type: int

Length: 4

SequenceNumber

Description: The sequence identifier of this event.

Type: int

Length: 4

Site

Description: The configured name of this Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data.

Type: datetime

Length: 4

UserID

Description: A unique number assigned by the server to identify the newly added agent.

Type: binary

Length: 16

eCallByCallStat views

Call-by-call statistics provide detailed information for each contact event. Use the statistics to trace a Contact Center Manager contact from beginning to end regardless of the number of treatments applied to it. Use the statistics to monitor the performance of a specified agent, application, or skillset.

The amount of data generated for call-by-call statistics is large; therefore, the time required to generate a report using call-by-call statistics is much greater than the time required to generate a report using summarized statistics.

Configure the server to collect call-by-call statistics, and select the applications on which to collect statistics.

Database view

Call-by-call statistics use the eCallByCallStatYYYYMMDD view.

Field descriptions

This section describes the fields for the eCallByCallStat view.

AssociatedData

Description: Associated data is information associated with a specific event, such as:

- the other extension, trunk ID (on the Avaya Communication Server 1000 PABX), or outside phone number associated with a call conferenced with another party, transferred to another party, or placed on hold while another call is placed.
- the DNIS number for an incoming call
- Source of Call Disconnect (SOCD) information.

Type: varchar

Length: 300

CallEvent

Description: A unique identifier for the type of event.

Type: int

Length: 4

CallEventName

Description: The type of event. For a complete list of events that can be collected; see [Call Events](#) on page 196.

Type: varchar

Length: 80

CallID

Description: A unique number assigned by the Contact Center Manager Server to identify the contact to which this call event applies. The assigned Call ID is derived from the call identifier provided by the attached PABX or contact provider.

Call IDs are unique only for the life of the contact, and can be reused later for new contacts.

When the Call ID range is exceeded, new contacts are assigned previously used Call IDs. On systems with high traffic, different contacts can be assigned the same Call ID within a single reporting interval.

For Avaya Communication Server 1000 PABX only. The Call ID range is affected by the number of Call Registers configured on the PABX. The smaller the number of Call Registers, the quicker Call IDs are re-used.

Call ID values are not necessarily sequential. Do not assume patterns in the assignment of Call IDs.

Type: int

Length: 4

Destination

Description: The location to which a contact is directed during an event. The destination can be identified by, for example, a dialed number, trunk ID, agent ID, skillset name, application name, IVR queue ID or name, or site ID.

Type: varchar

Length: 40

EventData

Description: The information related to or generated by this event. The data can be a PIN entered by the caller in response to the collect digits command; an ANI, CLID, site ID, or activity code; or reasons for the event.

Type: varchar

Length: 300

FirstEventTimeStamp

Description: The timestamp for the first event for this call.

Type: datetime

Length: 8

SequenceNumber

Description: The sequence identifier of this event.

Type: Int

Length: 4

Site

Description: The configured name of this Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

Source

Description: The location of the contact before this event occurred. The source can be identified by a dialed number, trunk ID, agent ID, skillset name, application name, IVR queue ID or name, or site ID.

Type: varchar

Length: 40

TelsetLoginID

Description: The numeric ID the agent uses to log on to the phone or agent desktop.

Type: varchar

Length: 16

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 8

Timestamp

Description: The date and time when the system pegs the data.

Type: datetime

Length: 8

Call Events

The following table lists the Call Events that exist in the CCMS NIEnums table:

CallEvent Name	Callevent
Queued To Network Skillset	61
ACD Call Conferenced	68
ACD Call Transferred	72
NACD Call Conferenced	74
NACD Call Transferred	78
DN Call Conferenced	79
DN Call Transferred	80
Call Abandoned	84
Call Answered	85
Call Enqueued	86
Call Dequeued	87
Call Join	96
Call Anchored	97

The following table lists the call event types and the field contents for each call event.

SIP does not support ACD DN, NACD DN, IVRTransfers, and other IVR elements. Therefore, these call events do not apply in SIP-enabled Contact Centers. SIP IM contacts do not support Network statistics.

All further table notes are listed at the end of the table.

CallEvent Name	Call event	Source	Destination	Associated data	Event data	Notes
ACD Call Answered	67	ACDDN: %ACDDN Number	AGT: %AgentId	NULL	NULL	—
ACD Call on Hold	69	NULL	NULL	NULL	NULL	—
ACD Call Restored	71	NULL	NULL	NULL	NULL	—
Activity Code Entered	82	NULL	NULL	NULL	DIGIT: %Activity Code	—
Local Call Abandoned	41	NULL	NULL	NULL	NULL	—
Network Incall Abandoned	47	L_APP: %Application Name	NULL	NULL	NULL	—
Network Outcall Abandoned	53	R_SITE : %Remote SiteName	NULL	NULL	TIME_IN_R _NODE: %TimeIn Remote Node	%TimeIn Remote Node = Call abandoned time - Destination arrival time
Local Call Answered	42	NULL	NULL	SK_SET: %Skillset Name	NULL	—
Network Incall Answered	48	NULL	NULL	SK_SET: %Skillset Name	DELAY_ AFTER_Q: %Delay Time	%Delay Time = Call answer time - Call queue time
Network Outcall Answered	54	NULL	NULL	R_SITE: %Remote SiteName	DELAY_ IN_R_NODE: %DelayIn Remote Node	%DelayIn Remote Node = Call answer time - Destination arrival time
Call Blocked by ATB	4	RTE: %Route Number	NULL	NULL	NULL	See Note 2 on page 204.
Call Conference	6	AGT: % SrcAgentId TYPE: %SrcCall Type	AGT: %Target AgentId TYPE: %TargetCall Type	INTRCALL_ ID: %InterCall Id DEST:%Des tNumber	HANDLING_TI ME: %HandlingTim e	See Note 3 on page 204.

Table continues...

Event statistics

CallEvent Name	Call event	Source	Destination	Associated data	Event data	Notes
Call Consult Init	83	NULL	NULL	INTRCALL_ID: %InterCall Id	DIALED# %Dialled Number	See Note 14 on page 206.
Call Data	88	NULL	NULL	DATA: %CallData	CDN: %CDN Number	—
Dequeued From Skillset	19	%Source	NULL	PRI: %Call Priority	REASON: %Dequeue Reason TIME_IN_Q : %Value	See Note 4 on page 204.
Dequeued From Network Skillset	20	SK_SET: %Skillset Name	NULL	R_SITE: %Remote SiteName	REASON: %Dequeue Reason TIME_IN_Q : %Value	See Note 4 on page 204.
Network Incall Dequeued	50	%Source	NULL	NULL	REASON: %Dequeue Reason TIME_IN_Q : %Value	See Note 4 on page 204.
Network Incall Queued	51	R_APP: %Application Name R_SITE: %Remote SiteName	SK_SET: %Skillset Name	L_APP: %Application Name	1st_TIME_Q UEUED_ TO_SKSET: %Value	See Note 5 on page 205.
Queued To Agent	60	L_APP: %Application Name	AGT: %AgentId	PRI: %CallPriority	1st_TIME_Q UEUED_ TO_SKSET: %Value	See Note 5 on page 205.
Queued To Skillset	62	L_APP: %Application Name	SK_SET: %Skillset Name	%AssociatedData	1st_TIME_Q UEUED_ TO_SKSET: %Value	See Note 6 on page 205.
Task Flow Handed Off	66	TF: %SourceTask FlowId	TF: %Destination TaskFlowId	NULL	NULL	—
Application Interflowed	1	L_APP: %Source Application Name	L_APP: %Destination Application Name	NULL	NULL	—
Call Presented	10	NULL	AGT: %AgentId	NULL	NULL	—

Table continues...

CallEvent Name	Call event	Source	Destination	Associated data	Event data	Notes
Network Outcall Reached Non-ISDN	55	RTE: %Route Number	NULL	NULL	NULL	See Note 2 on page 204.
Local Call Released	46	NULL	NULL	%Associate dData	NULL	See Note 7 on page 205 and Note 16 on page 206.
Network Incall Released	52	NULL	NULL	%Associate dData	NULL	See Note 7 on page 205.
Network Outcall Released	56	NULL	NULL	%Associate dData	NULL	See Note 7 on page 205.
ACD Call Released	70	NULL	NULL	%Associate dData	NULL	See Note 7 on page 205.
NACD Call Released	76	NULL	NULL	%Associate dData	NULL	See Note 7 on page 205.
DN Call Released	93	NULL	NULL	%Associate dData	NULL	See Note 7 on page 205.
Returned To Skillset	64	AGT: %AgentId	NULL	REASON: %ReturnTo Queue Reason	NULL	See Note 8 on page 205.
Call Transferred	18	AGT: % SrcAgentId TYPE: %SrcCall Type	AGT: %Target AgentId TYPE: %TargetCall Type	INTRCAL L_ID: %Inter CallId DNIS:%DNI SNumber DEST:%Des tNumber	HANDLING _TIME: %HandlingTim e CLID: %Calling LineId	See Note 3 on page 204.
Digit Collection	21	NULL	NULL	NULL	NULL	—
Digit Collection Ended	22	NULL	NULL	DIGIT: %Digits	DURATION : %Duration	—
DN Call On Hold	91	NULL	NULL	NULL	NULL	—
DN Call Restored	92	NULL	NULL	NULL	NULL	—
DN Call Answered	90	FROM# %Calling Number	NULL	%Associate dData	NULL	See Note 9 on page 205.

Table continues...

Event statistics

CallEvent Name	Call event	Source	Destination	Associated data	Event data	Notes
DN Call Initiated	89	NULL	DIALED# %Dialled Number	%Associate dData	REASON: %Reason	See Note 9 on page 205.
Give Broadcast	23	L_APP: %Application Name	IVR_Q: %IVR QueueId	NULL	NULL	—
Give Broadcast Completed	24	L_APP: %Application Name	IVR_Q: %IVR QueueId	NULL	DURATION : %Duration	—
Give Default	25	L_APP: % Application Name	NULL	NULL	CDN: % Default CDN Number	—
Give Force Busy	26	L_APP: % Destination Application Name	NULL	NULL	NULL	—
Give Force Disconnect	27	L_APP: % Destination Application Name	NULL	NULL	NULL	—
Give Force Overflow	28	L_APP: %Destination Application Name	NULL	NULL	NULL	—
Give IVR	29	L_APP: %Application Name	NULL	IVR_Q: %IVR QueueId	NULL	For SIP, see Note 15 on page 206.
Give Music	30	L_APP: %Application Name	RTE: %Route Number	NULL	NULL	—
Give Music Completed	31	RTE: %Route Number	L_APP: %Application Name	NULL	DURATION : %Duration	See Note 2 on page 204.
Give NACD	32	L_APP: %Application Name	NACDDN: %NACDDN Number	NULL	NULL	—
Give RAN	33	L_APP: %Application Name	RTE: %Route Number	NULL	NULL	See Note 2 on page 204.
Give RAN Completed	34	RTE: %Route Number	L_APP: %Application Name	NULL	DURATION : %Duration	See Note 2 on page 204.

Table continues...

CallEvent Name	Call event	Source	Destination	Associated data	Event data	Notes
Give Ringback	35	NULL	NULL	NULL	NULL	—
Give Route To	36	L_APP: %Application Name	NULL	REASON: %Give RouteTo Reason	NULL	See Note 10 on page 206.
Give Silence	37	NULL	NULL	NULL	NULL	—
Host Response	40	NULL	NULL	HOST ID: %HostId	NULL	—
Call On Hold	8	NULL	NULL	NULL	NULL	—
Call Restored	14	NULL	NULL	NULL	NULL	—
Call Entered IVR Queue	7	L_APP: %Application Name	IVR_Q: %IVR QueueId	NULL	NULL	—
IVR Call Session Begin	3	NULL	IVR_Q: %IVR QueueId IVR_P: %IVRPort Number	NULL	NULL	—
IVR Call Session End	16	IVR_Q: %IVR QueueId IVR_P: %IVRPort Number	NULL	NULL	NULL	—
IVR Call Session Interrupted	81	IVR_Q: %IVR QueueId IVR_P: %IVRPort Number	NULL	REASON: %Reason	NULL	See Note 11 on page 206.
Call Conference d At IVR Queue	5	IVR_P: %IVRPort Number	NULL	NULL	NULL	—
Call Not Treated At IVR Queue	2	IVR_Q: %IVR QueueId	NULL	NULL	NULL	—

Table continues...

Event statistics

CallEvent Name	Call event	Source	Destination	Associated data	Event data	Notes
Call On Hold At IVR Port	9	IVR_P: %IVRPort Number	NULL	NULL	NULL	—
Call Restored At IVR Port	15	IVR_P: %IVRPort Number	NULL	NULL	NULL	—
Call Transferred At IVR Queue	17	IVR_P: %IVRPort Number	NULL	NULL	NULL	—
Handed Over To Master Application	38	CDN: %CDN Number	L_APP: %Application Name	%Associate d Data	NULL	See Note 12 on page 206.
Local Call Arrived	43	RTE: %Route Number TRK: %TrunkId	CDN: %CDN Number	DNIS: %DNIS Number	CLID: %Calling LineId	See Note 2 on page 204.
Local Call NACD Out	44	NULL	R_SITE: %Remote SiteName	NULL	NULL	—
Local Call Networked Out	45	L_APP: %Application Name	R_SITE: %Remote SiteName	NULL	NULL	—
NACD Call Answered	73	NACDDN: %NACDDN Number	AGT: %AgentId	NULL	NULL	—
NACD Call On Hold	75	NULL	NULL	NULL	NULL	—
NACD Call Restored	77	NULL	NULL	NULL	NULL	—
Handed Over To Network Application	39	CDN: %CDN Number	L_APP: %Destination Application Name	% Associated Data	NULL	See Note 12 on page 206.
Network Incall Arrived	49	RTE: %Route Number TRK: %TrunkId	CDN: %CDN Number	DNIS: %DNIS Number	CLID: %Calling LineId	See Note 2 on page 204.

Table continues...

CallEvent Name	Call event	Source	Destination	Associated data	Event data	Notes
Play Prompt	57	NULL	NULL	NULL	VOICEFILE: %Voice File LANG: %Language Id	—
Play Prompt Ended	58	NULL	NULL	NULL	DURATION : %Duration	—
Call Priority Changed At Skillset	11	SK_SET: %Skillset Name	NULL	NEW_PRI: %Priority	NULL	—
Call Priority Changed At NACD Queue	12	NACDDN: %NACDDN Number	NULL	NEW_PRI: %Priority	NULL	—
Query Host Info	59	NULL	NULL	HOST ID: %HostId	NULL	—
Time Change	94	NULL	NULL	NULL	DELTA: %Time Change	See Note 13 on page 206.
Call Removed From NACD	13	NACDDN: %NACDDN Number	NULL	NULL	NULL	—
Returned From IVR	63	IVR_Q: %IVR QueueId	L_APP: %Application Name	NULL	NULL	For SIP, see Note 15 on page 206.
Sent Info To Host	65	NULL	NULL	HOST ID: %HostId	NULL	—
Continuation	95	NULL	NULL	%AssocData	Prev Seq ID: %id	See Note 17 on page 207.
Call Join	96	CON_ID: %JOIN CON ID	CON_ID:%S RV CON ID	CON_STAT E: %Connectio nState	NULL	See Note 18 on page 207.
Call Anchored	97	NULL	NULL	NON_PREF _REASON: %Reason	ANCHORED_ MEDIA_SERV ER: %MSName PREFERRED_ MEDIA_SERV ER: %MSName	See Note 19 on page 207.

Note 1: The values that begin with % in this table are variables that have different values each time the event is written. The legal values of these variables is in the Notes column.

Note 2: %RouteNumber = Internal Route if an internal route. If not, %RouteNumber is a number representing the route.

Note 3: %SrcCallType and %TargetCallType can be any of the following depending on the call type:

- DN
- CDN
- ACD
- NACD
- INCALLS
- NETWORK IN
- NETWORK OUT
- OTHER
- UNKNOWN

The call type is never UNKNOWN. UNKNOWN is a default setting and can occur only if the call messaging is not updated with the correct call type value.

If the %SrcAgentId or %TargetAgentId do not exist, AGT:N/A and the source or target call type appear in these fields.

There are two Continuation events associated with Call Transferred event. The first Continuation event is %AssociatedData = DNIS:%DNISNumber%. The second Continuation event is: %AssociatedData = DEST:%DestNumber%.

Call Conferenced event has one Continuation event associated with it, %AssociatedData = DEST:%DestNumber%.

The %HandlingTime and %CallingLineId appear on separate lines within the Event data column.

Note 4: %Source = AGT: %AgentId in the case of a local call removed from queue from agent event. %Source = SK_SET: %SkillsetName in the case of a local call removed from queue from skillset event.

%DequeueReason can be any of the following:

- ABANDONED
- PRESENTED
- SKSET_OUT_OF_SERVICE
- CANCELLED
- NET_NODE_BLOCKED
- NET_ALREADY_SERVICED
- PULLED
- UNKNOWN

! Important:

If %DequeueReason is UNKNOWN, an error occurred.

A %DequeueReason of CANCELLED can occur if you encounter a REMOVE FROM SKILLSET or REMOVE FROM AGENT command in the script.

NET_ALREADY_SERVICED occurs when an agent at another site is reserved for this call. For example, QUEUE TO NETWORK SKILLSET queues the call at Site A and Site B. Agent in Site B is reserved to take the call and the call is removed from queue from skillset at Site A with reason NET_ALREADY_SERVICED.

In networking, a call targeted site is known as Best Node. If for some reason this node no longer responds to requests made to queue calls, or if requests timeout, a CallDequeue message issues with a NET_NODE_BLOCKED reason.

Note 5: %Value = YES if this is the first time queued to a skillset; otherwise, it is NO.

Note 6: %AssociatedData = PRI: %CallPriority in the case of a local call queued to a local skillset. %AssociatedData = PRI: %CallPriority R_SITE: %RemoteSiteName in the case of a local call queued to a network skillset. %Value = YES if this is the first time queued to a skillset, otherwise it is NO.

Note 7: %AssociatedData = TRANSF INTRCALL_ID: %InterCallId in the case of a release due to call transfer or %AssociatedData = NORM INTRCALL_ID: %InterCallId in the case of a normal call released event. This event occurs only for skillset calls.

The Call Released event has one Continuation event associated with it; %AssociatedData = DISC SRC: %DiscSrc%. See [Note 16](#) on page 206.

Note 8: %ReturnToQueueReason can be any of the following:

- TIME_OUT
- NRDY
- MSB
- UNKNOWN

! Important:

If %ReturnToQueueReason is UNKNOWN, an error occurred.

Note 9: %AssociatedData = DN_INT if this is an internal DN call. %AssociatedData = DN_EXT if this is an external DN call.

%Reason can be any of the following depending on the reason for the DN call:

- NORMAL
- OUTBOUND CAMPAIGN
- UNKNOWN

! Important:

If %Reason is UNKNOWN, an error occurred.

Note 10: %GiveRouteToReason can be any of the following:

- SCRIPTED
- UNKNOWN

! Important:

If %GiveRouteToReason is UNKNOWN, an error occurred.

Note 11: %Reason can be any of the following:

- ABANDONED
- CANCELLED
- UNKNOWN

! Important:

If %Reason is UNKNOWN, an error occurred.

If the caller abandons in the middle of an IVR Session, if the caller finishes the transfer in the middle of an IVR Session, or if an agent becomes available in the middle of an IVR Session, an IVR Call Session Interrupted with reason CANCELLED occurs.

Note 12: %AssociatedData = NORM in the case of a normal call. %AssociatedData = TRANSF INTRCALLID: %InterCallId in the case of a transferred call or CONF INTRCALLID: %InterCallId in the case of a conferenced call.

Note 13: %TimeChange details the a positive or negative number representing the plus (+) or minus (-) timeshift in seconds of the PABX time.

Note 14: In certain PABX environments, the dialed number information is not available and therefore does not peg. For example, in an AML-based Contact Center, DIALED#:N/A appears in the Event data column.

Note 15: The following table shows changes for Give IVR and Returned from IVR with regard to SIP.

Give IVR	AssociatedData = IVR_Q: %IVRQueueId; %IVRQueueId details the SIP Service URI.
Returned from IVR	Source = IVR_Q: %IVRQueueId; %IVRQueueId details the SIP Service URI in the case of SIP. AssociatedData = IVR_Info: %IVRReturnInfo; %IVRReturnInfo details the Media Server IP address.

Note 16: %AssociatedData = DISC SRC: %DiscSrc in the case of a 'Local Call Released' event.

%DiscSrc can be any of the following values:

- UNKNWN {0} (Disconnecting Party is unknown)

- CLD PRTY {3} (Call released by the called party)
- CLNG PRTY {4} (Call released by the calling party)
- TRNSFR {5} (Call released due to a transfer)
- CONF {6} (Call released due to a conference party dropping out)
- CONF2SIMP {7} (The last call release in a conference tear down)
- SYS {8} (Call released due to a system generated event: agent presses Not Ready key, or selecting the Walk-away feature)
- ABSENT {-1} (Call released from ACD: agent presses RLS or Goodbye key)

Note 17: The continuation event allows more data to be attached to an event than normally fits inside the stat field. This event contains information related to the last non-continuation event.

The %AssocData field contains any data associated with the previous non-continuation event. For more information about what those values can be, consult the documentation for the original data.

The %id is the ID of the event that is being continued.

Note 18: Call Join — An agent can be on two unrelated calls and then if the agent wants, the agent can use the Call Join feature to bring all the parties into a single conference. The call event name for this feature is Call Join.

CON_STATE: %ConnectionState

- SURVIVING: This indicates that the call survives the join operation and become part of the Surviving contact.
- DYING: This indicates that the call is released as part of the join operation and is not part of the Surviving contact.

CON_ID:

- %Join con id: This is the Joining contact. This contact does not exist once the join operation completes. Calls that previously were part of the Joining contact might move to the Surviving contact as part of the join operation. Calls that were moved survive.
- %SURV CON ID: This is the ID of the Joined contact. This exists after the join operation completes. The Surviving contact might include calls that were previously part of the Joining contact. Calls that were previously part of the Surviving contact might move to the Joining contact as part of the join operation. In that case the moved calls Die (are released) as part of the operation.

Note 19: Call Anchored — Incoming customer call is successfully anchored on a Media Server.

Since the reporting engine is aware of the call at an earlier point in the call flow the historical reports now contains:

- entries for calls that cannot be anchored on a Media Server
- entries for calls that are abandoned before they get anchored

ANCHORED_MEDIA_SERVER: Descriptive Name of Media Server

PREFERRED_MEDIA_SERVER: Descriptive Name of Media Server

NON_PREF_REASON: %Reason codes can be any of the following Codes:

Category	Code	Message	Server	Description
NON_PREF_REASON	0	Success	1	The call is successfully anchored on the preferred media server. Calls with this value are not pegged in the NonPrefMediaServerUsage statistic of the CDNStat table.
NON_PREF_REASON	1	Invalid	1	The preferred media server name supplied does not match any existing media server configured in CCMA. For example, the media server was removed at some point after it was originally included in an OD application.
NON_PREF_REASON	2	Blacklisted	1	The preferred media server is currently unreachable using TCP or not responding to OPTIONS ping messages.
NON_PREF_REASON	3	No Preference	1	List of media servers was not supplied with the anchoring request from TFE. This occurs in two scenarios: <ul style="list-style-type: none"> • The media server selection logic is not implemented correctly within Avaya Aura® MS Selection script or Master Script . • A Landing Pad was used to transfer a call to an agent DN (typically from Avaya Aura® Experience Portal). This use of Landing Pads is discouraged for SIP-enabled contact center environments. Use UII data instead.
NON_PREF_REASON	4	Server Error	1	The preferred media server returned an error response. For example, due to a configuration error, license exhaustion, or CPU utilization levels.
NON_PREF_REASON	5	Unknown	1	Known rare scenarios arise where the system cannot accurately report the preferred media server result, though anchoring is successful. No corrective action is required for this scenario and it can be safely ignored.

eIVRPortLoginStat view

Interactive Voice Response (IVR) port—or voice port—logon and logoff statistics provide detailed information about how an IVR port time is distributed while in service and out of service.

IVR statistics are not applicable

- to multimedia contacts
- in SIP-enabled contact centers

To record the IVR port time statistics, complete the following requirements:

- Define IVR ports on Contact Center Manager Server.
- Configure the server to collect IVR port statistics. Statistics are collected for all IVR ports; you cannot configure the system to collect statistics for selected ports.

Database view

IVR port logon and logoff statistics use the eIVRPortLoginStat view.

Field descriptions

This section describes the fields for the eIVRPortLoginStat view.

Event Type

Description: A unique identifier for an IVR event.

Valid values are as follows:

- login (LI)
- logout (LO)

Type: char

Length: 2

FirstEventTimestamp

Description: The timestamp for the first event for this agent.

Type: datetime

Length: 8

IVRPortID

Description: A unique number assigned by the server to identify an IVR port when the voice port is defined.

Type: varchar

Length: 30

SequenceNumber

Description: The sequence identifier of this event.

Type: Int

Length: 4

Site

Description: The configured name of this Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data.

Type: datetime

Length: 4

Chapter 8: Integrated Reporting statistics

Integrated Reporting statistics are collected for each contact rather than accumulated over a period of time. This section describes the various integrated contact statistic report views.

The Contact Center Manager Server (CCMS) has an integrated reporting capability for Multimedia Contact Summary (CCMM) and Avaya Aura[®] Media Server (Avaya Aura[®] MS) session detail record statistics (SDR) combined with CCMS Contact Summary statistics (CSR).

The CCMS provides a GUI that your administrator uses to configure the CCMM and Avaya Aura[®] MS to access the Multimedia and Avaya Aura[®] MS statistics from the CCMS database. The Multimedia Contact statistics link by using the Caché database SQL Gateway interface. The Avaya Aura[®] MS statistics are collected by CCMS every 15 minutes.

The CCMS database provides combined reporting views that include the following statistics:

- CCMM ContactByContact statistics
- Avaya Aura[®] Media Server SDR statistics
- Avaya Aura[®] Media Server Collection Status statistics

You can create and run the reports using Report Creation Wizard application on CCMA.

Multimedia Contact Summary view

The Multimedia Contact Summary view provides integrated Contact Summary statistics from CCMS and CCMM for nonvoice contact types.

Use CCMA to configure the server to collect Contact Summary statistics.

Use the CCMS Database Management Utility to configure the CCMM as an Integrated Reporting server.

The amount of generated data for Multimedia Contact Summary statistics can be extensive; therefore, the required time to generate a report using Contact statistics can be much greater than the required time to generate a report using summarized statistics.

Database view

Access Multimedia Contact Summary statistics through the dbo.eMMCSRStat.

Field descriptions

The Multimedia Contact Summary view has the following fields:

- Contact Summary view fields For more information, see [Contact Summary view](#) on page 167
- CCMM ContactByContact view fields For more information, see [Contacts By Contacts](#) on page 522.

Avaya Aura[®] Media Server Collection Status view

The Avaya Aura[®] Media Server Collection Status statistics provide Avaya Aura[®] Media Server data collection status for each interval on CCMS.

The data is collected on CCMS from the Avaya Aura[®] Media Server database table emarchive.sdr_archive. The status of this collection is in the CCMS view dbo.SDRArchStatus.

The dbo.SDRArchStatus view is automatically enabled after you configure the Avaya Aura[®] Media Server Contact Summary statistics.

Database view

Avaya Aura[®] Media Server Collection Status statistics use dbo.SDRArchStatus view.

Field descriptions

The section includes field descriptions for the Avaya Aura[®] Media Server Collection Status view.

EndTs

Description: This timestamp is the next 15th minute interval after the StartTs. For example if StartTs is 10:00:00, the EndTs are 10:14:59. This time interval is in the Contact Center server time zone.

Type: Timestamp

EndTsGMT

Description: This field is the EndTs timestamp value converted to GMT. The Avaya Aura[®] Media Server SDR Archive data is stored on the Avaya Aura[®] Media Server in the GMT. CCMS uses the EndTsGMT to collect the SDR Archive data from the Avaya Aura[®] Media Server.

 **Note:**

CCMS runs the SQL query on the Avaya Aura[®] Media Server for the 15-minute interval range: StartTsGMT to EndTsGMT for the SDR Archive table field ends on the Avaya Aura[®] Media Server. CCMS runs this process every 15 minutes. The data collection process is initiated by the CCMS Historical Data Manager component (HDM).

Type: Timestamp

ErrorDescription

Description: This is the common field used to store the data collection status description for both successful data collection and for the error conditions, as shown in the following examples:

- Successful data collection: SDR Data collection completed. Avaya Aura® Media Server Refreshed.
- In case of Errors: Fatal error connecting to the Avaya Aura® Media Server <AMS_IP_ADDRESS>_DSN

Type: varchar

ICPServerIP

Description: It is the Avaya Aura® Media Server address stored in the form of Avaya Aura® Media Server ODBC DSN. For example: AMS_10.0.0.1_DSN

Type: varchar

IsError

Description: This field stores the data collection status of the 15-minute interval (StartTs to EndTs). If errors occurred in the data collection, the IsError value is 1 (True).

Type: boolean

LastUpdated

Description: It is the timestamp value when this status record was written.

Type: timestamp

RecordsCopied

Description: This is the number of SDR Archive records copied from the Avaya Aura® Media Server to the local copy of the CCMS table in the 15-minute interval (StartTsGMT to EndTsGMT).

Type: int

StartTs

Description: This is the last 15-minute interval timestamp on CCMS. This time interval is expressed in the time zone of the Windows server on which CCMS is installed.

Type: timestamp

StartTsGMT

Description: This field is the StartTs timestamp value converted to GMT. The Avaya Aura® Media Server SDR Archive data is stored on the Avaya Aura® Media Server in the GMT. CCMS uses StartTsGMT to collect the SDR Archive data from the Avaya Aura® Media Server.

Type: timestamp

Avaya Aura[®] Media Server Contact Summary view

The Avaya Aura[®] Media Server Contact Summary view shows statistics related to the contact, including the defined statistics in the Avaya Aura[®] Media Server application.

Avaya Aura[®] Media Server Contact Summary integrated reporting provides a database view containing combined data from CCMS and Avaya Aura[®] Media Server that report writer applications can access. Each row in the database view represents one leg of the call, and contains all the columns from the row corresponding to that call leg in the CCMS CSR view and certain columns from the corresponding row in the Avaya Aura[®] Media Server SDR view.

Use CCMA to configure the server to collect Contact Summary statistics. Use the CCMS Database Management Utility to configure the Avaya Aura[®] Media Server as an Integrated Reporting server.

CCMS and Avaya Aura[®] Media Server server times are not synchronized automatically. The time zones can be different, but the system clock time must be same on both CCMS and Avaya Aura[®] Media Server.

For example, if Avaya Aura[®] Media Server is in the Eastern time zone and CCMS is in the GMT time zone, the system clock time must be the same on both Avaya Aura[®] Media Server and CCMS:

- Avaya Aura[®] Media Server time: 9:00 am (EST)
- CCMS time: 2:00PM (GMT)

Additional configuration is required to enable supporting features for Integrated Reporting.

The Avaya Aura[®] Media Server application must be written to explicitly use the Integrated Reporting capabilities.

The amount of generated data for Avaya Aura[®] Media Server Contact Summary statistics can be extensive; therefore, the required time to generate a report using contact statistics can be much greater than the required time to generate a report using summarized statistics.

Database view

You can access the Avaya Aura[®] Media Server Contact Summary statistics by using the `dbo.elCPCSRStat` view.

Field descriptions

The Contact Summary view has the following fields:

- Contact Summary view fields.

These fields are identical to those provided in the Contact Summary view, except that `SkillsetName` is renamed `CSRSkillsetName`.

For more information, see [Contact Summary view](#) on page 167.

Chapter 9: Configuration views

Configuration data describes your server configuration. This section describes the various configuration views.

AccessRights view

This view lists all desktop users and their access levels.

Field descriptions

This section describes the fields for the AccessRights view.

Comment

Description: Additional information about the Access Class, if any.

Type: varchar

Length: 127

CreateDeleteAccess

Description: Shows whether the user can add or remove objects of this type.

Type: char

Length: 1

CreateDeleteAgentAccess

Description: Shows whether the user can add or remove agents.

Type: char

Length: 1

CreateDeleteAllAgentAccess

Description: Shows whether the user can add or remove all agents.

Type: char

Length: 1

Execute Access

Description: Shows whether the user can run objects of this type.

Type: char

Length: 1

ExecuteAgentAccess

Description: Shows whether the user can run objects of this type to process reporting or associated agents.

Type: char

Length: 1

ExecuteAllAgentAccess

Description: Shows whether the user can run objects of this type for all agents.

Type: char

Length: 1

GivenName

Description: The desktop user's first or given name.

Type: varchar

Length: 64

GroupName

Description: The access class to which the desktop user belongs.

Type: varchar

Length: 40

ObjectKey

Description: A unique identifier for a function for which the user is assigned access rights.

Type: varchar

Length: 40

ObjectName

Description: A function for which the user is assigned access rights.

Type: varchar

Length: 40

PCLoginName

Description: The desktop User ID.

Type: varchar

Length: 30

ReadAccess

Description: Shows whether the user has view access for this function.

Type: char

Length: 1

ReadAgentAccess

Description: Shows whether the user has view access for reporting or associated agents.

Type: char

Length: 1

ReadAllAgentAccess

Description: Shows whether the user has view access for all agents.

Type: char

Length: 1

SurName

Description: The desktop user's surname.

Type: varchar

Length: 64

WriteAccess

Description: Shows whether the user has modify access for this function.

Type: char

Length: 1

WriteAgentAccess

Description: Shows whether the user has modify access for agents.

Type: char

Length: 1

WriteAllAgentAccess

Description: Shows whether the user has modify access for all agents.

Type: char

Length: 1

ActivityCode view

This view lists all of the activity codes and their assigned names.

Field descriptions

This section describes the fields for the ActivityCode view.

ActivityCode

Description: The number assigned to the activity code.

Type: varchar

Length: 32

Name

Description: The name assigned to the activity code.

Type: varchar

Length: 30

ShortName

Description: A display name assigned to the activity code.

Type: varchar

Length: 30

ActivityCodeByContactType

The database view returns the activity codes mapped to the contact types. The Activity Code - Contact Type mapping can be configured using **CCMA > Configuration > Activity Codes** Web page. The view is a general purpose query view. A user can create a RCW or an external report for the Activity Code - Contact Type mapping configuration.

Field descriptions

This section describes the fields for the ActivityCodeByContactType view.

ActivityCode

Description: The number assigned to the activity code.

Type: %Library.String

Length: 32

ActivityCodeName

Description: The name assigned to the activity code.

Type: %Library.String

Length: 30

ActivityCodeTypeName

Description: The Activity Code Type. For example, DefaultNRDY, CustomNRDY, DefaultAct, CustomAct, DefaultACW, CustomACW, and CustomALL.

Type: %Library.String

Length: 80

ContactID

Description: An internal Contact Type ID mapped to the Activity Code.

Type: %Library.Integer

Length: 4

ContactType

Description: The Contact Type mapped to the Activity Code.

Type: %Library.String

Length: 30

CustID

Description: An internal number for default Customer ID on the server, usually value = 1.

Type: %Library.Integer

Length: 4

Prefix

Description: This is contact type prefix e.g. EM_ for an Email contact type used in the activity code mapping.

Type: %Library.String

Length: 3

Type

Description: An internal number representing the activity code type. For example,

Type	ActivityCodeTypeName
1	DefaultNRDY
2	CustomNRDY
3	DefaultAct
4	CustomAct
5	DefaultACW
6	CustomACW
7	CustomALL

Type: %Library.Integer

Length: 4

ActivityCodeBySkillset

The database view returns the activity codes mapped to the Skillsets. The Activity Code - Skillset mapping can be configured using **CCMA > Configuration > Activity Codes** Web page. The view is a general purpose query view. A user can create a RCW or an external report for the Activity Code - Skillsets mapping configuration.

Field descriptions

This section describes the fields for the ActivityCodeBySkillset view.

ActivityCode

Description: The number assigned to the activity code.

Type: %Library.String

Length: 32

ActivityCodeName

Description: The name assigned to the activity code.

Type: %Library.String

Length: 30

ActivityCodeTypeName

Description: The Activity Code Type. For example, DefaultNRDY, CustomNRDY, DefaultAct, CustomAct, DefaultACW, CustomACW, and CustomALL.

Type: %Library.String

Length: 80

CustID

Description: An internal number for default Customer ID on the server, usually value = 1.

Type: %Library.Integer

Length: 4

SkillsetID

Description: An internal number associated with the skillset mapped to the activity code.

Type: %Library.Integer

Length: 4

SkillsetName

Description: The skillset name mapped to the activity code.

Type: %Library.String

Length: 30

Type

Description: An internal number representing the activity code type. For example,

Type	ActivityCodeTypeName
1	DefaultNRDY
2	CustomNRDY
3	DefaultAct
4	CustomAct
5	DefaultACW
6	CustomACW
7	CustomALL

Type: %Library.Integer

Length: 4

Agent view

This view lists agents and the properties.

Field descriptions

This section describes the fields for the Agent view.

ACD_Queue

Description: This is Automatic Call Distribution (ACD) queue assigned to the agent for the calls defaulted.

 **Note:**

The ACD Queue field appears only for Avaya Communication Server 1000 servers and does not appear for supervisors.

Type: varchar

Length: 10

ACD_QueueStatus

Description: The status of the ACD queue assigned to the agent.

Type: varchar

Length: 6

AGLicensed

Description: Indicates if Agent Greeting (AG) is licensed for this agent. When an AG enabled agent logs in, ASM tries to consume an AG license. If the license is granted, this field is updated to value 1.

Type: smallint

Length: 2

AGPassword

Description: Password that agents use to authenticate when they dial into the AG recording application.

Type: varchar

Length: 255

AGRecorded

Description: Indicates if an Agent Greeting is recorded for an agent.

Type: smallint

Length: 2

AGState

Description: Indicates if Agent Greeting (using CCMA) is enabled for an individual agent.

Type: smallint

Length: 2

AlternateCallAnswer

Description: Avaya Communication Server 1000 PABX only. Shows whether the agent can place a DN call on hold to answer an incoming call. This option is defined for the call presentation class to which the agent belongs.

Type: char

Length: 1

CallForceOption

Description: For Avaya Communication Server 1000 PABX only. Shows whether the call force option is enabled for the call presentation class to which this agent belongs.

Type: char

Length: 1

CallForceDelayTimer

Description: For Avaya Communication Server 1000 PABX only. The time that elapses before a call is automatically presented to an agent. This option is defined for the call presentation class to which the agent belongs.

Type: int

Length: 4

Comment

Description: Additional information about the agent, if any.

Type: varchar

Length: 127

CtiEnabled

Description:

Type: boolean

Department

Description: The department to which the agent belongs.

Type: varchar

Length: 64

DialogPassword

Description:

Type: varchar

Length: 31

DNBargeInEnabled

Description: Supervisor privilege to barge in on a non-skillset call.

Supported values:

- 0 = Enabled
- 1 = Disabled

Type: %Library.SmallInt

Length: 2

DNObserveEnabled

Description: Supervisor privilege to observe a non-skillset call.

Supported values:

- 0 = Enabled
- 1 = Disabled

Type: %Library.SmallInt

Length: 2

ExternalAgentID

Description:

Type: int

Length: 4

ExternalServer

Description:

Type: varchar

Length: 16

GivenName

Description: The agent's first or given name.

Type: varchar

Length: 64

MultiplicityTemplateDesc

Description: Multiplicity presentation class template.

*** Note:**

Multiplicity allows the agent to handle multiple concurrent contacts.

Type: varchar

Length: 31

MultiplicityTemplateID

Description: Template ID configured for multiplicity.

Type: smallint

Length: 2

OffsiteAllowed

Description: Enable/Disable Offsite Agent on a per agent basis.

Type: bit

OffsiteAllowedEnum

Description: Enum value of OffsiteAllowed parameter on a per agent basis.

Supported values:

- 0 = Disabled
- 1 = Optional
- 2 = Mandatory

Type: smallint

OffsiteAlternatePhone

Description: Allow/Disallow an agent to enter another Offsite Phone number.

Type: boolean

OffsiteMode

Description: Displayed only for CS1K AML and IP Office Remote Agent configurations.

Configure offsite agent to be "On Demand" or "Permanent".

"Permanent" offsite agent's home phone is called when agent logs into Agent Desktop and is "nailed up" until the agent exits Agent Desktop. IP Office Remote Agent operates in Permanent mode only.

“On Demand” offsite agent’s offsite phone is called for each call routed to the agent.

Type: bit

OffsiteModeEnum

Description: Enum value of OffsiteMode parameter on a per agent basis.

Supported values:

- 0 = On Demand
- 1 = Permanent

Type: smallint

OffsitePhone1

Description: First Offsite Phone number displayed in “Other Phone” drop-down list on Avaya Agent Desktop.

Type: varchar

Length: 30

OffsitePhone2

Description: Second Offsite Phone number displayed in “Other Phone” drop-down list on Avaya Agent Desktop.

Type: varchar

Length: 30

PersonalDN

Description: For Avaya Communication Server 1000 PABX only. The agent’s personal DN, if any.

Type: varchar

Length: 32

ReturnToQueueMode

Description: The mode of the agent’s phone after returning a call to the queue.

Type: varchar

Length: 80

ReturnToQueueOnNoAnswer

Description: Shows whether unanswered calls return to the queue.

Type: char

Length: 1

ReturnToQueueWaitInterval

Description: The time before an unanswered call returns to the queue.

Type: smallint

Length: 2

SIPSoftphoneEnabled

Description: Indicates if SIP softphone support is enabled or disabled.

Supported values:

- 0 = Enabled
- 1 = Disabled

Type: %Library.SmallInt

Length: 2

SIP_Terminal

Description: A unique resource ID for voice contacts. This field is no longer used, see [URList](#) on page 229.

Type: varchar

Length: 255

Surname

Description: The agent's surname.

Type: varchar

Length: 64

SwitchID

Description: The PABX ID of the phone at which the agent is logged on, which is received from the PABX.

Type: int

Length: 4

SwitchPortAddress

Description: The PABX port address of the phone at which the agent is logged on, which is received from the PABX.

Type: varchar

Length: 30

SwitchPortName

Description: The PABX port name of the phone at which the agent is logged on, as received from the PABX.

Type: varchar

Length: 30

SwitchType

Description: The type of PABX you use to process contacts in your contact center.

Valid value is as follows:

- 1 (Avaya Communication Server 1000 PABX)

Type: smallint

Length: 2

TelsetLoginID

Description: The numeric ID that the agent uses to log in to the phone or agent desktop.

Type: varchar

Length: 16

TelsetShowReserve

Description: For NSBR option only. Shows whether an agent's phone can show that the agent is reserved for an NSBR call.

Type: char

Length: 1

TemplateID

Description: A unique number assigned by the server to identify the agent's call presentation class when the call presentation class is added. It determines how calls are presented to the agent.

Type: varchar

Length: 30

TemplateName

Description: The call presentation class assigned to the agent. The call presentation class determines how calls are presented to the agent.

Type: varchar

Length: 30

ThresholdTemplateID

Description: A unique number assigned by the server to identify the agent's threshold class when the threshold class is added.

Type: varchar

Length: 30

ThresholdTemplateName

Description: The threshold class assigned to the agent.

Type: varchar

Length: 30

Title

Description: The agent's title.

Type: varchar

Length: 64

UnionBreakTimer

Description: The length of the break period between calls. This option is defined for the call presentation class to which the agent belongs.

Type: smallint

Length: 2

UserID

Description: A unique number assigned by the server to identify the newly added agent.

Type: binary

Length: 16

URI

Description: A comma separated list of Voice, IM, and CTI URIs, where each URI is shown as Contact Type: URI. For example:

Voice: <URI>, IM: <URI>

Type: varchar

Length: 4096

URIList

Description: A comma separated list of Voice, IM, and CTI URIs, where each URI is shown as Contact Type: URI. For example:

Voice: <URI>, IM: <URI>

Type: varchar

Length: 4096

UserType

Description: The type of user.

Valid values are as follows:

- 0 = Agent
- 1 = Expert
- 2 = Supervisor
- 3 = Supervisor/Agent
- 4 = Supervisor/Expert

Type: smallint

Length: 2

UserTypeDesc

Description: The description of the UserType. For example, 0 is Agent.

Valid values are as follows:

- 0 = Agent
- 1 = Expert
- 2 = Supervisor
- 3 = Supervisor/Agent
- 4 = Supervisor/Expert

Type: varchar

Length: 80

AgentCap View

The AgentCap view lists the contact types assigned to an agent.

Field descriptions

This section describes the fields for the AgentCap view.

ContactType

Description: The name corresponding to the contact type assigned to an agent.

Valid values are as follows:

- Voice
- Email
- Web_Communication
- Outbound
- IM
- SER_Outbound
- OpenQ
- Scanned_Document
- Fax
- SMS
- Voice_Mail
- POM_Outbound
- Social_Networking

Type: varchar

Length: 30

UserID

Description: A unique number assigned by the server to identify the newly added agent.

Type: binary

Length: 16

Application view

The Application view lists all applications (master and primary scripts) and the service level. The view also indicates whether the server collects call-by-call statistics for the application.

Field descriptions

This section describes the fields for the Application view.

ApplicationID

Description: A unique number assigned by the server to identify the application when the application is defined.

Type: int

Length: 4

CallByCall

Description: Shows whether the collection of call-by-call statistics for this application is enabled.

Type: tinyint

Length: 1

Name

Description: The name of the application.

Type: varchar

Length: 30

ServiceLevelThreshold

Description: The service level threshold for the threshold class to which this application belongs.

Type: integer

Length: 4

TemplateId

Description: A unique number assigned by the server to identify the application threshold class when the threshold class is added.

Type: int

Length: 4

ApplicationByScript view

The ApplicationByScript view describes the relationship between application scripts.

Parent script definition: A parent script is any script that directs a call to another secondary script.

Child script definition: A child script is a secondary script to which a primary script or another secondary script directs a call.

Field descriptions

This section describes the fields for the ApplicationByScript view.

ChildComment

Description: Not used in this release.

Type: varchar

Length: 80

ChildName

Description: The name of the referenced script.

Type: varchar

Length: 30

ChildStatus

Description: The status of the referenced script.

Type: varchar

Length: 80

ChildUserFirstName

Description: The first or given name of the user who created the referencing script.

Type: varchar

Length: 30

ChildUserLastName

Description: The surname of the user who created the referencing script.

Type: varchar

Length: 30

ParentComment

Description: Not used in this release.

Type: varchar

Length: 80

ParentName

Description: The name of the referencing script.

Type: varchar

Length: 30

ParentStatus

Description: The status of the referencing script.

Type: varchar

Length: 80

ParentUserFirstName

Description: The first or given name of the user who created the referencing script.

Type: varchar

Length: 30

ParentUserLastName

Description: The family or surname of the user who created the referencing script.

Type: varchar

Length: 30

ApplicationThresholdTemplate view

The ApplicationThresholdTemplate view lists your application threshold classes and the threshold levels.

This view supersedes the ApplicationTemplate view.

Field descriptions

This section describes the fields for the ApplicationThresholdTemplate view.

Field

Description: A field for which a threshold is defined in the threshold class to which the application belongs.

Type: varchar

Length: 80

Level1

Description: The low end of the normal range for the field.

Type: int

Length: 4

Level2

Description: The high end of the normal range for the field.

Type: int

Length: 4

Name

Description: The name of the threshold class to which this application belongs.

Type: varchar

Length: 30

ServiceLevelThreshold

Description: The service level threshold for the threshold class.

Type: int

Length: 4

TemplateID

Description: A unique number assigned by the server to identify the threshold class when the threshold class is added.

Type: int

Length: 4

CDN view

The CDN view lists the CDNs and the assigned names and statuses.

Field descriptions

This section describes the fields for the CDN view.

Acquire

Description: Shows whether a request exists to acquire the CDN.

Type: varchar

Length: 255

CDN

Description: The number assigned to the CDN.

Type: varchar

Length: 7

Name

Description: The name assigned to the CDN.

Type: varchar

Length: 30

Status

Description: The status of the CDN.

Type: varchar

Length: 80

Type

Description: The call type.

Valid values are as follows:

- Local
- MCDN Network
- Landing Pad
- DNIS Network

Type: varchar

Length: 80

URI

Description: A unique resource ID for this CDN.

Type: varchar

Length: 255

CodeToMessageMap view

The program uses this view internally.

Field descriptions

This section describes the fields for the CodeToMessage view map.

Category

Description: A system-defined classification for the status code, events, and other metadata.

Type: varchar

Length: 30

Code

Description: The numeric enum value for a category.

Type: int

Length: 4

Msg

Description: The corresponding message text.

Type: varchar

Length: 80

ContactType view

Contact types are the media types by which contacts arrive into (inbound) and are sent from (outbound) a contact center. Voice is the traditional contact type by which the contact center receives contacts. Other standard contact types include Web Communications, email, and Outbound.

This applies to SIP-enabled contact centers or if Contact Center Multimedia or Contact Center Outbound is installed and the application name begins with one of the configured prefixes as described in [Multimedia contacts](#) on page 46.

Field descriptions

This section describes the fields for the ContactType view.

ContactID

Description: A unique number assigned by the server to identify the contact type when the contact type is added.

Type: int

Length: 4

Description

Description: Additional information regarding the contact type.

Type: varchar

Length: 60

Name

Description: Name of the contact type.

Type: varchar

Length: 30

Prefix

Description: First three letters of the name. It is the prefix used to link skillsets to that contact type.

Type: varchar

Length: 3

ProviderID

Description: Link to the provider table for reference to obtain the name of the provider associated with the contact type.

Type: int

Length: 4

SkillsetName

Description: Default skillset for this contact type.

Type: varchar

Length: 30

DNIS view

The DNIS view lists the DNIS numbers and the properties.

Field descriptions

This section describes the fields for the DNIS view.

DNIS

Description: A unique number used to identify a DNIS that the server assigns when the DNIS is defined.

Type: varchar

Length: 16

DNIS_PREFIX

Description: Stores the prefix of a DNIS number. You can sort, filter, and report on individual DNIS 800 numbers.

Type: varchar

Length: 16

Name

Description: The name of a DNIS.

Type: varchar

Length: 30

NetworkCDN

Description: Configured Network CDN for incoming network calls.

Type: varchar

Length: 30

ServiceLevelThreshold

Description: The service level threshold for the DNIS.

Type: int

Length: 4

TemplateID

Description: A unique identifier for the threshold class assigned to this DNIS. The system contains a single system-defined DNIS threshold class.

Type: int

Length: 4

Type

Description:

Type: smallint

Length: 2

URI

Description: A unique resource ID for this DNIS.

Type: varchar

Length: 255

DNISThresholdTemplate view

The DNISThresholdTemplate view provides information about the DNIS threshold class. The system contains a single system-defined threshold class.

Field descriptions

This section describes the fields for the DNISThresholdTemplate view.

Name

Description: The system-defined name of the threshold class.

Type: varchar

Length: 30

ServiceLevelThreshold

Description: The service level threshold for the threshold class.

Type: int

Length: 4

TemplateID

Description: A unique number assigned by the server to identify the threshold class.

Type: int

Length: 4

Formula view

The Formula view lists all custom formulas and definitions. You can use formulas to create custom real-time statistics fields by combining existing statistics fields with mathematical operators.

Field descriptions

This section describes the fields for the Formula view.

Class

Description: The class to which the formula belongs.

Type: varchar

Length: 80

Comment

Description: Additional information about the formula, if any.

Type: varchar

Length: 127

Definition

Description: The standard formulas used to create the custom formula.

Type: varchar

Length: 255

Format

Description: The display format for the formula.

Type: varchar

Length: 80

FormulaID

Description: A unique number assigned by the server to identify a formula when the formula is added.

Type: int

Length: 4

Name

Description: The name of the formula.

Type: varchar

Length: 30

HistoricalStatCollection view

The HistoricalStatCollection view lists all of the data types Contact Center Manager Server can collect and, for each one, indicates whether it is selected.

Field descriptions

This section describes the fields for the HistoricalStatCollection view.

ActivityCode

Description: Shows whether statistics in the activity code statistics group are collected.

Type: char

Length: 1

AgentByApplication

Description: Shows whether statistics in the agent by application statistics group are collected.

Type: char

Length: 1

AgentLogin

Description: Shows whether statistics in the agent logon and logoff statistics group are collected.

Type: char

Length: 1

AgentPerformance

Description: Shows whether statistics in the agent performance statistics group are collected.

Type: char

Length: 1

Application

Description: Shows whether statistics in the application statistics group are collected.

Type: char

Length: 1

CDN

Description: Shows whether statistics in the CDN statistics group are collected.

Type: char

Length: 1

CSR

Description: Displays whether statistics in the Contact Summary statistics group are collected.

Type: char

Length: 1

DNIS

Description: Shows whether statistics in the DNIS statistics group are collected.

Type: char

Length: 1

IVR

Description: Shows whether statistics in the IVR statistics group are collected.

Type: char

Length: 1

IVRPort

Description: Shows whether statistics in the IVR port statistics group are collected.

Type: char

Length: 1

IVRPortLogin

Description: Shows whether statistics in the IVR port login and logout statistics group are collected.

Type: char

Length: 1

NetworkCall

Description: NSBR option only. Shows whether statistics in the network call statistics group are collected.

Type: char

Length: 1

NetworkOutCall

Description: NSBR option only. Shows whether statistics in the network outcall statistics group are collected.

Type: char

Length: 1

RANMusicRoute

Description: Shows whether statistics in the RAN/Music route statistics group are collected.

Type: char

Length: 1

Route

Description: Avaya Communication Server 1000 PABX only. Shows whether statistics in the route statistics group are collected.

Type: char

Length: 1

Skillset

Description: Shows whether statistics in the skillset statistics group are collected.

Type: char

Length: 1

SkillsetByAgent

Description: Shows whether statistics in the agent by skillset statistics group are collected.

Type: char

Length: 1

SkillsetState

Description: Not used in this release.

Trunk

Description: For Avaya Communication Server 1000 PABX only. Shows whether statistics in the trunk statistics group are collected.

Type: char

Length: 1

HistoricalStatDuration view

The HistoricalStatDuration view shows the length of time the server keeps statistics for each collection period and event type.

Field descriptions

This section describes the fields for the HistoricalStatDuration view.

BusinessDaysPerWeek

Description: The number of business days for each week for which the system collects historical statistics data.

Type: smallint

Length: 2

BusinessHoursPerDay

Description: The number of hours for each business day that the system collects historical statistics data.

Type: smallint

Length: 2

DaysOfAgentLogin

Description: The number of days for which the system stores agent logon statistics.

Type: smallint

Length: 2

DaysOfCallByCall

Description: The number of days for which the system stores call-by-call statistics.

Type: smallint

Length: 2

DaysofCSR

Description: The number of days for which the system stores Contact Summary statistics.

Type: smallint

Length: 2

DaysOfDaily

Description: The number of days for which the system stores daily statistics.

Type: smallint

Length: 2

DaysOfInterval

Description: The number of days for which the system stores interval statistics.

Type: smallint

Length: 2

DaysOfIVRPortLogin

Description: The number of days for which the system stores IVR port logon statistics.

Type: smallint

Length: 2

DaysOfSkillsetState

Description: Not used in this release.

FirstDayOfWeek

Description: The day defined as the first day of the business week. This day is the day that weekly statistics are accumulated for the previous week.

Type: varchar

Length: 80

MonthsOfMonthly

Description: The number of months for which the system stores monthly statistics.

Type: smallint

Length: 2

WeeksOfWeekly

Description: The number of months for which the system stores monthly statistics.

Type: smallint

Length: 2

HistoricalStatStorage view

The HistoricalStatStorage view describes the amount of disk space allocated to store historical data. Space allocation depends upon the size of the disk drive.

Field descriptions

This section describes the fields for the HistoricalStatDuration view.

Configured

Description: The parameter value is used to calculate the required database size (for example, estimated number of activity codes).

Type: int

Length: 4

Parameter

Description: Name of an available parameter.

Valid values are as follows:

- Disk Size
- Agents
- Skillsets
- CallsPerHour
- DNISs
- CDNs
- IVRs
- ActivityCodes
- AgentEventsPerDay
- Routes
- RANRoutes
- MusicRoutes
- Trunks
- Applications
- Sites
- IVRPorts

Type: varchar

Length: 80

Purchased

Description: The maximum number you can configure on the system.

Type: int

Length: 4

System

Description: The maximum number that can be defined on the largest possible configuration of the system, if all available options are installed.

Type: int

Length: 4

IVRPort view

The IVRPort view lists the voice ports. For each port, it provides the PABX configuration information.

Field descriptions

This section describes the fields for the IVRPort view.

Acquire

Description: Shows whether a request exists to acquire the voice port.

Type: char

Length: 1

IVRPortID

Description: A unique number assigned by the server to identify the voice port when the port is added.

Type: varchar

Length: 16

IVRQueueID

Description: The threshold class to which the IVR queue is assigned.

Type: varchar

Length: 7

Name

Description: The name of the voice port.

Type: varchar

Length: 30

Status

Description: The status of the voice port.

Type: varchar

Length: 80

SwitchID

Description: The PABX ID of an IVR port, as received from the PABX.

Type: int

Length: 4

SwitchPortAddress

Description: The PABX address of the IVR port, as received from the PABX.

Type: varchar

Length: 40

SwitchPortName

Description: The name assigned to the IVR port on the PABX, as received from the PABX.

Type: varchar

Length: 30

IVRQueue view

The IVRQueue view lists the IVR ACD-DNs and the properties.

Field descriptions

This section describes the fields for the IVRQueue view.

Acquire

Description: Shows whether a request exists to acquire the IVR ACD-DN.

Type: char

Length: 1

IVRQueueID

Description: A unique number assigned by the server to identify the IVR ACDDN when the IVR ACD-DN is added.

Type: varchar

Length: 7

Name

Description: The name of the IVR ACD-DN.

Type: varchar

Length: 30

ServiceLevelThreshold

Description: The service level threshold for the threshold class to which the IVR ACD-DN belongs.

Type: int

Length: 4

Status

Description: The status of the IVR ACD-DN.

Type: varchar

Length: 80

TemplateID

Description: The name of the threshold class to which the IVR ACD-DN belongs.

Type: int

Length: 4

NCCNetworkSkillset view

For Network Control Center option only. The NCCNetworkSkillset view lists all the network skillsets and, for each one, indicates the routing table method used for the network skillset.

A routing table defines how calls queue to sites on the network. Each site has a routing table for each network skillset at that site. When you create a network skillset, you choose the routing table type for that skillset. Two types of routing tables are available.

- Round-robin

The server queues the first call to the first, second, and third site in the routing table for the network skillset. When an agent becomes available at one of these sites, the server reserves the agent, and the call is presented to the agent.

When the second call arrives, the server queues it to the second, third, and fourth site in the routing table. When the third call arrives, the server queues it, for example, to the third, fourth, and fifth site.

This type of routing table distributes calls most evenly among the sites.

- Sequential

Whenever a call arrives, the server queues it to the first three sites in the routing table. When an agent becomes available at one of these sites, the server reserves the agent, and the call is presented to the agent.

This type of routing table minimizes the number of trunks used to network calls.

Field descriptions

This section describes the fields for the NCCNetworkSkillset view.

Comment

Description: Additional information about the network skillset, if any.

Type: int

Length: 4

IdleAgentsPriority

Description: Not used in this release.

Type: smallint

Length: 2

NetworkSkillSet

Description: The name of the network skillset.

Type: varchar

Length: 30

NetworkSkillSetID

Description: A unique number assigned by the server to identify the network skillset when the network skillset is added.

Type: int

Length: 4

UseBestNode

Description: Not used in this release.

Type: char

Length: 1

UseRoundRobin

Description: The routing table method used for the network skillset.

Valid values are as follows:

- 0 (sequential)
- 1 (round-robin)

Type: char

Length: 1

NCCRanking view

For Network Control Center option only. The NCCRanking view provides a list of sites on your network. For each site, the view lists the networked skillsets at that site. For each skillset, the view lists the possible destination sites and ranking preference. The ranking preference determines the destination site to which skillset calls are routed.

Field descriptions

This section describes the fields for the NCCRanking view.

DstSiteID

Description: A unique number assigned by the server to identify a destination site when you configure the site on the Network Control Center.

Type: int

Length: 4

DstSiteName

Description: The name of a site to which calls for the network skillset can be routed.

Type: varchar

Length: 30

NetworkSkillsetID

Description: A unique number assigned by the server to identify a network skillset when you configure the skillset on the Network Control Center.

Type: int

Length: 4

NetworkSkillsetName

Description: The name of a network skillset defined on the source site.

Type: varchar

Length: 30

Rank

Description: The ranking of the destination site in the routing table.

Type: smallint

Length: 2

SrcSiteID

Description: A unique number assigned by the server to identify a source site when you configure the site on the Network Control Center.

Type: int

Length: 4

SrcSiteName

Description: The name of the source site.

Type: varchar

Length: 30

NCCRemoteApplication view

Network Control Center option only. The NCCRemoteApplication view lists all applications (Master and primary scripts) and the service level. The view also indicates whether the server collects call-by-call statistics for the application.

Field descriptions

This section describes the fields for the NCCRemoteApplication view.

CallbyCall

Description: Shows whether the collection of call-by-call statistics for this application is enabled.

Type: smallint

Length: 1

Valid values are as follows:

- 0 (none)
- 1 (local)
- 2 (network)
- 3 (local and network)

Name

Description: The name of the application.

Type: varchar

Length: 30

RemoteApplicationID

Description: A unique number assigned by the server to identify the application when the application is defined.

Type: int

Length: 4

ServiceLevelThreshold

Description: The service level threshold for the threshold class to which this application belongs.

Type: int

Length: 4

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

SiteName

Description: The name of the Contact Center Manager site, as assigned during installation.

Type: varchar

Length: 30

NCCSite view

Network Control Center option only. The NCCSite view lists each site in the network and, for each one, shows the properties.

Field descriptions

This section describes the fields for the NCCSite view.

Comment

Description: Additional information about the site, if any.

Type: varchar

Length: 127

ContactNumber

Description: The phone number of the contact person.

Type: varchar

Length: 30

ContactPerson

Description: The name of the contact person for the site.

Type: varchar

Length: 30

HeteroNetworking

Description:

Valid values are as follows:

- 0 (Universal Networking disabled)
- 1 (Universal Networking enabled)

Type: int

Length: 4

LandingPadOptions

Description: Options for landing pad configuration.

Valid values are 0 to 7.

- 0 No Landing Pad selections
- 1 DNIS is selected

- 2 CDN is selected
- 3 CDN and DNIS are selected
- 4 MCDN is selected
- 5 MCDN and DNIS are selected
- 6 MCDN and CDN are selected
- 7 MCDN, CDN, and DNIS are selected

Type: int

Length: 4

Name

Description: The name of the site.

Type: varchar

Length: 30

OutOfServiceTimer

Description: The amount of time the site is filtered from the routing table when the maximum retry limit is reached.

Type: int

Length: 4

RelativeGMT

Description: The time difference (in hours) between GMT and the time zone in which the site is located.

Type: int

Length: 4

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

SwitchType

Description: The type of PABX you use to process contacts in your contact center.

Valid value is as follows:

- 1 (Avaya Communication Server 1000 PABX)

Type: int

Length: 4

TargetNodeCount

Description: The number of target nodes to which the source node sends a Network Agent Request (NAR).

Type: int

Length: 4

NetworkConfig view

NSBR option only. This view contains the name of the Network Control Center for the server.

Field descriptions

The field description for this view is described in the NetworkConfig view.

NCCSite

Description: The name of the Network Control Center, as defined when the server is installed. You can view the Network Control Center name from the Network Communication Parameters dialog box.

Type: varchar

Length: 30

NetworkRankingAssignment view

NSBR option only. The NetworkRankingAssignment view lists of the Network Control Center table routing assignments.

Field descriptions

This section describes the fields for the NetworkRankingAssignment view.

AssignName

Description: The name of the table routing assignment, as defined when you configure the assignment on the Network Control Center.

Type: varchar

Length: 30

Comment

Description: Additional information, if any.

Type: varchar

Length: 127

ErrorCode

Description: A numeric value, if any, for the error encountered when the assignment last ran.

Type: int

Length: 4

DestSiteID

Description: A unique number assigned by the server to identify a destination site when you configure the site on the Network Control Center.

Type: int

Length: 4

DestSiteName

Description: A destination site for this network skillset, as defined in the routing table.

Type: varchar

Length: 30

NetworkSkillsetID

Description: A unique number assigned by the server to identify the network skillset when you configure the network skillset on the Network Control Center.

Type: int

Length: 4

NetworkSkillsetName

Description: The name of a network skillset included in this table routing assignment.

Type: varchar

Length: 30

Rank

Description: The ranking of the site in the routing table.

Type: smallint

Length: 2

RankAssignID

Description: A unique number assigned by the server to identify the table routing assignment when you configure the assignment on the Network Control Center.

Type: int

Length: 4

SrcSiteID

Description: A unique number assigned by the server to identify the source site when you configure the site on the Network Control Center.

Type: int

Length: 4

SrcSiteName

Description: The source site for which the table routing assignment is defined.

Type: varchar

Length: 30

Status

Description: The current status for this table routing assignment.

Type: varchar

Length: 80

NetworkSkillsetStatus view

NSBR option only. The NetworkSkillsetStatus view provides a list of the network skillsets and the statuses.

Field descriptions

This section describes the fields for the NetworkRankingAssignment view.

FilterStatus

Description: Indicates whether the skillset is filtered.

Type: smallint

Length: 2

Valid values are as follows:

- 11 (Server communication failure)
- 12 (Dialable DN is not configured correctly)
- 13 (NACD package restriction at destination)
- 14 (Maximum number of retries reached)
- 15 (Trunk allocation problem, server suspended)
- 16 (Incompatible server versions)
- any other value (Undefined)

FlowControlStatus

Description: Indicates whether the skillset rejects calls because too many calls are queued.

Type: smallint

Length: 2

Valid values are as follows:

- 0 (Off)
- 1 (Max Request)
- 2 (Out of Service)
- 3 (Unknown Skillset)
- any other value (Undefined)

NetworkSkillset

Description: The name of the network skillset.

Type: varchar

Length: 30

NetworkSkillsetID

Description: A unique number assigned by the server to identify the network skillset when you configure the network skillset on the Network Control Center.

Type: int

Length: 4

SiteName

Description: The destination site.

Type: varchar

Length: 30

NetworkThresholdTemplate view

NSBR option only. Not used in this release.

Field descriptions

This section describes the fields for the NetworkThresholdTemplate view.

Field

Description: The name of the field for which a threshold is defined in the threshold class.

Type: varchar

Length: 80

Level1

Description: The low end of the normal range for the field.

Type: int

Length: 4

Level2

Description: The high end of the normal range for the field.

Type: int

Length: 4

Name

Description: The name of the network threshold class.

Type: varchar

Length: 30

TemplateID

Description: A unique number assigned by the server to identify the threshold class when the threshold class is added.

Type: int

Length: 4

PhonesetDisplay view

Avaya Communication Server 1000 PABX only. This view lists the configured display types, the width of each display, and the number of rows in each display.

Field descriptions

This section describes the fields for the PhonesetDisplay view.

DisplayTypeName

Description: The type of display the phone uses.

Valid values are as follows:

- 1 x 40 Alphanumeric
- 1 x 16 Alphanumeric
- 1 x 18 or 1 x 24 Alphanumeric
- 1 x 12 Numeric

Type: varchar

Length: 80

FieldName

Description: The name of the field displayed on the phone.

Type: varchar

Length: 80

Row

Description: The row in which the field appears.

Type: smallint

Length: 2

Width

Description: The display width for the field.

Type: smallint

Length: 2

Provider view

Logical creator or owner of a contact type. Providers include Contact Center Multimedia and Contact Center Manager Server. For more information, see [Multimedia contacts](#) on page 46.

Field descriptions

This section describes the fields for the Provider view.

Description

Description: Additional information about the provider.

Type: varchar

Length: 60

Name

Description: Name of the provider.

Type: varchar

Length: 30

ProviderID

Description: A unique number assigned by the server to identify the provider when the provider is added.

Type: int

Length: 4

Ranking view

NSBR option only. The Ranking view lists the sites in your network. For each site, it lists the networked skillsets at that site. For each skillset, the view lists the possible destination sites and ranking preference. The ranking preference determines the destination site to which skillset calls are routed.

Field descriptions

This section describes the fields for the Ranking view.

DstSiteID

Description: A unique number assigned by the server to identify a destination site when you configure the site on the Network Control Center.

Type: int

Length: 4

DstSiteName

Description: The name of a site to which calls for the network skillset can be routed.

Type: varchar

Length: 30

NetworkSkillsetID

Description: A unique number assigned by the server to identify the network skillset when you configure the network skillset on the Network Control Center.

Type: int

Length: 4

NetworkSkillsetName

Description: The name of a network skillset defined on the source site.

Type: varchar

Length: 30

Rank

Description: The ranking of the destination site in the routing table.

Type: smallint

Length: 2

SrcSiteID

Description: A unique number assigned by the server to identify a source site when you configure the site on the Network Control Center.

Type: int

Length: 4

SrcSiteName

Description: The name of the source site.

Type: varchar

Length: 30

RealTimeColumn view

The RealTimeColumn view lists the real-time display definitions and the column definitions.

Field descriptions

This section describes the fields for the RealTimeColumn view.

Column

Description: The column number of a field that appears on a real-time display definition.

Type: smallint

Length: 2

Format

Description: The format of the column.

Valid values are as follows:

- text
- numeric
- time
- bar chart

Type: varchar

Length: 80

FormulaID

Description: A unique number assigned by the server to identify the formula used in this column when the formula is added.

Type: int

Length: 4

Label

Description: The label of the column, as it appears on the real-time display.

Type: varchar

Length: 80

TemplateID

Description: A unique number assigned by the server to identify a real-time display definition when the real-time display definition is added.

Type: int

Length: 4

ScaleFrom

Description: For columns with bar format only. The minimum scale value to report in this column.

Type: smallint

Length: 2

ScaleTo

Description: For columns with bar format only. The maximum scale value to report in this column.

Type: smallint

Length: 2

RealTimeStatCollection view

The RealTimeStatCollection view lists the real-time statistical information you configured Contact Center Manager Server to collect.

There are two modes for real time statistics collections:

- Moving window mode — Statistics represent the last 10 minutes of system activity.
- Interval-to-date mode — Statistics are collected only for the current interval. When the interval ends, data fields initialize to 0 and collection begins for the next interval.

Field descriptions

This section describes the fields for the RealTimeStatCollection view.

IntervalDuration

Description: The interval for collecting real-time statistics (applies only to statistics collected in interval-to-date mode).

Type: smallint

Length: 2

IntervalStartTime

Description: The interval start time for collecting real-time statistics.

Type: char

Length: 8

ITDAgent

Description: Shows whether agent statistics appear using the interval-to-date format.

Type: char

Length: 1

ITDApplication

Description: Shows whether application statistics appear using the interval-to-date format.

Type: char

Length: 1

ITDIVR

Description: Shows whether IVR statistics appear using the interval-to-date format.

Type: char

Length: 1

ITDNetworkCall

Description: NSBR option only. Shows whether network call statistics appear using the interval-to-date format.

Type: varchar

Length: 80

ITDNodalCall

Description: NSBR option only. Shows whether contact center summary statistics appear using the interval-to-date format.

Type: int

Length: 4

ITDRoute

Description: Avaya Communication Server 1000 PABX only. Shows whether route statistics appear using the interval-to-date format.

Type: varchar

Length: 80

ITDSkillset

Description: Shows whether skillset statistics appear using the interval-to-date format.

Type: varchar

Length: 80

MinRefreshRate

Description: The minimum interval between refreshes of real-time statistics.

Type: varchar

Length: 80

MWAgent

Description: Shows whether agent statistics appear using the moving window format.

Type: char

Length: 1

MWApplication

Description: Shows whether application statistics appear using the moving window format.

Type: char

Length: 1

MWIVR

Description: Shows whether IVR statistics appear using the moving window format.

Type: char

Length: 1

MWNetworkCall

Description: NSBR option only. Shows whether network call statistics appear using the moving window format.

Type: varchar

Length: 80

MWNodalCall

Description: NSBR option only. Shows whether contact center summary statistics appear using the moving window format.

Type: int

Length: 4

MWRoute

Description: Avaya Communication Server 1000 PABX only. Shows whether route statistics appear using the moving window format.

Type: varchar

Length: 80

MWSkillset

Description: Shows whether skillset statistics appear using the moving window format.

Type: varchar

Length: 80

RealTimeTemplate view

The RealTimeTemplate view lists the real-time display definitions and the general properties.

Field descriptions

This section describes the fields for the RealTimeTemplate view.

Class

Description: The class to which the real-time display definition belongs.

Type: varchar

Length: 80

Name

Description: The name of the real-time display definition.

Type: varchar

Length: 30

RefreshRate

Description: The refresh rate defined for the real-time display definition.

Type: int

Length: 4

TemplateID

Description: A unique number assigned by the server to identify a real-time display definition when the real-time display definition is added.

Type: int

Length: 4

Viewmode

Description: The view mode defined for the real-time display definition.

Valid values are as follows:

- Moving Window
- Interval To Date

Type: varchar

Length: 80

RemoteApplication view

NSBR option only. The RemoteApplication view lists all applications defined in the network except those defined at the local site.

Field descriptions

This section describes the fields for the RemoteApplication view.

CallbyCall

Description: Shows whether the collection of call-by-call statistics for this application is enabled.

Type: tinyint

Length: 1

Valid values are as follows:

- 0 (none)
- 1 (local)
- 2 (network only)
- 3 (local and network)

Name

Description: The name of the application.

Type: varchar

Length: 30

RemoteApplicationID

Description: A unique number assigned by the server to identify the application when the application is defined.

Type: int

Length: 4

ServiceLevelThreshold

Description: A unique number assigned by the server to identify the application when the application is defined.

Type: int

Length: 4

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

SiteName

Description: The name of the Contact Center Manager site, as assigned during installation.

Type: varchar

Length: 30

Route view

Avaya Communication Server 1000 PABX only. The Route view lists the routes and the properties.

Field descriptions

This section describes the fields for the Route view.

Acquire

Description: Shows whether a request exists to acquire or release the route.

Type: char

Length: 1

Name

Description: The name of the route.

Type: varchar

Length: 30

RouteID

Description: The route number.

Type: int

Length: 4

Status

Description: The status of the route.

Type: varchar

Length: 80

TemplateID

Description: A unique number assigned by the server to identify the threshold class to which the route belongs when the threshold class is added.

Type: int

Length: 4

RouteThresholdTemplate view

Avaya Communication Server 1000 PABX only. The RouteThresholdTemplate view lists the route threshold classes and the threshold levels.

Field descriptions

This section describes the fields for the RouteThresholdTemplate view.

Field

Description: The name of the field for which a threshold is defined in the threshold class.

Type: varchar

Length: 80

FieldID

Description: A unique number assigned by the server to identify the field when you define a threshold value for the field.

Type: int

Length: 4

Level1

Description: The low end of the normal range for the field.

Type: int

Length: 4

Level2

Description: The high end of the normal range for the field.

Type: int

Length: 4

Name

Description: The name of the route threshold class.

Type: varchar

Length: 30

TemplateID

Description: A unique number assigned by the server to identify the threshold class when the threshold class is added.

Type: int

Length: 4

ScheduledSkillsetAssignment view

The ScheduledSkillsetAssignment view lists agent to skillset assignments and the properties.

Field descriptions

This section describes the fields for the ScheduledSkillsetAssignment view.

AssignID

Description: A unique number assigned by the server to identify the assignment when it is added.

Type: int

Length: 4

AssignName

Description: The name of the agent to skillset assignment.

Type: varchar

Length: 64

Comment

Description: Additional information about the agent, if any.

Type: varchar

Length: 127

ErrorCode

Description: A numeric value for an error encountered when the assignment last ran, if any.

Type: int

Length: 4

Priority

Description: The agent's priority for this skillset. The range is 1 to 48; where 1 is the highest priority and 48 is the lowest priority.

Type: tinyint

Length: 1

SkillsetID

Description: A unique identifier for the skillset to which the agent is assigned when this assignment is run. This identifier the server assigns when the skillset is added.

Type: int

Length: 4

SkillsetName

Description: The name of the skillset to which the agent is assigned when the assignment is run.

Type: varchar

Length: 64

SkillsetState

Description: The current state of the skillset.

Valid values are as follows:

- Standby

- Active

Type: varchar

Length: 80

Status

Description: The status of the agent to skillset assignment.

Valid values are as follows:

- Edited/Saved
- Ran OK
- Ran with error
- Scheduled
- Never scheduled
- Duplicate assignment entry

Type: varchar

Length: 80

UserGivenName

Description: The given or first name of the agent.

Type: varchar

Length: 64

UserID

Description: A unique number assigned by the server to identify the newly added agent.

Type: binary

Length: 16

UserSurName

Description: The family or surname of the agent.

Type: varchar

Length: 64

UserTelsetLogin

Description: The numeric ID the agent uses to log in to the phone or agent desktop.

Type: varchar

Length: 16

ScheduledSupervisorAssignment view

The ScheduledSupervisorAssignment view lists agent-to-supervisor assignments and the properties.

Field descriptions

This section describes the fields for the ScheduledSupervisorAssignment view.

AgentID

Description: A unique number assigned by the server to identify the newly added agent.

Type: binary

Length: 16

AssignID

Description: A unique number assigned by the server to identify the assignment when it is added.

Type: int

Length: 4

AssignName

Description: The name of the agent-to-supervisor assignment.

Type: varchar

Length: 64

AssignType

Description: The assignment type.

Type: varchar

Length: 80

Comment

Description: Additional information about the Supervisor, if any.

Type: varchar

Length: 127

ErrorCode

Description: A numeric value for an error encountered when the assignment last ran, if any.

Type: int

Length: 4

Status

Description: The status of the agent-to-supervisor assignment.

Valid values are as follows:

- Edited/Saved
- Ran OK
- Ran with error
- Scheduled
- Never scheduled
- Duplicate assignment entry

Type: varchar

Length: 80

SupervisorGivenName

Description: The given or first name of the supervisor to which the user is assigned when this assignment is run.

Type: varchar

Length: 64

SupervisorID

Description: A unique number assigned by the server to the supervisor when the supervisor is added.

Type: binary

Length: 16

SupervisorSurName

Description: The family or surname of the supervisor to which the user is assigned when this assignment is run.

Type: varchar

Length: 64

Type

Description: The assignment type.

Valid values are as follows:

- P (Reporting)
- S (Associated)

Type: char

Length: 1

Script view

The Script view lists the scripts and the properties. For more information about scripting; see *Using Contact Center Orchestration Designer*.

Field descriptions

This section describes the fields for the Script view.

Comment

Description: Additional information about the script, if any.

Type: varchar

Length: 30

GivenName

Description: The first or given name of the user who performed the most recent action on the script.

Type: varchar

Length: 30

LastModified

Description: The date when the most recent action is performed on the script.

Type: datetime

Length: 8

Name

Description: The name of the script.

Type: varchar

Length: 30

Owner

Description: The name of the user who created the script.

Type: varchar

Length: 80

ScriptID

Description: A unique number assigned by the server to identify the script when the script is added.

Type: int

Length: 4

Status

Description: The status of the variable.

Valid values are as follows:

- Activated
- Deactivated

Type: varchar

Length: 80

SurName

Description: The surname of the user who performed the most recent action on the script.

Type: varchar

Length: 30

Type

Description: The type of script.

Valid values are as follows:

- Local Master
- Network
- Primary
- Secondary

Type: varchar

Length: 80

ScriptVariableProperties view

The ScriptVariableProperties view lists the script variables and the properties. For more information about scripting; see *Using Contact Center Orchestration Designer*.

Field descriptions

This section describes the fields for the ScriptVariableProperties view.

Class

Description: The name of the variable class to which this variable belongs.

Valid values are as follows:

- Item
- Set Of Values

Type: varchar

Length: 80

Comment

Description: Not used.

Grouping

Description: The name of the variable group to which this variable belongs.

Valid values are as follows:

- Global Variable
- Call Variable

Type: varchar

Length: 80

Name

Description: The name of the script variable.

Type: varchar

Length: 30

Status

Description: The status of the variable.

Valid values are as follows:

- Activated
- Deactivated

Type: varchar

Length: 80

Type

Description: The data type of the variable. For more information about variables, see the *Using Contact Center Orchestration Designer*.

Type: varchar

Length: 80

ScriptVariables view

The ScriptVariables view lists the script variables. For each variable, it provides the variable status and type, and the name, status, and type of any scripts that use that variable. For more information about scripting; see *Using Contact Center Orchestration Designer*.

Field descriptions

This section describes the fields for the ScriptVariables view.

Script

Description: The name of a script that uses this variable.

Type: varchar

Length: 32

ScriptStatus

Description: The status of the script.

Valid values are as follows:

- Edited
- Validated
- Activated

Type: varchar

Length: 80

ScriptType

Description: The type of script.

Valid values are as follows:

- Local Master
- Network

Configuration views

- Primary
- Secondary

Type: varchar

Length: 80

Variable

Description: The name of the script variable.

Type: varchar

Length: 30

VariableStatus

Description: The status of the variable.

Valid values are as follows:

- Activated
- Deactivated

Type: varchar

Length: 80

VariableType

Description: The data type of the variable. For more information about variables; see *Using Contact Center Orchestration Designer*.

Type: varchar

Length: 80

Site view

NSBR option only. The Site view lists the sites and the properties.

Field descriptions

This section describes the fields for the Site view.

Comment

Description: Additional information about the site, if any.

Type: varchar

Length: 127

ContactNumber

Description: The phone number of the contact person.

Type: varchar

Length: 30

ContactPerson

Description: The contact person name for the site.

Type: varchar

Length: 30

IsLocal

Description: Specifies whether the site is the local site or a remote site.

Valid values are as follows:

- 0 (remote)
- 1 (local)

Type: char

Length: 1

Name

Description: The name of the site.

Type: varchar

Length: 30

OutOfServiceTimer

Description: The amount of time the site is filtered from the routing table when the maximum retry limit is reached.

Type: int

Length: 4

RelativeGMT

Description: The time difference (in hours) between GMT and the time zone in which the site is located.

Type: int

Length: 4

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

TemplateID

Description: This field is not used.

Type: int

Length: 4

TemplateName

Description: The default value is Network_Template. This field is not used.

Type: varchar

Length: 30

Skillset view

The Skillset view lists all skillsets and the general properties.

Field descriptions

This section describes the fields for the Skillset view.

ActivityCode

Description: Avaya Communication Server 1000 PABX only. The default activity code for the skillset.

Type: varchar

Length: 32

CallAgePreference

Description: The call age preference for a skillset.

Valid values are as follows:

- 18 (Oldest)
- 19 (First in Queue)
- any other value (None)

Type: smallint

Length: 2

CallSourcePreference

Description: NSBR option only. The call source preference for a skillset.

Valid values are as follows:

- 15 (Local)
- 16 (Network)
- 17 (None)

Type: smallint

Length: 2

CallRequestQueueSize

Description: The maximum number of calls that can queue to this skillset.

Type: int

Length: 4

CallRequestQueueSizeThreshold

Description: The number by which queued calls decrease before more calls are queued to this skillset.

Type: int

Length: 4

Comment

Description: Additional information about the skillset, if any.

Type: varchar

Length: 127

ContactName

Description: The name corresponding to the contact type for this skillset.

Valid values are as follows:

- Voice
- Email
- Web_Communication
- Outbound
- IM
- SER_Outbound
- OpenQ
- Scanned_Document
- Fax
- SMS
- Voice_Mail
- POM_Outbound
- Social_Networking

Type: varchar

Length: 30

DN

Description: The ACD-DN number for which calls peg to this skillset.

Type: varchar

Length: 7

DynamicAssignment

Description:

Type: smallint

Length: 2

IdleAgentsPriority

Description: The agent idle time preference defined on the Global Settings dialog box.

Type: smallint

Length: 2

IsNetworked

Description: NSBR option only. Shows whether a skillset is networked.

Type: char

Length: 1

MinShortCallDelay

Description: The short call threshold for the threshold class to which the skillset belongs. Calls with a talk time less than this value are considered short calls.

Type: int

Length: 4

NetworkSkillsetComment

Description: NSBR option only.

Type: varchar

Length: 127

NetworkSkillsetID

Description: NSBR option only.

Type: int

Length: 4

NetworkSkillsetName

Description: NSBR option only.

Type: varchar

Length: 30

NightServiceType

Description: The night service type for a skillset.

Valid values are as follows:

- 20 (Transition)
- 21 (Night)
- any other value (None)

Type: smallint

Length: 2

ServiceLevelRouting

Description: Indicates if the Service level routing is enabled or disabled for the skillset.

Type: smallint

Length: 2

ServiceLevelThreshold

Description: The service level for the threshold class to which the skillset belongs.

Type: int

Length: 4

Skillset

Description: The name of the skillset.

Type: varchar

Length: 30

SkillsetID

Description: A unique number assigned by the server to identify the skillset when the skillset is added.

Type: int

Length: 4

TargetServiceLevel

Description: A Threshold value entered for the skillset's target service level.

Type: smallint

Length: 2

TemplateID

Description: A unique number assigned by the server to identify the threshold class to which the skillset belongs.

Type: int

Length: 4

UseBestNode

Description: Not used.

UseRoundRobin

Description: NSBR option only.

Valid values are as follows:

- 0 (round robin)
- 1 (sequential)

Type: char

Length: 1

SkillsetByAgent view

The SkillsetByAgent view lists the skillsets and the agents assigned to them. For each assigned agent, it shows the agent priority for the skillset.

Field descriptions

This section describes the fields for the SkillsetByAgent view.

Priority

Description: The agent's priority for this skillset. The range is 1 to 48; 1 is the highest priority and 48 is the lowest priority.

Type: tinyint

Length: 1

SkillsetID

Description: A unique number assigned by the server to identify the skillset when the skillset is added.

Type: int

Length: 4

SkillsetState

Description: The skillset state.

Valid values are as follows:

- Standby
- Active

Type: varchar

Length: 80

UserID

Description: A unique number assigned by the server to identify an agent assigned to this skillset.

Type: binary

Length: 16

SkillsetByAssignment view

The SkillsetByAssignment view lists skillsets and the agent-to-skillset assignments in which they are assigned.

Field descriptions

This section describes the fields for the SkillsetByAssignment view.

AssignID

Description: A unique number assigned by the server to identify the assignment when it is added.

Type: int

Length: 4

AssignName

Description: The name of the agent-to-skillset assignment.

Type: varchar

Length: 64

Comment

Description: The comments defined by the supervisor, if any.

Type: varchar

Length: 127

ErrorCode

Description: A numeric value for an error encountered when the assignment last ran, if any.

Type: int

Length: 4

Priority

Description: The agent's priority for this skillset. The range is 1 to 48; 1 is the highest priority and 48 is the lowest priority.

Type: tinyint

Length: 1

SkillsetID

Description: A unique number assigned by the server to identify the skillset when the skillset is added.

Type: int

Length: 4

SkillsetName

Description: The name of the skillset to which the agent is assigned when the assignment is run.

Type: varchar

Length: 64

SkillsetState

Description: The current state of the skillset.

Valid values are as follows:

- Standby
- Active

Type: varchar

Length: 80

Status

Description: The status of the agent-to-skillset assignment.

Valid values are as follows:

- Edited or Saved
- Ran OK
- Ran with error
- Scheduled
- Never scheduled
- Duplicate assignment entry

Type: varchar

Length: 80

UserGivenName

Description: The given or first name of the agent.

Type: varchar

Length: 64

UserID

Description: A unique number assigned by the server to identify the newly added agent.

Type: binary

Length: 16

UserSurName

Description: The family or surname of the agent.

Type: varchar

Length: 64

UserTelsetLoginID

Description: The numeric ID the agent uses to log on to the phone or agent desktop.

Type: varchar

Length: 16

SkillsetThresholdTemplate view

The SkillsetThresholdTemplate view lists the skillset threshold classes and threshold levels.

Field descriptions

This section describes the fields for the SkillsetThresholdTemplate view.

Field

Description: The name of the field for which a threshold is defined in the threshold class.

Type: varchar

Length: 80

FieldID

Description: A unique number assigned by the server to identify the field when you define a threshold value for the field.

Type: int

Length: 4

Level1

Description: The low end of the normal range for the field.

Type: int

Length: 4

Level2

Description: The high end of the normal range for the field.

Type: int

Length: 4

MinShortCallDelay

Description: The length of a short call for this threshold class.

Type: int

Length: 4

Name

Description: The name of the skillset threshold class.

Type: varchar

Length: 30

ServiceLevelThreshold

Description: The service level threshold for this threshold class.

Type: int

Length: 4

TemplateID

Description: A unique number assigned by the server to identify the threshold class when the threshold class is added.

Type: int

Length: 4

SummaryThresholdTemplate view

The SummaryThresholdTemplate view lists the thresholds defined for the Nodal threshold class.

Field descriptions

This section describes the fields for the SummaryThresholdTemplate view.

Field

Description: The name of the field for which a threshold is defined in the threshold class.

Type: varchar

Length: 80

FieldID

Description: A unique number assigned by the server to identify the field when you define a threshold value for the field.

Type: int

Length: 4

Level1

Description: The low end of the normal range for the field.

Type: int

Length: 4

Level2

Description: The high end of the normal range for the field.

Type: int

Length: 4

Name

Description: The name of the nodal threshold class.

Type: varchar

Length: 30

TemplateID

Description: A unique number assigned by the server to identify the threshold class when the threshold class is added.

Type: int

Length: 4

Supervisor view

The Supervisor view lists all Contact Center Manager supervisors and the general properties.

Field descriptions

This section describes the fields for the Supervisor view.

ACD_Queue

Description: This is Automatic Call Distribution (ACD) queue assigned to the agent for the calls defaulted.

 **Note:**

The ACD Queue field appears only for Avaya Communication Server 1000 servers and does not appear for supervisors.

Type: varchar

Length: 10

ACD_QueueStatus

Description: This is the ACD Queue status/error.

Type: varchar

Length: 6

AGLicensed

Description: Indicates if Agent Greeting (AG) is licensed for this agent. When an AG enabled agent logs in, ASM tries to consume an AG license. If the license is granted, this field is updated to value 1.

Type: smallint

Length: 2

AGPassword

Description: Password that agents use to authenticate when they dial into the AG recording application.

Type: varchar

Length: 255

AGRecorded

Description: Indicates if an Agent Greeting is recorded for an agent.

Type: smallint

Length: 2

AGState

Description: Indicates if Agent Greeting (using CCMA) is enabled for an individual agent.

Configuration views

Type: smallint

Length: 2

Comment

Description: Additional information about the supervisor, if any.

Type: varchar

Length: 127

CtiEnabled

Description:

Type: boolean

Department

Description: The department to which the supervisor belongs.

Type: varchar

Length: 64

DialogPassword

Description:

Type: varchar

Length: 31

DNBargeInEnabled

Description: Supervisor privilege to barge in on a non-skillset call.

Supported values:

- 0 = Enabled
- 1 = Disabled

Type: %Library.SmallInt

Length: 2

DNObserveEnabled

Description: Supervisor privilege to observe a non-skillset call.

Supported values:

- 0 = Enabled
- 1 = Disabled

Type: %Library.SmallInt

Length: 2

ExternalAgentID

Description:

Type: int

Length: 4

ExternalServer

Description:

Type: varchar

Length: 16

GivenName

Description: The given or first name of the supervisor.

Type: varchar

Length: 64

MultiplicityTemplateDesc

Description: Multiplicity presentation class template.

 **Note:**

Multiplicity allows the agent to handle multiple concurrent contacts.

Type: varchar

Length: 31

MultiplicityTemplateID

Description: Template ID configured for multiplicity.

Type: smallint

Length: 2

OffsiteAllowed

Description: Enable/Disable Offsite Agent on a per agent basis.

Type: bit

OffsiteAllowedEnum

Description: Enum value of OffsiteAllowed parameter on a per agent basis.

Supported values:

- 0 = Disabled
- 1 = Optional
- 2 = Mandatory

Type: smallint

OffsiteAlternatePhone

Description: Allow/Disallow an agent to enter another Offsite Phone number.

Type: boolean

OffsiteMode

Description: Displayed only for CS1K AML and IP Office Remote Agent configurations.

Configure offsite agent to be “On Demand” or “Permanent”.

“Permanent” offsite agent’s home phone is called when agent logs into Avaya Agent Desktop and is “nailed up” until the agent exits Avaya Agent Desktop. IP Office Remote Agent operates in Permanent mode only.

“On Demand” offsite agent’s offsite phone is called for each call routed to the agent.

Type: bit

OffsiteModeEnum

Description: Enum value of OffsiteMode parameter on a per agent basis.

Supported values:

- 0 = On Demand
- 1 = Permanent

Type: smallint

OffsitePhone1

Description: First Offsite Phone number displayed in “Other Phone” drop-down list on Avaya Agent Desktop.

Type: varchar

Length: 30

OffsitePhone2

Description: Second Offsite Phone number displayed in “Other Phone” drop-down list on Avaya Agent Desktop.

Type: varchar

Length: 30

PCLoginName

Description: The supervisor's desktop user ID.

Type: varchar

Length: 40

PersonalDN

Description: Avaya Communication Server 1000 PABX only. The supervisor's personal directory number.

Type: varchar

Length: 32

SIPSoftphoneEnabled

Description: Indicates if SIP softphone support is enabled or disabled.

Supported values:

- 0 = Enabled
- 1 = Disabled

Type: %Library.SmallInt

Length: 2

SIP_Terminal

Description: A unique resource ID for voice contacts. This field is no longer used, see [URList](#) on page 301.

Type: varchar

Length: 255

SurName

Description: The family or surname of the supervisor.

Type: varchar

Length: 64

SwitchID

Description: The PABX ID of the phone at which the supervisor is logged on, which is received from the PABX.

Type: int

Length: 4

SwitchPortAddress

Description: The PABX port address of the phone at which the supervisor is logged on, which is received from the PABX.

Type: varchar

Length: 30

SwitchPortName

Description: The PABX port name of the phone at which the supervisor is logged on, as received from the PABX.

Type: varchar

Length: 30

SwitchType

Description: The type of PABX you use to process contacts in your contact center.

Valid value is as follows:

- 1 (Avaya Communication Server 1000 PABX)

Type: smallint

Length: 2

TelsetLoginID

Description: The numeric ID the supervisor uses to log on to the phone or agent desktop.

Type: varchar

Length: 16

TemplateID

Description: A unique number assigned by the server to identify the access class, which the supervisor belongs to, when the access class is added.

Type: int

Length: 4

TemplateName

Description: The name of the access class to which the supervisor belongs.

Type: nvarchar

Length: 30

ThresholdTemplateID

Description: A unique number assigned by the server when the threshold class is added to identify the threshold class to which the supervisor belongs.

Type: int

Length: 4

ThresholdTemplateName

Description: The name of the threshold class to which the supervisor belongs.

Type: nvarchar

Length: 30

Title

Description: The supervisor's title.

Type: varchar

Length: 64

URI

Description: A comma separated list of Voice, IM, and CTI URIs, where each URI is shown as Contact Type: URI. For example:

Voice: <URI>, IM: <URI>

Type: varchar

Length: 4096

URIList

Description: A comma separated list of Voice, IM, and CTI URIs, where each URI is shown as Contact Type: URI. For example:

Voice: <URI>, IM: <URI>

Type: varchar

Length: 4096

UserID

Description: A unique number assigned by the server to identify the supervisor when the supervisor is added.

Type: binary

Length: 16

UserType

Description: The type of user.

Valid values are as follows:

- 0 = Agent
- 1 = Expert
- 2 = Supervisor
- 3 = Supervisor/Agent
- 4 = Supervisor/Expert

Type: smallint

Length: 2

UserTypeDesc

Description: The description of the UserType. For example, 0 is Agent.

Valid values are as follows:

- 0 = Agent
- 1 = Expert
- 2 = Supervisor
- 3 = Supervisor/Agent
- 4 = Supervisor/Expert

Type: varchar

Length: 80

SupervisorAgentAssignment view

This view shows all agents and their supervisor assignments (both reporting and associated). The view contains a record for each agent-supervisor relationship. For example, if an agent has a reporting and two associated supervisors, the view contains three records for that agent.

Field descriptions

This section describes the fields for the SupervisorAgentAssignment view.

AgentGivenName

Description: The first or given name of an assigned agent.

Type: varchar

Length: 64

AgentSurName

Description: The family or surname of the agent.

Type: varchar

Length: 64

AgentTelsetLoginID

Description: The numeric ID that the agent uses to log on to the phone or agent desktop.

Type: varchar

Length: 16

AgentUserID

Description: A unique number assigned by the server to identify the newly added agent.

Type: binary

Length: 16

SupervisorGivenName

Description: The first or given name of the supervisor.

Type: varchar

Length: 64

SupervisorSurname

Description: The surname or family name of the supervisor.

Type: varchar

Length: 64

SupervisorTelsetLoginID

Description: The numeric ID the supervisor uses to log on at the phone or agent desktop.

Type: varchar

Length: 16

SupervisorUserID

Description: A unique number assigned by the server to identify the supervisor when the supervisor is added.

Type: binary

Length: 16

Type

Description: Shows whether the supervisor is the reporting or associated supervisor for an agent.

Valid values are as follows:

- P (Reporting)
- S (Associated)

Type: char

Length: 1

SupervisorByAssignment view

The SupervisorByAssignment view lists the agent-to-supervisor assignments and properties.

Field descriptions

This section describes the fields for the SupervisorByAssignment view.

AgentID

Description: A unique number assigned by the server to identify the newly added agent.

Type: binary

Length: 16

AssignID

Description: A unique number assigned by the server to identify the assignment when it is added.

Type: int

Length: 4

AssignName

Description: The name of the agent-to-supervisor assignment.

Type: varchar

Length: 64

AssignType

Description: The assignment type.

Type: varchar

Length: 80

Comment

Description: Additional information, if any.

Type: varchar

Length: 127

ErrorCode

Description: A numeric value for an error encountered when the assignment last ran, if any.

Type: int

Length: 4

Status

Description: The status of the agent-to-supervisor assignment.

Valid values are as follows:

- Edited or Saved
- Ran OK
- Ran with error
- Scheduled
- Never scheduled
- Duplicate assignment entry

Type: varchar

Length: 80

SupervisorGivenName

Description: The given or first name of the supervisor to which the user is assigned when this assignment runs.

Type: varchar

Length: 64

SupervisorID

Description: A unique number assigned by the server when the supervisor is added to identify the supervisor to which the user is assigned to when this assignment runs.

Type: binary

Length: 16

SupervisorSurName

Description: The family or surname of the supervisor to which the user is assigned when this assignment runs.

Type: varchar

Length: 64

Type

Description: The assignment type.

Valid values are as follows:

- P (Reporting)
- S (Associated)

Type: varchar

Length: 80

SwitchPort view

SwitchPort view lists phone ports and switch configuration information.

Field descriptions

This section describes the fields for the SwitchPort view.

Acquire

Description: Shows whether a request exists to acquire or remove the route.

Type: char

Length: 1

Name

Description: The PABX port name of the phone at which the agent is logged on, as received from the PABX.

Type: varchar

Length: 30

PortAddress

Description: The PABX port address of the phone at which the agent logged on, as received from the PABX.

Type: varchar

Length: 30

PositionID

Description: Avaya Communication Server 1000 PABX only. A unique identifier for the agent's position ID, as received from the PABX.

Type: int

Length: 4

Status

Description: The status of the phone.

Type: varchar

Length: 80

SwitchID

Description: The PABX ID of the phone at which the agent logged on, which is received from the PABX.

Type: int

Length: 4

Type

Description: The phone type.

Type: varchar

Length: 80

TargetSwitchComm view

NSBR option only. The TargetSwitchComm view lists the parameters configured for each destination site in the network. These parameters are defined on the Site Parameters dialog box.

Field descriptions

This section describes the fields for the TargetSwitchComm view.

AgentReserveTimer

Description: The amount of time an agent at this site is reserved for an NSBR call.

Type: int

Length: 4

DialableDN

Description: The number your PABX dials to connect to the destination site.

Type: varchar

Length: 32

LandingPadOptions

Description: Options for landing pad configuration.

Valid Values are 0 to 7.

- 0 MCDN, CDN, and DNIS are disabled.
- 1 MCDN and CDN are disabled. DNIS is enabled.
- 2 MCDN and DNIS are disabled. CDN is enabled.
- 3 MCDN is disabled. CDN and DNIS are enabled.
- 4 MCDN is enabled. CDN and DNIS are disabled.
- 5 MCDN and DNIS are enabled. CDN is disabled.
- 6 MCDN and CDN are enabled. DNIS is disabled.
- 6 MCDN, CDN, and DNIS are enabled.

Type: int

Length: 1

MultiMediaNetworkURI

Description: The uniform resource identifier for the multimedia network.

Type: varchar

Length: 255

NumRetries

Description: The number of times your PABX attempts to connect to the destination site, if a connection attempt is unsuccessful.

Type: smallint

Length: 2

RetryTimer

Description: The time that elapses between retry attempts.

Type: int

Length: 4

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. You can use the SiteID in custom reports to identify statistics applicable to this site.

This field contains the actual local SiteID value.

Type: int

Length: 4

SiteName

Description: The name of the Contact Center Manager site, as assigned during installation.

Type: varchar

Length: 30

Treatment View

This is an internal view showing the system-defined call treatments.

Field descriptions

This section describes the fields for the Treatment view.

Description

Description: Description of the "Treatment".

Type: varchar

Length: 50

Treatment

Description: A system-defined call treatment. For example, Give_Music.

Type: varchar

Length: 50

Treatment ID

Description: A system-defined Treatment ID.

Type: int

Length: 10

URIByAgent View

The view lists Voice, IM, and CTI URI assigned to an agent.

Field descriptions

This section describes the fields for the URIByAgent view.

URI

Description: A comma separated list of Voice, IM, and CTI URIs, where each URI is shown as Contact Type: URI. For example:

Voice: <URI>, IM: <URI>

Type: varchar

Length: 4096

UserID

Description: A unique number assigned by the server to identify the newly added agent.

Type: varchar

Length: 32

URIExceptions

This view stores duplicate URI values found for migrated Agent, CDN, and DNIS records.

Field descriptions

This section describes the fields for the URIExceptions view.

URI

Description: The URI that is found to be a duplicate or assigned to multiple entities, for example assigned to more than one of Agent, CDN or DNIS.

Type: %Library.String

Length: 255

URIException

Description: The column that stores the entity that this URI is assigned to, for example Agent, CDN, or DNIS.

Type: varchar

Length: 4096

Example

The following example shows that the same URI is assigned to both an agent and a CDN.

URI	URIException
sip:4011@wae.avaya	Agent: Agent1 AOSCC021,CDN: 4011
sip:4012@wae.avaya	Agent: Agent2 AOSCC021,CDN: 4012
sip:4013@wae.avaya	Agent: Agent3 AOSCC021,CDN: 4013
sip:4014@wae.avaya	Agent: Agent4 AOSCC021,CDN: 4014

UserTemplate view

The UserTemplate view lists the agent call presentation classes and the properties.

Field descriptions

This section describes the fields for the UserTemplate view.

AlternateCallAnswer

Description: Avaya Communication Server 1000 PABX only. Shows whether the agent can place a DN call on hold to answer an incoming call. This option is defined for the call presentation class to which the agent belongs.

Type: char

Length: 1

CallForceOption

Description: Avaya Communication Server 1000 PABX only. Shows whether the call force option is enabled for the call presentation class to which this agent belongs.

Type: char

Length: 1

CallForceDelayTimer

Description: Avaya Communication Server 1000 PABX only. The time that elapses before a call is automatically presented to an agent. This option is defined for the call presentation class to which the agent belongs.

Type: int

Length: 4

PromptOnAnswer

Description: Avaya Aura® Media Server MSML Zip Tone configuration setting.

Type: varchar

Length: 80

Possible values: None, ZIP_Tone, or Whisper_Skillset

PromptOnAnswerSilenceTimer

Description: Silence timer for Call Force Answer, when promptOnAnswer is enabled.

Type: smallint

Length: 2

Possible values: 0 to 5

ReturnToQueueMode

Description: The mode of the agent's phone after returning a call to the queue.

Type: varchar

Length: 80

ReturnToQueueOnNoAnswer

Description: Shows whether unanswered calls return to the queue.

Type: char

Length: 1

ReturnToQueueWaitInterval

Description: The time before an unanswered call returns to the queue.

Type: smallint

Length: 2

TelsetShowReserve

Description: NSBR option only. Shows whether an agent's phone can show that the agent is reserved for an NSBR call.

Type: char

Length: 1

Template

Description: The name of the call presentation class.

Type: varchar

Length: 30

TemplateID

Description: A unique number assigned by the server to identify the call presentation class when the call presentation class is added.

Type: int

Length: 4

UnionBreakTimer

Description: The length of the break period between calls. This option is defined for the call presentation class to which the agent belongs.

Type: smallint

Length: 2

UserThresholdTemplate view

The UserThresholdTemplate view lists the agent threshold classes and the properties.

Field descriptions

This section describes the fields for the UserTemplate view.

FieldID

Description: A unique number assigned by the server to identify the field when you define a threshold value for the field.

Type: int

Length: 4

Level1

Description: The low end of the normal range for the field.

Type: int

Length: 4

Level2

Description: The high end of the normal range for the field.

Type: int

Length: 4

Name

Description: The name of the agent threshold class.

Type: varchar

Length: 30

ThresholdTemplateID

Description: A unique number assigned by the server to identify the threshold class when the threshold class is added.

Type: int

Length: 4

UserValidationReport

The database view returns the configured agents or supervisors that have anomalies in the data configuration (partial agents). The returned results are from the last 24 hours of agent validation audit runs. A user can create a RCW Advanced report or an external report with this view.

Purpose of the view:

When Contact Center reports the windows event: 64141, the Contact Center CCMS administrator can create and run a RCW advanced report or an external report using the view.

The Contact Center windows application event 64141 is an error alerting the CCMS administrator about agent validation errors found on the configured agent/supervisor:

```
Agent Validation found errors on the agent records. 2013-08-16 05:00:00  
Impact: AACC may not process contacts/display real time reporting correctly.  
Action: Run RCW/CCMA report using view dbo.UserValidationStatus & run Agent  
Configuration Validation Tool to fix affected agent data.
```

Field descriptions

This section describes the fields for the UserValidationReport view.

InvalidCode

Description: The description of anomaly reported on the Agent/Supervisor record in the database. For example,

Unknown

ContactTypesByAgent: Agent not in NIUser

URIByAgent: Agent URI assigned to CDN

SupervisorAgent: Agent not in NIUser

SupervisorAgent: Supervisor not in NIUser

SupervisorAgent: Supervisor Invalid Type
SupervisorAgent: Agent Has multiple Supervisors
NIUser: UserID not in NBUser
NIUser: UserType Invalid
NIUser: Agent not in SkillsetByAgent
NIUser: Agent not in UriByAgent
ContactTypesByAgent: ContactType not in NIKontaktTypes
NIUser: Agent not in SupervisorAgent
NIUser: Agent not in ContactTypesByAgent
NIUser: Supervisor Has Skillsets
NIUser: Supervisor Has ContactTypes
NIUser: TelsetLoginID Invalid
NIUser: TelsetLoginID Assigned multiple agents
NIUser: LocalUserID Invalid
NIUser: LocalUserID Assigned multiple agents
NBUser: UserID Not Agent, Supervisor or Desktop User
NBUser: Invalid First Name
ConactTypesByAgent: Has deleted ContactType
NBUser: Invalid Last Name
PCUserUser: UserID not in NBUser
GroupUserMapping: UserID not in NBUser
AgentByTaskFlow: UserID not in NIUser
AgentByTaskFlowVariable: UserID not in NIUser
SkillsetByAgent: Agent not in NIUser
SkillsetByAgent: Skillset not in NISkillset
SkillsetByAgent: Has deleted Skillset
URIByAgent: UserID not in NIUser
URIByAgent: Has Duplicate URI
URIByAgent: URI Type is invalid
Type: %Library.String
Length: 80

IsSupervisor

Description: Is the configured user a supervisor?

Type: varchar

Length: 255

LocalUserID

Description: An internal ID maintained for agent/supervisor.

Type: %Library.Integer

Length: 4

sTimeStamp

Description: The reported timestamp of the anomalies.

Type: %Library.TimeStamp

Length: 16

TelsetLoginID

Description: The Agent/Supervisor phone set Login ID.

Type: %Library.String

Length: 16

UserGivenName

Description: The first name of the Agent/Supervisor.

Type: %Library.String

Length: 64

UserID

Description: The internal agent identifier.

Type: util.DSFBinaryString

Length: 32

UserSurName

Description: The last name of the Agent/Supervisor.

Type: %Library.String

Length: 64

UserType

Description: The type of user. For example, Agent, Supervisor, Supervisor/Agent, Expert, and Supervisor/Expert.

Type: %Library.String

Length: 80

UserValidationStatus

The database view returns the configured agents or supervisors that have anomalies in the agent data configuration (partial agents). The returned results are from the last interval run; audits run automatically for two intervals each day at 11:00 AM and 11:00 PM.

A user can create a RCW Advanced report or an external report with this view.

Purpose of the view:

When Contact Center reports the windows event: 64141, the Contact Center CCMS administrator can create and run a RCW advanced report or an external report using the view.

The Contact Center windows application event 64141 is an error alerting the CCMS administrator about agent validation errors found on the configured agent/supervisor:

```
Agent Validation found errors on the agent records. 2013-08-16 05:00:00
Impact: AACC may not process contacts/display real time reporting correctly.
Action: Run RCW/CCMA report using view dbo.UserValidationStatus & run Agent
Configuration Validation Tool to fix affected agent data.
```

Field descriptions

This section describes the fields for the UserValidationStatus view.

InvalidCode

Description: The description of anomaly reported on the Agent/Supervisor record in the database. For example,

Unknown

ContactTypesByAgent: Agent not in NIUser

URIByAgent: Agent URI assigned to CDN

SupervisorAgent: Agent not in NIUser

SupervisorAgent: Supervisor not in NIUser

SupervisorAgent: Supervisor Invalid Type

SupervisorAgent: Agent Has multiple Supervisors

NIUser: UserID not in NBUser

Configuration views

NIUser: UserType Invalid
NIUser: Agent not in SkillsetByAgent
NIUser: Agent not in UriByAgent
ContactTypesByAgent: ContactType not in NISContactTypes
NIUser: Agent not in SupervisorAgent
NIUser: Agent not in ContactTypesByAgent
NIUser: Supervisor Has Skillsets
NIUser: Supervisor Has ContactTypes
NIUser: TelsetLoginID Invalid
NIUser: TelsetLoginID Assigned multiple agents
NIUser: LocalUserID Invalid
NIUser: LocalUserID Assigned multiple agents
NBUser: UserID Not Agent, Supervisor or Desktop User
NBUser: Invalid First Name
ContactTypesByAgent: Has deleted ContactType
NBUser: Invalid Last Name
PCUserUser: UserID not in NBUser
GroupUserMapping: UserID not in NBUser
AgentByTaskFlow: UserID not in NIUser
AgentByTaskFlowVariable: UserID not in NIUser
SkillsetByAgent: Agent not in NIUser
SkillsetByAgent: Skillset not in NISkillset
SkillsetByAgent: Has deleted Skillset
URIByAgent: UserID not in NIUser
URIByAgent: Has Duplicate URI
URIByAgent: URI Type is invalid
Type: %Library.String
Length: 80

IsSupervisor

Description: Is the configured user a supervisor?

Type: varchar

Length: 255

LocalUserID

Description: An internal ID maintained for agent/supervisor.

Type: %Library.Integer

Length: 4

sTimeStamp

Description: The last reported timestamp of the anomalies.

Type: %Library.TimeStamp

Length: 16

TelsetLoginID

Description: The Agent/Supervisor phone set Login ID.

Type: %Library.String

Length: 16

UserGivenName

Description: The first name of the Agent/Supervisor.

Type: %Library.String

Length: 64

UserID

Description: The internal agent identifier.

Type: util.DSFBinaryString

Length: 32

UserSurName

Description: The last name of the Agent/Supervisor.

Type: %Library.String

Length: 64

UserType

Description: The type of user. For example, Agent, Supervisor, Supervisor/Agent, Expert, and Supervisor/Expert.

Type: %Library.String

Length: 80

Views view

The View view lists all of the database views available in the Contact Center Manager database.

Field descriptions

This section describes the fields for the Views view.

ColumnName

Description: The name of a field in the view. This name is not necessarily the same as the field label printed on the report.

Type: varchar

Length: 30

Length

Description: The length of the field, in number of characters.

Type: tinyint

Length: 1

Name

Description: The name of the view.

Type: varchar

Length: 30

Type

Description: The field type.

Type: varchar

Length: 30

Part 2: Contact Center Network Control Center Data dictionary

- [Overview of NCC](#) on page 322
- [Summarized Historical statistics](#) on page 326
- [Event statistics](#) on page 376

Chapter 10: Overview of NCC

The Contact Center Manager database is an open database. You can access the data in this database with any SQL- or ODBC-compliant application. You can use the data to perform the following activities:

- Import data into a spreadsheet for manipulation.
- Import data into your corporate database.
- Develop custom reports using Report Creation Wizard, Microsoft SQL Server Report Builder, or another reporting application.

This section describes the data that is available to you.

Types of data

Contact Center Manager Network Control Center Data Dictionary has two types of data:

- Summarized historical statistics: Statistics accumulated over a period of time (15-minute interval, daily, weekly, or monthly).
- Event statistics: Statistics that report each occurrence of an event.

Virtual Statistics

Virtual statistics show the actual number of contacts offered to the contact center, or abandoned while queuing in the contact center.

Depending on the routing in the Contact Center, a contact can be offered to multiple skillsets. As a result, a single contact can show up as offered or abandoned multiple times when you consolidate skillset statistics for multiple skillsets. Virtual statistics counter this by pegging an offered or abandoned call against just one skillset.

For example, a flow application routes a call to multiple skillsets. Before an agent answers the voice contact, the caller hangs up. In this case, both the CallsOffered and CallsAbandoned statistics increment on all the skillsets to which the contact was queued. However, the VirtualCallsOffered and VirtualCallsAbandoned increment only on the first skillset to which the contact was queued. Therefore the virtual statistics show the true number of contacts offered and abandoned, where a consolidated skillset report shows an artificially large number.

In a networked contact center using Network Skill Based Routing (NSBR), standard statistics increment both on the originating node skillset and the networked skillset. Virtual statistics identify where a voice contact is abandoned or offered. A voice contact that is abandoned increments the virtual statistics VirtualCallsAbandoned and VirtualCallsOffered only on the originating node skillset. A voice contact that is answered increments VirtualCallsOffered on the site on which an agent answers it.

Statistical field types

The following table describes the field types in the statistics descriptions for Contact Center Manager Network Control Center Data Dictionary.

Field type	Description	Value range	Length
binary	Binary data	not available	16 bytes
char	Fixed character length	not available	n bytes
datetime	Timestamp	Jan 1, 1753 to Dec 31, 9999	8 bytes
float	Integer		8 bytes
int	Integer	-2 147 483 648 to 2 147 483 648	4 bytes
numeric	—	0 to 999 999 999 999	6 bytes
smalldatetime	—	Jan 1, 2900 to June 6, 2079	4 bytes
smallint	—	-32 768 to 32 767	2 bytes
tinyint	—	0 to 255	1 byte
varbinary	Variable length binary data	Not applicable	n bytes, data dependent
varchar	Variable length character	Not applicable	n bytes, data dependent

Resource usage

When you generate reports or export data from the database, you use system resources, including server CPU and LAN bandwidth.

Generate large reports or export large amounts of data off-peak times. If you use the Standby Server feature, the system generates reports with data from the replicated database on the standby server. Using the standby server avoids the use of additional CPU resources on the primary Contact Center Manager Server. For more information, see [Contact Center database](#) on page 28.

Default applications

Five default applications ship with Contact Center Manager: Master_Script, Network_Script, ACD-DN, NACD-DN, and System. In some views, activity code statistics peg against these default applications.

Application	Description
Master_Script Application	Contact Center Manager Server controlled calls enter the Master_Script Application, which transfers call to a Primary application.
Network_Script Application	Contact Center Manager Server presented calls from an internal network of Contact Center Manager Servers. Although all incoming network calls peg against the Network_Script Application, the Network_Script Application runs for all incoming network calls. The network script runs for error conditions, for example, if a reserved agent does not handle call. However, all network in calls that the reserved agent handles (nonerror condition) peg against the network application. At the destination site, all delays and events peg against the Network_Script Application regardless of where the Network script is run. At the source site, delays and events that occur on the target site peg against the Master_Script Application or Primary_Script Application, whichever is appropriate.
ACD-DN Application	Presented calls to a Contact Center Manager Server agent through an ACD-DN (default calls).
NACD-DN Application	Presented NACD calls to a Contact Center Manager Server through ACD-DN
System Application	Null application to peg information such as All Agent Busy time if more than one application queues calls to a skillset.

Access right by view

The following tables lists the access rights needed to run reports, depending on which view you access. The sysadmin account has all access rights.

Historical reports

The following table lists the required access rights to run historical reports.

View	Item	Level of access
AppConStat	Reports-Other	Create and run any report.
CDNConstat	Reports-Other	Create and run any report.
DNISConStat	Reports-Other	Create and run any report.
NetINCallConStat	Reports-Other	Create and run any report.

Table continues...

View	Item	Level of access
NetOutConStat	Reports-Other	Create and run any report.
SkillsetConStat	Reports-Other	Create and run any report.

Run these reports run from the Network Control Center server.

You must configure users with these permissions on the Network Control Center server and all Contact Center Manager Servers associated with the Network Control Center server.

User permissions for the views in the table apply to Contact Center Manager Server. If the Network Control Center server has a Contact Center server, the users do not possess adequate permissions to retrieve data from these views.

Event reports

The following table lists the required access rights to run event reports.

View	Item	Level of access
eNetCallByCallStat	Reports-CallByCall	Create and run any report.

Chapter 11: Summarized Historical statistics

Summarized historical statistics accumulate over a period of time (15-minute interval, daily, weekly, or monthly). For example, summarized historical statistics can tell you the number of calls answered during a 15-minute interval.

These statistics are used in standard and user-defined reports. You can include these statistics in your Report Creation Wizard-created and user-created reports.

Types of statistics collected

When you configure the Historical Statistics Collection, you can choose to collect statistics in each of the following statistics groups:

- application statistics
- CDN and Route Point statistics
- DNIS statistics
- network incoming call statistics (NSBR option)
- network outgoing call statistics (NSBR option)
- skillset statistics

You can enable or disable data collection for a group while the system runs. The number and type of statistics you choose to collect affects the amount of disk space required for the database.

Storage duration

When you configure the Historical Statistics Collection, you can choose the length of time to store various statistic types. The duration you choose determines the amount of disk space required for the database.

Types of views

Summarized historical statistics are available in interval, daily, weekly, and monthly views.

Interval views

The server accumulates interval statistics for 15 minutes. The statistics accumulate in the server RAM until the end of the interval. The server then creates a new record in the database for each entity (or combination of entities). The new record contains the summarized statistics for that entity for that interval. (The statistics collected depend on the type of entity.) The Timestamp field of the new record is in the format YYYY/MM/DD HH:MM:00:00; MM is 00, 15, 30, or 45.

For example, to record agent by skillset statistics, the server creates a record for each skillset for which an agent answered calls during the interval just ended.

Important:

Interval statistics are not available until after the interval ends. If you shut down the server without properly shutting down the Contact Center Manager services, data for the current interval is lost.

Interval views begin with the prefix i.

Daily views

Immediately after the end of the business day (after 12:00 midnight), the server sums all interval records for the day, and creates corresponding daily records. The Timestamp field of the daily records is in the format YYYY/MM/ DD 00:00:00:00.

Current day statistics are not available until the beginning of the next day (after 12:00 midnight). Daily views begin with the prefix d.

Weekly views

After the end of the first day of the week (after 12:00 midnight), the server creates weekly records that contain each daily total. After the end of each subsequent day in the week, the server adds the day total to the fields in the weekly records. The Timestamp field of the weekly records is in the format YYYY/MM/DD 00:00:00:00; DD is the first day of the week.

Weekly statistics are not available until the beginning of the next week. You can configure the first day of the week in the Historical Statistics Configuration.

Weekly views begin with the prefix w.

Monthly views

Immediately after the end of the first day of the month (after 12:00 midnight), the server creates monthly records that contain each daily total. After the end of each subsequent day in the month, the server adds the day total to the fields in the monthly record. The Timestamp field of the monthly records is in the format YYYY/MM/DD 00:00:00:00; DD is 01.

Monthly statistics are not available until after 12:00 midnight of the first day in the next month.

Monthly views begin with the prefix m.

When statistics are accumulated

The following table shows the time period in which the various statistics types accumulate and are available for reporting.

Type	When accumulated
Interval	Every 15 minutes
Daily	Immediately after the end of the day (after 12:00 midnight)
Weekly	Immediately after the end of the week (after 12:00 midnight on the first day of the next business week)
Monthly	Immediately after the end of the month (after 12:00 midnight on the first day of the next month)

ApplicationConStat views

Application statistics provide summarized performance data for each application. The servers collect and report application statistics to give contact center managers specific details about contact types, callers, or conditions. You can use these statistics to monitor the contribution of an application to the operation of a contact center. Statistics peg against an application only for those intervals in which a contact arrives for that application. Except for DNOExtCallsTalkTime and DNOIntCallsTalkTime, these statistics do not include DN calls

Definition of application: An application is a logical entity that represents a script for reporting. The Master script and each script it references (that is, each primary script) has an application with a name that is the same as the script name.

Configure the servers to collect application statistics. Statistics are collected for all applications; you cannot configure the system to collect statistics for selected applications.

Pegging

Incoming NSBR contacts peg against the Network_Script application.

ACD and NACD calls: Contact Center Manager becomes aware of ACD and NACD calls only when they are answered. After answer, ACD calls peg against the ACD_DN_Application, and NACD calls against the NACD_DN_Application.

Contact Center Manager does not have access to abandoned events and delay statistics for ACD and NACD calls; therefore, these statistics are not applicable to ACD_DN and NACD_DN applications.

ACD and NACD calls are not applicable to the SIP-enabled contact center.

Pegging thresholds: You can define application threshold classes with different values for the service level threshold and short call length. Thus, the value for service level and short call length can vary from one application to another.

CDN Terminated calls: CDN Terminated calls map to AppConStat views by giving the number of local and incoming network CDN calls that:

- Terminate with one of the following treatments—Give Busy, Give Overflow, Disconnect, Route Call, or Default.
- Reach a Non-ISDN trunk during routing to a remote site (Networking Feature).
- Transfer in an IVR session (IVR Feature).
- Network out through an NACD queue (not applicable for incoming network calls) (NACD Feature).

Only calls that receive termination treatment initiated by Contact Center Manager but not by the PABX are recorded.

Non-ISDN trunks and call information: If a voice call encounters a non-ISDN trunk during networking to another Contact Center Manager site, the call information that normally travels with the call does not reach the destination site. This means that the destination site cannot identify those calls that originate within the Contact Center Manager network. At the destination site, the NSBR call is treated as a new call. At the source site, the NSBR call is treated as terminated.

Universal Networking does not rely on ISDN trunking to pass the call information to the destination site. If a Universal Networking call encounters a non-ISDN trunk, the NSBR call arrives at the target node and the system treats in as an incoming networked call.

A SIP-enabled contact center does not differentiate between ISDN and non-ISDN trunks. The system pegs all calls as non-ISDN calls.

Database views

Application statistics use the following views:

- iAppConStat
- dAppConStat
- wAppConStat
- mAppConStat

These database views apply to the NCC. For a CCMS node, the proper views are the ApplicationStat views.

Field descriptions

The field descriptions for the ApplicationConStat views are described in this section.

AbdDelay2, AbdDelay4, AbdDelay6,... AbdDelay60 AbdDelay70, AbdDelay80, AbdDelay90,... AbdDelay300, AbdDelay360, AbdDelay420, AbdDelay480, AbdDelay540, AbdDelay600 AbdDelayBeyond

Description: An array of fields divided into incremental periods of time. Each field contains the number of contacts—excluding DN calls, ACD, and NACD calls—that are abandoned after waiting for a period less than or equal to the number of seconds specified, and greater than the number specified in the next lower range.

The delay time includes time that the caller spends going through menus and listening to announcements in this application.

Pegging: For local contacts and outgoing NSBR contacts, delays begin when the Master_Script hands off the contact to a primary application. For incoming NSBR contacts, delays begin when the contact logically queues to this site. Delays end when the caller disconnects.

Type: int

Length: 4

AnsDelay2, AnsDelay4, AnsDelay6,...AnsDelay60, AnsDelay70, AnsDelay80, AnsDelay90,...AnsDelay300, AnsDelay360, AnsDelay420, AnsDelay480, AnsDelay540, AnsDelay600, AnsDelayBeyond

Description: An array of fields divided into incremental periods of time. Each field contains the number of contacts—excluding DN calls, ACD, and NACD calls—that are answered after waiting for a period less than or equal to the number of seconds specified, and greater than the number specified in the next lower range.

For voice calls, the delay time includes time that the caller spends going through menus and listening to announcements in this application.

Pegging: For local contacts and outgoing NSBR contacts, delays begin when the Master_Script hands off the contact to a primary application. For incoming NSBR contacts, delays begin when the contact logically queues to this site. Delays end when the call is answered or contact is accepted.

Type: int

Length: 4

Application

Description: The name of the application.

Type: varchar

Length: 30

ApplicationID

Description: A unique number assigned by the server to identify an application when the application is defined. This field is used to link tables in data queries.

Pegging: This statistic pegs when a caller disconnects while still in queue or receiving treatment. This statistic includes calls that receive the Give IVR treatment and are presented with a messaging system voice menu, if the menu commands are programmed with EM (to go to a mailbox).

Type: int

Length: 4

CallsAbandonedAftThreshold

Description: The number of contacts—excluding DN calls, ACD, and NACD calls—abandoned for this application after a wait greater than or equal to the service level threshold for the threshold class to which the application belongs.

Triggers: For local contacts and outgoing NSBR contacts, delays begin when the Master_Script hands off the contact to a primary application. For incoming NSBR contacts, delays begin when the contact logically queues to this site. Delays end when the caller disconnects.

Type: int

Length: 4

CallsAbandonedDelay

Description: The wait time experienced by all contacts—excluding DN calls, ACD, and NACD calls—that are abandoned by callers. The delay time includes time that the caller spends reviewing menus and listening to announcements in this application. DNIS delay times include up front menu time. Application delay times do not.

Triggers: For local contacts and outgoing NSBR contacts, delays begin when the Master_Script hands off the contact to a primary application. For incoming NSBR contacts, delays begin when the contact logically queues to this site. Delays end when the caller disconnects.

Database view	Type	Length
iAppConStat	int	4
dAppConStat	int	4
wAppConStat	numeric	6
mAppConStat	numeric	6

CallsAnswered

Description: The number of contacts, excluding DN calls, answered or accepted for this application.

Pegging: Voice calls peg upon answer. Multimedia contacts peg upon acceptance. ACD calls peg against the ACD_DN_Application, and NACD calls against the NACD_DN_Application.

Type: int

Length: 4

CallsAnsweredAftThreshold

Description: The number of contacts—excluding DN calls, ACD and NACD calls—answered or accepted after a wait greater than or equal to the service level threshold for the threshold class to which the application belongs.

Triggers: For local and outgoing NSBR contacts, delays begin when the Master_Script hands off the contact to a primary application. For incoming NSBR voice contacts, delays begin when the

contact logically queues to this site. Delays end when the contact is answered or the contact is accepted.

Type: int

Length: 4

CallsAnsweredDelay

Description: The wait time experienced by all contacts—excluding DN calls, ACD and NACD calls—answered or accepted for this application. This statistic includes Contact Center Multimedia Web Communication and text chat contacts presented to the agent even if the customer abandons the contact.

Triggers: For local and outgoing NSBR contacts, delays begin when the Master_Script hands off the contact to a primary application. For incoming NSBR contacts, delays begin when the contact logically queues to this site. Delays end when the contact is answered or the contact is accepted.

Database view	Type	Length
iAppConStat	int	4
dAppConStat	int	4
wAppConStat	numeric	6
mAppConStat	numeric	6

CallsAnsweredDelayAtSkillset

Description: The total wait time experienced in the skillset queue by all contacts answered or accepted for this application.

Triggers: Delays begin when the contact queues against the first skillset and end when the contact is answered.

Database view	Type	Length
iAppConStat	int	4
dAppConStat	int	4
wAppConStat	numeric	6
mAppConStat	numeric	6

CallsConferencedIn

Description: The number of local Contact Center Manager calls, SIP calls, and incoming NSBR calls conferenced to this application.

Type: int

Length: 4

CallsConferencedOut

Description: The number of local Contact Center Manager calls, SIP calls, incoming NSBR calls, ACD calls, and NACD calls conferenced from this application.

Type: int

Length: 4

CallsGivenBroadcast

Description: Avaya Communication Server 1000 PABX only. The number of local Contact Center Manager calls, SIP calls, and incoming NSBR calls given broadcast treatment for this application. Broadcast is not applicable for SIP-enabled contact center.

Pegging: This statistic pegs when the Give Controlled Broadcast Announcement script command runs.

Restriction: The count is not increased if the same call receives this treatment more than once.

Type: int

Length: 4

CallsGivenDefault

Description: The number of local Contact Center Manager contacts, SIP calls, multimedia contacts, and incoming NSBR contacts given default treatment as the result of an error condition.

This statistic does not include calls given default treatment by the PABX. Contact Center Manager is unaware of these calls.

Pegging: Contacts receive default treatment under the following conditions:

- The script fails or end of script is reached before controlling treatment is given to the contact.
- A QUIT command or end of script is reached and the contact is not queued or routed.
- The script contains illegal first statements.
- An error condition occurred from which the script executor cannot recover.
- Contact Center Manager Server is down.
- All agents log off skillsets to which a call queues, or all skillsets are placed out of service and a QUIT command or end of script is reached.
- All skillsets to which the script queues a new call are out of service.

Type: int

Length: 4

CallsGivenForceBusy

Description: The number of local Contact Center Manager calls and SIP calls given Force Busy treatment for this application.

Pegging: This statistic pegs when the Give Busy script command runs.

Type: int

Length: 4

CallsGivenForceDisconnect

Description: The number of local Contact Center Manager calls SIP calls, and multimedia contacts and incoming NSBR calls given Force Disconnect treatment for this application. This statistic also includes Contact Center Outbound contacts that are removed from the system when an outbound campaign ends.

Pegging: This statistic pegs when the Disconnect script command runs.

Type: int

Length: 4

CallsGivenForceOverflow

Description: The number of local Contact Center Manager calls and SIP calls that receive Force Overflow treatment for this application.

Pegging: This statistic pegs when the Give Overflow script command runs.

Type: int

Length: 4

CallsGivenHostLookup

Description: The number of local contacts and incoming NSBR contacts for which data is obtained from a remote host through Host Data Exchange (HDX) for this application.

Pegging: This statistic pegs when the Send Request script command runs.

Restriction: The count is not increased if the same contact receives this treatment more than once.

Type: int

Length: 4

CallsGivenIVR

Description: The number of local Contact Center Manager calls, SIP voice calls, and incoming NSBR calls given music treatment through a music route for this application.

Pegging: This statistic pegs when the Give IVR script command runs.

Restriction: The count is not increased if the same call receives this treatment more than once.

Type: int

Length: 4

CallsGivenMusic

Description: The number of local Contact Center Manager calls, SIP voice calls, and incoming NSBR calls given music treatment through a music route for this application.

Pegging: This statistic pegs when the Give Music script command runs.

Restriction: The count is not increased if the same call receives this treatment more than once.

Type: int

Length: 4

CallsGivenNACD

Description: Avaya Communication Server 1000 PABX only. The number of local Contact Center Manager calls given Network ACD (NACD) treatment. This treatment sends calls to a PABX that does not use the Contact Center Manager NSBR feature.

NACD is not applicable in SIP-enabled contact center.

Pegging: This statistic pegs when the Queue To NACD script command runs.

Restriction: The count is not increased if the same call receives this treatment more than once.

Type: int

Length: 4

CallsGivenRAN

Description: The number of local Contact Center Manager calls, SIP calls, and incoming NSBR calls given recorded announcement (RAN) treatment for this application.

Pegging: This statistic pegs when the Give RAN script command runs.

Restriction: The count is not increased if the same call receives this treatment more than once.

Type: int

Length: 4

CallsGivenRouteTo

Description: The number of local Contact Center Manager calls, SIP calls, and incoming NSBR calls given Route Call treatment for this application.

Pegging: This statistic pegs when the Route Call script command runs.

Type: int

Length: 4

CallsNACDOut

Description: Avaya Communication Server 1000 PABX only. The number of local Contact Center Manager calls networked out through an NACD queue and answered at remote PABXs. NACD is used to send calls to a PABX that does not use the Contact Center Manager NSBR feature.

NACD is not applicable in SIP-enabled contact center.

Pegging: This statistic pegs when a call is routed to the NACD-DN.

Type: int

Length: 4

CallsOffered

Description: The number of local contacts, incoming NSBR contacts, ACD calls, and NACD calls offered to this application.

Pegging: Local Contact Center Manager contacts peg against the Master_Script application upon arrival, and against a primary application when the Master_Script application hands over control. ACD and NACD calls peg when the call is answered. After answer, ACD calls peg against the ACD_DN_Application and NACD calls against the NACD_DN_Application.

This statistic includes calls that receive the Give IVR treatment and are presented with a messaging system voice menu, if the menu commands are programmed with either CL (to go to a mailbox through a DN) or Call Answering (to go to a mailbox).

Type: int

Length: 4

CallsTransferredIn

Description: Avaya Communication Server 1000 PABX only. The number of local and incoming NSBR contacts transferred to this application.

This statistic does not include Contact Center Multimedia contacts transferred to an agent or skillset.

Pegging: This statistic pegs as soon as the transfer is initiated, regardless of whether the transfer is completed.

Type: int

Length: 4

CallsTransferredOut

Description: The number of local contacts, incoming NSBR contacts, ACD calls, and NACD calls transferred out of this application.

This statistic does not include Contact Center Multimedia contacts that are transferred out of this application.

Pegging: This statistic pegs when the transfer is completed. If the agent stops the transfer before it is complete, this statistic does not peg.

Type: int

Length: 4

ContactType

Description: The type of contact determined by the name of this application. This applies to SIP-enabled contact centers, if Contact Center Multimedia, or Contact Center Outbound is installed and this application name begins with one of the configured prefixes.

For example, if the application is named EM_application, ContactType pegs as email. If the application does not have a prefix, ContactType pegs as voice.

Type: varchar

Length: 30

DNOutExtCallsTalkTime

Description: Avaya Communication Server 1000 PABX only. The total time spent by agents on outgoing external DN calls, including hold time, for this application. This statistic does not include the time spent on the DN outcall part of a Contact Center Outbound contact.

Triggers: DNOutExtCallsTalkTime begins when the call is answered and the agent's previous contact was handled by this application. Talk time ends when the caller disconnects or the agent releases the call.

Type: int

Length: 4

DNOutIntCallsTalkTime

Description: Avaya Communication Server 1000 PABX only. The total time spent by agents on outgoing internal DN calls, including hold time, for this application. This statistic does not include the time spent on the DN outcall part of a Contact Center Outbound contact.

Triggers: DNOutIntCallsTalkTime begins when the call is answered and the agent's previous contact was handled by this application. Talk time ends when the caller disconnects or the agent releases the call.

Type: int

Length: 4

IVRAbandoned

Description: The number of local Contact Center Manager calls and incoming NSBR calls abandoned during IVR treatment.

Type: int

Length: 4

IVRTerminated

Description: The number of local Contact Center Manager calls and incoming NSBR calls that received and completed the IVR treatment in this application. This statistic includes calls transferred by IVR.

Type: int

Length: 4

IVRTransferred

Description: The number of local Contact Center Manager calls and incoming NSBR calls transferred from an IVR session for this application.

IVRTransfer is not applicable in SIP-enabled contact center.

Type: int

Length: 4

MaxCallsAbandonedDelay

Description: The wait time experienced by the contact—excluding DN calls, ACD, and NACD calls—that waited the longest before the caller abandoned it.

Triggers: For local contacts and outgoing NSBR calls, delays begin when the Master_Script hands off the contact to a primary application. For incoming NSBR contacts, delays begin when the contact logically queues to this site. Delays end when the caller disconnects.

Type: int

Length: 4

MaxCallsAnsDelay

Description: The wait time experienced by the local contact, incoming NSBR contact, or outgoing NSBR contact—excluding DN calls, ACD and NACD calls—that waited the longest before the contact is answered or accepted.

Triggers: For local contacts and outgoing NSBR contacts, delays begin when the Master_Script hands off the contact to a primary application. For incoming NSBR contact, delays begin when the contact logically queues to this site. Delays end when the contact is answered or accepted.

Type: int

Length: 4

MaxCallsAnsDelayAtSkillset

Description: The wait time experienced by the contact that waited the longest in the skillset queue before the contact is answered or accepted.

Triggers: Delays begin when the contact queues against the first skillset and end when the contact is answered or accepted for this application.

Type: int

Length: 4

MaxNetOutCallsAbandonedDelay

Description: NSBR option only. The wait time experienced by the outgoing NSBR contact routed by this application that waited the longest before the contact is abandoned at the destination site.

The SIP-enabled contact center does not support networking features.

Triggers: Delays begin when the Master_Script hands off the contact to a primary application at the source site and end when the caller disconnects.

Type: int

Length: 4

MaxNetOutCallsAnsweredDelay

Description: NSBR option only. The wait time experienced by the outgoing NSBR contact routed by this application that waited the longest before the contact is answered or terminated at the destination site.

Triggers: Delays begin when the Master_Script hands off the contact to a primary application at the source site and end when the contact is answered or accepted by an agent, answered by IVR, or terminated at the destination site.

Type: int

Length: 4

NetOutCalls

Description: NSBR option only. The number of outgoing NSBR contacts successfully routed by this application to another site. This statistic includes contacts answered (or accepted) or abandoned at the destination site, as well as calls terminating on non-ISDN trunks and calls blocked by an all trunks busy condition.

The SIP-enabled contact center does not support networking features.

Type: int

Length: 4

NetOutCallsAbandoned

Description: NSBR option only. The number of outgoing NSBR contacts, excluding Contact Center Multimedia contacts, sent by this application and abandoned at the destination sites.

The SIP-enabled contact center does not support networking features.

Type: int

Length: 4

NetOutCallsAbandonedDelay

Description: NSBR option only. The total time delay experienced by outgoing NSBR contacts sent by this application and abandoned at the destination sites.

The SIP-enabled contact center does not support networking features.

Triggers: Delays begin when the Master_Script hands off the contact to a primary application at the source site and end when the caller disconnects. The delay time includes time that the caller spends going through menus and listening to announcements in this application.

The following table lists the database views.

Database view	Type	Length
iAppConStat	int	4
dAppConStat	int	4
wAppConStat	numeric	6
mAppConStat	numeric	6

NetOutCallsAnswered

Description: NSBR option only. The number of outgoing NSBR contacts routed by this application and answered or accepted at the destination site.

This includes contacts that arrive at the destination site, but the reserved agent logs off or becomes unavailable, and the contact receives one of the following treatments:

- Disconnect
- Route
- Give Recorded announcement (RAN)
- Give IVR
- Give Music

The SIP-enabled contact center does not support networking features.

Pegging: This statistic pegs when an agent answers a contact, when IVR answers a contact, or when a contact terminates at the destination site.

Type: int

Length: 4

NetOutCallsAnsweredDelay

Description: NSBR option only. The total wait time experienced by all outgoing NSBR contacts routed by this application and answered or accepted at the destination site.

The SIP-enabled contact center does not support networking features.

Triggers: Delays begin when the Master_Script hands off the contact to a primary application at the source site and end when the contact is answered or accepted by an agent, answered by IVR, or terminated at the destination site.

The delay time includes time that the caller spends going through menus and listening to announcements in this application.

Database view	Type	Length
iAppConStat	int	4
dAppConStat	int	4
wAppConStat	numeric	6
mAppConStat	numeric	6

NetOutCallsReachNonISDN

Description: NSBR option only. The number of outgoing NSBR calls sent by this application that reached a non-ISDN trunk on the way to the destination.

The SIP-enabled contact center does not support networking features.

Type: int

Length: 4

PostCallProcessingTime

Description: This data is the total time agents spent performing post contact processing. Normally, agents use this time to complete work related to the contact, such as filling in forms or filing papers.

Triggers: Post call processing time begins when an agent enters the Not Ready state after releasing any contact, except DN calls, and does not enter a Not Ready reason code or enters an After Call Work Item (ACW) code. Post call processing time ends when an agent leaves this Not Ready state, places or receives a DN call, logs off, or enters a Not Ready reason code other than an ACW code.

Pegging: This statistic pegs against the last application for which the agent handled a contact.

Post Call Processing Time is calculated for the first Not Ready period after a contact closes. If the agent enters another state after the call (for example, by answering or receiving a DN call or logging out of the skillset), and then enters the Not Ready state, the Not Ready time does not peg against PostCallProcessingTime. Also, if the agent interrupts the Not Ready period to enter another state and then returns to the Not Ready state, the second Not Ready period does not peg against PostCallProcessingTime.

For Contact Center Multimedia contacts, PostCallProcessingTime does not include the time after replying to an email or disconnecting a Web Communication session, and closing the contact. The time between these two events can involve the agent setting closed reason codes or disposition codes, or adding agent notes to a contact. This time is recorded as TalkTime, not Post Call Processing time.

Type: int

Length: 4

Site

Description: The configured name of the Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. The SiteID can be used in custom reports to identify statistics applicable to this site.

Type: int

Length: 4

TalkTime

Description: The total time in this interval that agents spent handling contacts (excluding DN calls), that were handled by this application. This statistic includes hold time.

Triggers: The follow items trigger this statistic:

- For voice calls, talk time begins when the agent answers the call, and ends when the caller disconnects or the agent releases or transfers the call.
- For multimedia contacts, talk time begins when the agent accepts the contact and ends when the agent closes or transfers the contact.
- For Contact Center Outbound contacts, talk time begins when the agent accepts the contact, includes the time the agent is on the DN call, and ends when the agent releases the DN call and closes the contact.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 5

TimeBeforeDefault

Description: The total time spent in the system by local Contact Center Manager calls, SIP calls, and incoming NSBR calls that received default treatment for this application.

Pegging: For local Contact Center Manager calls, pegging begins when the Master_Script is initiated. For incoming NSBR calls, pegging begins when the contact queues to the site. Pegging ends when Give Overflow treatment is given.

Type: int

Length: 4

TimeBeforeForceBusy

Description: The total time spent in the system by local Contact Center Manager calls, SIP calls, and incoming NSBR calls that received Force Busy treatment for this application.

Pegging: For local Contact Center Manager calls, pegging begins when the Master_Script is initiated. For incoming NSBR calls, pegging begins when the contact queues to the site. Pegging ends when Give Busy treatment is given.

Type: int

Length: 4

TimeBeforeForceDisconnect

Description: The total time spent in the system by local Contact Center Manager calls, SIP calls, and incoming NSBR calls that receive Force Disconnect treatment for this application.

Pegging: For local Contact Center Manager calls, pegging begins when the Master_Script is initiated. For incoming NSBR calls, pegging begins when the contact queues to the site. Pegging ends when Give Disconnect treatment is given.

Type: int

Length: 4

TimeBeforeForceOverflow

Description: The total time spent in the system by local Contact Center Manager calls, SIP calls, and incoming NSBR calls that receive Force Overflow treatment for this application.

Pegging: For local Contact Center Manager calls, pegging begins when the Master_Script is initiated. For incoming NSBR calls, pegging begins when the contact queues to the site. Pegging ends when Give Overflow treatment is given.

Type: int

Length: 4

TimeBeforeInterflow

Description: The total amount of time that local contacts and outgoing NSBR contacts spent in the Master_Script application before the contact is passed to a primary application. For the Master_Script application, this is the total time spent in the Master_Script by all contacts. For primary applications, this is the total time spent in the Master_Script application by all contacts answered for the primary application.

Pegging: Pegging begins when the Master_Script is initiated, and ends when the contact transfers to a primary application.

Type: int

Length: 4

TimeBeforeIVRTransferred

Description: The total time spent in the system by local Contact Center Manager calls and incoming NSBR calls transferred to an IVR session for this application.

IVRTransfer is not supported in SIP-enabled contact center.

Pegging: For local Contact Center Manager calls, pegging begins when the Master_Script is initiated. For incoming NSBR calls, pegging begins when the contact queues to the site. Pegging ends when the call is transferred to an IVR session.

Type: int

Length: 4

TimeBeforeNACDOut

Description: The total time spent in the system by local Contact Center Manager calls networked out through the NACD queue and answered at remote nodes. NACD calls are sent to other PABXs without using the Contact Center Manager NSBR feature.

NACD is not applicable in SIP-enabled contact center.

Pegging: Pegging begins when the call arrives at the site and ends when the call receives treatment.

Type: int

Length: 4

TimeBeforeNetOut

Description: NSBR option only. The total time that outgoing NSBR contacts, networked by this application, spend in the system.

Pegging: Pegging begins when the contact arrives at the site and ends when the contact routes to the destination.

Type: int

Length: 4

TimeBeforeReachNonISDN

Description: NSBR option only. The total time that the NSBR Contact Center Manager calls spend in the system before they reach a non-ISDN trunk.

Pegging: Pegging begins when the call arrives at the site and ends when the call routes to a non-ISDN trunk.

Type: int

Length: 4

TimeBeforeRouteTo

Description: The total time that Contact Center Manager calls, SIP voice calls, and incoming NSBR calls, which receive Route Call treatment, spend in the system.

Pegging: For local Contact Center Manager calls, pegging begins when the Master_Script starts. For incoming NSBR calls, pegging begins when the contact queues to the site. Pegging ends when the call receives Route Call treatment.

Type: int

Length: 4

Timestamp

Description: The date and time when the data pegged. This field is used to link tables in data queries.

Type: smalldatetime

Length: 4

WaitTime

Description: The total time agents spend waiting for a contact after releasing a voice call or closing a multimedia contact handled by this application.

Triggers: WaitTime begins when the agent enters Idle state, for example, if

- an agent releases a voice call or closes a multimedia contact, and the agent's call presentation class is not configured for Break time or Variable Wrap
- an agent's Break or Variable Wrap timer elapses after a contact is released or closed
- an agent presses the Not Ready key a second time after entering Not Ready state

WaitTime ends when the agent leaves the Idle state. If the agent handles another contact from the same application as the most recently handled contact, WaitTime resumes against that application when the agent returns to the Idle state. If the agent handles a contact from an application different from the most recently handled contact, WaitTime begins against the new application when the agent returns to the Idle state.

NSBR option: WaitTime is not affected when an agent is reserved on the PABX.

Pegging: WaitTime pegs against the last application for which the agent handled a contact during this logon. If the agent has not handled an associated contact with an application, WaitTime does not peg.

Type: int

Length: 4

CDNConStat views

Control Directory Number (CDN) statistics provide summarized contact traffic information for the CDNs and Route Points configured on the server.

Statistics peg only for those intervals in which contacts enter the contact center through a CDN or Route Point. Incoming ACD, NACD, and DN calls are not routed through CDNs or Route Points and are not included in these statistics.

CDN: A Control Directory Number (CDN) is a number configured in the PABX as the entry point for voice contacts into Contact Center Manager. You can configure multiple CDNs in the PABX and associate them with the Master script of Contact Center Manager.

Route Point: A Route Point is an identifier configured in the Contact Center Manager Server as the entry point for multimedia contacts. You can configure multiple Route Points in the server and associate them with the Master script.

You must fulfill the following requirements:

- Define CDNs and Route Points on Contact Center Manager.
- Configure the server to collect CDN statistics. Statistics are collected for all CDNs and Route Points; you cannot configure the system to collect statistics for only selected CDNs or Route Points.

Pegging

Non-ISDN trunks and call information: If a voice call encounters a non-ISDN trunk while it is networked to another Contact Center Manager site, the call information that normally travels with the call does not reach the destination site. This means that the destination site cannot distinguish that the call came from the Contact Center Manager network. At the destination site, the networked call is treated as a new call. At the source site, the network call is treated as terminated.

Universal Networking does not rely on ISDN trunking to pass the call information to the destination site. If a Universal Networking call encounters a non-ISDN trunk, the NSBR call arrives at the target node and the system treats in as an incoming networked call.

A SIP-enabled contact center does not differentiate between ISDN and non-ISDN trunks. The system pegs all calls as non-ISDN calls.

Database views

Control Directory Number (CDN) statistics use the following views:

- iCDNConStat
- dCDNConStat
- wCDNConStat
- mCDNConStat

Field descriptions

This section provides the field descriptions for CDNConStat views.

CallsAbandoned

Type: int

Length: 4

CallsAnswered

Description: The number of local contacts and incoming NSBR contacts answered by this CDN or Route Point. This includes local contacts that are networked out through the NSBR feature and answered or accepted by an agent or IVR at the destination site.

Pegging: Voice calls peg upon answer and multimedia contacts peg upon acceptance. A contact pegs as answered if, when it arrives at the destination site, the reserved agent logs off or becomes unavailable and it receives one of the following treatments:

- Disconnect
- Route
- Give Recorded announcement (RAN)
- Give IVR
- Give Music

Type: int

Length: 4

CallsOffered

Description: The number of local contacts and incoming NSBR contacts offered to this CDN or Route Point.

This statistics include voice calls that receive the Give IVR treatment and are presented with a messaging system voice menu, if the menu commands are programmed with either CL (to go to a mailbox through a DN) or CA (to go to a mailbox).

Type: int

Length: 4

CallsTerminated

Description: The number of local contacts and incoming NSBR contacts for this CDN or Route Point, which terminate under one of the following conditions:

- The contact received a Force Busy, Force Overflow, Force Disconnect, Route Call, or default treatment.
- (NSBR option only) The call reached a non-ISDN trunk while it is routed to a remote site.
- The voice call is transferred to an IVR queue.
- (Avaya Communication Server 1000 PABX only) The voice call is networked out through an NACD queue.

This statistic includes voice calls that receive the Give IVR treatment and are presented with a messaging system voice menu, if the menu commands are programmed with CL (to go to a mailbox through a DN).

Type: int

Length: 4

CDN

Description: A unique number to identify this CDN or Route Point, which the server assigns when the CDN or Route Point is added.

Type: varchar

Length: 30

CDNName

Description: The name of this CDN as configured when it is added.

Type: varchar

Length: 30

Site

Description: The configured name of this Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. The SiteID can be used in custom reports to identify statistics applicable to this site.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: smalldatetime

Length: 4

Timestamp

Description: The date and time when the system pegs the data.

Type: smalldatetime

Length: 4

URL

Description: The name of the configured Route Point that you add.

Type: varchar

Length: 255

DNISConStat views

Dialed Number Identification Service (DNIS) statistics provide summarized information for each DNIS. These statistics provide a way to monitor the call traffic and call handling for each DNIS.

DNIS: DNIS is an optional service to identify the dialed number for calls entering the contact center. Typically, DNIS numbers are used for 1-800 numbers. For example, a company might give customers different 1-800 numbers for sales and customer service calls.

Fulfill the following requirements:

- Define DNISs on Contact Center Manager.
- Configure the servers to collect DNIS statistics. Statistics are collected for all DNISs; you cannot configure the system to collect statistics for selected DNISs.

Database views

Dialed Number Identification Service (DNIS) statistics use the following views:

- iDNISConStat
- dDNISConStat
- wDNISConStat
- mDNISConStat

Field descriptions

This section provides the field descriptions for DNISConStat views.

CallsAbandoned

Description: The number of local Contact Center Manager calls and incoming NSBR contacts abandoned for a DNIS number.

Type: int

Length: 4

CallsAbandonedAftThreshold

Description: The number of local Contact Center Manager calls and incoming NSBR calls abandoned that experienced a delay greater than or equal to the service level threshold for the DNIS number.

Triggers: For local Contact Center Manager calls, delays begin when the Master_Script is initiated. For incoming NSBR calls, delays begin when the call logically queues to this site.

Type: int

Length: 4

CallsAbandonedDelay

Description: The total wait time experienced by all local Contact Center Manager calls and incoming NSBR calls abandoned for a DNIS number.

Triggers: For local Contact Center Manager calls, delays begin when the Master_Script is initiated. For incoming NSBR calls, delays begin when the call logically queues to this site.

The delay time includes time that the caller spends navigating menus and listening to announcements before the call queues to a skillset.

Type: int

Length: 4

CallsAnswered

Description: The number of local Contact Center Manager calls and incoming NSBR calls answered for a DNIS number.

Pegging: Calls peg upon answer.

Type: int

Length: 4

CallsAnsweredAftThreshold

Description: The number of local Contact Center Manager calls and incoming NSBR calls answered that experienced a delay greater than or equal to the service level threshold for the DNIS number.

Triggers: For local Contact Center Manager calls, delays begin when the Master_Script is initiated. For incoming NSBR calls, delays begin when the call logically queues to this site.

Type: int

Length: 4

CallsAnsweredDelay

Description: The wait time experienced by all local Contact Center Manager calls and incoming NSBR calls answered for a DNIS number.

Triggers: For local Contact Center Manager calls, delays begin when the Master_Script is initiated. For incoming NSBR calls, delays begin when the call logically queues to this site.

The delay time includes time that the caller spends navigating menus and listening to announcements before the call queues to a skillset.

Type: int

Length: 4

CallsGivenDefault

Description: The number of local Contact Center Manager calls and incoming NSBR calls given default treatment for a DNIS number.

Type: int

Length: 4

CallsGivenForceBusy

Description: The number of local Contact Center Manager calls and incoming NSBR calls given Force Busy treatment for a DNIS number.

Pegging: This statistic pegs when the Give Busy script command runs.

Type: int

Length: 4

CallsGivenForceDisconnect

Description: The number of local Contact Center Manager calls and incoming NSBR calls given Force Disconnect treatment for a DNIS number.

Pegging: This statistic pegs when the Disconnect script command runs.

Type: int

Length: 4

CallsGivenForceOverflow

Description: The number of local Contact Center Manager calls and incoming NSBR calls given Force Overflow treatment for a DNIS number.

Pegging: This statistic pegs when the Give Overflow script command runs.

Type: int

Length: 4

CallsGivenRouteTo

Description: The number of local Contact Center Manager calls and incoming NSBR calls given Route Call treatment for a DNIS number.

Pegging: This statistic pegs when the Route Call script command runs.

Type: int

Length: 4

CallsNACDOut

Description: Avaya Communication Server 1000 PABX only. The number of local Contact Center Manager calls networked out through an NACD queue and answered at remote sites.

NACD is not applicable in SIP-enabled contact center.

Type: int

Length: 4

CallsNetworkedOut

Description: NSBR option only. The number of local Contact Center Manager calls routed to a remote site and answered or abandoned.

Networking features are not supported in SIP-enabled contact center.

Type: int

Length: 4

CallsOffered

Description: The number of local Contact Center Manager calls and incoming NSBR calls offered to this server with this DNIS number.

Pegging: Calls peg upon arrival.

Type: int

Length: 4

CallsReachNonISDN

Description: NSBR option only. The number of local Contact Center Manager calls that reached a non-ISDN trunk while it is routed to a remote site.

Pegging: SIP-enabled contact center does not differentiate between ISDN and non-ISDN trunks. All calls are pegged on non-ISDN calls.

Restriction: If a call encounters a non-ISDN trunk while it is networked to another Contact Center Manager site, the call information that normally travels with the call does not reach the destination site. This means the destination site cannot tell that the call came from the Contact Center Manager network. At the destination site, the networked call is treated as a new call. At the source site, the NSBR call terminates.

Type: int

Length: 4

DNIS

Description: A unique number used to identify a DNIS that the server assigns when the DNIS is defined.

Type: varchar

Length: 16

DNISName

Description: The name of a DNIS.

Type: varchar

Length: 30

DNIS_Prefix

Description: Stores the prefix of a DNIS number. You can sort, filter, and report on individual DNIS 800 numbers.

Type: varchar

Length: 16

IVRTransferred

Description: The number of local Contact Center Manager calls and incoming NSBR calls transferred from an IVR session for a DNIS number.

IVRTransfers are not applicable in SIP-enabled Contact Center s.

Type: int

Length: 4

MaxAbandonedDelay

Description: The wait time experienced by the local Contact Center Manager calls or incoming NSBR call that waited the longest before it is abandoned.

Triggers: For local Contact Center Manager calls, delays begin when the Master_Script is initiated. For incoming NSBR calls, delays begin when the call logically queues to this site.

Type: int

Length: 4

MaxAnsweredDelay

Description: The wait time experienced by the local Contact Center Manager calls or incoming NSBR call that waited the longest before it is answered.

Triggers: For local Contact Center Manager calls, delays begin when the Master_Script is initiated. For incoming NSBR calls, delays begin when the call logically queues to this site.

Type: int

Length: 4

NetworkCDN

Description: For future use. Not valid in this release.

Type: varchar

Length: 30

Site

Description: The configured name of this Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number assigned by the system to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. The SiteID can be used in custom reports to identify statistics applicable to this site.

The actual local SiteID value is written in this field.

Type: int

Length: 4

TalkTime

Description: The total time spent by all agents on local Contact Center Manager calls and incoming NSBR calls for a DNIS number, including hold time.

Triggers: The call pegs when the caller disconnects or the agent releases the call.

Pegging: Talk time pegs at the end of the interval (for calls that are active at the end of an interval), and when the call terminates.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data.

Type: smalldatetime

Length: 4

Type

Description: Distinguishes between local and landing-pad DNIS.

Type: tinyint

Length: 1

URL

Description: The name of the configured Route Point that you add.

Type: varchar

Length: 255

NetworkInCallConStat views

NSBR option only. Network call statistics provide information that can be used to monitor contact distribution and handling in a network environment. They record statistics for all incoming NSBR contacts received at a site.

Network statistics report only on contacts that are controlled by the server (that is, Contact Center Manager contacts and multimedia contacts). They do not report on DN, ACD, or NACD calls.

In these statistics, the local site is the destination site. Networking features are not applicable in SIP-enabled Contact Centers.

Configure the server to collect network call statistics. Statistics are collected for all applications; you cannot configure the system to collect statistics for selected applications.

Network call statistics generated on the server are collected on the destination site only. To report on network contact handling at all sites, generate a network-wide report from the Network Control Center.

Database views

Network call statistics use the following views:

- iNetworkInCallStat
- dNetworkInCallstat
- wNetworkInCallStat
- mNetworkInCallStat

Field descriptions

This section provides the field descriptions for NetworkInCallConStat views.

CallsAbandoned

Description: The number of incoming NSBR contacts abandoned at the local site.

Type: int

Length: 4

CallsAbandonedAftThreshold

Description: The number of incoming NSBR contacts abandoned at the local site after a wait that exceeds the service level threshold for the application.

Type: int

Length: 4

CallsAbandonedDelay

Description: The total wait time experienced by all incoming NSBR contacts abandoned at the local site.

Triggers: Delays begin when the Master_Script is initiated at the source site and end when the contact is abandoned at the local site.

The delay time includes time that the caller spends going through menus and listening to announcements before the call queues to a skillset.

The following tables lists the statistics you can use for the CallsAbandonedDelay field.

Statistics	Type	Length
iNetworkInCallStat	int	4
dNetworkInCallStat	int	4
wNetworkInCallStat	numeric	6
mNetworkInCallStat	numeric	6

CallsAbandonedDelayAtDest

Description: The total wait time experienced at the local site by all incoming NSBR contacts abandoned at the local site.

Triggers: Delays begin when the Master_Script is initiated and end when the contact is abandoned at the local site.

The following tables lists the statistics you can use for the CallsAbandonedDelayAtDest field.

Statistics	Type	Length
iNetworkInCallStat	int	4
dNetworkInCallStat	int	4
wNetworkInCallStat	numeric	6
mNetworkInCallStat	numeric	6

CallsAnswered

Description: The number of incoming NSBR contacts answered or accepted at the local site.

Type: int

Length: 4

CallsAnsweredAftThreshold

Description: The number of incoming NSBR contacts answered or accepted at the local site after a wait greater than or equal to the service level threshold for the application. The delay begins when a contact enters the local site. The service level threshold is assigned during system configuration of the local site.

Type: int

Length: 4

CallsAnsweredDelay

Description: The total wait time experienced by all incoming NSBR contacts answered or accepted at the local site.

Triggers: Delays begin when the Master_Script is initiated at the source site and end when the contact is answered or accepted at the local site.

The delay time includes time that the caller spends going through menus and listening to announcements in this application.

The following tables lists the statistics you can use for the CallsAnsweredDelay field.

Statistics	Type	Length
iNetworkInCallStat	int	4
dNetworkInCallStat	int	4
wNetworkInCallStat	numeric	6
mNetworkInCallStat	numeric	6

CallsAnsweredDelayAtDest

Description: The total wait time experienced at the local site by all incoming NSBR contacts answered or accepted at the local site.

Triggers: Delays begin when the contact queues to the local site and end when the contact is answered or accepted at the local site.

The following table lists the statistics you can use for the CallsAnsweredDelayAtDest field.

Statistics	Type	Length
iNetworkInCallStat	int	4
dNetworkInCallStat	int	4
wNetworkInCallStat	numeric	6
mNetworkInCallStat	numeric	6

CallsOffered

Description: The number of incoming NSBR contacts offered to the local site.

Type: int

Length: 4

DstApplication

Description: The name of the destination application. This name is always Network_Script.

Type: varchar

Length: 30

DstApplicationID

Description: A unique number assigned by the server to identify the Network_Script application.

Type: int

Length: 4

DstSite

Description: The name of the local Contact Center Manager site, as defined on the Network Control Center.

Type: varchar

Length: 30

DstSiteID

Description: A unique number assigned by the server to identify the local Contact Center Manager site when the site is defined on the Network Control Center.

Type: int

Length: 4

MaxAbandonedDelay

Description: The wait time experienced by the incoming NSBR contact that waited the longest before it is abandoned at the local site.

Triggers: Delays begin when the Master_Script is initiated at the source site and end when the contact is abandoned at the local site.

Type: int

Length: 4

MaxAbandonedDelayAtDest

Description: The wait time experienced by the contact that waited the longest at the local site before it is abandoned.

Triggers: Delays begin when a contact logically queues to the local site and end when the contact is abandoned.

Type: int

Length: 4

MaxAnsweredDelay

Description: The total wait time experienced by all calls answered or contacts accepted at the local site.

Triggers: Delays begin when the Master_Script is initiated at the source site and end when the call is answered or contact is accepted at the local site.

Type: int

Length: 4

MaxAnsweredDelayAtDest

Description: The wait time experienced by the contact that waited the longest at the local site before it is answered or accepted.

Triggers: Delays begin when a contact logically queues to the local site and end when the contact is answered or accepted.

Type: int

Length: 4

SrcApplication

Description: The name of the source application.

Type: varchar

Length: 30

SrcApplicationID

Description: A unique number assigned by the server to identify the source application when the application is defined.

Type: int

Length: 4

SrcSite

Description: The name of the source Contact Center Manager site, as assigned when the site is defined on the Network Control Center.

Type: varchar

Length: 30

SrcSiteID

Description: The unique identifier for the source Contact Center Manager site where a call originated.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data, in local (destination) site time. This field is used to link tables in data queries.

Type: smalldatetime

Length: 4

NetworkOutConStat views

NSBR option only. Network outgoing contact statistics provide summarized performance measurement information based on the origin and destination of a contact. They record statistics for all contacts networked out from a site.

In these statistics, the local site is the source site.

Networking features are not applicable in SIP-enabled Contact Centers.

Configure the server to collect network outcall statistics.

At each Contact Center Manager site, the historical network outgoing contact statistics are only collected against the local site. These statistics contain network outgoing contact traffic and handling information for contacts for which the local site is the source.

Database views

Network outgoing contact statistics use the following views:

- iNetworkOutConStat
- dNetworkOutConStat
- wNetworkOutConStat
- mNetworkOutConStat

Field descriptions

This section provides the field descriptions for NetworkOutConStat views.

CallsAbandoned

Description: The number of contacts abandoned at the destination site.

Type: int

Length: 4

CallsAbandonedDelayAtDest

Description: The total wait time experienced at the destination site by all contacts from the local site abandoned at the destination site.

Triggers: Delays begin when the contact queues to the destination site and end when the contact is abandoned.

Statistics	Type	Length
iNetworkOutConStat	int	4
dNetworkOutConStat	int	4
wNetworkOutConStat	numeric	6
mNetworkOutConStat	numeric	6

CallsAnswered

Description: The number of contacts answered or accepted by an agent, answered by IVR, or terminated at the destination site.

Pegging: A contact pegs as answered if, when it arrives at the destination site, the reserved agent logs off or becomes unavailable and it receives one of the following treatments:

- Disconnect
- Route

- Give Recorded announcement (RAN)
- Give IVR
- Give Music

Type: int

Length: 4

CallsAnsweredDelayAtDestination

Description: The total wait time experienced at the destination site by all contacts from the local site answered or accepted by an agent, answered by IVR, or terminated at the destination site.

Triggers: Delays begin when the contact queues to the destination site and end when the contact is answered or accepted.

Statistics	Type	Length
iNetworkOutConStat	int	4
dNetworkOutConStat	int	4
wNetworkOutConStat	numeric	6
mNetworkOutConStat	numeric	6

CallsOffered

Description: The number of contacts offered to the destination site.

Type: int

Length: 4

DstApplication

Description: The name of the destination application (this is always Network_Script).

Type: varchar

Length: 30

DstApplicationID

Description: A unique number assigned by the server to identify the destination application.

Type: int

Length: 4

DstSite

Description: The name of the destination Contact Center Manager site, as defined when the site is configured on the Network Control Center.

Type: varchar

Length: 30

DstSiteID

Description: A unique number assigned by the server to identify a destination site when the site is configured on the Network Control Center.

Type: int

Length: 4

MaxCallAbandonedDelay

Description: The wait time experienced by the contact originating at the local site that waited the longest at the destination site before it is abandoned.

Triggers: Delays begin when the contact queues to the destination site and end when the contact is abandoned.

Type: int

Length: 4

MaxCallAnsweredDelay

Description: The wait time experienced by the contact originating at the local site that waited the longest before it is answered or accepted by an agent, answered by IVR, or terminated at the destination site.

Triggers: Delays begin when the Master_Script is initiated at the local site and end when the contact is answered or accepted.

Type: int

Length: 4

MaxCallAnsweredDelayAtDest

Description: The wait time experienced by the contact originating at the local site that waited the longest at the destination site before it is answered or accepted by an agent, answered by IVR, or terminated.

Triggers: Delays begin when the contact logically queues to the destination site and end when the contact is answered or accepted.

Type: int

Length: 4

SrcApplication

Description: The name of the source application.

Type: varchar

Length: 30

SrcApplicationID

Description: A unique number assigned by the server to identify the source application when the application is defined.

Type: int

Length: 4

SrcSite

Description: The name of the local site, as defined when the site is defined on the Network Control Center.

Type: varchar

Length: 30

SrcSiteID

Description: A unique number assigned by the server to identify a source Contact Center Manager site where a call originated when the site is defined on the Network Control Center.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data, in local (source) site time.

Type: smalldatetime

Length: 5

TotalCallAbandonedDelay

Description: The total wait time experienced by all contacts from the local site abandoned at the destination site.

Triggers: Delays begin when the Master_Script is initiated at the local site and end when the contact is abandoned.

Statistic	Type	Length
iNetworkOutConStat	int	4
dNetworkOutConStat	int	4

Table continues...

Statistic	Type	Length
wNetworkOutConStat	numeric	6
mNetworkOutConStat	numeric	6

TotalCallAnsweredDelay

Description: The total wait time experienced by all contacts from the local site answered or accepted by an agent, answered by IVR, or terminated at the destination site.

Triggers: Delays begin when the Master_Script is initiated at the local site and end when the contact is answered.

Statistic	Type	Length
iNetworkOutConStat	int	4
dNetworkOutConStat	int	4
wNetworkOutConStat	numeric	6
mNetworkOutConStat	numeric	6

SkillsetConStat views

A skillset is a group of skills, such as level of expertise in a certain area, to which an agent is assigned. Agents can be assigned to more than one skillset. Skillset statistics provide summarized performance information based on a combination of skillset and application contact information. Statistics peg against a combination of skillset and application.

Statistics peg for a skillset only for those intervals in which the skillset is staffed.

Only contacts queued to a skillset are included in these statistics (if a skillset maps to an ACD DN or NACD DN, calls to that DN are included). Except for DNOExtCallsTalkTime and DNOIntCallsTalkTime, these statistics do not include DN calls.

ACD DN and NACD DN are not supported in SIP-enabled Contact Centers.

Configure the server to collect skillset statistics. Statistics are collected for all skillsets; you cannot configure the system to collect statistics for selected skillsets.

Pegging

All statistics peg against a specific skillset and application combination and either the local or originating site.

Local contacts: Local Contact Center Manager contacts peg against the Master_Script or primary application (depending on the location of the call in the system) and against the answering skillset, or the Agent Queue To skillset (if the contact queues to a specific agent for the contact's contact type).

Closed contacts that are pulled for additional processing by the agent are pegged against the Agent Queue To skillset for the contact's contact type. New and New Reply contacts that are pulled while already within Contact Center Manager are pegged against the skillset they are queuing in, if any, up to the time they are pulled, and then against the Agent Queue To skillset for the contact type. Local contacts peg against the local site.

Incoming NSBR contacts: Incoming NSBR contacts peg against the Network_Script Application and the originating site.

ACD calls: ACD calls peg against the ACD_DN_Application and either the skillset to which this ACD-DN maps (if defined) or the Default_ACD skillset. ACD calls peg against the local site.

ACD DN and NACD DN are not supported in SIP-enabled contact centers.

NACD calls: ACD calls peg against the NACD_DN_Application and either the skillset to which this Network ACD-DN maps (if defined) or the Default_NACD skillset. NACD calls peg against the local site.

NACD DN and NACD DN are not supported in SIP-enabled contact centers.

Statistics pegged against the System_Application: The following statistics are applicable to multiple applications, and peg against the System_Application and the local site:

- ActiveTime
- AllAgentBusyTime
- TotalStaffedTime

The System_Application does not appear on the standard reports. On the standard reports, these totals are included in the summary line for the skillset statistics.

Pegging thresholds: You can define skillset threshold classes with different values for the service level threshold and the length (talk time and handling time) of a short call or contact. Thus, the value for service level and short call length can vary from one skillset to another.

Mapping a skillset to an ACD-DN: Using Contact Center Manager Administration, you can map a skillset to an ACD-DN or NACD-DN. If you do so, statistics for that ACD-DN or NACD-DN peg against the skillset.

For ACD calls, the server does not record information about call activity on the PABX. ACD calls are tracked from the time they are answered at a phone acquired by Contact Center Manager.

ACD DN and NACD DN are not supported in SIP-enabled contact centers.

Database views

Skillset statistics use the following views:

- iSkillsetConStat
- dSkillsetConStat
- wSkillsetConStat
- mSkillsetConStat

Field descriptions

This section provides the field descriptions for SkillsetConStat views.

Active Time

Description: The amount of time a skillset is in service. A skillset is in service when it is not in Out of Service mode and at least one agent is logged on.

Pegging: This field pegs only against the System_Application.

Type: int

Length: 4

AllAgentBusyTime

Description: The total time that all agents assigned to this skillset are busy with contacts or no agents are logged on.

Pegging: This field pegs only against the System_Application.

Type: int

Length: 4

Application

Description: The name of the application that queues the contact to this skillset.

Type: varchar

Length: 30

ApplicationID

Description: A unique number that the server assigns to identify a defined application. Use this field to link tables in data queries.

Type: int

Length: 4

CallsAnswered

Description: Number of calls answered or accepted by an agent.

Pegging: Local contacts peg against the Master_Script or primary application (depending on the location of the call in the system) and against the answering or accepting skillset. Incoming NSBR contacts peg against the Network_Script Application. ACD calls peg against the ACD_DN_Application and either the skillset to which this ACD-DN maps (if defined) or the Default_ACD skillset. NACD calls peg against the NACD_DN_Application and either the skillset to which this Network ACD-DN maps (if defined) or the Default_NACD skillset.

Network statistics, such as NSBR contacts, are not applicable to SIP-enabled Contact Centers.

Restriction: This statistic does not include DN calls that agents, to whom you assign to this skillset, handle.

Type: int

Length: 4

CallsAnsweredThreshold

Description: The number of local contacts (excluding DN, ACD, and NACD calls) and incoming NSBR contacts answered or accepted after a wait greater than or equal to the service level threshold for the threshold class to which the skillset belongs.

ACD DN and NACD DN are not supported in SIP-enabled Contact Center s. Network statistics, such as NSBR contacts, are not applicable to SIP-enabled Contact Centers.

Pegging: Local contacts peg against the Master_Script or primary application, depending on the location of the contact in the system, and against the answering or accepting skillset. Incoming NSBR contacts peg against the Network_Script application and against the answering or accepting skillset.

Triggers: Delays begin when the contact queues at the skillset and end when the contact is answered or accepted. If a contact queues to the same skillset, the delay begins when the contact is first queued.

Restriction: This statistic does not include ACD and NACD calls because delay statistics are not available for these types of calls.

Type: int

Length: 4

CallsAnsweredDelay

Description: The wait time experienced by all local contacts—excluding DN, ACD, and NACD calls—and incoming NSBR contacts answered or accepted for this skillset.

Network statistics, such as NSBR contacts, are not applicable to SIP-enabled Contact Centers.

Pegging: Local contacts peg against the Master_Script or primary application, depending on the location of the contact in the system, and against the answering or accepting skillset. Incoming NSBR contacts peg against the Network_Script application and against the answering or accepting skillset.

Triggers: Delays begin when the contact queues at the skillset and end when it is answered or accepted. If a contact queues to the same skillset, the delay begins when the contact is first queued.

Restriction: This statistic does not include ACD and NACD calls, because delay statistics are not available for these types of calls.

Type: int

Length: 4

CallsOffered

Description: The number of contacts—excluding DN, ACD, and NACD calls— offered to this skillset, regardless of whether the contacts are answered or accepted for this skillset. This statistic is not incremented if the same contact is offered to this skillset again.

Triggers: Contacts peg against the Master_Script application upon arrival, and against a primary application when the Master_Script application hands over control. If a contact is offered to multiple skillsets, this statistic pegs multiple times.

Type: int

Length: 4

ContactType

Description: The type of contact determined by the name of this skillset. This applies to SIP-enabled Contact Centers, if Contact Center Multimedia, or if Contact Center Outbound is installed and this skillset name begins with one of the configured prefixes as described in [Multimedia contacts](#) on page 46.

For example, if the skillset is named EM_application, Contact Type pegs as email. If the skillset does not have a prefix, ContactType pegs as voice.

Type: varchar

Length: 30

DNOutExtCallsTalkTime

Description: Avaya Communication Server 1000 PABX only. The total time spent by agents on outgoing external DN calls, including hold time, for this skillset. This statistic does not include the time spent on the DN outcall part of a Contact Center Outbound contact.

Triggers: DNOutExtCallsTalkTime begins when the call is answered and the agent's previous contact queued in this skillset. Talk time ends when the caller disconnects or the agent releases the call. For a three-way conference call, talk time ends only when the agent releases the call.

Type: int

Length: 4

DNOutIntCallsTalkTime

Description: Avaya Communication Server 1000 PABX only. The total time spent by agents on outgoing internal DN calls, including hold time, for this skillset. This statistic does not include the time spent on the DN outcall part of a Contact Center Outbound contact

Triggers: DNOutIntCallsTalkTime begins when the call is answered and the agent's previous contact queued for this skillset. Talk time ends when the caller disconnects or the agent releases the call. For a three-way conference call, talk time ends only when the agent releases the call.

Type: int

Length: 4

MaxAnsweredDelay

Description: The wait time experienced by the local contact—excluding DN, ACD, and NACD calls—or incoming NSBR contact that waited the longest before it is answered or accepted.

Network statistics, such as NSBR contacts, are not applicable to SIP-enabled Contact Centers.

Pegging: Local contacts peg against the Master_Script or primary application, depending on the location of the contact in the system, and against the answering or accepting skillset. Incoming NSBR contacts peg against the Network_Script application and against the answering or accepting skillset.

Restriction: This statistic does not include ACD and NACD calls, because delay statistics are not available for these types of calls.

Type: int

Length: 4

MaxSkillsetAbandonDelay

Description: The wait time experienced by the local contact—excluding DN, ACD, and NACD calls—or incoming NSBR contact queued to this skillset that waited the longest before it is abandoned.

Network statistics, such as NSBR contacts, are not applicable to SIP-enabled Contact Centers.

Triggers: The delay begins when a contact queues to the skillset.

Type: int

Length: 4

NetCallsAnswered

Description: NSBR option only. The number of incoming NSBR contacts answered or accepted for this skillset.

Network statistics, such as NSBR contacts, are not applicable to SIP-enabled Contact Centers.

Pegging: Incoming NSBR contacts peg against the Network_Script application.

Type: int

Length: 4

PostCallProcessingTime

Description: This data is the total time agents spent performing post contact processing. Normally, agents use this time to complete work related to the contact, such as filling in forms or filing papers.

Triggers: Post call processing time begins when an agent enters the Not Ready state after releasing any contact, except DN calls, and does not enter a Not Ready reason code or enters an After Call Work Item (ACW) code. Post call processing time ends when an agent leaves this Not

Ready state, places or receives a DN call, logs off, or enters a Not Ready reason code other than an ACW code.

Pegging: This statistic pegs against the last skillset for which the agent handled a contact.

Post Call Processing Time is calculated for the first Not Ready period after a contact closes. If the agent enters another state after the call (for example, by answering or receiving a DN call or logging out of the skillset), and then enters the Not Ready state, the Not Ready time does not peg against PostCallProcessingTime. Also, if the agent interrupts the Not Ready period to enter another state and then returns to the Not Ready state, the second Not Ready period does not peg against PostCallProcessingTime.

For Contact Center Multimedia contacts, PostCallProcessingTime does not include the time after replying to an email or disconnecting a Web Communication session, and closing the contact. The time between these two events can involve the agent setting closed reason codes or disposition codes, or adding agent notes to a contact. This time is recorded as TalkTime, not PostCallProcessing time.

Type: int

Length: 4

OriginatingSite

Description: The configured name of the originating Contact Center Manager site that the fields are applicable to. Network statistics, such as NSBR contacts, are not applicable to SIP-enabled Contact Centers.

Type: varchar

Length: 30

OriginatingSiteID

Description: A unique number assigned by the system to identify the Contact Center Manager site that the fields are applicable to. The assigned OriginatingSiteID remains unique over time even if a configured site is deleted and another one is added with the same name. The OriginatingSiteID can be used in custom reports to identify statistics applicable to a site.

Type: int

Length: 4

Skillset

Description: The name of the skillset.

Type: varchar

Length: 30

SkillsetAbandoned

Description: The number of contacts abandoned while queuing in this skillset. This statistic includes contacts abandoned while being presented to an agent.

Type: int

Length: 4

SkillsetAbandonedDelay

Description: The total wait time experienced by contacts abandoned while queuing in this skillset.

Triggers: The delay begins when the contact queues to this skillset and ends when the contact is abandoned.

Type: int

Length: 4

SkillsetAbandonedAftThreshold

Description: The number of contacts abandoned while queuing in this skillset after a wait greater than or equal to the service level threshold for the threshold class to which the skillset belongs.

Type: int

Length: 4

SkillsetID

Description: A unique number assigned by the server to identify this skillset when the skillset is added. For network skillsets, this is the ID as it appears on the local site.

Type: int

Length: 4

TalkTime

Description: The total time in this interval that agents spent handling contacts (excluding DN calls), that queued in this skillset. This statistic includes hold time.

Triggers: The follow items trigger this statistic:

- For voice calls, talk time begins when the agent answers the call, and ends when the caller disconnects or the agent releases or transfers the call.
- For multimedia contacts, talk time begins when the agent accepts the contact and ends when the agent closes or transfers the contact.
- For Contact Center Outbound contacts, talk time begins when the agent accepts the contact, includes the time the agent is on the DN call, and ends when the agent releases the DN call and closes the contact.

Type: int

Length: 4

TerminatingSite

Description: The configured name of the terminating Contact Center Manager site that the fields are applicable to.

Network statistics, such as NSBR contacts, are not applicable to SIP-enabled Contact Centers.

Type: varchar

Length: 30

TerminatingSiteID

Description: A unique number assigned by the system to identify the Contact Center Manager site that the fields are applicable to. The assigned TerminatingSiteID remains unique over time even if a configured site is deleted and another one is added with the same name. The TerminatingSiteID can be used in custom reports to identify statistics applicable to a site.

Type: int

Length: 4

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data.

Type: int

Length: 5

Timestamp

Description: The date and time when the system pegs the data. This field is used to link tables in data queries.

Type: smalldatetime

Length: 4

TotalStaffedTime

Description: The amount of logon time for all agents belonging to this skillset.

Pegging: This field pegs only against the System_Application.

Triggers: The logon time begins when an agent logs on to the skillset or is reassigned (while logged on) to the skillset and ends when the agent logs off or is reassigned out of the skillset.

Type: int

Length: 4

VirtualCallsAbandoned

Description: The number of contacts abandoned while queuing in this skillset if

- the contact queues to multiple skillsets simultaneously, this skillset is the first listed skillset in the script
- for NSBR contacts, the contact originated from this site

Type: int

Length: 4

VirtualCallsOffered

Description: The number of contacts offered in this skillset that are one of the following:

- answered or accepted by an agent in this skillset and on this site.
- abandoned and originated on this site and, if queued to multiple skillsets simultaneously, this skillset is the first listed skillset in the script.

VirtualCallsOffered increments if the contact is answered, accepted, or abandoned. It is not counted if the contact is not answered, accepted, or abandoned, for example, if it is removed from queue in an application script or routed outside the system.

VirtualCallsOffered is always pegged against the first skillset to which the call was queued.

Type: int

Length: 4

WaitTime

Description: The total time agents spend waiting for a contact after releasing a voice call or closing a multimedia contact handled that queued in this skillset.

Triggers: WaitTime begins when the agent enters Idle state, for example, if

- an agent releases a voice call or closes a multimedia contact, and the agent's call presentation class is not configured for Break time or Variable Wrap
- an agent's Break or Variable Wrap timer elapses after a contact is released or closed
- an agent presses the Not Ready key a second time after entering Not Ready
- state 588 Contact Center Manager Server, Contact Center Network Control Center Data dictionary Standard R8.16

WaitTime ends when the agent leaves the Idle state. If the agent handles another contact from the same skillset as the most recently handled contact, WaitTime resumes against that skillset when the agent returns to the Idle state. If the agent handles a contact from a different skillset than the most recently handled contact, WaitTime begins against the new skillset when the agent returns to the Idle state.

NSBR option: WaitTime is not affected when an agent is reserved on the PABX.

Pegging: WaitTime pegs against the last skillset for which the agent handled a contact during this login. If the agent has not yet handled a contact that queued in a skillset, WaitTime is not pegged.

Type: int

Length: 4

Chapter 12: Event statistics

Event statistics are collected for each event rather than accumulated over a period of time. This section describes the different event statistic report views for Contact Center Manager Network Control Center Data dictionary.

Data Collection option

When you configure the Historical Statistics Collection, you can choose to collect statistics in each of the following types of event statistics:

- agent logon and logoff statistics
- call-by-call statistics
- network call-by-call statistics (NSBR option)
- IVR port logon and logoff statistics

You can enable or disable data collection while the system runs.

When statistics are accumulated

Event statistics accumulate as the event occur and written to the database at the end of each event statistics interval—every 3 minutes.

eNetCallByCallStat views

The eNetCallByCallStat views provide detailed information for contact events that occur at the destination site. The database for these statistics is on the Network Control Center. Use these statistics to trace an NSBR Contact Center Manager contact during the selected interval.

To populate the eNetCallByCallStat view, Contact Center Manager regularly copies data from the eCallByCallStat views at the destination server to the eNetCallByCallStat view at the Network Control Center. If your servers are in different time zones, you can convert destination site times to source site times before you include them to the eNetCallByCallStat view. (To do so, ensure

that you configure correctly the Time Zone Relative to GMT in the parameters for each site.) This facilitates contact tracking.

For example, a contact can arrive at the source at 13:00:00 local time and be answered at the destination 5 seconds later, at 14:00:05 local time. If Time Zone Relative to GMT is configured correctly for both sites, the answer time pegs as 13:00:05 in the eNetCallByCallStat view, and the events appear in chronological order, regardless of time zone.

Server times are not synchronized automatically. If server times are not synchronized, events can appear in the wrong order. For example, if the source site clock is several seconds behind the destination site clock, a contact can arrive at the source site at 13:15:05 and be answered at the destination site at 13:14:57.

Furthermore, if the administrator at the destination site wants to generate a report containing that contact, the administrator can request a report for the interval from 13:00 to 13:15. However, the contact does not appear in the report. Instead, the contact is included in reports for the interval during which it is networked out from the source site, for example, 13:15 to 13:30.

Changing the Time Zone Relative to GMT for a site (for example, for a change to or from daylight saving time) affects pegging of contacts that are networked out but not answered. All events at the source site peg with the old time, and all events at the destination site peg with the new time.

Networking features are not applicable in SIP-enabled Contact Centers.

The amount of data generated for call-by-call statistics is large, and the time required to generate a report using call-by-call statistics is much longer than the time required to generate a report using summarized statistics.

Enabling network call-by-call statistics collection

To enable the collection of network call-by-call statistics for an application, configure the application for network call-by-call statistics collection at the source site. Statistics are collected at the destination site, regardless of the configuration of call-by-call statistics collection at that site.

If you change the call-by-call statistics collection option at the source site, the change is effective only for calls arriving after the change propagates through the network. Propagation can take several minutes.

Field descriptions

This section provides field descriptions for eNetCallByCallStat view.

Associated Data

Description: Associated data is information that is relevant to a specific event:

- the other extension, trunk ID, or outside phone number that associates with a call that conferences with another party, transfers to another party or is on hold while another call is placed
- the DNIS number for an incoming call

Type: varchar

Length: 40

CallEvent

Description: A unique identifier for the type of event.

Type: int

Length: 4

CallEventName

Description: A number assigned by the Avaya Communication Server 1000 PABX for every call. It is unique only for the life of the call and can be reused later for new calls.

Treat Call ID by external applications as a random number. Do not assume any patterns in assignment. When the Call ID range is exhausted, new contacts are assigned previously used Call IDs. On systems with high traffic, different contacts can be assigned the same Call ID within a single reporting interval.

On the Avaya Communication Server 1000 PABX, the number of configured Call Registers affects the Call ID range. The smaller the number of Call Registers, the quicker the server reuses Call IDs. The only value a CallID cannot have is 0 (zero).

If a duplicate CallID scenario is encountered by the Contact Center Manager Server, the newer call is retained and the older call discarded (server memory cleaned up).

Type: int

Length: 4

Destination

Description: The location to which a contact is directed during an event. The destination can be identified by, for example, a dialed number, trunk ID, agent ID, skillset ID, application ID, IVR queue ID or name, or site ID.

Type: varchar

Length: 40

EventData

Description: The information related to or generated by this event. The data can be one of the following:

- a PIN that the caller enters in response to the collect digits command
- an ANI, CLID, site ID, or activity code
- reasons for the event

Type: int

Length: 4

FirstEventTimestamp

Description: The timestamp for the first event.

Type: datetime

Length: 8

SequenceNumber

Description: The order you must use.

Type: int

Length: 4

Site

Description: The configured name of the Contact Center Manager site.

Type: varchar

Length: 30

SiteID

Description: A unique number that system assigns to identify this Contact Center Manager site. The assigned SiteID remains unique over time even if a configured site is deleted and another one is added with the same name. The SiteID can be used in custom reports to identify statistics applicable to this site.

The actual local SiteID value is written in this field.

Type: int

Length: 4

Source

Description: The location of this contact before this event occurred. The source can be identified by, for example, a dialed number, trunk ID, agent ID, skillset ID, application ID, IVR queue ID or name, or site ID.

Type: varchar

Length: 40

SourceSiteID

Description: A unique number that identifies the PABX on the network, as received from the PABX. SQL does not support signed integers. Therefore, site IDs can appear negative in the database views.

Type: int

Length: 4

TelsetLoginID

Description: The numeric ID the agent uses to log in to the phone or agent desktop.

Type: varchar

Length: 16

Time

Description: The time (in 24-hour HH:MM format) when the system pegs the data. If Time Zone Relative to GMT is configured correctly for the source and destination sites, this time is in the time zone of the source site.

Type: char

Length: 5

Timestamp

Description: The date and time when the system pegs the data. The time is in the time zone of the source site.

Type: datetime

Length: 4

Call events

These call events are the same as the Call events in the table for the eCallByCallStat view, except that no DN call event information pegs to the eNetCallByCallStat view. See [Call Events](#) on page 196.

Part 3: Contact Center Multimedia Data dictionary

- [Overview of CCMM](#) on page 382
- [Multimedia database tables](#) on page 386
- [Multimedia database views](#) on page 519
- [Entity relationship diagrams](#) on page 526

Chapter 13: Overview of CCMM

Contact Center Multimedia uses a structured database to capture and maintain the data needed to effectively run the system. The database is a Caché database from Intersystems, and is installed with Contact Center Multimedia.

You access data through database views. Database views organize the information in the database for your use. You can access the underlying tables with read-only access. This section provides definitions for all available Contact Center Multimedia database tables, fields, and views.

When creating datawarehouse applications, you use these database views. The database views contain all the information for custom reporting and queries and are created on top of the database tables.

Some of the data captured includes:

- customer contact details
- customer queries and agent responses
- details about all configured agents, supervisors, and administrators
- site configuration details

You can access the data in this database with any SQL- or OLE DB-compliant application. You can use the data in many ways:

- import it into a spreadsheet for manipulation
- import it into your corporate database
- generate custom reports to store and evaluate the data using Report Creation Wizard, Microsoft SQL Server Report Builder, or another third-party reporting application

This section is intended for database administrators who maintain the Contact Center Multimedia database, and for developers, administrators, or supervisors who create custom reports.

This section describes available data. It defines the database tables and the table fields that make up the Contact Center Multimedia database schema.

Caché database

The Caché database is an Object Orientated Database (OOD). An Object Oriented Database contains simple code and runs quickly. This provides a better solution to store and retrieve data. Caché also provides a SQL relational view of the classes.

The following table shows the relationship between the Object Oriented terminology and the SQL relational terminology.

Object Oriented term	SQL relational term
Class	Table
Property	Field
Object	Record

The following are general definitions for SQL relational terms:

- **Table:** a table in which the data is stored. This term refers to the definition of the data or the structure of the database in a generic form.
- **Record:** a record represents one row (or logical unit) of data from a table.
- **Fields:** the fields are individual items of data within a record. The fields are defined in the table definition. This term does not change. It used in reference to tables and records.

The Caché database can expose the data in either a class view or a SQL relational view. This section describes the only the SQL relational view of the database.

Within SQL and the relational environment, some of the tables contain fields that are themselves tables, called embedded tables. Embedded tables appear within the field definitions for which the Type information lists another table (a table has the prefix `cls`). You can use these fields in a number of ways.

The following examples use the Status field from the `cls.Contacts` table. The Status field is actually a link to the `cls.CodeMappings` table. To access the OFFLINE database, use the prefix *offline* with the table name; for example, `offline.Contacts`.

Field

In the simplest form, the Status field contains the ID value of the related record.

```
SELECT STATUS FROM CLS.CONTACTS
```

SQL Rational Join

As a field, you can use a SQL relational join to retrieve other information relating to the Status field from the `cls.CodeMappings` table.

```
SELECT C.ID, CM.TEXTVALUE
FROM CLS.CONTACTS C, CLS.CODEMAPPINGS CM
WHERE CM.ID = C.STATUS
```

Pointer

If you use a third-party-compliant client with plain SQL, you can use the Status field as a pointer to the data in the `cls.CodeMappings` table. A pointer is a value that contains the address of another value, such as in an index. This is a less complex form of the preceding script example.

You cannot use pointers in Report Creation Wizard.

```
SELECT ID, STATUS->TEXTVALUE
FROM CLS.CONTACTS
```

The arrow (->) symbol points to the related data. This is a Caché SQL extension, but is valid to use through ODBC.

Field types

The following table describes the field types used in the database tables in this section. For each type, it provides a range of valid values and a size.

Field type	Description	Value range	Length
Boolean	Logical true or false	0 or 1	1 byte
Integer	Integer value	- 9999999999999999999 to +9999999999999999999	4 bytes
Stream	Variable length character	not applicable	Length is theoretically unlimited
String	Variable length character	not applicable	0 bytes to 65 534 bytes
TimeStamp	Date and time information	0001-01-01 00:00:00 to 9999-12-31 23:59:59	8 bytes

Internal Use only definition

Some fields in the Contact Center Multimedia data dictionary have the definition Internal use only. This applies to fields in the database that are not relevant to end users. It can mean that the field holds only transient data used by the system, or it can mean that the field is not currently used by the system and the contents of the fields cannot be guaranteed. Therefore, you must not use these fields within reports.

Example

The cls.Addresses table contains the field FullAddress. This field contains the address information concatenated without spaces. The field is used internally when an agent searches on the address of a customer because the system is required to search on one field, FullAddress, rather than searching all the individual fields for the string that the user typed.

Custom Contact Center Multimedia reports and searches

When you create custom Contact Center Multimedia reports, limitations exist for searching on String field types and password fields.

String field types

When you search on String field types, note the following:

- When you use the = (equal) operator or the STARTSWITH operator, searches on String field types are case-insensitive.
- When you use the LIKE operator, searches on String field types are case-sensitive.
- When you use the ORDER BY clause on String field types
 - Only the first 100 characters determine the order. If the first 100 characters are the same, the data returns in the order based on the ID field.
 - If you order on multiple fields, you are limited to two String field types only.

Password fields

When you search on password fields, the expected results are not returned as the data is encrypted in the database.

Chapter 14: Multimedia database tables

This section is intended for database administrators who maintain the Contact Center Multimedia database, and for developers, administrators, or supervisors who create custom reports. This section describes the various tables in the Contact Center Multimedia database schema.

Actions

The Actions table stores the conversation between the customer and the contact center. Each cls.Actions record links to a cls.Contacts record through the Contact field. The cls.Contacts record contains header type information for the contact. The contact detail is stored in the cls.Actions records. One cls.Contacts record can have many cls.Actions records.

Field descriptions

The following sections describe cls.Actions fields.

Agent

Description: The Agent field links to the cls.Users record that contains details about the current or last agent dealing with this action. This field applies to both Outbound and email.

Type: Integer

Attempt

Description: The Attempt field stores the number of attempts made to send this cls.Actions record. This field applies to both Outbound and email.

Type: Integer

CallBackMedia

Description: The CallBackMedia field is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Actions record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields; see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: Integer

CallBackStatus

Description: The CallBackStatus field is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Actions record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields, see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: Integer

CallBackTime

Description: The date and time that the agent can contact the customer. This field applies to both Outbound and email.

Type: TimeStamp

CallEndTime

Description: The end date and time of the contact. This field applies to both Outbound and email.

Type: TimeStamp

CallStartTime

Description: The start date and time of the contact. This field applies to both Outbound and email.

Type: TimeStamp

CharSet

Description: The CharSet field stores the character set for the cls.Actions records. This field applies to both Outbound and email.

Type: String

Length: 50

ClosedReason

Description: The ClosedReason field is an embedded table (cls.ClosedReasons). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.ClosedReasons record related to this cls.Actions record. As a pointer, it refers to the fields on the cls.ClosedReasons record.

As a field, it can be used in an SQL relational join to the cls.ClosedReasons record.

Type: Integer

ClosedReasonCode

Description: The ClosedReasonCode field is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Actions record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields; see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: Integer

ClosedTime

Description: The date and time that the cls.Actions record closes. This field applies to both Outbound and email.

Type: TimeStamp

ComfortMessages

Description: Number of comfort messages issued during the chat.

Type: Integer

Comment

Description: Any comments from this agent. This field applies to both Outbound and email.

Type: String

Length: 255

Contact

Description: This is an embedded table (cls.Contacts). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Contacts record related to this cls.Actions record. As a pointer, it refers to the fields on the cls.Contacts record.

As a field, it can be used in an SQL relational join to the cls.Contacts record. For a list of fields; see [CodeMappings](#) on page 437

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: Integer

ContactID

Description: Relational link to the cls.Contacts record that this action relates to. This field applies to both Outbound and email.

Type: Integer

CreationTime

Description: The date and time this cls.Actions record is created. For the first action this is the same as the cls.Contacts.ArrivalTime. This field applies to both Outbound and email.

Type: TimeStamp

CustomFields

Description: This is an embedded table (cls.CustomFields). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CustomFields record related to this cls.Actions record. As a pointer, it refers to the fields on the cls.CustomFields record.

As a field, it can be used in an SQL relational join to the cls.CustomFields record. For a list of fields; see [CustomFields](#) on page 449.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: Integer

DialEndTime

Description: The dial end date and time of the contact. This field applies to both Outbound and email.

Type: TimeStamp

DialStartTime

Description: The dial start date and time of the contact. This field applies to both Outbound and email.

Type: TimeStamp

DispositionCode

Description: This is an embedded table (cls.DispositionCodes). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.DispositionCodes record related to this cls.Actions record. As a pointer, it refers to the fields on the cls.DispositionCodes record.

As a field, it can be used in an SQL relational join to the cls.DispositionCodes record. For a list of fields; see [DispositionCodes](#) on page 455.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to Outbound only.

Type: Integer

HistoryFlag

Description: The action history flag. This indicates whether each action contains details from previous actions. A value of 1 equals Yes. This field applies to both Outbound and email.

Type: Boolean

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to both Outbound and email.

Type: Integer

MailBCC

Description: The email addresses that this action is blind copied to. This field applies to both Outbound and email.

Type: String

Length: 32767

MailCC

Description: The email addresses that this action is copied to. This field applies to both Outbound and email.

Type: String

Length: 4096

MailFrom

Description: The email address that appears as the From address to the recipient of this action. This is usually the same as a cls.Mailbox table record. This field applies to both Outbound and email.

Type: String

Length: 4096

MailTo

Description: The email address that this action is sent to. This field applies to both Outbound and email.

Type: String

Length: 4096

NumberUsed

Description: The phone number used to contact the customer. This field applies to both Outbound and email.

Type: String

Length: 255

OpenTime

Description: The date and time this cls.Actions record is opened. This field applies to both Outbound and email.

Type: TimeStamp

RestCall

Description: Whether the rest call was made to mask data in the conversation.

Type: boolean

Source

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Actions record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields; see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: Integer

Subject

Description: The subject for this action. This field applies to both Outbound and email.

Type: String

Length: 255

TemplateLocation

Description: Location of any templates used on this action. This field applies to both Outbound and email.

Type: String

Length: 255

Text

Description: The full text for this action. It can contain text from other actions, depending upon the history flag. This field applies to both Outbound and email.

Type: Stream

TimeAllocated

Description: The length of time, in seconds, this action is worked on. This is the difference between the OpenTime and the ClosedTime expressed in seconds. This field applies to both Outbound and email.

Type: Integer

Type

Description: This is an embedded table (cls.ContactTypes). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.ContactTypes record related to this cls.Actions record. As a pointer, it refers to the fields on the cls.ContactTypes record.

As a field, it can be used in an SQL relational join to the cls.ContactTypes record. For a list of fields; see [ContactTypes](#) on page 448.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: Integer

Indexes

The following table lists the indexes used by the cls.Actions table.

Index name	Fields indexed	Type	Unique 1 = Yes	Description
idxContact	Contact	Bitmap	0	Index on the Contact field to aid searching.
idxContactID	Contact	Bitmap	0	Index on the Contact field to aid searching.
idxClosedReason	Contact	Bitmap	0	Index on the Contact field to aid searching

ActivityCodes

This table stores a list of activity codes.

Field descriptions

The field descriptions for this table are described in this section.

ActivityCode

Description: Activity code.

Length: 255

Type: String

ActivityDisplayName

Description: Activity displayed in Agent Desktop.

Length: 255

Type: String

ActivityName

Description: Activity name.

Length: 255

Type: String

DeletionTimeStamp

Description: The date and time this record was marked as deleted.

Type: Timestamp

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

MarkAsDeleted

Description: Flag to indicate whether to delete this record. This record is retained for foreign key integrity and the record is not physically deleted.

Type: Bit

Index name	Fields indexed	Type	Unique 1 = Yes	Description
ActivityCodeIndex	Contact	Bitmap	0	Index on the Contact field to aid searching.

Addresses

This table stores address details for customers. The address details link to the relevant cls.Customers record through the customer field. Several cls.Addresses records can link to the same cls.Customers record.

Field descriptions

The field descriptions for this table are described in this section.

Country

Description: The country information for this address. This field applies to both Outbound and email.

Type: String

Length: 255

Customer

Description: This is an embedded table (cls.Customers). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Customers record related to this cls.Addresses record. As a pointer, it refers to the fields on the cls.Customers record.

As a field, it can be used in an SQL relational join to the cls.Customers record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email. This field applies to both Outbound and email.

Type: Integer

Default

Description: Flag that indicates this address is used as the default. A value of 1 equals Yes. This field applies to both Outbound and email.

Type: Boolean

FullAddress

Description: For internal use only. It contains all concatenated address fields, which assists with searching. This field applies to both Outbound and email.

Type: String

Length: 1785

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to both Outbound and email.

Type: Integer

Imported

Description: Flag to indicate that this address is used as the default for the customer. A value of 1 equals Yes.

Type: Boolean

Line1

Description: First line of the address information. This field applies to both Outbound and email.

Type: String

Length: 255

Line2

Description: Second line of the address information. This field applies to both Outbound and email.

Type: String

Length: 255

Line3

Description: Third line of the address information. This field applies to both Outbound and email.

Type: String

Length: 255

Line4

Description: Fourth line of the address information. This field applies to both Outbound and email.

Type: String

Length: 255

Line5

Description: Fifth line of the address information. This field applies to both Outbound and email.

Type: String

Length: 255

ZipCode

Description: Zip code or postal code information for the address. This field applies to both Outbound and email.

Type: String

Length: 255

Indexes

The following table lists the indexes used by the cls.Addresses table.

Index name	Fields indexed	Type	Unique 1 = Yes	Description
idxCustomer	Customer	Bitmap	0	Index on the Customer field to aid searching
idxFullAddress	FullAddress	Bitmap	0	Index on the FullAddress field to aid searching

Administrators

This table stores details about the administrator user account used to access the multimedia administration application.

Field descriptions

The field descriptions for this table are described in this section.

AdminRole

Description: Not used at present in this release.

Type: String

Length: 20

DN

Description: The administrator’s phone number.

Type: String

Length: 32

EmailAddress

Description: The administrator’s email address.

Type: String

Length: 255

FaxNumber

Description: The administrator's FAX number, if available.

Type: String

Length: 32

FirstName

Description: The administrator's first name.

Type: String

Length: 50

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

InternalUseOnly

Description: This field indicates whether the Administrator account can log on externally using the CCMM Web Services.

Type: Boolean

LogonID

Description: The administrator's logon name.

Type: String

Length: 50

Password

Description: The password to use with the LogonID information.

Type: String

Length: 20

Status

Description: Indicates whether the administrator is logged on. A value of 1 equals logged on; a value of 0 equals logged off.

Type: Integer

Surname

Description: The administrators last name (surname).

Type: String

Length: 50

Answers

This table stores the list of answers relating to an Outbound contact record. They link to the Contact record through the Contact field. Multiple answer records can exist with the same contact value.

Field descriptions

The field descriptions for this table are described in this section.

Answer

Description: The actual textual answer, which usually derives from the list of possible answers that relate to the question. This field applies to Outbound only.

Type: String

Length: 255

Contact

Description: This is an embedded table (cls.Contacts). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Contacts record related to this cls.Answers record. As a pointer, it refers to the fields on the cls.Contacts record.

As a field, it can be used in an SQL relational join to the cls.Contacts record. For a list of fields; see [Contacts](#) on page 438.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to Outbound only.

Type: Integer

DateCreated

Description: Date and time the answer record was created. This field applies to Outbound only.

Type: TimeStamp

FreeText

Description: If FreeText is allowed for the question, the text is entered here. This field applies to Outbound only.

Type: String

Length: 255

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to Outbound only.

Type: Integer

QuestionID

Description: Relational link to the question that this answer relates to. This field applies to Outbound only.

Type: Integer

Indexes

The following table lists the indexes used by the cls.Answers table.

Index name	Fields indexed	Type	Unique 1 = Yes=	Description
idx Contact	Contact	Bitmap	0	Index on the Contact field to aid searching.

ApprovalAudits

The ApprovalAudits table contains data on each audit action for supervisor approval of email contacts. Each stage in the supervisor approval process for an email contact creates a new record in this table.

Field descriptions

This section describes the fields for the ApprovalAudits table.

Action

Description: This is an embedded table (cls.Actions). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Actions record related to this cls.ApprovalAudits record. As a pointer, it refers to the fields on the cls.Actions record.

As a field, it can be used in an SQL relational join to the cls.Actions record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382.

Type: cls.Actions

ActionID

Description: Relational link to the cls.Actions record that owns this audit action.

Type: Integer

Comment

Description: The note logged by the approving supervisor or the agent for this audit action.

Type: varchar

CreatedTimestamp

Description: The time when the approval audit was created.

Type: TimeStamp

ID

Description: This is the primary key for the table. The database automatically generates the value for this field when it creates the record, and the value cannot subsequently change.

Type: Integer

Level

Description: The approval level of the audit action. There can be multiple levels of approval, depending on the approval configuration.

Type: Integer

SkillsetID

Description: The ID of the skillset for this audit action. This can be an approval skillset, or the original skillset for the email contact, depending on the audit action.

Type: Integer

Status

Description: The status reflects the type of this audit action. The valid values are as follows:

- 1 = ReviewStarted
- 2 = Approved
- 3 = Rejected
- 4 = EditStarted
- 5 = Edited
- 6 = AutoRejected

Type: Integer

UpdatedTimestamp

Description: The time of the audit action.

Type: TimeStamp

UserId

Description: The ID of the agent or approval supervisor who carried out this audit action. If the audit status is 6 (AutoRejected) this field contains no value.

Type: Integer

ArchiveEvents

This table stores a record of a currently running CCMM scheduled cleanup task.

ArchiveError

Description: Contains any database error messages that occur during the scheduled cleanup task.

Type: String

ArchiveProgress

Description: Contains the progress of the scheduled cleanup task.

Type: Float

DateTimeStamp

Description: The date of the last update to this cleanup event..

Type: Timestamp

Header

Description: Contains a link to the ArchiveHeader record related to this table.

Type: cls.ArchiveHeader

ID

Description: The primary key for this table.

Type: Integer

JobOK

Description: Flag to show if the scheduled cleanup task is still running.

Type: Boolean

JobPID

Description: Operating system process ID for the scheduled cleanup task.

Type: Integer

OfflineContactCount

Description: Count of the number of contacts affected by the scheduled cleanup task that are still present in the OFFLINE database (have not been purged).

Type: Integer

OfflineCustomerCount

Description: Count of the number of customers affected by the scheduled cleanup task that are still present in the OFFLINE database (have not been purged).

Type: Integer

ProgressDeleteCampaigns

Description: Progress counter during cleanup task.

Type: Integer

ProgressDeleteContacts

Description: Progress counter during cleanup task.

Type: Integer

ProgressDeleteCustomers

Description: Progress counter during cleanup task.

Type: Integer

ProgressRestoreCampaigns

Description: Progress counter during restore task.

Type: Integer

ProgressRestoreContacts

Description: Progress counter during restore task.

Type: Integer

ProgressRestoreCustomers

Description: Progress counter during restore task.

Type: Integer

RestoreError

Description: Contains any error messages that occur during the restore task.

Type: String

Restored

Description: Flags whether this event was restored.

Type: Boolean

RestoreProgress

Description: Contains the progress of the restore task.

Type: Float

RestoreScheduleDate

Description: The date and time when the next restore task is scheduled to run.

Type: Timestamp

TotalArchiveCampaigns

Description: Total number of campaigns to be removed by this scheduled cleanup task.

Type: Integer

TotalArchiveContacts

Description: Total number of contacts to be removed by this scheduled cleanup task.

Type: Integer

TotalArchiveCustomers

Description: Total number of customers to be removed by this scheduled cleanup task.

Type: Integer

ArchiveFilters

This table records contacts, customers, and campaigns that a scheduled cleanup task removed from the MULTIMEDIA database.

ID

Description: The primary key for this table.

Type: Integer

ArchiveEventID

Description: The ID of the archive event.

Type: Integer

CampaignID

Description: The Campaign ID.

Type: Integer

ContactID

Description: The Contact ID.

Type: Integer

CustomerID

Description: The Customer ID.

Type: Integer

Status

Description: The Contact Status.

Type: Integer

ArchiveHeaders

This table relates an ArchiveRule to a scheduled cleanup task. Each time the schedule cleanup task runs, CCMM creates an ArchiveEvent.

ID

Description: The primary key for this table.

Type: Integer

ArchiveDescription

Description: The description of the cleanup task.

Type: String

Length: 255

ArchiveName

Description: The name of the cleanup task.

Type: String

Length: 50

ArchiveRuleID

Description: The archive rule used by this scheduled cleanup task.

Type: Integer

ArchiveScheduleType

Description: The schedule type. Valid values are:

- 0 (run once)
- 1 (weekly)
- 2 (monthly)

Type: Integer

MarkAsDeleted

Description: Flag indicating if the cleanup task is deleted from the calendar.

Type: Integer

NextScheduledDate

Description: The date and time when the next cleanup task is scheduled to run.

Type: Timestamp

ScheduleDayOfMonth

Description: The day on which a monthly scheduled cleanup task runs.

Type: Integer

ScheduleDayOfWeek

Description: The day on which a weekly scheduled cleanup task runs.

Type: String

Length: 50

ScheduleEndDateTime

Description: The end date for a schedule.

Type: Timestamp

ScheduleMonthOfYear

Description: The monthly frequency.

Type: Integer

ScheduleStartDateTime

Description: The start date for a scheduled task.

Type: Integer

ArchiveNotes

This table is used internally by the archive function. For internal use only.

Field descriptions

The field descriptions for this table are described in this section.

ArchivedPreviousStatus

Description: Internal use only.

Type: Integer

ArchiveProgress

Description: Internal use only.

Type: Double

ArchiveStatus

Description: Internal use only.

Type: Integer

AuditRestoreComplete

Description: Internal use only.

Type: Boolean

ID

Description: Internal use only.

Type: Integer

CampaignIds

Description: Internal use only.

Length: 500

Types: String

ClosedReasons

Description: Internal use only.

Length: 500

Type: String

ClosedTime

Description: Internal use only.

Type: Timestamp

DatabaseFolder

Description: Internal use only.

Length: 32767

Type: String

DatabaseName

Description: Internal use only.

Length: 255

Type: String

DataTimeStamp

Description:

Type: Timestamp

DeleteCustomerData

Description: Internal use only.

Type: Bit

Description

Description: Internal use only.

Type: String

Length: 50

JobOK

Description: Internal use only.

Type: Integer

JobPID

Description: Internal use only.

Type: Integer

LastError

Description: Internal use only.

Type: String

Length: 1024

NoteText

Description: Internal use only.

Type: String

Length: 255

ProgressArchiveCampaigns

Description: Internal use only.

Type: Integer

ProgressArchiveContacts

Description: Internal use only.

Type: Integer

ProgressArchiveCustomers

Description: Internal use only.

Type: Integer

ProgressDeleteCampaigns

Description: Internal use only.

Type: Integer

ProgressDeleteContacts

Description: Internal use only.

Type: Integer

ProgressDeleteCustomers

Description: Internal use only.

Type: Integer

RestoreProgress

Description: Internal use only.

Type: Double

RuleIds

Description: Internal use only.

Type: String

Length: 500

ScheduledTimeStamp

Description: Internal use only.

Type: Timestamp

SkillsetIds

Description: Internal use only.

Type: String

Length: 500

TotalArchiveCampaigns

Description: Internal use only.

Type: Integer

TotalArchiveContacts

Description: Internal use only.

Type: Integer

TotalArchiveCustomers

Description: Internal use only.

Type: Integer

ArchiveRules

This table stores the definition of a CCMM Data Management cleanup rule.

AgeOfContacts

Description: The age of contacts that this rule identifies for deletion from the MULTIMEDIA database by a scheduled task.

Type: Integer

DeleteCampaign

Description: The setting for this rule to delete the cls.Campaign record if all the related contacts have been deleted from the MULTIMEDIA database.

Type: Boolean

ID

Description: The primary key for this table.

Type: Integer

LastScheduledDate

Description: The last time a scheduled cleanup task used this rule.

Type: Timestamp

NextScheduledDate

Description: The scheduled time of the next cleanup task that will use this rule.

Type: Timestamp

RuleDescription

Description: The rule type. Valid values are:

- Campaign
- Closed Reason
- Customer
- Rule
- Skillset
- System

Type: String

RuleName

Description: The rule name.

Type: String

SelectedRuleCriteria

Description: A list of the IDs of the elements included in the rule.

Type: List

TotalNumberofRulesInc

Description: A count of the elements included in the rule.

Type: Integer

AreaCodes

This table stores a list of standard international area codes.

Field descriptions

The field descriptions for this table are described in this section.

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

Abbreviation

Description: Country, State abbreviation, for example, NY-New York, FR-France.

Type: String

Length: 255

AreaCode

Description: Area code phone number prefix, for example Your City-212, Paris -1.

Type: String

Length: 10

InternationalCode

Description: International phone number prefix, for example US-1, France-33.

Type: String

Length: 10

Location

Description: Text description of the area code location.

Type: String

Length: 255

MarkAsDeleted

Description: Flag to indicate whether to delete this record. This record is retained for foreign key integrity and the record is not physically deleted.

Type: Bit

TimeZone

Description: The TimeZone field is an embedded table (cls.TimeZone). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.TimeZones recorded related to this cls.AreaCodes record. As a pointer, it refers to the fields on the cls.TimeZones record.

Type: Integer

UserModified

Description: Flag to indicate if the CCMM default settings for the area code is modified. CCMM patching of area code data does not affect records modified by a contact center user.

Type: Bit

Attachments

This table stores details relating to file attachments that are either received from the customer or sent to the customer. The direction field holds information relating to whether the file was received or sent. They link to action records as the customer can send an attachment (action 1) and the contact center agent can reply with another attachment (action 2).

Field descriptions

The field descriptions for this table are described in this section.

Action

Description: This is an embedded table (cls.Actions). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Actions record related to this cls.Attachements record. As a pointer, it refers to the fields on the cls.Actions record.

As a field, it can be used in an SQL relational join to the cls.Actions record. For a list of fields; see [Actions](#) on page 386.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.Actions

Direction

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Attachements record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields, see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.CodeMappings

DisplayFileName

Description: The display name for the attached file. This is usually the name of the file with no folder information. This field applies to both Outbound and email.

Type: String

Length: 255

FileContents

Description: Internal use only. If you configure a redundant server, this field is used to copy the contents of the file from the Primary server to the redundant server. After the contents of the file is copied, this field is cleared again. Therefore, under normal circumstances this field is blank. This field applies to both Outbound and email.

Type: Stream

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to both Outbound and email.

Type: Integer

InternalFileName

Description: The full path and name for the attached file. This field applies to both Outbound and email.

Type: String

Length: 255

Indexes

The following table lists the indexes used by the cls.Attachments table.

Index name	Fields indexed	Type	Unique 1 = Yes	Description
idxAction	Action	Bitmap	0	Index on the Action field to aid searching.

Audits

This table stores audit details for customers, contacts, actions, and campaigns. The details include when the information changed, what changed, and who changed it. Not all the fields appear in each record—only the relevant fields.

Field descriptions

The field descriptions for this table are described in this section.

ActionId

Description: Relational link to the cls.Actions record that this cls.Audits record relates to. This field applies to both Outbound and email.

Type: Integer

AgentId

Description: Relational link to the cls.Users record who updated the customer, contact, action, or campaign. This field applies to both Outbound and email.

Type: Integer

CampaignId

Description: Relational link to the cls.Campaigns record that this cls.Audits record relates to. This field applies to both Outbound and email.

Type: Integer

CampaignUserName

Description: Campaign user name that created the cls.Audits record. This field applies to both Outbound and email.

Type: String

ContactId

Description: Relational link to the cls.Contacts record that this cls.Audits relates to. This field applies to both Outbound and email.

Type: Integer

CustomerId

Description: Relational link to the cls.Customers record that this cls.Audits record relates to. This field applies to both Outbound and email.

Type: Integer

DateTimeStamp

Description: The date and time that this cls.Audits record is created. This field applies to both Outbound and email.

Type: TimeStamp

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to both Outbound and email.

Type: Integer

NewValue

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Audits record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields, see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.CodeMappings

OldValue

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Audits record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields, see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.CodeMappings

Type

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Audits record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields, see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.CodeMappings

AutoResponses

This table stores predefined AutoResponses that can be sent to the customer.

Field descriptions

The field descriptions for this table are described in this section.

Attachments

Description: This is an embedded table (cls.AutoResponseAttachments). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.AutoResponseAttachments record related to this cls.AutoResponses record. As a pointer, it refers to the fields on the cls.AutoResponseAttachments record.

As a field, it can be used in an SQL relational join to the cls.AutoResponseAttachments record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to email only.

Type: cls.AutoResponseAttachments

Body

Description: The acknowledgement text itself. This field applies to email only.

Type: String

Length: 4095

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to email only.

Type: Integer

Name

Description: The name displayed to reference the acknowledgement. This field applies to email only.

Type: String

Length: 255

Subject

Description: The subject displayed for the acknowledgement. This field applies to email only.

Type: String

Length: 255

AutoResponseAttachments

This table stores information relating to any file attachments that are sent out with an AutoResponse record.

Field descriptions

The field descriptions for this table are described in this section.

AutoResponse

Description: This is an embedded table (cls.AutoResponses). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.AutoResponses record related to this cls.AutoResponseAttachments record. As a pointer, it refers to the fields on the cls.AutoResponses record.

As a field, it can be used in an SQL relational join to the cls.AutoResponses record. For a list of fields; see [AutoResponses](#) on page 417.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to email only.

Type: cls.AutoResponses

DisplayFileName

Description: The name as it appears to an end user. Usually it is the file name. This field applies to email only.

Type: String

Length: 255

FileContents

Description: Temporary location for the actual contents of the file. This ensures that the file is correctly copied to the Geographical Redundancy Server. At the Geographical Redundancy Server, the file is copied back to disk and this field is cleared. This field applies to email only.

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to email only.

Type: Integer

InternalFileName

Description: The full folder and file name for the attachment. The system uses this field to locate the attachment. This field applies to email only.

Type: String

Length: 255

Indexes

The following table lists the indexes used by the cls.AutoResponseAttachement table.

Index name	Fields indexed	Type	Unique 1 = Yes	Description
idxAutoResponse	AutoResponse	Bitmap	0	Index on the AutoResponse field to aid searching.

AutoResponse_Categories

This is an internal table created by Intersystems Cache to manage a many-to-many relationship between AutoResponses and Categories

AutoResponses

Description: The AutoResponse ID.

Type: ID of the auto-suggestion in cls.AutoResponses

Categories

Description: The Category ID.

Type: ID of the category in cls.Category

element_key

Description: Internal Caché field.

Type: String

ID

Description: The primary key for this table.

Type: String

BarredOutBoundAddresses

This table stores an email addresses that are not used for outbound campaigns.

Field descriptions

The field descriptions for this table are described in this section.

EmailAddress

Description: A link to an address field. This field applies to both Outbound and email.

Type: String

Length: 255

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to both Outbound and email.

Type: Integer

Breaks

This table lists the breaks configured in CCMM. A break can be a single holiday event by date, for example New Year's Day. Alternatively it can be a time period, such as 00:00–08:00 on Monday.

Field descriptions

This section describes the fields in this table.

Calendar

Description: Relational link to the cls.Calendar record to which this break relates.

Type: cls.Calendar

DayOfWeek

Description: The day of the week for this break. Valid values are:

- 0 (holiday by date)
- 1–7 (day of the week, Monday-Sunday)

Type: Integer

EndTime

Description: The number of seconds from midnight at the beginning of the day (00:00) to the end of the break.

Type: Integer

HolidayDate

Description: The date for an all-day holiday (set where DayOfWeek=0).

Type: Timestamp

HolidayName

Description: The name for an all-day holiday (set where DayOfWeek=0).

Type: String

ID

Description: The primary key for this table.

Type: Integer

StartTime

Description: The number of seconds from midnight at the beginning of the day (00:00) to the start of the break.

Type: Integer

Calendars

This table lists the CCMM Administration calendars. Each calendar is a collection of breaks.

Field descriptions

This section describes the fields in this table.

ID

Description: The primary key for this table.

Type: Integer

Name

Description: The calendar name.

Type: String

Length: 255

CallBarrings

This table is not currently used.

Field descriptions

The field descriptions for this table are described in this section.

Agent

Description: The agent.

Type: Users

AgentComment

Description: Any comments that the agent has.

Type: String

Length: 255

Customer

Description: This is an embedded table (cls.Customers). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Customers record related to this cls.CallBarrings record. As a pointer, it refers to the fields on the cls.Customers record.

As a field, it can be used in an SQL relational join to the cls.Customers record. For a list of fields; see [Customer](#) on page 451.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382.

Type: cls.Customers

ExpiryDate

Description: The date and time that the details within this record expire.

Type: TimeStamp

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

Campaigns

This table stores details related to an outbound campaign.

Field descriptions

The field descriptions for this table are described in this section.

AutoDialTimeOut

Description: The length of time, in seconds, to wait before timing out when trying to dial a phone number. This field applies to Outbound only.

Type: Integer

CampaignScript

Description: This is an embedded table (cls.CampaignScripts). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CampaignScripts record related to this cls.Campaigns record. As a pointer, it refers to the fields on the cls.CampaignScripts record.

As a field, it can be used in an SQL relational join to the cls.CampaignScripts record. For a list of fields; see [CampaignScripts](#) on page 432.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to Outbound only.

Type: cls.CampaignScripts

CustomFields

Description: This is an embedded table (cls.CustomFields). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CustomFields record related to this cls.Campaigns record. As a pointer, it refers to the fields on the cls.CustomFields record.

As a field, it can be used in an SQL relational join to the cls.CustomFields record. For a list of fields; see [CustomFields](#) on page 449.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to Outbound only.

Type: cls.CustomFields

DailyEndTime

Description: The end time to use with the DailyStartTime. This field applies to Outbound only.

Type: TimeStamp

DailyStartTime

Description: The time during the day that this campaign becomes active. If this field has an assigned value, then the campaign does not become active until this time during the day. For

example, the field is used for campaigns that can run during office hours only. This field applies to Outbound only.

Type: TimeStamp

DateCreated

Description: The date and time that this campaign was created on the system. This field applies to Outbound only.

Length: TimeStamp

Description

Description: The textual description for this campaign. This field applies to Outbound only.

Type: String

Length: 32768

DialingPrefix

Description: The dialing prefix to use for this campaign. This is used if a specific prefix exists that agents use to call customers on this campaign. This field applies to Outbound only.

Type: String

Length: 10

DispositionCodes

Description: This is an embedded table (cls.DispositionCodes). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.DispositionCodes record related to this cls.Campaigns record. As a pointer, it refers to the fields on the cls.DispositionCodes record.

As a field, it can be used in an SQL relational join to the cls.DispositionCodes record. For a list of fields; see [DispositionCodes](#) on page 455.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to Outbound only.

Type: cls.DispositionCodes

EndDateTime

Description: The date and time that this campaign expires. This is used by the Contact Center Multimedia Outbound Scheduler Service to determine when to change the status values for Contacts records linked to this campaign. This field applies to Outbound only.

Type: TimeStamp

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to Outbound only.

Type: Integer

LastLoadedDate

Description: The date and time that contacts were last loaded into the system for this campaign. Internal use only. This field applies to Outbound only.

Type: TimeStamp

LoadedContactsPerInterval

Description: Number of contacts to load each time the LoadInterval elapses. This field applies to Outbound only.

Type: Integer

LoadInterval

Description: Amount of time to wait before loading the next set of contacts into the system. This field applies to Outbound only.

Type: Integer

Locked

Description: Flag to indicate if the campaign is locked by another process. Internal use only. This field applies to Outbound only.

Type: Boolean

LockedBy

Description: Used with Locked field to indicate who has the lockout. Internal use only. This field applies to Outbound only.

Type: String

Length: 50

LockedDateTime

Description: Used with Locked field to indicate the date and time that the lock was taken out. Internal use only. This field applies to Outbound only.

Type: TimeStamp

MinimumRingTime

Description: The length of time, in seconds, that the phone rings in this campaign. This field applies to Outbound only.

Type: Integer

Name

Description: Title for this campaign. This field applies to Outbound only.

Type: String

Length: 255

NumberOfContacts

Description: The number of contacts in this campaign. This field applies to Outbound only.

Type: Integer

NumberOfContactsClosed

Description: Calculated field to return the number of closed campaign contacts.

Type: Integer

NumberOfContactsProcessed

Description: The number of contacts processed for this campaign. This number is updated when the status on a contact changes. This field applies to Outbound only.

Type: Integer

Owner

Description: The owner of this campaign. This is the name of the person who created this campaign. This person is not necessarily an agent or supervisor who is registered on the system. Therefore, the information is stored as a simple string. This field applies to Outbound only.

Type: String

Length: 255

PreviousStatus

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Campaigns record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields; see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to Outbound only.

Type: cls.CodeMappings

Priority

Description: The priority of this campaign. This field applies to Outbound only.

Type: Integer

Skillset

Description: This is an embedded table (cls.Skillsets). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Skillsets record related to this cls.Campaigns record. As a pointer, it refers to the fields on the cls.Skillsets record.

As a field, it can be used in an SQL relational join to the cls.Skillsets record. For a list of fields; see [Skillsets](#) on page 494.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to Outbound only.

Type: cls.Skillsets

StartDateTime

Description: The date and time this campaign becomes active. This is used by the Contact Center Multimedia Outbound Scheduler Service to determine when to change the status values for Contacts records linked to this campaign. This field applies to Outbound only.

Type: TimeStamp

StartOfRun

Description: Internal use only. This field applies to Outbound only.

Type: Boolean

Status

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Campaigns record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields; see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to Outbound only.

Type: cls.CodeMappings

UseTimeZone

Description: Flag to indicate if time zone is considered when processing campaign contacts.

Type: Integer

CampaignAudits

This table logs changes to campaigns made in the Outbound Campaign Management Tool (OCMT). For each field that changed, the table shows the old value and the new value. For fields that did not change, both the old and new values in the table are NULL.

AuditType

Description: Type of the update to the campaign.

Type: cls.CodeMappings

CampaignID

Description: ID of the campaign in cls.Campaigns.

Type: Integer

ChangedByUser

Description: The username of the OCMT user who changed the campaign.

Type: String

Length: 255

CreationDate

Description: The date the campaign was modified.

Type: Timestamp

ID

Description: The primary key for this table.

Type: Integer

NewAutoDialTimeOut

Description: The new value for AutoDialTimeOut. If this field did not change, the value is NULL.

Type: Integer

NewCampaignScriptID

Description: The new value for CampaignScriptID. If this field did not change, the value is NULL.

Type: Integer

NewDailyEndTime

Description: The new value for DailyEndTime. If this field did not change, the value is NULL.

Type: Timestamp

NewDailyStartTime

Description: The new value for DailyStartTime. If this field did not change, the value is NULL.

Type: Timestamp

NewDescription

Description: The new value for Description. If this field did not change, the value is NULL.

Type: String

NewDispositionCodes

Description: The new value for DispositionCodes. If this field did not change, the value is NULL.

Type: String

NewDialingPrefix

Description: The new value for DialingPrefix. If this field did not change, the value is NULL.

Type: String

NewEndDateTime

Description: The new value for EndDateTime. If this field did not change, the value is NULL.

Type: Timestamp

NewLastLoadedDate

Description: The new value for LastLoadedDate. If this field did not change, the value is NULL.

Type: Timestamp

NewLoadContactsPerInterval

Description: The new value for LoadContactsPerInterval. If this field did not change, the value is NULL.

Type: Integer

NewLoadInterval

Description: The new value for LoadInterval. If this field did not change, the value is NULL.

Type: Integer

NewMinimumRingTime

Description: The new value for MinimumRingTime. If this field did not change, the value is NULL.

Type: Integer

NewNumberOfContacts

Description: The new value for NumberOfContacts. If this field did not change, the value is NULL.

Type: Integer

NewPriority

Description: The new value for Priority. If this field did not change, the value is NULL.

Type: Integer

NewSkillsetID

Description: The new value for SkillsetID. If this field did not change, the value is NULL.

Type: Integer

NewStartDateTime

Description: The new value for StartDateTime. If this field did not change, the value is NULL.

Type: Timestamp

NewStatusValue

Description: The new value for StatusValue. If this field did not change, the value is NULL.

Type: Integer

OldAutoDialTimeOut

Description: The old value for AutoDialTimeOut.

Type: Integer

OldCampaignScriptID

Description: The old value for CampaignScriptID. If this field did not change, the value is NULL.

Type: Integer

OldDailyEndTime

Description: The old value for DailyEndTime. If this field did not change, the value is NULL.

Type: Timestamp

OldDailyStartTime

Description: The old value for DailyStartTime. If this field did not change, the value is NULL.

Type: Timestamp

OldDescription

Description: The old value for Description. If this field did not change, the value is NULL.

Type: String

OldDialingPrefix

Description: The old value for DialingPrefix. If this field did not change, the value is NULL.

Type: Integer

OldDispositionCodes

Description: The old value for DispositionCodes. If this field did not change, the value is NULL.

Type: Integer

OldEndDateTime

Description: The old value for EndDate. If this field did not change, the value is NULL.

Type: Timestamp

OldLastLoadedDate

Description: The old value for LastLoadedDate. If this field did not change, the value is NULL.

Type: Timestamp

OldLoadContactsPerInterval

Description: The old value for LoadContactsPerInterval. If this field did not change, the value is NULL.

Type: Integer

OldLoadInterval

Description: The old value for LoadInterval. If this field did not change, the value is NULL.

Type: Integer

OldMinimumRingTime

Description: The old value for MinimumRingTime. If this field did not change, the value is NULL.

Type: Integer

OldNumberOfContacts

Description: The old value for NumberOfContacts. If this field did not change, the value is NULL.

Type: Integer

OldPriority

Description: The old value for Priority. If this field did not change, the value is NULL.

Type: Integer

OldSkillsetID

Description: The old value for SkillsetID. If this field did not change, the value is NULL.

Type: Integer

OldStartDateTime

Description: The old value for StartDateTime. If this field did not change, the value is NULL.

Type: Timestamp

OldStatusValue

Description: The old value for StatusValue. If this field did not change, the value is NULL.

Type: Integer

CampaignScripts

This table stores campaign scripts that are used by cls.Campaigns records to prompt agents with questions that they ask the customer. The actual questions are stored in the cls.Questions table.

Field descriptions

The field descriptions for this table are described in this section.

Conclusion

Description: Textual conclusion for the cls.CampaignScripts record. This field applies to Outbound only.

Type: String

Length: 1024

DateCreated

Description: The date and time this cls.CampaignScripts record is created. This field applies to Outbound only.

Type: TimeStamp

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to Outbound only.

Type: Integer

Introduction

Description: Textual introduction for the cls.CampaignScripts record. This field applies to Outbound only.

Type: String

Length: 1024

Name

Description: Textual description for the cls.CampaignScripts record. This field applies to Outbound only.

Type: String

Length: 255

Questions

Description: This is an embedded table (cls.Questions). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Questions record related to this cls.CampaignScripts record. As a pointer, it refers to the fields on the cls.Questions record.

As a field, it can be used in an SQL relational join to the cls.Questions record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to Outbound only.

Type: cls.Questions

CarbonCopies

This consolidates CC addresses on email replies, instead of creating a separate contact for each address that agents copy. This table enables the email approval process to target a single cls.Action record.

Field descriptions

This section describes the fields in this table.

Contacts

Description: ID of the contact in cls.Contact.

Type: Integer

CopyMode

Not used.

Customers

Description: ID of the customer in cls.Customer.

Type: Integer

ID

Description: The primary key for this table.

Type: Integer

Categories

This table contains the list of categories that group auto-suggestions.

Name

Description: The category name.

Type: String

Length: 250

ID

Description: The primary key for this table.

Type: Integer

Channel

This table identifies the source channels for Social Media contacts.

Field descriptions

This section describes the fields in this table.

Description

Description: The description of the Social Media channel.

Type: String

Length: 255

ID

Description: The primary key for this table.

Type: Integer

MarkAsDeleted

Description: Flags whether the channel is deleted from the CCMM Administration tool.

Type: Integer

Name

Description: The channel name.

Type: String

Length: 100

NumericValue

Description: Numeric representation.

Type: Integer

ClosedReasons

This table stores a list of closed reason codes. Closed reason codes can be specific to one contact type or can apply to all contact types.

Field descriptions

The field descriptions for this table are described in this section.

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

DeletionTimeStamp

Description: The date and time this record appears as deleted.

Type: Timestamp

MarksAsDeleted

Description: Flag to indicate whether to delete this record. This record is retained for foreign key integrity and the record is not physically deleted.

Type: Bit

Name

Description: Textual description for the cls.ClosedReasons record.

Type: String

Length: 255

OldCodeMappingID

Description: Closed reasons in Contact Center Multimedia Release 6.0 were code mapping records. This field is used to migrate the Contact Center Multimedia Release 6.0 data to Contact Center Multimedia Release 7.0.

Type: Integer

Type

Description: This identifies the contact type to which this closed reason applies. Null means that the closed reason applies to all contact types.

Type: Integer

CodeMappings

This is a reference table that contains all the text values for the various integer codes used in other tables.

Field descriptions

The field descriptions for this table are described in this section.

FieldName

Description: Contains the type of code. The code is usually the concatenated table and field name, for example, for Status values from the Contact table the FieldName is ContactStatus. This field applies to both Outbound and email.

Type: String

Length: 50

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to both Outbound and email.

Type: Integer

Icon

Description: Currently not used, but can be used in the future to store icon details representing the code. This field applies to both Outbound and email.

Type: String

Length: 50

NumericValue

Description: Numeric value for the code. For example, closed contacts have a numeric value of 3. This field applies to both Outbound and email.

Type: Integer

Text

Description: Text description of the code, such as Closed. This field applies to both Outbound and email.

Type: String

Length: 50

Contacts

This table stores customer contact information. This is the header type information for the contact. The details about the contact are stored in the cls.Actions records. Each time the customer contacts the contact center, a new cls.Contacts record is created. Each cls.Contacts record links to a cls.Customers record through the Customer field. Multiple cls.Contacts records can link to the same cls.Customers record.

Field descriptions

The field descriptions for this table are described in this section.

AcquiredTime

Description: The first date and time that the contact is acquired by an agent. When this is configured, it is not updated again. This shows the delay between the ArrivalTime of the contact and the time that the contact was acted upon. This field applies to both Outbound and email.

Type: TimeStamp

Agent

Description: The agent field contains an embedded table (cls.Users). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Answers record related to this cls.Users record. As a pointer, it refers to the fields on the cls.Users record.

As a field, it can be used in an SQL relational join to the cls.Users record. For a list of fields; see [Users](#) on page 506.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.Users

Answers

Description: This is an embedded table (cls.Answers). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Answers record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.Answers record.

As a field, it can be used in an SQL relational join to the cls.Answers record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.Answers

ApprovalCheck

Description: Flag to indicate whether the contact has been flagged for supervisor approval. This field applies to email only.

Type: Integer

ApprovalSkillsetID

Description: Relational link to the cls.Skillsets record that caused the contact to be sent for approval. This field applies to email only.

Type: Integer

ArrivalTime

Description: The date and time that this cls.Contacts record is created on the system. This field applies to both Outbound and email.

Type: TimeStamp

AutoResponse

Description: Link to the cls.Acknowledgements record that contains the details about the acknowledgement sent to the customer for this contact. This field applies to both Outbound and email.

Type: cls.AutoResponses

CMFStatus

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields; see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.CodeMappings

CallID

Description: The contact call ID. This field applies to both Outbound and email.

Type: Integer

CallTime

Description: The length of time in seconds, of the total difference between CallEndTime and CallStartTime values from cls.Actions for all associated action records. This field applies to both Outbound and email.

Type: Integer

Campaign

Description: This is an embedded table (cls.Campaigns). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Campaigns record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.Campaigns record.

As a field, it can be used in an SQL relational join to the cls.Campaigns record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to Outbound only.

Type: cls.Campaigns

CampaignRetryCount

Description: Number of times this outbound campaign contact is retried. This field applies to Outbound only.

Type: Integer

CCOpenQueuedTime

Description: The length of time in seconds, that describes how long the contact was queued excluding breaks. If a contact is queuing during the out of hours period, the database holds the CCOpenQueuedTime, which is a calculation of total time queued less closed hours for the skillset. This field applies to email only.

Type: Integer

CharSet

Description: The contact character set. This field applies to both Outbound and email.

Type: String

Length: 50

ClickStreamText

Description: The URLs the customer visited prior to submitting this contact. This field applies to both Outbound and email.

Type: String

Length: 32767

ClosedReason

Description: The ClosedReason field is an embedded table (clos.ClosedReasons). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.ClosedReasons record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.ClosedReasons record.

Type: Integer

ClosedReasonCode

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.CodeMappings

ClosedTime

Description: The date and time the contact was last closed. This field applies to both Outbound and email.

Type: TimeStamp

ClosureType

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields; see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables, see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.CodeMappings

Cmflid

Description: The identifier for this contact in CMF.

Type: String

Length: 50

CustomFields

Description: This is an embedded table (cls.CustomFields). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CustomFields record related to this cls.Campaigns record. As a pointer, it refers to the fields on the cls.CustomFields record.

As a field, it can be used in an SQL relational join to the cls.CustomFields record. For a list of fields; see [CustomFields](#) on page 449.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.CustomFields

Customer

Description: This is an embedded table (cls.Customers). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Customers record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.Customers record.

As a field, it can be used in an SQL relational join to the cls.Customers record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.Customers

CustomerID

Description: Relational link to the cls.Customers record that owns this contact. This field applies to both Outbound and email.

Type: Integer

DialTime

Description: The length of time in seconds, of the total difference between DialEndTime and DialStartTime values from cls.Actions for all associated action records. This field applies to both Outbound and email.

Type: Integer

DispositionCode

Description: This is an embedded table (cls.DispositionCodes). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.DispositionCodes record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.DispositionCodes record.

As a field, it can be used in an SQL relational join to the cls.DispositionCodes record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to Outbound only.

Type: cls.DispositionCodes

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to both Outbound and email.

Type: Integer

Importance

Description: Flag to indicate importance flag from the incoming email. This field applies to email only.

Type: Integer

LastAction

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields; see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables, see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.CodeMappings

MailCC

Description: The email addresses this contact is copied to, in addition to being sent to the contact center. This field applies to both Outbound and email.

Type: String

Length: 4096

MailFrom

Description: The email address this contact is received from. This field applies to both Outbound and email.

Type: String

Length: 4096

MailTo

Description: The email address that this contact is sent to. This must match the cls.Mailbox table record. This field applies to both Outbound and email.

Type: String

Length: 4096

NNCCApplicationID

Description: The contact center application ID. This field applies to both Outbound and email.

Type: Integer

NoOfCallAttempts

Description: The number of times the agent makes a call to the customer. This field applies to Outbound only.

Type: Integer

OpenDuration

Description: The length of time, in seconds, the contact is open. This value is updated each time the contact closes. If a value is present in this field, it is added to so that it contains the total time in seconds that this contact is open. This field applies to both Outbound and email.

Type: Integer

OpenTime

Description: The date and time the contact is opened. This is not necessarily the first time that the contact is opened. If the contact is opened again, then this value is reset. This field applies to both Outbound and email.

Type: TimeStamp

OriginalSubject

Description: The original contact subject text. This field applies to both Outbound and email.

Type: String

Length: 255

OutboundOriginator

Description: The Outbound originator's email address. This field applies to both Outbound and email.

Type: String

Length: 255

PreferredCallbackMedia

Description: This is an embedded table (cls.ContactTypes). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.ContactTypes record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.ContactTypes record.

As a field, it can be used in an SQL relational join to the cls.ContactTypes record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.ContactTypes

Priority

Description: The contact's priority.

Type: Integer

QueueType

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields; see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables, see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.CodeMappings

RouteSummary

Description: This is a textual property describing how Email Manager routed the contact. This field applies to email only.

Type: String

Length: 512

Rule

Description: This is an embedded table (cls.Rules). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Rules record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.Rules record.

As a field, it can be used in an SQL relational join to the cls.Rules record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.Rules

Skillset

Description: This is an embedded table (cls.Skillsets). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Skillsets record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.Skillsets record.

As a field, it can be used in an SQL relational join to the cls.Skillsets record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.Skillsets

SocialMediaHeader

Description: This is an embedded table (cls.SocialMediaHeaders). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.SocialMediaHeaders record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.SocialMediaHeaders record.

As a field, it can be used in an SQL relational join to the cls.SocialMediaHeaders record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to email only.

Type: cls.SocialMediaHeaders

Source

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.CodeMappings

StartingEWT

Description: Estimated wait time in seconds for the contact to be answered by an agent.

Type: Integer

StartingPIQ

Description: Position in queue when the contact is first added to the queue.

Type: Integer

Status

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields; see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.CodeMappings

SubStatus

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields; see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.CodeMappings

TimeZone

Description: The contact's time zone. This field applies to both Outbound and email.

Type: Integer

Type

Description: This is an embedded table (cls.ContactTypes). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.ContactTypes record related to this cls.Contacts record. As a pointer, it refers to the fields on the cls.ContactTypes record.

As a field, it can be used in an SQL relational join to the cls.ContactTypes record. For a list of fields; see [ContactTypes](#) on page 448.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.ContactTypes

WebOnHoldTag

Description: A tag identifying the group of Web On Hold URLs that were displayed for this Contact. This field applies to Web communications only.

Type: String

Length: 50

Indexes

The following table lists the indexes used by the cls.Contacts table.

Index name	Fields indexed	Type	Unique 1 = Yes	Description
idxCustomer	Customer	Bitmap	0	Index on the Address field to aid searching.
idxClosedReason	ClosedReason	Integer	0	Index on the Address field to aid searching.
idxCmfld	Cmfld	String	0	Index on the Address field to aid searching.

ContactTypes

This table contains additional entries from Contact Center Manager Server. If they are subsequently deleted from Contact Center Manager Server, the MarkAsDeleted flag on this record is configured. This occurs because it is likely that contact records link to cls.ContactType records, which means the information cannot be deleted.

Field descriptions

The field descriptions for this table are described in this section.

DefaultClosedReason

Description: The identifier of the default closed reason for the contact type.

Type: Integer

DefaultSkillset

Description: This is an embedded table (cls.Skillsets). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Skillsets record related to this cls.ContactTypes record. As a pointer, it refers to the fields on the cls.Skillsets record.

As a field, it can be used in an SQL relational join to the cls.Skillsets record. For a list of fields; see [Skillsets](#) on page 494.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.Skillsets

DeletionTimeStamp

Description: The date and time this record is marked as deleted. This field applies to both Outbound and email.

Type: TimeStamp

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to both Outbound and email.

Type: Integer

MarkAsDeleted

Description: Flag to indicate whether to delete this media type. This flag is necessary because the actual details arrive from the main contact center database and the historic information must be kept here as a Contact can still have this MediaType. A value of 1 equals Yes. This field applies to both Outbound and email.

Type: Boolean

NumericValue

Description: The numeric value for this type. OAM specifies this field or it is 0 for types that are relevant only within the multimedia environment. This field applies to both Outbound and email.

Type: Integer

Parent

Description: Link to the cls.ContactTypes record that is the parent record for this contact type. This is a circular reference back to this table. It is primarily used to assist in sending the correct type to Contact Center Manager Server and to assist in grouping for reporting.

If this is a type of field from Contact Center Manager Server, then the parent field is a circular reference to the same record, for example, the email entry has a parent of email as well. This field applies to both Outbound and email.

Type: cls.ContactTypes

TextValue

Description: The text value of the type. This field applies to both Outbound and email.

Type: String

Length: 50

CustomFields

This table is used by other tables that need to define custom fields. Implementing the table this way allows other tables to have as many custom fields as needed.

Field descriptions

The field descriptions for this table are described in this section.

Action

Description: This is an embedded table (cls.Actions). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Actions record related to this cls.CustomFields record. As a pointer, it refers to the fields on the cls.Actions record.

As a field, it can be used in an SQL relational join to the cls.Actions record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.Actions

Campaign

Description: This is an embedded table (cls.Campaigns). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Campaigns record related to this cls.CustomFields record. As a pointer, it refers to the fields on the cls.Campaigns record.

As a field, it can be used in an SQL relational join to the cls.Campaigns record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.Campaigns

Contact

Description: This is an embedded table (cls.Contacts). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Contacts record related to this cls.CustomFields record. As a pointer, it refers to the fields on the cls.Contacts record.

As a field, it can be used in an SQL relational join to the cls.Contacts record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.Contacts

Customer

Description: This is an embedded table (cls.Customers). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Customers record related to this cls.CustomFields record. As a pointer, it refers to the fields on the cls.Customers record.

As a field, it can be used in an SQL relational join to the cls.Customers record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.Customers

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to both Outbound and email.

Type: Integer

IsTextVisible

Description: Determines whether to display the field to the agent. Default is true. A value of 1 equals True. This field applies to both Outbound and email.

Type: Boolean

Name

Description: This describes the type of information in the value field. This field applies to both Outbound and email.

Type: String

Length: 50

Site

Description: This is an embedded table (cls.Sites). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Sites record related to this cls.CustomFields record. As a pointer, it refers to the fields on the cls.Rules record.

As a field, it can be used in an SQL relational join to the cls.Sites record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.Sites

Text

Description: The actual value for this instance. This field applies to both Outbound and email.

Type: String

Length: 255

Indexes

The following table lists the indexes used by the cls.CustomFields table.

Index name	Fields indexed	Type	Unique 1 = Yes	Description
idxAction	Action	bitmap	0	Index on the Action field to aid searching.
idxCampaign	Campaign	bitmap	0	Index on the Campaign field to aid searching.
idxContact	Contact	bitmap	0	Index on the Contact field to aid searching.
idxCustomer	Customer	bitmap	0	Index on the Customer field to aid searching.
idxSite	Site	bitmap	0	Index on the Site field to aid searching.

Customer

This table contains Contact Center Multimedia customer details.

Field descriptions

The field descriptions for this table are described in this section.

Addresses

Description: This is an embedded table (cls.Addresses). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Addresses record related to this cls.Customers record. As a pointer, it refers to the fields on the cls.Addresses record.

As a field, it can be used in an SQL relational join to the cls.Addresses record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.Addresses

CustomFields

Description: This is an embedded table (cls.CustomFields). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CustomFields record related to this cls.Customers record. As a pointer, it refers to the fields on the cls.CustomFields record.

As a field, it can be used in an SQL relational join to the cls.CustomFields record. For a list of fields; see [CustomFields](#) on page 449.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.CustomFields

EmailAddresses

Description: This is an embedded table (cls.EmailAddresses). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.EmailAddresses record related to this cls.Customers record. As a pointer, it refers to the fields on the cls.EmailAddresses record.

As a field, it can be used in an SQL relational join to the cls.EmailAddresses record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.EmailAddresses

FirstName

Description: The customer's first name. This field applies to both Outbound and email.

Type: String

Length: 50

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to both Outbound and email.

Type: Integer

LastName

Description: The customer's last name (surname). This field applies to both Outbound and email.

Type: String

Length: 100

LoginPage

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Customers record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields; see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.CodeMappings

Password

Description: The customer's password, stored in encrypted format. This field applies to both Outbound and email.

Type: String

Length: 50

PhoneNumbers

Description: This is an embedded table (cls.PhoneNumbers). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.PhoneNumbers record related to this cls.Customers record. As a pointer, it refers to the fields on the cls.PhoneNumbers record.

As a field, it can be used in an SQL relational join to the cls.PhoneNumbers record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.PhoneNumbers

PreferredAgent

Description: This is an embedded table (cls.Users). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Users record related to this cls.Customers record. As a pointer, it refers to the fields on the cls.Users record.

As a field, it can be used in an SQL relational join to the cls.Users record. For a list of fields; see [Users](#) on page 506.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.Users

RegisterDate

Description: The date and time that this cls.Customers record is created. This field applies to both Outbound and email.

Type: TimeStamp

Title

Description: This is for titles such as Mr., Mrs., Miss, and Dr. A predefined list of valid values does not exist. This field applies to both Outbound and email.

Type: String

Length: 20

UserName

Description: The user name that the customer uses to log on. This field applies to both Outbound and email.

Type: String

Length: 50

Debugs

This table is used to write debug information from any Object Script Routines.

Field descriptions

The field descriptions for this table are described in this section.

Code

Description: Internal use only.

Type: Integer

Comment

Description: Internal use only.

Type: String

Severity

Description: Internal use only.

Type: Integer

Text

Description: Internal use only.

Type: String

Length: 255

Time

Description: Internal use only.

Type: TimeStamp

DispositionCodes

This table stores information relating to cls.DispositionCodes for an outbound campaign. You cannot delete Contact records, but if they are no longer required, the MarkAsDeleted field is configured.

Field descriptions

The field descriptions for this table are described in this section.

Deletable

Description: Flag to indicate whether to delete the cls.DispositionCode record. A value of 1 equals Yes. This field applies to Outbound only.

Type: Boolean

DisplayName

Description: The display name for this cls.DispositionCode record. This field applies to Outbound only.

Type: String

Length: 50

ID

Description: This is the primary key for the table. The database automatically generates the value for this field when the record is created. You cannot update this field at any time. This field applies to Outbound only.

Type: Integer

MarkAsDeleted

Description: Flag to indicate that this cls.DispositionCode record appears as deleted. A value of 1 equals Yes. This field information must stay in the system for historic contacts that can link to this cls.DispositionCode record. This field applies to Outbound only.

Type: Boolean

MaxRetryCount

Description: Number of times a to try a contact with this DispositionCode. Used with RetryTimeout. This field applies to Outbound only.

Type: Integer

Name

Description: The short name for this cls.Disposition Code record. This is usually used for reporting rather than the cls.DisplayName record. This field applies to Outbound only.

Type: String

Length: 50

NumericValue

Description: Integer value for this cls.DispositionCode record. Internal use only. This field applies to Outbound only.

Type: Integer

RetryTimeout

Description: Amount of time to wait, in seconds, before retrying a contact that has this DispositionCode. This field applies to Outbound only.

Type: Integer

SaveAgentScript

Description: Flag to save the agent script to an action when the contact is processed. A value of 1 equals Yes. This field applies to Outbound only.

Type: Boolean

Type

Description: This is an embedded table (cls.CodeMappings). You can select it either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.DispositionCodes record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, you can use it in an SQL relational join to the cls.CodeMappings record. For a list of fields; see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to Outbound only.

Type: cls.CodeMappings

Durations

This table contains details about the length of time the contact is open. One entry for each agent worked on the contact.

Field descriptions

The field descriptions for this table are described in this section.

Agent

Description: This is an embedded table (cls.Users). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Users record related to this cls.Durations record. As a pointer, it refers to the fields on the cls.Users record.

As a field, it can be used in an SQL relational join to the cls.Users record. For a list of fields; see [Users](#) on page 506.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382.

Type: cls.Users

Duration

Description: Length of time agent has the contact open.

Type: Integer

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

EmailAddresses

This table stores email addresses owned by cls.Customers records. Each record in this table links to a cls.Customers record using the Customer field. Multiple cls.EmailAddresses records can link to the same cls.Customers record.

Field descriptions

The field descriptions for this table are described in this section.

Address

Description: The email address. This field applies to both Outbound and email.

Type: String

Length: 255

Customer

Description: This is an embedded table (cls.Customers). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Customers record related to this cls.EmailAddresses record. As a pointer, it refers to the fields on the cls.Customers record.

As a field, it can be used in an SQL relational join to the cls.Customers record. For a list of fields; see [Customer](#) on page 451.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.Customers

Default

Description: Flag to indicate whether to use the email address as the default for communicating with the customer. A value of 1 equals Yes. This field applies to both Outbound and email.

Type: Boolean

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to both Outbound and email.

Type: Integer

SearchAddress

Description: This release of the email address is used for searching. This field applies to both Outbound and email.

Type: String

Length: 255

Indexes

The following table lists the indexes used by the cls.EmailAddresses table.

Index name	Fields indexed	Type	Unique 1 = Yes	Description
idxCustomer	Customer	bitmap	0	Index on the Customer field to aid searching.
idxSearch Address	SearchAddress	bitmap	0	Index on the Address field to aid searching.

EmailAddressGroups

This table stores a list of email addresses that can be compared to an incoming contact record to trigger the actions of a specific rule. Each rule record can link to one cls.EmailAddressGroup record.

Field descriptions

The field descriptions for this table are described in this section.

Addresses

Description: This contains a space delimited collection of email addresses.

Type: String

Length: 4095

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

Name

Description: User-defined email address group name.

Type: String

Length: 255

HolidayHours

This table contains details about holidays for which the contact center can have special working hours.

Field descriptions

The field descriptions for this table are described in this section.

CloseTime

Description: The time that the contact center closes. If this is blank, then the contact center is open all day.

Type: String

Length: 5

HolidayDate

Description: The actual date of the holiday.

Type: String

Length: 22

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

Name

Description: The name of the holiday, such as New Year's Day.

Type: String

Length: 255

OpenTime

Description: The time the contact center opens. This is any time from 00:00 to 23:59.

Type: String

Length: 5

Inboxes

This table contains details about email mailboxes used by the Contact Center Multimedia application.

Field descriptions

The field descriptions for this table are described in this section.

DisplayName

Description: The display name for this inbox.

Type: String

Length: 100

Enabled

Description: Flag to indicate whether to enable the inbox. A value of 1 equals Yes.

Type: Integer

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

InBoundMailThreshold

Description: The number of email message to be read each time the mailbox is accessed.

Type: Integer

Name

Description: The name of the inbox. The name is concatenated with the at symbol (@) and the DomainName to obtain the full email address.

Type: String

Length: 100

OutBoundMailThreshold

Description: The number of email messages to be sent each time the mailbox is accessed.

Type: Integer

Password

Description: The password to gain access to the mailbox.

Type: String

Length: 100

SMTPServer

Description: Internal use only.

Type: cls.Servers

Server

Description: This is an embedded table (cls.Servers). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Servers record related to this cls.Inboxes record. As a pointer, it refers to the fields on the cls.Servers record.

As a field, it can be used in an SQL relational join to the cls.Servers record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382.

Type: cls.Servers

SmtphAuthLogon

Description: Internal use only.

Type: String

Length: 64

WinNTAccount

Description: The NT account to access the mailbox.

Type: String

Length: 100

InvalidXMLAudits

Internal use only.

Field descriptions

The field descriptions for this table are described in this section.

ActionID

Description: Internal use only.

Type: Integer

Char

Description: Internal use only.

Type: Integer

ContactId

Description: Internal use only.

Type: Integer

DateTimeStamp

Description: Internal use only.

Type: TimeStamp

Field

Description: Internal use only.

Type: String

Position

Description: Internal use only.

Type: Integer

Indexes

The following table lists the indexes used by the cls.InvalidXMLAudits table.

Index name	Fields indexed	Type	Unique 1 = Yes	Description
idxChar	Char	Bitmap	0	Index to aid searching for invalid characters on contact or action records.
idxField	Field	Bitmap	0	Index to aid searching for the relevant contact or action field for which the invalid characters were found.

InvalidXMLChrs

This table stores invalid XML characters.

Field descriptions

The field descriptions for this table are described in this section.

InvalidXMLField

Description: Internal use only.

Type: cls.InvalidXMLFields

New

Description: If a value is used, it is written to the field in the position of the Old ASCII value. If no value is used, the character is removed.

Type: String

Old

Description: ASCII character searched for in the parent field.

Type: Integer

Indexes

The following table lists the indexes used by the cls.InvalidXMLChrs table.

Index name	Fields indexed	Type	Unique 1 = Yes	Description
InvalidXML FieldIndex	InvalidXML Field	bitmap	0	Index to aid selecting the correct table and field information to be searched for invalid characters.

InvalidXMLFields

Internal use only.

Field descriptions

The field descriptions for this table are described in this section.

Characters

Description: Internal use only.

Type: cls.InvalidXMLChrs

Table

Description: Internal use only.

Type: String

Field

Description: Internal use only.

Type: String

Search

Description: Internal use only.

Type: Boolean

KeywordGroups

This table contains groups of key words used to correctly route new contacts

Field descriptions

The field descriptions for this table are described in this section.

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

Name

Description: The name of the key word group.

Type: String

Length: 64

Query

Description: List of the key words.

Type: String

Length: 4095

Language

This table lists the source languages for Social Media contacts.

Field descriptions

This section describes the fields in this table.

Description

Description: The description of the language, for example English or Simplified Chinese.

Type: String

Length: 255

ID

Description: The primary key for this table.

Type: Integer

MarkAsDeleted

Description: Flags whether the language is deleted from the CCMM Administration tool.

Type: Integer

Name

Description: The short name for the language, for example en or zn-ch.

Type: String

Length: 255

NumericValue

Description: Numeric representation.

Type: Integer

Launch Entries

This table stores application start requests from CCMA. This is for internal use only.

Field descriptions

The field descriptions for this table are described in this section.

ID

Description: Internal use only.

Type: Integer

DateActivated

Description: Internal use only.

Type: Timestamp

Enabled

Description: Internal use only.

Type: Bit

UserName

Description: Internal use only.

Type: String

Licenses

This table contains details about the various licenses that relate to the Contact Center Multimedia application.

Field descriptions

The field descriptions for this table are described in this section.

Enabled

Description: Field to indicate whether a feature has a license (true) or not (false). The default value is 0 (false).

Type: Boolean

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

Name

Description: The name of the licensable feature, which corresponds to the name used in the license file.

Type: String

Length: 255

Services

Description: Internal use only.

Type: cls.Services

OnHoldURLs

This table contains URL details for use when a customer is on hold. Internal use only.

Field descriptions

The field descriptions for this table are described in this section.

Description

Description: Internal use only.

Type: String

Length: 255

HoldTime

Description: Internal use only.

Type: Integer

Sequence

Description: Internal use only.

Type: Integer

Tag

Description: Internal use only.

Type: String

Length: 1024

URL

Description: Internal use only.

Type: String

Length: 1024

OutOfHoursRules

This table contains details about out-of-hours rules.

Field descriptions

The field descriptions for this table are described in this section.

AutoResponse

Description: Relational link to the cls.AutoResponses record used by the cls.OutOfHoursRules record.

Type: Integer

Enabled

Description: Flag to indicate if this out-of-hours rule is used. A value of 1 equals Yes.

Type: Boolean

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

PageChanges

Internal use only.

Field descriptions

The field descriptions for this table are described in this section.

ChangeCounter

Description: Internal use only.

Type: Integer

Name

Description: Internal use only.

Type: String

Length: 255

PagePushes

Internal use only.

Field descriptions

The field descriptions for this table are described in this section.

SerialNo

Description: Internal use only.

Type: Integer

Skillset

Description: Internal use only.

Type: cls.Skillsets

URL

Description: Internal use only.

Type: cls.PagePushURLs

PagePushURLs

This table contains URL details for use when pushing pages to customers.

Field descriptions

The field descriptions for this table are described in this section.

Description

Description: Description for this URL.

Type: String

Length: 255

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

Skillset

Description: This is an embedded table (cls.Skillsets). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Skillsets record related to this cls.PagePushURLs record. As a pointer, it refers to the fields on the cls.Skillsets record.

As a field, it can be used in an SQL relational join to the cls.Skillsets record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382.

Type: cls.Skillsets

URL

Description: The full URL.

Type: String

Length: 4095

PhoneNumbers

This table stores phone number details for customers. They link to the relevant cls.Customers record through the cls.Customer field. Multiple cls.PhoneNumbers records can link to the cls.Customers record.

Field descriptions

The field descriptions for this table are described in this section.

AreaCode

Description: The area code part of the phone number. This field applies to both Outbound and email.

Type: String

Length: 10

Customer

Description: This is an embedded table (cls.Customers). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Customers record related to this cls.PhoneNumbers record. As a pointer, it refers to the fields on the cls.Customers record.

As a field, it can be used in an SQL relational join to the cls.Customers record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.Customers

Default

Description: Flag to indicate if this is used as the default number for this customer. A value of 1 equals Yes. This field applies to both Outbound and email.

Type: Boolean

DoNotCall

Description: Flag to indicate whether the customer requested this number is not used for contact. A value of 1 equals Do Not Call. This field applies to both Outbound and email.

Type: Boolean

FullNumber

Description: This field is used internally to store the phone number stripped of any spaces and non-numeric characters. This is used with the index to aid searching for a phone number. This field applies to both Outbound and email.

Type: String

Length: 32

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to both Outbound and email.

Type: Integer

InternationalCode

Description: The international code part of the phone number. This field applies to both Outbound and email.

Type: String

Length: 10

Number

Description: The local number part of the phone number. This field applies to both Outbound and email.

Type: String

Length: 32

Offset

Description: Calculated field to return the time offset for this phone number from the CCMM time.

Type: Integer

TimeZoned

Description: Calculated field to return the time zone ID for this phone number based on the international area codes.

Type: Integer

Type

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.PhoneNumbers record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields; see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to both Outbound and email.

Type: cls.CodeMappings

Indexes

Index name	Fields indexed	Type	Unique 1 = Yes	Description
idxCustomer	Customer	bitmap	0	Index on the Customer field to aid searching.
idxFullNumber	FullNumber	bitmap	0	Index on the FullNumber field this is to aid searching for phone numbers.

Phrases

This table contains a list of default text strings that a user can select when using Web Chat. The user need not type the same text repeatedly.

Field descriptions

The field descriptions for this table are described in this section.

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

Skillset

Description: This is an embedded table (cls.Skillsets). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Skillsets record related to this cls.Phrases record. As a pointer, it refers to the fields on the cls.Skillsets record.

As a field, it can be used in an SQL relational join to the cls.Skillsets record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382.

Type: cls.Skillsets

Text

Description: Phrase which links to skillset and appears in a selection list for the agents to choose from during a chat session.

Type: String

Length: 32767

Preferences

This table stores Agent Desktop agent preferences.

Field descriptions

The field descriptions for this table are described in this section.

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

Agent

Description: This is an embedded table (cls.Users). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Users record related to this cls.Preferences record. As a pointer, it refers to the fields on the cls.Users record. As a field, it can be used in a SQL relational join to the cls.Users record.

Type: Integer

Context

Description: Internal use only.

Type: String

Length: 60

IdKey

Description: Internal use only.

Type: String

Length: 60

Text

Description: Internal use only.

Type: Stream

Questions

This table stores questions that are associated with a `cls.CampaignScripts` table. They link to the relevant `cls.CampaignScripts` records through the `CampaignScript` field. Multiple `cls.Questions` records can link to one `cls.CampaignScripts` record.

Field descriptions

The field descriptions for this table are described in this section.

AllowedAnswers

Description: A comma-delimited selection of possible answers. This field applies to Outbound only.

Type: String

Length: 1024

AllowedFreeText

Description: Flag to indicate whether the answer for this question can be free text or is selected from the list of `AllowedAnswers`. 1 = Free text allowed. This field applies to Outbound only.

Type: Boolean

CampaignScript

Description: This is an embedded table (`cls.CampaignScripts`). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the `cls.CampaignScripts` record related to this `cls.Questions` record. As a pointer, it refers to the fields on the `cls.CampaignScripts` record.

As a field, it can be used in an SQL relational join to the `cls.CampaignScripts` record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to Outbound only.

Type: cls.CampaignScripts

DefaultAnswer

Description: The default answer for this question. This is one from the list of AllowedAnswers. This field applies to Outbound only.

Type: String

Length: 255

GUI

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Questions record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields; see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field applies to Outbound only.

Type: cls.CodeMappings

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field applies to Outbound only.

Type: Integer

Question

Description: The name of the question. This field applies to Outbound only.

Type: String

Length: 1024

Indexes

The following table lists the indexes used by the cls.Questions table.

Index name	Fields indexed	Type	Unique 1 = Yes	Description
idxCampaignScript	CampaignScript	bitmap	0	Index on the CampaignScript field to aid searching.

RegularHours

This table holds information relating to the regular open hours of the contact center.

Field descriptions

The field descriptions for this table are described in this section.

CloseTime

Description: The time that the contact center closes. If this field is blank, then the contact center is open all day.

Type: String

Length: 5

Day

Description: The day that open and close hours apply to. Multiple entries can exist for a day. For example, this supports Contact Centers that close for lunch.

Type: String

Length: 50

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

OpenTime

Description: The hours that the contact center opens. This value is in the range 00:00 to 23:59.

Type: String

Length: 5

RoutePoints

This table contains details about the Route Point assigned to a skillset. This table replaces CDN. It has a MarkAsDeleted flag. Although it can be deleted on Contact Center Manager Server, it is still referenced within the Contact Center Multimedia database for contacts created when the Route Point existed.

Field descriptions

The field descriptions for this table are described in this section.

DeletionTimeStamp

Description: The date and time when this cls.RoutePoints record is deleted.

Type: TimeStamp

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

MarkAsDeleted

Description: Flag to indicate if this Route Point is deleted. A value of 1 equals Yes.

Type: Boolean

RoutePoint

Description: The name of the cls.RoutePoint record.

Type: String

Length: 32

Rules

This table contains the details for a rule used to route a contact to the relevant skillset.

This table does not use embedded tables.

Field descriptions

The field descriptions for this table are described in this section.

AutoResponseId

Description: Relational link to the cls.Acknowledgement record used by this rule.

Type: Integer

ContactTypeId

Description: Internal use only.

Type: Integer

EmailAddressGroupId

Description: Relational link to the cls.EmailAddressGroups record used by this rule.

Type: Integer

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

InboxID

Description: Relational link to the cls.Inboxes record used by this rule.

Type: Integer

IsClosed

Description: Flag to indicate whether this rule closes or not. A value of 1 equals Yes.

Type: Boolean

Name

Description: Textual name for the rule.

Type: String

Length: 64

Priority

Description: The rule priority.

Type: Integer

RuleQuery

Description: The text that makes up the body of the rule.

Type: String

Length: 2000

Sequence

Description: The order in which to use this rule. This applies if more than one rule exists for a cls.Skillsets record. Lowest sequence numbers are processed first.

Type: Integer

SkillsetID

Description: Relational link to the cls.Skillsets record used by this rule.

Type: Integer

SkillsetReset

Description: Internal use only.

Type: Boolean

Status

Description: Internal use only.

Type: Integer

Type

Description: Internal use only.

Type: Integer

UseOutOfHoursRule

Description: Flag to indicate whether the out-of-hours rule is used instead of this rule. A value of 1 equals Yes.

Type: Boolean

Rule_AutoSuggests

This is an internal Caché table that manages a many-to-many relationship between Rules and Auto Suggestions.

Field descriptions

This section describes the fields in this table.

AutoSuggests

Description: The ID of the suggestion in cls.AutoResponse.

Type: cls.AutoResponse

element_key

Description: Internal Caché field.

Type: String

ID

Description: The primary key for this table.

Type: String

Rules

Description: The ID of the rule in cls.Rule.

Type: cls.Rule

RuleAdmins

This table is used by the email manager service to determine whether to refresh its internal copy of the rules.

Field descriptions

The field descriptions for this table are described in this section.

DefaultPriority

Description: The default priority value for this rule.

Type: Integer

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

LastModifiedTime

Description: The date and time this rule was last modified. If any cls.Rules record is updated, this field is also updated.

Type: TimeStamp

LastQueryBuildTime

Description: The date and time that the rule query was last built.

Type: TimeStamp

NumberOfCharacters

Description: The number of characters in the last rule query.

Type: Integer

SearchBody

Description: Flag to indicate whether to search the body of the email. A value of 1 equals Yes.

Type: Boolean

SearchSubject

Description: Flag to indicate whether to search the email subject. A value of 1 equals Yes.

Type: Boolean

RuleGroups

This table shows the collections of rules into rule groups, and the recipient mailbox for which each rule group determines how mails are routed.

Field descriptions

This section describes the fields in this table.

BestMatch

Description: The type of matching for the rule group. Valid values are:

- First Match (0)
- Best Match (1)

Type: Integer

ContactType

Description: Contact types processed by this rule group.

Type: cls.ContactTypes

InboxID

Description: Inboxes that use this rule group for routing.

Type: Integer

LastModifiedTime

Description: The last time this Rule Group was modified.

Type: Timestamp

Name

Description: The Rule Group name.

Type: String

Length: 64

RuleKeywordCriteria

This table contains the assignments of criteria to rules, either for sender group matching or keyword group matching.

Field descriptions

This section describes the fields in this table.

EmailAddressGroupID

Description: The ID of a sender group, if the criterion is to route based on sender.

Type: Integer

LastModifiedTime

Description: The last time the criterion was updated.

Type: Timestamp

MatchTypeID

Description: The ID of the cls.CodeMapping record that identifies whether this is criterion should match by sender or keyword.

Type: Integer

Rule

Description: The rule to which this criterion is assigned.

Type: cls.Rule

RuleQuery

Description: Summary of the keywords in the rule.

Type: String

Length: 2000

Weighting

Description: The weighting that determines how rules in the group influence the best match decision.

Type: Integer

RuleKeywordGroups

This table contains cls.KeyWordGroups records that are used within rules.

Field descriptions

The field descriptions for this table are described in this section.

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

KeywordGroupID

Description: Link to the internal unique identifier of the cls.KeyWordGroups record.

Type: Integer

Operator

Description: Descriptions of how this table is connected to the other cls.RuleKeyWordGroup records for the rule.

Type: String

Length: 10

RuleID

Description: Link to the internal unique identifier of the cls.Rules record.

Type: Integer

Sequence

Description: The sequence number for this cls.RuleKeyWordGroup record.

Type: Integer

Servers

This table contains a list of the servers required by the Contact Center Multimedia application.

Field descriptions

The field descriptions for this table are described in this section.

Auth

Description: Internal use only.

Type: Integer

BackUpHost

Description: The name of the backup server.

Type: String

Length: 255

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

Name

Description: The name of the server. This can also be an IP address.

Type: String

Length: 255

NewType

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.Servers record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields; see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382.

Type: cls.CodeMappings

Port

Description: The port number to use to connect to this server.

Type: Integer

Type

Description: Internal use only.

Type: Integer

Services

This table contains a list of the services that make up the Contact Center Multimedia application.

Field descriptions

The field descriptions for this table are described in this section.

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

License

Description: This is an embedded table (cls.Licenses). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Licenses record related to this cls.Services record. As a pointer, it refers to the fields on the cls.Licenses record.

As a field, it can be used in an SQL relational join to the cls.Licenses record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382.

Type: cls.Licenses

NTName

Description: Name in services, used by caché and the sc Winnt command to stop the service.

Type: String

Length: 255

ServiceName

Description: Name of the Contact Center Multimedia service. This is used by License Manager to start and stop services.

Type: String

Length: 255

Sessions

This table contains a session key for each user that is logged on.

Field descriptions

The field descriptions for this table are described in this section.

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

LoginTime

Description: Date and time that the user logged on to the system.

Type: TimeStamp

SessionKey

Description: Session key value for the user.

Type: String

UserID

Description: Link to the unique internal identifier for the user.

Type: String

UserType

Description: Whether the user is an agent or a supervisor.

Type: String

SIP Uris

This table stores SIP-URI details for customers. The tables link to the relevant cls. Customer record through the Customer property. Many cls. SIP URI records can link to the cls.Customer record.

Field descriptions

The field descriptions for this table are described in this section.

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

Address

Description: The SIP uri address.

Type: String

Length: 255

Customer

Description: This is an embedded table (cls.Users). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Users record related to this cls.Preferences record. As a pointer, it refers to the fields on the cls.Users record. As a field, it can be used in a SQL relational join to the cls.Users record.

Type: Integer

Default

Description: Flag that indicates this address is used as the default. 1=Yes.

Type: Bit

SearchAddress

Description: The release of the SIP Uri address used when searching.

Type: String

Length: 255

Sites

This table contains details that relate to the site that the Contact Center Multimedia application is installed on.

Field descriptions

The field descriptions for this table are described in this section.

AccessKey

Description: Internal use only.

Type: String

Length: 20

BuildVersion

Description: The build version of the Contact Center Multimedia application.

Type: String

Length: 20

CompanyName

Description: Name of the company that controls the site.

Type: String

Length: 20

CustomFields

Description: This is an embedded table (cls.CustomFields). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CustomFields record related to this cls.Sites record. As a pointer, it refers to the fields on the cls.CustomFields record.

As a field, it can be used in an SQL relational join to the cls.CustomFields record. For a list of fields, see [CustomFields](#) on page 449.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382.

Type: cls.CustomFields

EnableSecurityBanner

Description: Flag to indicate whether to display the security banner. A value of 1 equals Yes.

Type: Boolean

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

MMKeyCode

Description: Internal use only.

Type: String

Length: 20

MMSwitchSerialNumber

Description: Internal use only.

Type: String

Length: 12

NNCCSiteName

Description: Internal use only.

Type: String

Length: 255

NNCCSwitchSerialNumber

Description: Internal use only.

Type: String

Length: 12

SecurityBanner

Description: Banner text that is displayed to the agent when logging on to the Agent Desktop.

Type: String

Length: 4095

Site

Description: Name of the site.

Type: String

Length: 10

SkillsetPrefix

Description: Internal use only.

Type: String

Length: 10

SiteComponents

This table contains the various components that make up the Contact Center Multimedia application.

Field descriptions

The field descriptions for this table are described in this section.

Comment

Description: Description for the cls.SiteComponent record.

Type: String

Length: 255

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

Name

Description: The name of the cls.SiteComponent record.

Type: String

Length: 255

Parameters

Description: Internal use only.

Type: cls.SiteParameters

SiteParameters

This table contains various parameters that the various Contact Center Multimedia services use.

Field descriptions

This section describes the fields in this table.

Comment

Description: Textual description for this cls.SiteParameter record.

Type: String

Length: 255

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

Name

Description: The name of the cls.SiteParameter record.

Type: String

Length: 255

SiteComponent

Description: This is an embedded table (cls.SiteComponents). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.SiteComponents record related to this cls.SiteParameters record. As a pointer, it refers to the fields on the cls.SiteComponents record.

As a field, it can be used in an SQL relational join to the cls.SiteComponents record. For a list of fields, see [SiteComponents](#) on page 491.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382.

Type: cls.SiteComponents

Text

Description: The value of the cls.SiteParameter record.

Type: String

Length: 255

Indexes

The following table lists the indexes used by the cls.SiteParameters table.

Index Name	Fields Indexed	Type	Unique 1 = Yes	Description
idxSiteComponent	SiteComponent	bitmap	0	Index on the SiteComponent field to aid searching.

Skillset_Agent

This is an internal table for managing a many-to-many relationship between Skillsets and Agents.

Field descriptions

This section describes the fields in this table.

Agents

Description: ID of the Agent in cls.User

Type: cls.User

element_key

Description: Internal Caché field.

Type: String

ID

Description: The primary key for this table.

Type: String

Skillsets

Description: ID of the skillset in cls.Skillsets.

Type: cls.Skillsets

SkillsetAgentProperties

This is a stand-alone table managed by OAM to store extra properties of the Skillset-Agent relationship needed for the blended predictive agent functions. This table is for internal use only.

Field descriptions

The field descriptions for this table are described in this section.

ID

Description: Internal use only.

Type: Integer

Agents

Description: Internal use only.

Type: Integer

CurrentPriority

Description: Internal use only.

Type: Integer

OAMStatus

Description: Internal use only.

Type: Integer

OldPriority

Description: Internal use only.

Type: Integer

Skillsets

Description: Internal use only.

Type: Integer

Undo

Description: Internal use only.

Type: Integer

Skillsets

This table contains a list of all skillsets on the system. A flag indicates skillsets that are no longer current. They are kept on the system as contacts can exist for those skillsets.

Field descriptions

The field descriptions for this table are described in this section.

ActivityCode

Description: Internal use only.

Type: String

Length: 32

Agents

Description: This is an embedded table (cls.Users). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Users record related to this cls.Skillsets record. As a pointer, it refers to the fields on the cls.Users record.

As a field, it can be used in an SQL relational join to the cls.Users record. For a list of fields; see [Users](#) on page 506.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382.

Type: cls.Users

AutoSignature

Description: Default signature appended to email messages sent from this skillset.

Type: String

Length: 4095

CCMSID

Description: The ID from the Contact Center Manager Server.

Type: Integer

DeletionTimeStamp

Description: The date and time this skillset is deleted from the system.

Type: TimeStamp

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

MailBox

Description: This is an embedded table (cls.Inboxes). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Inboxes record related to this cls.Skillsets record. As a pointer, it refers to the fields on the cls.Inboxes record.

As a field, it can be used in an SQL relational join to the cls.Inboxes record. For a list of fields; see [Inboxes](#) on page 461.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382.

Type: cls.Inboxes

Mapping

Description: Internal use only.

Type: String

Length: 50

MarkAsDeleted

Description: Flag to indicate if this skillset is deleted. A value of 1 equals Yes.

Type: Boolean

Name

Description: Textual name for this skillset.

Type: String

Length: 50

PagePushURLs

Description: Internal use only.

Type: cls.PagePushURLs

Phrases

Description: Internal use only.

Type: cls.Phrases

RoutePoint

Description: This is an embedded table (cls.RoutePoints). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.RoutePoints record related to this cls.Skillsets record. As a pointer, it refers to the fields on the cls.RoutePoints record.

As a field, it can be used in an SQL relational join to the cls.RoutePoints record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382.

Type: cls.RoutePoints

Status

Description: Internal use only.

Type: cls.CodeMappings

Threshold

Description: Internal use only.

Type: Integer

UseOriginalAddress

Description: Internal use only.

Type: Integer

WebDescription

Description: Textual description for this Skillset.

Type: String

Length: 50

WelcomeMessage

Description: Skillset specific welcome text when this skillset is used in Web communications.

Type: String

Length: 4095

WrapUpMessage

Description: Skillset specific wrap-up text when this skillset is used in Web communications.

Type: String

Length: 4095

SkillsetOnHoldURLs

This table contains a list of URLs for a skillset that can be used when a customer is on hold.

Field descriptions

The field descriptions for this table are described in this section.

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

SerialNo

Description: Internal use only.

Type: Integer

Skillset

Description: This is an embedded table (cls.Skillsets). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Skillsets record related to this cls.SkillsetOnHoldURLs record. As a pointer, it refers to the fields on the cls.Skillsets record.

As a field, it can be used in an SQL relational join to the cls.Skillsets record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382.

Type: cls.Skillsets

SkillsetThresholdTemplates

CCMM uses this table to manage predictive outbound blending. CCMM OAM updates the table by copying the skillset threshold information from CCMS.

Field descriptions

This section describes the fields in this table.

AgentsToAssignPredictive

Description: Action to take based on the threshold levels.

Type: Integer

AgentsToAssignVoice

Description: Action to take based on the threshold levels.

Type: Integer

CCMSID

Description: The ID of the template in CCMS.

Type: Integer

DeletionTimestamp

Description: The time when the template was deleted.

Type: Timestamp

MarkAsDeleted

Description: Specifies whether the template is deleted on CCMS.

Type: Boolean

Name

Description: The name of the blending template threshold.

Type: String

Length: 50

ThresholdToMonitor

Description: ID of the codeMapping that describes the type of blending threshold.

Type: cls.CodeMapping

SocialMediaHeaders

This table lists the headers that Social Media Manager included in email messages that it sent to CCMM.

Field descriptions

This section describes the fields in this table.

Author

Description: The Author property sent from Social Media Manager.

Type: String

Length: 255

Channel

Description: The Channel property sent from Social Media Manager.

Type: String

Length: 255

Classification

Description: The Classification property sent from Social Media Manager.

Type: String

Length: 255

DesktopUrl

Description: The DesktopUrl property sent from Social Media Manager.

Type: String

Length: 255

Domain

Description: The Domain property sent from Social Media Manager.

Type: String

Length: 255

ID

Description: The primary key for this table.

Type: Integer

InteractionID

Description: The InteractionID property sent from Social Media Manager.

Type: String

Length: 255

Keywords

Description: The Keywords property sent from Social Media Manager.

Type: String

Length: 255

Language

Description: The Language property sent from Social Media Manager.

Type: String

Length: 255

MimeContactType

Description: The MimeContactType property sent from Social Media Manager.

Type: String

Length: 255

Query

Description: The Query property sent from Social Media Manager.

Type: String

Length: 255

Relevance

Description: The Relevance property sent from Social Media Manager.

Type: String

Length: 255

Sentiment

Description: The Sentiment property sent from Social Media Manager.

Type: String

Length: 255

SocialMediaRuleID

Description: The ID of the social media rule that routed the contact.

Type: Integer

SocialMediaRules

This table lists the rules that CCMM uses to create Social Media contacts and route them to skillsets with a priority.

Field descriptions

This section describes the fields in this table.

Channel

Description: ID of the Channel for the Social Media contact.

Type: cls.Channel

ID

Description: The primary key for this table.

Type: Integer

Inbox

Description: The ID of the mailbox from which to read Social Media contacts for this rule.

Type: Integer

Language

Description: ID of the Language for the Social Media contact.

Type: cls.Language

LastModifiedTime

Description: The last time the rule was updated.

Type: Timestamp

Priority

Description: The priority of contacts that this rule creates.

Type: Integer

Relevance

Description: The relevance that this rule checks.

Type: Integer

Sentiment

Description: The sentiment that this rule checks.

Type: String

Length: 10

Sequence

Description: The sequence number that determines in which order CCMM uses this Social Media rule.

Type: Integer

SkillsetID

Description: ID of the cls.Skillset that specifies the skillset for the contacts that this rule creates.

Type: Integer

Status

Description: The status of this rule.

Type: Integer

ThresholdLevels

CCMM OAM maintains this table by copying the skillset threshold information from CCMS. CCMM uses this table to manage predictive outbound blending.

Field descriptions

This section describes the fields in this table.

BlendingThreshold

Description: ID of codeMapping that describes the type of blending threshold.

Type: cls.CodeMapping

Enabled

Description: Flag that indicates whether the threshold is enabled.

Type: Boolean

ID

Description: The primary key for this table.

Type: Integer

Level1

Description: Lower level threshold.

Type: Integer

Level2

Description: Upper level threshold.

Type: Integer

ThresholdTemplate

Description: ID of the Template for this threshold.

Type: cls.SkillsetThresholdTemplate

TimeZones

This table stores a list of standard international time zones.

Field descriptions

The field descriptions for this table are described in this section.

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

FriendlyName

Description: Description of the time zone

Type: String

Length: 255

TimeZone

Description: Short name of the time zone.

Type: String

Length: 10

UtcOffset

Description: Offset from GMT in minutes.

Type: Integer

Updates

This table contains information relating to updates performed on this server. This is the same as the information in the AvayaSU.txt file except for the ID and the DateTimeStamp fields.

Field descriptions

The field descriptions for this table are described in this section.

CRNumber

Description: The change request (CR) number that this update relates to.

Type: String

Length: 20

Changes

Description: Free form text notes on the update applied.

Type: String

Length: 2000

Date

Description: The date field as taken from the AvayaSU.txt file.

Type: String

Length: 30

DateTimeStamp

Description: The date and time that this update was applied to the system.

Type: TimeStamp

DeleteFlag

Description: Internal use only.

Type: String

Length: 1

DeployFlag

Description: Internal use only.

Type: String

Length: 1

FileChanged

Description: The name of the file that contains the new code.

Type: String

Length: 200

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

Notes

Description: Any other comments are recorded here.

Type: String

Length: 2000

RequestedBy

Description: Name of person who requested the update.

Type: String

Length: 50

Users

This table contains a list of multimedia users, such as agents.

Field descriptions

The field descriptions for this table are described in this section.

CCMSID

Description: The Contact Center Multimedia ID of this agent or supervisor. Contact Center Manager Server supplies this value.

Type: Integer

DataPurge

Description: Flag to indicate if the user can edit contact text in Agent Desktop to remove sensitive information.

Type: Bit

DeletedOnCCMS

Description: Deleted on CCMS.

Type: Bit

DeletionTimeStamp

Description: Date and time this user was deleted from the system.

Type: TimeStamp

Email

Description: The email address for the user.

Type: String

Length: 255

Fax

Description: The FAX number for the user.

Type: String

Length: 20

FirstName

Description: User's first name.

Type: String

Length: 50

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

LastName

Description: User's last name.

Type: String

Length: 50

LogonID

Description: The logon ID used to connect to the Agent Desktop.

Type: String

Length: 50

MarkAsDeleted

Description: Flag to indicate if this user is deleted.

Type: Boolean

Password

Description: Internal use only.

Type: String

Length: 20

PredictiveAgent

Description: Flag to indicate if this record represents a predictive user.

Type: Bit

PredictiveReportingEnabled

Description: Flag to indicate if this contact is reported.

Type: Bit

PredictiveWrapTimeLimit

Description: Time allowed for this user to complete a predictive contact.

Type: Integer

RoutePoint

Description: This is an embedded table (cls.RoutePoints). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.RoutePoints record related to this cls.Users record. As a pointer, it refers to the fields on the cls.RoutePoints record.

As a field, it can be used in an SQL relational join to the cls.RoutePoints record.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382.

Type: cls.RoutePoints

SIP Terminal

Description: SIP Terminal

Type: String

Length: 255

SIP Uri

Description: SIP Uri

Type: String

Length: 255

Status

Description: Flag to indicate whether the user is logged on. A value of 1 equals Logged in.

Type: Boolean

Supervisor

Description: Link to the user's cls.Supervisors record.

Type: cls.Users

TelsetLogonID

Description: The logon ID used to access the user's phone.

Type: String

Length: 255

UserClass

Description: Text to describe the user type, which can be agent or supervisor.

Type: String

Length: 20

UserResets

This table contains a list of multimedia users, such as agents.

Field descriptions

The field descriptions for this table are described in this section.

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated.

Type: Integer

PasswordReset

Description: Flag to indicate if the user's password was reset.

Type: Integer

UserID

Description: Relational link to the cls.User table. The administration application uses this field.

Type: Integer

WebCommsComfortGroups

This table lists the Web Communications comfort groups.

Field descriptions

This section describes the fields in this table.

GroupName

Description: The comfort group name.

Type: String

Length: 255

Type

Description: The type of comfort group. Valid values are:

- In chat (1)
- On hold (2)

Type: Integer

WebCommsComfortMessages

Insert content for the first section.

Field descriptions

This section describes the fields in this table.

Delay

Description: Time in seconds that CCMM waits before sending the comfort message.

Type: Integer

ID

Description: The primary key for this table.

Type: Integer

Message

Description: The text of the comfort message.

Type: String

Length: 255

Sequence

Description: The order in which CCMM sends this message in the comfort group.

Type: Integer

WebCommsComfortGroup

Description: ID of the cls.WebCommsComfortGroup to which this message belongs.

Type: cls.WebCommsComfortGroup

WebCommsIntrinsics

This table contains information on Web chat contact property weightings that determine whether to flag to an agent or supervisor that the contact needs attention.

Field descriptions

This section describes the fields in this table.

Description

Description: The description for this intrinsic record. Valid values are:

- AgentIdleTime
- ConversationLength
- CustomerIdleTime
- NumberOfAgentMessages
- UnansweredMessages

Type: String

Length: 100

ID

Description: The primary key for this table.

Type: Integer

IntrinsicMethod

Description: The method for this intrinsic. Valid values are:

- IntrinsicAgentIdleTime
- IntrinsicConversationLength

- IntrinsicCustomerIdTime
- IntrinsicNumberOfAgentMessages
- IntrinsicUnansweredMessages

Type: String

Length: 100

NumericValue

Description: The Numeric ID.

Type: Integer

Priority

Description: The order of the weighting of the intrinsic by importance.

Type: Integer

Threshold

Description: The threshold that, if exceeded, flags a warning in Agent Desktop.

Type: Integer

WebCommsMessages

This table stores details about messages that are written by either the agent or the customer during a Web communication session. The messages link to a cls.WebCommsSession record. Multiple cls.WebCommsMessages records can link to the same cls.WebCommsSessions record.

Field descriptions

The field descriptions for this table are described in this section.

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field is applicable for Web communications only.

Type: Integer

Message

Description: Message text from either the agent or customer. This field is applicable for Web communications only.

Type: String

Length: 255

Session

Description: This is an embedded table (cls.WebCommsSessions). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.WebCommsSessions record related to this cls.WebCommsMessages record.

As a pointer, it refers to the fields on the cls.WebCommsSessions record. As a field, it can be used in an SQL relational join to the cls.WebCommsSessions record. For a list of fields; see [WebCommsSessions](#) on page 513.

For more information about querying data from fields that are embedded tables; see [Caché database](#) on page 382. This field is applicable for Web communications only.

Type: cls.WebCommsSessions

WriteTime

Description: The date and time that this message was written. This field is applicable for Web communications only.

Type: TimeStamp

WebCommsSessions

This table stores high-level detail relating to a Web communications session. The actual text sent between the agent and the customer is stored in the cls.WebCommsMessage table.

Field descriptions

The field descriptions for this table are described in this section. This field is applicable for Web communications only.

AgentJoinTime

Description: This property holds the time when an agent joins the active chat session.

Type: TimeStamp

AgentWriting

Description: Flag to indicate if the agent is currently writing. This field is applicable for Web communications only.

Type: Boolean

ContactID

Description: Relational link to the contact's unique internal identifier to which this session belongs. This field is applicable for Web communications only.

Type: String

CustomerID

Description: This property holds the customer ID for query optimization.

Type: Integer

CustomerWriting

Description: Flag to indicate if the customer is currently writing. This field is applicable for Web communications only.

Type: Boolean

ID

Description: This is the primary key for the table. The value for this field is automatically generated by the database when the record is created and can never be updated. This field is applicable for Web communications only.

Type: Integer

LastAgentMessageTimestamp

Description: This property holds the last time an agent sent a message the active chat session.

Type: TimeStamp

LastAgentPoll

Description: Internal use only. This field is applicable for Web communications only.

Type: TimeStamp

LastCustomerMessageTimestamp

Description: This property holds the last time a customer sent a message the active chat session.

Type: TimeStamp

LastCustomerPoll

Description: Internal use only. This field is applicable for Web communications only.

Type: TimeStamp

Messages

Description: Internal use only. This field is applicable for Web communications only.

Type: cls.WebCommsMessages

NumberOfAgentMessages

Description: This property holds the number of agent messages.

Type: Integer

NumberOfUnansweredCustMessages

Description: This property holds the number of unanswered customer messages.

Type: Integer

VirtualRoomID

Description: This property holds the virtual room ID generated for the active chat session.

Type: String

Indexes

The following table lists the indexes used by the cls.WebCommsSessions table.

Index Name	Fields Indexed	Type	Unique 1 = Yes	Description
idxContactID	ContactID	bitmap	0	Index on the SessionID field to aid searching.

WebCommsSessions_Agents

An internal Caché table that manages a many-to-many relationship between WebCommsSessions and the agents participating in the web chat.

Field descriptions

This section describes the fields in this table.

Agents

Description: ID of the agent in cls.Users.

Type: cls.User

element_key

Description: Internal Caché field.

Type: String

ID

Description: The primary key for this table.

Type: String

WebCommsSessions

Description: ID of the session in cls.WebCommsSessions.

Type: cls.WebCommsSessions.

WebCommsSessionsParticipants

This table stores participant information relating to a Web communications session.

Field descriptions

This section describes the fields in this table. This table applies to Web communications only.

Agent

Description: This is an embedded table (cls.Users). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.Users record related to this cls.WebCommsSessionsParticipants record. As a pointer, it refers to the fields on the cls.Users record.

As a field, it can be used in an SQL relational join to the cls.Users record. For a list of fields, see [Users](#) on page 506.

For more information about querying data from fields that are embedded tables, see [Caché database](#) on page 382.

Type: cls.Users

AgentDisconnect

Description: This property holds the time stamp when an agent disconnects.

Type: TimeStamp

ID

Description: This is the primary key for the table. When the record is created, the database automatically generates the value for this field. This field cannot be updated. This field applies only to Web communications.

Type: Integer

Session

Description: This is an embedded table (cls.WebCommsSessions). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.WebCommsSessions record related to this cls.WebCommsSessionsParticipants record. As a pointer, it refers to the fields on the cls.WebCommsSessions record.

As a field, it can be used in an SQL relational join to the cls.WebCommsSessions record. For a list of fields, see [WebCommsSessions](#) on page 513.

For more information about querying data from fields that are embedded tables, see [Caché database](#) on page 382.

Type: cls.WebCommsSessions

UserType

Description: This is an embedded table (cls.CodeMappings). It can be selected either as a field or as a pointer. As a field, it returns the ID value of the cls.CodeMappings record related to this cls.WebCommsSessionsParticipants record. As a pointer, it refers to the fields on the cls.CodeMappings record.

As a field, it can be used in an SQL relational join to the cls.CodeMappings record. For a list of fields, see [CodeMappings](#) on page 437.

For more information about querying data from fields that are embedded tables, see [Caché database](#) on page 382.

Type: cls.CodeMappings

Additional Tables

Two additional tables are generated specifically for the SQL representation of the data.

cls.Campaigns_DispositionCodes

The cls.Campaigns and cls.DispositionCodes tables have a many-to-many relationship. This is the table that links the tables.

Fields	Description
ID	The value for this field is automatically generated by the database when the record is created and can never be updated.
Campaigns	ID of the cls.Campaigns record that this record relates to.
DispositionCodes	ID of the cls.DispositionCodes record that this record relates to.
Element_key	Internal use only.

cls.Skillsets_Agents

The cls.Skillsets and cls.Users tables have a many-to-many relationship. This is the table that links the table.

Fields	Description
ID	The value for this field is automatically generated by the database when the record is created and can never be updated.
Skillsets	ID of the cls.Skillsets record that this record relates to.
Agents	ID of the cls.Agents record that this record relates to.
Element_key	Internal use only.

Chapter 15: Multimedia database views

This section contains database view information. You access data through database views or logical representations of the database. Database views organize the information in the database for your use. In SQL terms, a view is a named query in a schema, defined with a CREATE VIEW statement. A view is not a table, but the result of a view is a table.

This section provides definitions for all the Contact Center Multimedia database views available.

Campaign Agent Script Result

This view displays the questions and answers for campaigns. The results are sorted by contact. This view is often used to retrieve the details for a campaign. You can use this view to see, by contact, the name and phone number for the customer and the answers given to the campaign questions.

The following table lists the view field, source table, and source field, where applicable.

View field	Source table	Source field
ContactID	cls.Contacts	ID
PhoneNumber	cls.Actions	NumberUsed
CustomerID	cls.Customers	ID
FirstName	cls.Customers	—
LastName	cls.Customers	—
Campaign	cls.Campaigns	Name
DateCreated	cls.Answers	DateCreated
Answer	cls.Answers	—
Question	cls.Questions	—
FreeText	cls.Answers	—
AllowedAnswers	cls.Questions	—
DispositionCode	cls.DispositionCodes	Name

Campaign Call By Call Details

This view provides call by call details for campaigns. Use this view to retrieve the information relating to one outbound campaign. The view displays when the contact opened and closed, when the relevant action opened and closed, the length of time the agent dialed and talked, and overview information about the campaign. The overview information includes the daily start and end times for the campaign and how many contacts are in the campaign SQL used to create view.

The following table lists the view field, source table, and source field, where applicable, for this view.

View field	Source table	Source field
CampaignName	cls.Campaigns	Name
ContactLastClosedTime	cls.Contacts	ClosedTime
ContactLastOpenTime	cls.Contacts	OpenTime
ContactOpenDuration	cls.Contacts	OpenDuration
TotalDialTime	cls.Contacts	DialTime
TotalTalkTime	cls.Contacts	TalkTime
ContactID	cls.Contacts	ID
ContactDispositionCode	cls.DispositionCodes	Name
ContactCreatedTime	cls.Contacts	ArrivalTime
ContactFirstOpenTime	cls.Contacts	AcquiredTime
RetryCount	cls.Contacts	CampaignRetryCount
Priority	cls.Contacts	—
SkillsetName	cls.Skillsets	Name
CallStatus	cls.Contacts	Status
CallAttempts	cls.Contacts	NoOfCallAttempts
ContactSource	cls.Contacts	Source
CallBackTime	cls.Actions	—
CallBackStatus	cls.Actions	—
CallBackMedia	cls.Actions	—
ActionID	cls.Actions	ID
ActionOpenTime	cls.Actions	OpenTime
ActionClosedTime	cls.Actions	ClosedTime
DialStartTime	cls.Actions	—
DialEndTime	cls.Actions	—
TalkStartTime	cls.Actions	—
TalkEndTime	cls.Actions	—
ActionDispositionCode	cls.Actions	DispositionCode

Table continues...

View field	Source table	Source field
ActionSource	cls.Actions	Source
ActionType	cls.Actions	Type
ActionProcessedTime	cls.Actions	CreationTime
DialledDN	cls.Actions	NumberUsed
LastName	cls.Customers	—
FirstName	cls.Customers	—
CustomerID	cls.Customers	ID
Agent	cls.Users	FirstName + LastName
AgentLoginID	cls.Users	LogonID
CampaignStatus	cls.Campaigns	Status
AgentScript	cls.Campaigns	CampaignScript
NumCallsInCampaign	cls.Campaigns	NumberOfContacts
NumContactsProcessed	cls.Campaigns	NumberOfContacts Processed
CampaignStartDateTime	cls.Campaigns	StartDateTime
CampaignEndDateTime	cls.Campaigns	EndDateTime
CampaignDailyStartTime	cls.Campaigns	DailyStartTime
CampaignDailyEndTime	cls.Campaigns	DailyEndTime
CampaignDateCreated	cls.Campaigns	DateCreated
CampaignDescription	cls.Campaigns	Description
CampaignCreatedBy	cls.Campaigns	Owner

Campaign Summary

This view summarizes campaign information around the disposition codes used to close contacts within a campaign. The view shows the number of contacts that have a disposition code within a campaign. The view also contains summary information relating to the campaign, such as who created it and when, the daily start and end times, and the start and end date for the campaign.

The following table lists the view field, source table, and source field, where applicable, for this view.

View field	Source table	Source field
DispositionCodeCount	All in view	Number of Contacts with this DispositionCode
DispositionCodeName	cls.DispositionCodes	Name
CampaignName	cls.Campaigns	Name
SkillsetName	cls.Skillsets	Name

Table continues...

View field	Source table	Source field
CampaignStatus	cls.Campaigns	Status
AgentScript	cls.Campaigns	CampaignScript
NumberOfContacts	cls.Campaigns	—
NumberOfContacts Processed	cls.Campaigns	—
StartDateTime	cls.Campaigns	—
EndDateTime	cls.Campaigns	—
DailyStartTime	cls.Campaigns	—
DailyEndTime	cls.Campaigns	—
Description	cls.Campaigns	—
Owner	cls.Campaigns	—
Priority	cls.Campaigns	—

Contacts By Contacts

This view provides details for contacts in a user-friendly format. The view includes the customer name and the agent name. For Outbound contacts, the view also shows summary information from the campaign, such as the campaign name, how many times the customer was called, and the dial and talk time totals.

The following table lists the view field, source table, and source field, where applicable, for this view.

View field	Source table	Source field
ContactID	cls.Contacts	ID
ContactStatus	cls.Contacts	Status
SkillsetName	cls.Skillsets	Name
ArrivalTime	cls.Contacts	—
ContactOpenTime	cls.Contacts	OpenTime
ContactClosedTime	cls.Contacts	ClosedTime
ClosedReasonCode	cls.Contacts	—
ClosedReasonCodeID	cls.Contacts	ClosedReasonCode
CustomerID	cls.Contacts	Customer
FirstName	cls.Customers	—
LastName	cls.Customers	—
MailCC	cls.Contacts	—
MailFrom	cls.Contacts	—

Table continues...

View field	Source table	Source field
MailTo	cls.Contacts	—
OriginalSubject	cls.Contacts	—
Priority	cls.Contacts	—
QueueType	cls.Contacts	—
RuleName	cls.Contacts	Rule
Source	cls.Contacts	—
Type	cls.Contacts	—
AgentName	cls.Users	FirstName + LastName
AgentCCMSID	cls.Users	CCMSID
OutboundDispositionCode	cls.DispositionCodes	Name
AutoResponseName	cls.AutoReponses	Name
NumberOfContacts	cls.Contacts	—
NumberOfContacts Processed	cls.Contacts	—
CampaignName	cls.Campaigns	Name
CampaignRetryCount	cls.Contacts	—
CampaignDialTime	cls.Contacts	DialTime
CampaignCallTime	cls.Contacts	CallTime

Contacts Outstanding

This view provides the number of contacts in the contact center that do not have a status of Closed. The view includes the arrival time from the contact formatted in various ways: just the date, date and time (hour only), and the full arrival time information. This is useful to sort or use the fields in a where clause to restrict the data returned to a time frame.

The following table lists the view field, source table, and source field, where applicable, for this view.

View field	Source table	Source field
ByDay	cls.Contacts	ArrivalTime with Date only
ByHour	cls.Contacts	ArrivalTime with Hour only (no minutes or seconds included)
ContactNo	cls.Contacts	ID
ArrivalTime	cls.Contacts	ArrivalTime
Subject	cls.Contacts	OriginalSubject
Customer	cls.Customers	FirstName + LastName
ArrivedFrom	cls.Contacts	MailTo

Table continues...

View field	Source table	Source field
Agent	cls.Users	FirstName + LastName
Status	cls.Contacts	—
ParentContactType	cls.Types	Parent
ContactType	cls.Contacts	Type
ContactSource	cls.Contacts	Source
Campaign	cls.Campaigns	Name
Skillset	cls.Contacts	—

Contacts Outstanding Detail

This view is similar to the ContactsOutstanding view, but includes the date, subject, and source information from all the actions related to the outstanding contacts. For more information, see [Contacts Outstanding](#) on page 523.

The following table lists the view field, source table, and source field, where applicable, for this view.

View field	Source table	Source field
ByDay	cls.Contacts	ArrivalTime with Date only
ByHour	cls.Contacts	ArrivalTime with Hour only (no minutes or seconds included)
ContactNo	cls.Contacts	ID
ArrivalTime	cls.Contacts	ArrivalTime
Subject	cls.Contacts	OriginalSubject
Customer	cls.Customers	FirstName + LastName
ArrivedFrom	cls.Contacts	MailTo
Agent	cls.Users	FirstName + LastName
Status	cls.Contacts	—
ParentContactType	cls.Types	Parent
ContactType	cls.Contacts	Type
ContactSource	cls.Contacts	Source
Campaign	cls.Campaigns	Name
Skillset	cls.Contacts	—
ActionTime	cls.Actions	CreationTime
ActionSubject	cls.Actions	Subject
ActionSource	cls.Actions	Source

Contacts Outstanding Summary

This view displays the number of contacts for each skillset grouped by the date they arrived. Only contacts without a status of Closed are included. It uses the ContactsOutstanding view as the basis for the results.

The following table lists the view field, source table, and source field, where applicable, for this view.

View field	Source table	Source field
ByDay	cls.Contacts	ArrivalTime with Date only
Skillset	cls.Skillsets	Name
Count	—	The number of Contacts matching the Date and Skillset

ScriptSummary

This view displays count information related to the questions and answers for an outbound campaign. It shows the number of times each answer was selected for each question.

The following table lists the view field, source table, and source field, if applicable, for this view.

View field	Source table	Source field
Name	cls.CampaignScript	—
Question	cls.Questions	—
AllowedAnswers	cls.Questions	—
AllowedFreeText	cls.Questions	—
DefaultAnswer	cls.Questions	—
QuestionID	cls.Questions	QuestionID
Count	—	Number of records matching each QuestionID

Chapter 16: Entity relationship diagrams

This section describes the relationships among the Contact Center Manager database views. This section contains diagrams illustrating each statistics group, plus an overall diagram with all of the relationships in the database.

Contact Center Manager entity relationships

The notation conventions for the Contact Center Manager entity relationship diagrams is IDEF1X.

IDEF1X notation conventions

This section describes the format of the Contact Center Manager reporting database using a graphical model. The graphical model construction uses a standard language: Integration Definition for Information Modeling (IDEF1X).

The basic constructs of an IDF1X model are:

- Items about which data is kept, which are represented by a box.
- Relationships between items which are represented by lines connecting the boxes.
- Characteristics of items, which are represented by attribute names within a box.


For more information about interpreting the graphical model, consult F1PS publication 184, online from the US National Institute of Standards and Technology at <https://www.nist.gov/itl>.

Entity notation


The following terms describe entities.

- **Entity**—An entity is any person, item, or concept about which information is kept. In Contact Center Manager, an entity includes Agents as well as abstract things—such as Applications, Skillsets, CDNs, Activity Codes, and database views—such as iAgentPerformanceStat. More precisely, an entity is a set or collection of items called instances. Entities are named by nouns—for example, agent, application, or skillset. Entities are classified as independent or dependent entities, depending on how they acquire their keys.
- **Child entity**—The entity in a specific connection relationship whose instances can be related to zero or one instance of the other entity (parent entity).
- **Parent entity**—An entity in a specific connection relationship whose instances can be related to a number of instances of another entity (child entity).


- **Instance**—An instance is a single occurrence of an entity. Each instance must have an identity distinct from all other instances.
- **Independent entity**—An independent entity does not depend on any other entity for its identification. Independent entities are represented by square-corner boxes.



- **Dependent entity**—Dependent entities depend on one or more entities for their identification. They are represented by boxes with rounded corners.



- **Primary key**—To use an entity, instances must be identified uniquely. The set of attributes that uniquely identifies an entity is called the primary key.




In the preceding illustration, ApplicationID is the primary key for the Application entity. Also, Timestamp and ApplicationID are the primary keys for the iApplicationStat entity (that is, a specific Application has data for multiple Timestamps).

Attribute notation

The following terms describe attributes:


- **Primary key attribute**—A primary key is an attribute that, either by itself or in combination with other primary key attributes, forms the primary key.
- **Non-primary key attribute**—A non-primary key attribute is not part of the primary key of the entity.
- **Foreign key**—Whenever entities are connected by a relationship, the relationship contributes a key (or set of keys) to the child entity. Foreign key attributes are primary key attributes of a parent entity contributed to a child entity across a relationship. The contributed keys are said to migrate or propagate from parent to child.

Foreign key attributes are designated in the model by an (FK) following the attribute name. In the following illustration, ApplicationID is a foreign key.




- **Role name**—A role name is a new name for a foreign key attribute or group of foreign key attributes that defines the role the foreign key plays in the child entity. A role definition is based on the definition of the original foreign key or keys. Role names take the following format: role-name.attribute (FK)

In the following illustration, iVRPortID.SwitchPortAddress (FK) is a role name.



- **Inversion entry**—An inversion entry is a nonunique access identifier of the entity. It is an attribute or group of attributes that is frequently used to access the entity. An inversion entry specifies another way in which the business plans to access an instance of the entity. When using an inversion entry, however, you might not find exactly one instance. Inversion entries appear as: attribute (IE_n).


In the following illustration, Name is an inversion entry.




Relationship notation

The following terms describe the relationships between entities.

- **Relationships**—Relationships represent connections, links, or associations between entities. Relationships in an information model are used to represent some of the business rules that describe the area that is modeled. IDEF1X, unlike some other modeling languages, requires that all relationships be binary; that is, they connect exactly two entities.
- **Identifying relationship**—In an identifying relationship, primary key attributes of the parent entity become primary key attributes of the child entity.



- **Nonidentifying relationship**—In a nonidentifying relationship, primary key attributes of the parent entity become non-primary-key attributes of the child entity.



Cardinality notation

The following notation is used to show the number of child attributes involved in the relationship.

One-to-zero-or-more	
One-to-one-or-more	
One-to-zero-or-more	
One-to-exactly-N	

Statistics entity relationships

The following diagrams display the relationships among the Contact Center Manager database views.

Entity relationship diagrams




Figure 1: Activity code statistics




Figure 2: Agent by application statistics

Entity relationship diagrams




Figure 3: Agent by skillset statistics




Figure 4: Agent performance statistics




Figure 5: Application statistics




Figure 6: Control Directory Number (CDN) statistics




Figure 7: Dialed Number Identification Service (DNIS) statistics

Entity relationship diagrams




Figure 8: IVR port statistics




Figure 9: Interactive Voice Response (IVR) statistics




Figure 10: Network incoming call statistics




Figure 11: Network outgoing call statistics




Figure 12: RAN/music route statistics




Figure 13: Route statistics

Entity relationship diagrams




Figure 14: Skillset statistics




Figure 15: Trunk statistics

Full database entity relationships

The following two illustrations display all the relationships within the Contact Center Manager database.




Figure 16: Contact Center Manager entity relationships diagram 1

Contact Center Multimedia Data relationships

The Contact Center Multimedia entity relationship diagrams in this section display only two major tables that users query for information. Other tables are defined within the database, but many are only for internal use.

To view all table entities with definitions; see [Contact Center Multimedia Data dictionary](#) on page 381.

Entity relationship diagrams




Figure 18: Contact Center Multimedia entity relationship diagram 1




Figure 19: Contact Center Multimedia entity relationship diagram 2

Part 4: Standard reports

- [Overview of standard reports](#) on page 543
- [Standard agent performance reports](#) on page 554
- [Standard call-by-call reports](#) on page 595
- [Standard configuration reports](#) on page 598
- [Contact Summary Reports](#) on page 636
- [Standard Multimedia reports](#) on page 650
- [Standard network reports](#) on page 657
- [Additional CCMA reports in the Others folder](#) on page 682
- [Standard administration reports](#) on page 726
- [Standard Outbound reports](#) on page 730
- [Standard Network Control Center reports](#) on page 734
- [Report Creation Wizard](#) on page 761

Chapter 17: Overview of standard reports

Contact Center Manager provides two types of standard reports:

- Historical reports
- Configuration reports

Historical reports provide information related to the statistics, activities, and performance of the contact center. Two types of historical reports are available:

- summarized historical reports—These reports contain totals accumulated over a period of time (usually a 15-minute interval, daily, weekly, or monthly).
- event (detail) historical reports—These reports contain detailed information about each event.

Configuration reports contain information about how your system is configured. You can use these reports as a reference when plan or change your system.

When you search on String field types, note the following:

- Searches on String field types are case-sensitive.

Report descriptions

This section describes the contents of the report descriptions. You can use this information to interpret the standard reports, as well as to create custom reports.

Views

The reports descriptions indicate the database view that provides the data for the report. For more information, see [Overview](#) on page 31 and [Overview for CCMM](#) on page 382.

In many cases, the database view is available in a number of collection frequencies, for example, daily, weekly, monthly, and interval versions of the ActivityCodeStat view. Each view name has a prefix that identifies the frequency:

- dActivityCodeStat is the daily view
- wActivityCodeStat is the weekly view
- mActivityCodeStat is the monthly view
- iActivityCodeStat is the interval view

In the report descriptions, if data is available in multiple versions of a view, the source has the name of the view without the prefix (for example, the ActivityCodeStat view).

For more information about view; see [Selection criteria](#) on page 545.


Templates

For each standard report, the report description identifies the template file for the report.

- Template files are stored in \\Avaya\Contact Center\Manager Administration\Apps\Reporting\Historical\rpt.
- Templates for the Avaya Communication Server 1000 PABX are in the Avaya Communication Server 1000 subfolder— \\Avaya\Contact Center\Manager Administration\Apps\Reporting\Historical\rpt\CS1000 (M1).
- Templates for SIP are in the SIP subfolder— \\Avaya\Contact Center\Manager Administration\Apps\Reporting\Historical\rpt\SIP.
- Templates for Multimedia are in the Multimedia subfolder— \\Avaya\Contact Center\Manager Administration\Apps\Reporting\Historical\rpt\MultiMedia (CCMM).
- Templates for Outbound are in the Outbound subfolder— \\Avaya\Contact Center\Manager Administration\Apps\Reporting\Historical\rpt\Multimedia (CCMM)\Outbound.

You can use these template files as the basis for custom Contact Center Manager Server reports. To create a custom Contact Center Manager Server report based on a standard report template, perform these steps:

1. Copy the standard report template and give it a meaningful name.
2. Modify the new template using Microsoft SQL Server Report Builder.
3. Import the new template into the server.

 Caution:	Risk of data loss Do not modify the standard templates.
---	---

For reports available in a number of collection frequencies, one or more templates are available. The template names have the same initial letter as the corresponding view. For example, there are two templates for Agent Performance:

- The template im-agt1.rdl uses the iAgentPerformanceStat view for interval reporting.
- The template dm-agt1.rdl uses the dAgentPerformanceStat view for daily, the wAgentPerformanceStat view for weekly, and the mAgentPerformanceStat view for monthly reporting.

Selection criteria

This section of the report description indicates the fields on which the agent filters the report. For example, if the agent filters a report, you can choose the agents to include in the report.

Statistics

This section of the report contains tables with the following columns

Column	Description
Report field	Contains all fields that appear on the report.
View field/Formula	For raw data, contains the view field from which the data is taken. For calculated fields, this manual provides the formula used to calculate the field value.
View field/Report Creation Wizard formula	The Report Creation Wizard formula that provides this statistic. To include this statistic on reports you create with the Report Creation Wizard, use this formula. For more information, see Report Creation Wizard on page 761.

For more detailed information about the report field; see the description of the field in [Overview](#) on page 31 or [Overview for CCMM](#) on page 382. For each field, the data dictionary provides the following information:

- a description of the field
- the type of data
- the length of the field
- the events that trigger pegging of this statistic

Field descriptions in the data dictionary are organized by database view.

If a report contains fields from more than one database view, the field names appear as view.fieldname. For example, AgentBySkillsetStat.CallsAnswered represents the calls answered field in the AgentBySkillsetStat view.

Selection criteria

The following table shows the selection criteria in alphabetical order available for each report in the standard reports section. The table also shows the database field names. The selection criteria are the fields shown on the user interface. The database field names are the filters in the report SQL structure used in the report template. Identifying these field names is useful to build custom reports with Report Creation Wizard.

Report name	Selection criteria	Field names
Access Classes	Access Class	None

Table continues...

Overview of standard reports

Report name	Selection criteria	Field names
Activity Code By Agent	Agent Name ID Agent Name	iActivityCodeStat.Application <> 'System_Application' (iActivityCodeStat.AgentSurName + " " + iActivityCodeStat.AgentGivenName) iActivityCodeStat.Timestamp
Activity Code By Application	Application Name ID Application Name	iActivityCodeStat.Application <> 'System_Application' iActivityCodeStat.Application iActivityCodeStat.Timestamp
Activity Code Properties	Activity Code Activity Name	ActivityCode.ActivityCode
Agent Average Calls Per Hour	Agent Login ID Agent Name	iAgentPerformanceStat.AgentLogin iAgentPerformanceStat.Timestamp
Agent Average Calls Per Hour, Bottom 5	Agent Login ID Agent Name	iAgentPerformanceStat.AgentLogin iAgentPerformanceStat.Timestamp
Agent Average Calls Per Hour, Top 5	Agent Login ID Agent Name	iAgentPerformanceStat.AgentLogin iAgentPerformanceStat.Timestamp
Agent by Activity Code	Activity Code ID Activity Code	iActivityCodeStat.Application <> 'System_Application' iActivityCodeStat.ActivityCode iActivityCodeStat.Timestamp
Agent By Application Performance	Application Name ID Application Name	iAgentByApplicationStat.Application iAgentByApplicationStat.Timestamp
Agent By Skillset Performance	Skillset Name ID Skillset Name	iAgentBySkillsetStat.Skillset iAgentBySkillsetStat.Timestamp
Agent By Supervisor Properties	Supervisor Login ID Supervisor Name	SupervisorAgentAssignment. SupervisorTelsetLoginID
Agent DN Performance	Agent Login ID Agent Name	iAgentPerformanceStat.AgentLogin iAgentPerformanceStat.Timestamp
Agent DN Performance Calls Answered, Bottom 5	Agent Login ID Agent Name	iAgentPerformanceStat.AgentLogin iAgentPerformanceStat.Timestamp
Agent DN Performance Calls Answered, Top 5	Agent Login ID Agent Name	iAgentPerformanceStat.AgentLogin iAgentPerformanceStat.Timestamp
Agent Login/Logout	Agent Login ID Agent Name	eAgentLoginStat.AgentLogin eAgentLoginStat.Timestamp

Table continues...

Report name	Selection criteria	Field names
Agent NACD Activity	Agent Login ID Agent Name	iAgentPerformanceStat.AgentLogin iAgentPerformanceStat.Timestamp
Agent Performance	Agent Login ID Agent Name	iAgentPerformanceStat.AgentLogin iAgentPerformanceStat.Timestamp
Agent Performance by Supervisor	Supervisor Login ID Supervisor Name	iAgentPerformanceStat.SupervisorLogin iAgentPerformanceStat.Timestamp
Agent Performance Calls Answered, Bottom 5	Agent Login ID Agent Name	iAgentPerformanceStat.AgentLogin iAgentPerformanceStat.Timestamp
Agent Performance Calls Answered, Top 5	Agent Login ID Agent Name	iAgentPerformanceStat.AgentLogin iAgentPerformanceStat.Timestamp
Agent Properties	Agent Login ID Agent Name	Agent.TelsetLoginID
Agent Short Calls	Agent Login ID Agent Name	iAgentPerformanceStat.AgentLogin iAgentPerformanceStat.Timestamp
Agent Skillset Assignment	Agent Login ID Agent Name	ScheduledSkillsetAssignment.User TelsetLoginID
Agent Skillset Properties	Agent Login ID Agent Name	Agent.UserID = SkillsetByAgent.UserID SkillsetByAgent.SkillsetID = Skillset.SkillsetID Agent.TelsetLoginID
Agent Supervisor Assignment	Agent Login ID Agent Name	SupervisorAgentAssignment. AgentUserID = ScheduledSupervisorAssignment. AgentID SupervisorAgentAssignment. AgentTelsetLoginID
Agent Transferred/ Conferenced Activity	Agent Login ID Agent Name	iAgentPerformanceStat.AgentLogin iAgentPerformanceStat.Timestamp
Application By Activity Code	Activity Code Activity Name	iActivityCodeStat.Application <> 'System_Application' iActivityCodeStat.ActivityCode iActivityCodeStat.Timestamp
Application By Skillset	Skillset Name ID Skillset Name	iSkillsetStat.SiteID = 0 iSkillsetStat.Application <> "System_Application" iSkillsetStat.Skillset iSkillsetStat.Timestamp

Table continues...

Overview of standard reports

Report name	Selection criteria	Field names
Application Call Treatment	Application Name ID Application Name	iApplicationStat.Application iApplicationStat.Timestamp
Application Delay Before Abandon	Application Name ID Application Name	iApplicationStat.Application iApplicationStat.Timestamp
Application Delay Before Answer	Application Name ID Application Name	iApplicationStat.Application iApplicationStat.Timestamp
Application Performance	Application Name ID Application Name	iApplicationStat.Application iApplicationStat.Timestamp
Application Script Properties	Application Name ID Application Name	ApplicationByScript.ParentName
Application Template Properties	Application Name ID Application Name	Application.Name
Call By Call Statistics	None	eCallByCallStatYYYYMMDD. TelsetLoginID *= Agent.TelsetLoginID eCallByCallStatYYYYMMDD. Timestamp
CDN (Route Point) Properties	CDN CDN Name	CDN.CDN
CDN (Route Point) Statistics	CDN CDN Name	iCDNStat.CDN iCDNStat.Timestamp
Crosstab - Application Performance	Application Name ID Application Name	iApplicationStat.Application iApplicationStat.Timestamp
Crosstab - CDN (Route Point) Statistics	CDN CDN Name	iCDNStat.CDN iCDNStat.Timestamp
Crosstab - DNIS Statistics	DNIS DNIS Name	iDNISStat.DNIS iDNISStat.Timestamp
Crosstab - Network Incoming Calls	Source Site Name ID Source Site Name	iNetworkInCallStat.SrcSite iNetworkInCallStat.Timestamp
Crosstab - Network Outgoing Calls	Destination Site Name ID Destination Site Name	iNetworkOutStat.DstSite iNetworkOutStat.Timestamp
Crosstab - Route Performance	Route ID Route Name	iRouteStat.RouteID iRouteStat.Timestamp

Table continues...

Report name	Selection criteria	Field names
Crosstab - Skillset Performance	Skillset Name ID Skillset Name	iSkillsetStat.Application<> "System_Application" iSkillsetStat.Skillset iSkillsetStat.Timestamp
Crosstab - Trunk Performance	Trunk ID	iTrunkStat.Timestamp
Database View Definitions	None	None
DNIS Properties	DNIS DNIS Name	DNIS.DNIS
DNIS Statistics	DNIS DNIS Name	iDNISStat.DNIS iDNISStat.Timestamp
Estimated Revenue By Agent	Activity Code Activity Name Agent Login ID Agent Name	iActivityCodeStat.Application <> 'System_Application' iActivityCodeStat.ActivityCode iActivityCodeStat.AgentLogin iActivityCodeStat.Timestamp
Formula Properties	None	None
Historical and Real Time Statistics Properties	None	None
IVR Port First Login/Last Logout	None	(eIVRPortLoginStat.EventType='LI' OR eIVRPortLoginStat.EventType='LO') eIVRPortLoginStat.Timestamp
IVR Port Properties	IVR Port ID IVR Port Name	IVRPort.SwitchPortAddress
IVR Port Statistics	IVR Port ID IVR Port Name	iIVRPortStat.IVRPortID iIVRPortStat.Timestamp
IVR Queue and Port Properties	IVR Queue ID IVR Queue Name	IVRQueue.IVRQueueID = IVRPort.IVRQueueID IVRQueue.TemplateID = IVRThresholdTemplate.TemplateID IVRQueue.IVRQueueID
IVR Queue Statistics	IVR Queue ID IVR Queue Name	iIVRStat.IVRQueueID iIVRStat.Timestamp
Logged In Agent Position ID	Agent Login ID Agent Name	eAgentLoginStat.AgentLogin = Agent.TelsetLoginID eAgentLoginStat.AgentLogin

Table continues...

Overview of standard reports

Report name	Selection criteria	Field names
Music/RAN Route Statistics	Route ID Route Name	iRANMusicRouteStat.RouteID iRANMusicRouteStat.Timestamp
Network Application Performance	Application Name ID Application Name	iApplicationStat.Application<>'Network_Script' AND iApplicationStat.Application<> 'ACD_DN_Application' iApplicationStat.Application) iApplicationStat.Timestamp
Network Call By Call	None	None
Network Consolidated Application Performance	Network Sites	iApplicationStat.Application<>'Network_Script' AND iApplicationStat.Application<> 'ACD_DN_Application' iApplicationStat.Timestamp
Network Consolidated DNIS Statistics	Network Sites	iDNISStat.Timestamp
Network Consolidated Incoming Calls	Network Sites	iNetworkInCallStat.Timestamp
Network Consolidated Outgoing Calls	Network Sites	iNetworkOutStat.Timestamp
Network Consolidated Route Performance	Network Sites	iRouteStat.Timestamp
Network Consolidated Skillset Call Distribution	Network Skillset Name ID Network Skillset Name	iSkillsetConStat.Skillset iSkillsetConStat.Timestamp
Network Consolidated Skillset Performance	Network Sites	iSkillsetStat.Timestamp
Network DNIS Statistics	DNIS DNIS Name	iDNISStat.DNIS iDNISStat.Timestamp
Network Incoming Calls	Source Site Name ID Source Site Name	iNetworkInCallStat.SrcSite iNetworkInCallStat.Timestamp
Network Outgoing Calls	Destination Site Name ID Destination Site Name	iNetworkOutStat.DstSite iNetworkOutStat.Timestamp
Network Route Performance	Route ID Route Name	iRouteStat.RouteID iRouteStat.Timestamp
Network Site and Application Properties	Site Name for App ID Site Name for App	RemoteApplication.SiteName

Table continues...

Report name	Selection criteria	Field names
Network Site and Application Properties (NCC)	Site Name for App ID Site Name for App	NCCRemoteApplication.SiteName
Network Skillset Performance	Skillset Name ID Skillset Name	iSkillsetStat.Skillset iSkillsetStat.Timestamp
Network Skillset Routing Properties	Network Skillset Name ID Network Skillset Name Site Name ID Site Name	NetworkSkillsetStatus.NetworkSkillset ID = Ranking.NetworkSkillsetID NetworkSkillsetStatus.NetworkSkillset ID = Skillset.NetworkSkillsetID NetworkSkillsetStatus.SiteName = Ranking.DstSiteName NetworkSkillsetStatus.NetworkSkillset NetworkSkillsetStatus.SiteName
Network Skillset Routing Properties (NCC)	Network Skillset Name ID Network Skillset Name Source Site Name ID Source Site Name	NCCRanking.NetworkSkillsetID = NCCNetworkSkillset.NetworkSkillset ID NCCNetworkSkillset.NetworkSkillset NCCRanking.SrcSiteName
Network Skillset Timeline	Contact Type Skillset Name ID Skillset Name	iSkillsetStat.ContactType iSkillsetStat.Skillset iSkillsetStat.Timestamp
Network Skillset Timeline by Contact Type	Contact Type Skillset Name ID Skillset Name	iSkillsetStat.CotactType iSkillsetStat.Skillset iSkillsetStat.Timestamp
Network Table Routing Assignment (NCC)	Source Site Name ID Source Site Name	NetworkRankingAssignment.Network SkillsetID *= NCCNetworkSkillset.NetworkSkillset ID NetworkRankingAssignment.SrcSite Name
Nodal Consolidated Application Delay Before Abandon	Network Sites	iApplicationStat.Timestamp
Nodal Consolidated Application Delay Before Answer	Network Sites	iApplicationStat.Timestamp
Nodal Consolidated Application Performance	Network Sites	iApplicationStat.Timestamp

Table continues...

Overview of standard reports

Report name	Selection criteria	Field names
Not Ready Reason Codes By Agent	Agent Name ID Agent Name	iActivityCodeStat.Application='System_Application' iActivityCodeStat.AgentSurName + " " + iActivityCodeStat.AgentGivenName iActivityCodeStat.Timestamp
Real Time Template Properties	None	None
Report Groups	Server IP Server Name	None
Route Performance	Route ID Route Name	iRouteStat.RouteID iRouteStat.Timestamp
Route Properties	Route ID Route Name	Route.RouteID
Script Variable By Script	Script Name	ScriptVariables.Script
Script Variable Properties	Script Variable Name	ScriptVariableProperties.Name
Skillset By Agent Performance	Agent Login ID Agent Name Skillset Name ID Skillset Name	iAgentBySkillsetStat.AgentLogin iAgentBySkillsetStat.Skillset iAgentBySkillsetStat.Timestamp
Skillset By Application	Skillset Name ID Skillset Name	iSkillsetStat.SiteID = 0 iSkillsetStat.Application <> "System_Application" iSkillsetStat.Skillset iSkillsetStat.Timestamp
Skillset Performance	Skillset Name ID Skillset Name	iSkillsetStat.SiteID = 0 iSkillsetStat.Skillset iSkillsetStat.Timestamp
Skillset Properties	Skillset Name ID Skillset Name	Skillset.SkillsetID = SkillsetByAgent.SkillsetID SkillsetByAgent.UserID = Agent.UserID Skillset.Skillset
Skillset Timeline	Contact Type Skillset Name ID Skillset Name	iSkillsetStat.ContactType iSkillsetStat.Skillset iSkillsetStat.Timestamp

Table continues...

Report name	Selection criteria	Field names
Skillset Timeline by Contact Type	Contact Type Skillset Name ID Skillset Name	iSkillsetStat.ContactType iSkillsetStat.Skillset iSkillsetStat.Timestamp
Supervisor Properties	Supervisor Login ID Supervisor Name	Supervisor.TelsetLoginID
Telephone Display Properties	None	None
Trunk Performance	Trunk ID	iTrunkStat.Timestamp
User Access Privilege	None	None
User Defined Partitions	Partition Name	None
Users	User ID User Name	None

Chapter 18: Standard agent performance reports

This section describes the standard agent performance reports views.

Activity Code by Agent

With the Activity Code by Agent report you monitor each agent's work and time distribution by the types of contacts accepted. While handling of contacts, agents can identify the contact type by entering an activity (Line of Business) code. These codes can identify contacts as sales, service, and support contacts.

This report does not include Not Ready reason codes.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the ActivityCodeStat view; see [ActivityCodeStat views](#) on page 50. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

Collection frequency	Template	View
Interval	im-agt15.rdl	iActivityCodeStat
Daily	dm-agt15.rdl	dActivityCodeStat
Weekly	dm-agt15.rdl	wActivityCodeStat
Monthly	dm-agt15.rdl	mActivityCodeStat

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Agent Name ID	iActionCodeStat.Application <> 'System_Application'
Agent Name	(iActionCodeStat.AgentSurName + " " + iActionCodeStat.AgentGivenName)
—	iActionCodeStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Activity Time	ActivityTime	RCW_ActivityTime
Avg Activity Time	ActivityTime/Occurrences	RCW_AverageActivityTime
Activity Occurrences	Occurrences	Occurrences

Summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected agents.

Agent Average Calls per Hour

The Agent Average Calls per Hour report shows summarized performance information about the contacts each agent accepts for each hour logged on. The report provides three hourly averages for the time the agent is logged on: the average contacts accepted, the average time spent with customers, and the average time spent in the Not Ready state.

Contact center managers use this report to detect peculiarities in agent performance, such as an abnormal amount of not ready time on a specific day, and to investigate the cause.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the AgentPerformanceStat view, [AgentPerformanceStat views](#) on page 75. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

Collection frequency	Template	View
Daily	dm-agt9.rdl	dAgentPerformanceStat
Weekly	dm-agt9.rdl	wAgentPerformanceStat
Monthly	dm-agt9.rdl	mAgentPerformanceStat

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Agent Login ID	iAgentPerformanceStat.AgentLogin
Agent Name	iAgentPerformanceStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Avg Ans per Hour	(CallsAnswered + ACDCallsAnswered + NACDCallsAnswered)/ (LoggedInTime/3600)	RCW_AverageCallsAnsweredPerHour
Avg Talk Time	(TalkTime + ACDCallsTalkTime + NACDCallsTalkTime)/ (LoggedInTime/3600)	RCW_AverageTotalTalkTime
Avg Not Ready Time	NotReadyTime/ (LoggedInTime/ 3600)	RCW_AverageNotReadyTime

Summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the selected reporting). The report also contains a grand total for all selected agents.

Agent Average Calls per Hour, Bottom 5

The Agent Average Calls per Hour, Bottom 5 report shows summarized performance information for the five agents who accepted the least Contact Center Manager, ACD, and NACD contacts. It provides details about contacts accepted, average processing time, and average not ready time.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the AgentPerformanceStat view; [AgentPerformanceStat views](#) on page 75. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

Collection frequency	Template	View
Daily	dm-agt11.rdl	dAgentPerformanceStat
Weekly	dm-agt11.rdl	wAgentPerformanceStat
Monthly	dm-agt11.rdl	mAgentPerformanceStat

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Agent Login ID	iAgentPerformanceStat.AgentLogin
Agent Name	iAgentPerformanceStat.Timestamp

Statistics and summaries

The fields in this report are identical to those in [Agent Average Calls per Hour](#) on page 555, except that they are for the five agents who accepted the lowest number of Contact Center Manager contacts. Statistics are summarized in the same way as for the Agent Average Calls per Hour report.

Agent Average Calls per Hour, Top 5

The Agent Average Calls per Hour, Top 5 report shows summarized performance information for the five agents who accepted the most Contact Center Manager, ACD, and NACD contacts. It provides details about contacts accepted, average processing time, and average not ready time.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the AgentPerformanceStat view, see [AgentPerformanceStat views](#) on page 75. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

Collection frequency	Template	View
Daily	dm-agt10.rdl	dAgentPerformanceStat
Weekly	dm-agt10.rdl	wAgentPerformanceStat
Monthly	dm-agt10.rdl	mAgentPerformanceStat

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Agent Login ID	iAgentPerformanceStat.AgentLogin
Agent Name	iAgentPerformanceStat.Timestamp

Statistics and summaries

The fields in this report are identical to those in [Agent Average Calls per Hour](#) on page 555, except that they are for the five agents who accepted the highest number of Contact Center Manager contacts.

Agent by Activity Code

Use the Agent by Activity Code report to monitor each agent's work and time distribution by the types of contacts accepted. While handling contacts, agents can identify the contact type by entering an activity (Line of Business) code. Multiple codes can be used to reflect activities performed on a single contact.

This report does not include Not Ready reason codes.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the [ActivityCodeStat views](#) on page 50. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

Collection frequency	Template	View
Interval	im-agt19.rdl	iActivityCodeStat
Daily	dm-agt19.rdl	dActivityCodeStat
Weekly	dm-agt19.rdl	wActivityCodeStat
Monthly	dm-agt19.rdl	mActivityCodeStat

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Activity Code ID	iActivityCodeStat.Application <> 'System_Application'
Activity Code	iActivityCodeStat.ActivityCode
	iActivityCodeStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Activity Time	ActivityTime	RCW_ActivityTime
Avg Activity Time	ActivityTime/Occurrences	RCW_AverageActivityTime
Activity Occurrences	Occurrences	Occurrences

Summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected agents.

Agent by Application Performance

The Agent by Application Performance report shows summarized agent performance data for each application under review. The report details performance statistics such as the total number of contacts accepted, and the total and average time spent serving contact center customers. This report is an indicator of agent performance within an application. For more information, see [Report descriptions](#) on page 543.

Views

This report uses the AgentByApplicationStat. For more information, see [AgentByApplicationStat views](#) on page 56. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

Collection frequency	Template	View
Interval	im-agt10.rdl	iAgentByApplicationStat
Daily	dm-agt10.rdl	dAgentByApplicationStat
Weekly	dm-agt10.rdl	wAgentByApplicationStat
Monthly	dm-agt10.rdl	mAgentByApplicationStat

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Application Name ID	iAgentByApplicationStat.Application
Application Name	iAgentByApplicationStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Answered	CallsAnswered	CallsAnswered
Talk Time	TalkTime	RCW_TalkTime
Avg Talk Time	TalkTime/CallsAnswered	RCW_AverageTalk Time
ACW Time	PostCallProcessingTime	RCW_NotReadyTime

Summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected agents.

Agent by Skillset Performance

The Agent by Skillset Performance report shows summarized agent performance data for each skillset under review. The report details performance statistics such as the total number of contacts accepted, and the total and average time spent serving contact center customers.

This report is an indicator of agent contribution to a skillset. It helps managers identify agents who have difficulty with a specific skill. The report also highlights agents who need additional training or reassignment to a different skillset.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the [AgentBySkillsetStat views](#) on page 65. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

Collection frequency	Template	View
Interval	im-agt14.rdl	iAgentBySkillsetStat
Daily	dm-agt14.rdl	dAgentBySkillsetStat
Weekly	dm-agt14.rdl	wAgentBySkillsetStat
Monthly	dm-agt14.rdl	mAgentBySkillsetStat

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Skillset Name ID	iAgentBySkillsetStat.Skillset
Skillset Name	iAgentBySkillsetStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Answered	CallsAnswered	CallsAnswered
Short Calls Ans	ShortCallsAnswered	ShortCallsAnswered
ACW Time	PostCallProcessingTime	RCW_NotReadyTime
Talk Time	TalkTime	RCW_TalkTime

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
Avg Talk Time	TalkTime/CallsAnswered	RCW_AverageTalkTime
Skillset Work Time	TalkTime + PostCallProcessingTime	RCW_AgentSkillsetTime

Summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected agents.

Agent DN Performance

The Agent DN Performance report shows the amount of time that agents spend on their personal or secondary directory numbers (DN). The report records incoming and outgoing information, including the total number of DN calls and the average amount of time spent on DN calls. On the Avaya Communication Server 1000 PABX, the report also compares internal and external DN call activity.

Multiple DN keys are supported for Avaya Communication Server 1000 PABX AML system only.

Multiple DN keys are not supported on any SIP CC installation.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the AgentPerformanceStat view. For more information, see [AgentPerformanceStat views](#) on page 75. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

Collection frequency	Template	View
Interval	im-agt15.rdl	iAgentPerformanceStat
Daily	dm-agt15.rdl	dAgentPerformanceStat
Weekly	dm-agt15.rdl	wAgentPerformanceStat
Monthly	dm-agt15.rdl	mAgentPerformanceStat

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Agent Name ID	iActivityCodeStat.Application <> 'System_Application'
Agent Name	(iActivityCodeStat.AgentSurName + " " + iActivityCodeStat.AgentGivenName) iActivityCodeStat.Timestamp

Transfer/conference statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
DN Conf	DNCallsConfToCDN + DNCallsConfToDN + DNCallsConfToACDDN + DNCallsConfToOther	RCW_DNCallsConferenced
DN Trans	DNCallsTransferredToCDN + DNCallsTransferredToDN + DNCallsTransferredToACDDN + DNCallsTransferredToOther	RCW_DNCallsTransferred

Incoming DN calls statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Total	DNInIntCalls + DNInExtCalls	RCW_DNInCalls
Int.	DNInIntCalls	DNInIntCalls
Avg Int. Talk Time	DNInIntCallsTalkTime/ DNInIntCalls	RCW_AverageDNInIntCallsTalkTime
Ext.	DNInExtCalls	DNInExtCalls
Avg Ext. Talk Time	DNInExtCallsTalkTime/ DNInExtCalls	RCW_AverageDNInExtCalls TalkTime

Outgoing DN call statistics

These reports use the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Total	DNOutIntCalls + DNOutExtCalls	RCW_DNOutCalls
Int.	DNOutIntCalls	DNOutIntCalls
Avg Int. Talk Time	DNOutIntCallsTalkTime/ DNOutIntCalls	RCW_AverageDNOutIntCallsTalkTime
Ext.	DNOutExtCalls	DNOutExtCalls
Avg Ext. Talk Time	DNOutExtCallsTalkTime/ DNOutExtCalls	RCW_AverageDNOutExtCallsTalkTime

Summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected agents.

Agent DN Performance Calls Answered, Bottom 5

Avaya Communication Server 1000 PABX only. The Agent DN Performance Calls Answered, Bottom 5 report shows summarized performance information about the five agents, by supervisor, who answered the lowest number of DN calls. This report details call totals for incoming and outgoing DN calls, including internal and external calls answered or generated.

This report uses agent elements, so only the agents assigned to a user appear on report.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the [AgentPerformanceStat views](#) on page 75. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

Collection frequency	Template	View
Daily	dm-agt7.rdl	dAgentPerformanceStat
Weekly	dm-agt7.rdl	wAgentPerformanceStat
Monthly	dm-agt7.rdl	mAgentPerformanceStat

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Agent Login ID	iAgentPerformanceStat.AgentLogin
Agent Name	iAgentPerformanceStat.Timestamp

Statistics and summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected agents. Statistics are

summarized in the same way as for the Agent DN Performance report. For more information, see [Agent DN Performance](#) on page 562.

Agent DN Performance Calls Answered, Top 5

The Agent DN Performance Calls Answered, Top 5 report shows summarized performance information about the five agents who answered the highest number of DN calls. The report details totals for incoming and outgoing DN calls, including internal and external calls answered or generated.

Important:

This report uses agent elements, so only the agents assigned to a user appear on report.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the [ActivityCodeStat views](#) on page 50. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

Collection frequency	Template	View
Daily	dm-agt6.rdl	dAgentPerformanceStat
Weekly	dm-agt6.rdl	wAgentPerformanceStat
Monthly	dm-agt6.rdl	mAgentPerformanceStat

Selection criteria

Selection criteria	Database field names
Agent Login ID	iAgentPerformanceStat.AgentLogin
Agent Name	iAgentPerformanceStat.Timestamp

Statistics and summaries

The statistics in this report are identical to those in the Agent DN Performance report, except that they are for the five agents who answered the highest number of Contact Center Manager calls. Statistics are summarized in the same way as for the Agent DN Performance report. For more information, see [Agent DN Performance](#) on page 562.

Agent Login/Logout

The Agent Login/Logout report shows logon, logoff, walkaway, return from walkaway, ready, and not ready occurrences for each agent. The report also shows the times at which these events occurred.

This report shows how much time agents spend at their stations during the day, for example to help contact center management determine the total hours worked.

Important:

Agent status information is written to the database every 3 minutes. This report shows agent status as of the end of the last 3-minute interval.

For more information, see [Report descriptions](#) on page 543.

Daylight Savings Time

With Contact Center Manager Server, the report uses fields in the database view. This ensures that the data is reported in the correct order even after a significant time change occurs, such as Daylight Savings Time.

The following are available:

- When the Contact Center Manager Server time changes, events related to the current logon session appear in the order they occur regardless of the time the event occurs.
- Time changes are considered when calculating Shift Duration and Total Login time.
- Even if the first reported event is not a logon event, the initial logon time for an agent for the report interval is known. Initial logon date and time are printed under the agent's details.
- If the last event is not a logoff event, logon duration for an agent is based on the end date and time for the report interval. You can use this to obtain statistics when an agent does not log off; however, you must configure the report interval end date and time to match the shift end time for that agent.

Views

This report uses the eAgentLoginStat view; see [eAgentLoginStat view](#) on page 190. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

Collection frequency	Template	View
Interval	em-agt12.rdl	eAgentLoginStat

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Agent Login ID	eAgentLoginStat.AgentLogin
Agent Name	eAgentLoginStat.Timestamp

Agent NACD Activity

Avaya Communication Server 1000 PABX only. The Agent NACD Activity report shows agent activity on network and networked ACD-DN calls. The report shows network answered calls and NACD answered calls. The report also shows total and average talk time for network and NACD calls.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the [AgentPerformanceStat views](#) on page 75. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

Collection frequency	Template	View
Interval	im-agt17.rdl	iAgentPerformanceStat
Daily	dm-agt17.rdl	dAgentPerformanceStat
Weekly	dm-agt17.rdl	wAgentPerformanceStat
Monthly	dm-agt17.rdl	mAgentPerformanceStat

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Agent Login ID	iAgentPerformanceStat.AgentLogin
Agent Name	iAgentPerformanceStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Network Answered	NetworkCallsAnswered	NetworkCallsAnswered

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
Ntwk Talk Time: (NSBR option)	NetworkCallsTalkTime	RCW_NetworkCallsTalkTime
Avg Ntwk Talk Time: (NSBR option)	NetworkCallsTalkTime/ NetworkCallsAnswered	RCW_AverageNetworkCalls TalkTime
ACD/NACD Ans	NACDCallsAnswered	NACDCallsAnswered
ACD/NACD Talk Time	NACDCallsTalkTime	RCW_NACDCallsTalkTime
Avg NACD Talk Time	NACDCallsTalkTime/ NACDCallsAnswered	RCW_AverageNACDCalls TalkTime
Resrvd for Call	ReservedForCall	ReservedForCall
Resrvd Time	ReservedTime	RCW_ReservedTime

Summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected agents.

Agent Performance

The Agent Performance report shows summarized performance information for a specific agent. The report tracks agents' contact handling activities for incoming Contact Center Manager, ACD, and (on the Avaya Communication Server 1000 PABX) NACD contacts, drawing attention to activities to reward or weaknesses to address.

You can use this report to compare overall productivity, measured by the time agents spend at their positions and how often they are busy during a shift.

Important:

Compare agents who have similar skillset assignments only, as different contact types can require various service levels.

Contact processing time can also be an important indicator of an agent's rapport with customers.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the [AgentPerformanceStat views](#) on page 75. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

Collection frequency	Template	View
Interval	im-agt1.rdl	iAgentPerformanceStat
Daily	dm-agt1.rdl	dAgentPerformanceStat
Weekly	dm-agt1.rdl	wAgentPerformanceStat
Monthly	dm-agt1.rdl	mAgentPerformanceStat

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Agent Login ID	iAgentPerformanceStat.AgentLogin
Agent Name	iAgentPerformanceStat.Timestamp

Summary statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Logged In Time	LoggedInTime	RCW_LoggedInTime
Skillset Talk Time	TalkTime	RCW_TalkTime
Avg ACD/NACD Talk Time	ACDCallsTalkTime + NACDCallsTalkTime/ ACDCallsAnswered + NACDCallsAnswered	RCW_AverageACDNACD CallsTalkTime
DN Talk Time	DNInExtCallsTalkTime + DNInIntCallsTalkTime + DNOExtCallsTalkTime + DNOIntCallsTalkTime	RCW_DNCallsTalkTime
Not Ready Time	NotReadyTime	RCW_NotReadyTime
Break Time	BreakTime	RCW_BreakTime
Ring Time	RingTime	RCW_RingTime
Idle Time	WaitingTime	RCW_WaitingTime
Walkaway Time	WalkawayTime	RCW_WalkawayTime
Ntwk Talk Time (NSBR option)	NetworkCallsTalkTime	RCW_NetworkCallsTalkTime
Resrvd Time (NSBR/ NACD options)	ReservedTime	RCW_ReservedTime

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
Presented	CallsOffered	CallsOffered
Ans	CallsAnswered	CallsAnswered
Ntwk Ans (NSBR option)	NetworkCallsAnswered	NetworkCallsAnswered
Resrvd For Call (NSBR/NACD options)	ReservedForCall	ReservedForCall
ACD/NACD Ans	ACDCallsAnswered + NACDCallsAnswered	RCW_ACDNACDCallsAnswered
Short Calls Ans	ShortCallsAnswered	ShortCallsAnswered
DN Calls	DNInExtCalls + DNInIntCalls + DNOExtCalls + DNOIntCalls	RCW_DNCalls
Conf Out	CDNCallsConfToCDN + CDNCallsConfToDN + CDNCallsConfToIncalls + CDNCallsConfToOther + ACDCallsConfToCDN + ACDCallsConfToDN + ACDCallsConfToIncalls + ACDCallsConfToOther + DNCallsConfToCDN + DNCallsConfToDN + DNCallsConfToACDDN + DNCallsConfToOther	RCW_CallsConferenced
Trans Out	CDNCallsTransferredToCDN + CDNCallsTransferredToDN + CDNCallsTransferredToIncalls + CDNCallsTransferredToOther + ACDCallsTransferredToCDN + ACDCallsTransferredToDN + ACDCallsTransferredToIncalls + ACDCallsTransferredToOther + DNCallsTransferredToCDN + DNCallsTransferredToDN + DNCallsTransferredToACDDN + DNCallsTransferredToOther	RCW_CallsTransferred
Rtn to Que	CallsReturnedToQ	CallsReturnedToQ
Rtn to Que due to Timeout	CallsReturnedToQDueTo Timeout	CallsReturnedToQDueToTimeout

Agent Statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
% Work	[(TalkTime + NotReadyTime + ACDCallsTalkTime + NACDCallsTalkTime) x 100]/ LoggedInTime	RCW_PctWork
Avg Skillset Talk Time	TalkTime/CallsAnswered	RCW_AverageTalkTime

Summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected agents.

Agent Performance by Supervisor

The Agent Performance by Supervisor report shows summarized agent performance information grouped by assigned supervisor. The report shows contact totals, the amount of time agents spent in various states, and time averages.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the [AgentPerformanceStat views](#) on page 75. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

Collection frequency	Template	View
Interval	im-agt4.rdl	iAgentPerformanceStat
Daily	dm-agt4.rdl	dAgentPerformanceStat
Weekly	dm-agt4.rdl	wAgentPerformanceStat
Monthly	dm-agt4.rdl	mAgentPerformanceStat

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Supervisor Login ID	iAgentPerformanceStat.SupervisorLogin
Supervisor Name	iAgentPerformanceStat.SupervisorSurName + ' ' + iAgentPerformanceStat.SupervisorGivenName

Call total statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Ans	CallsAnswered	CallsAnswered
ACD/NACD Ans	ACDCallsAnswered + NACDCallsAnswered	RCW_ACDNACDCallsAnswered
Ntwk Ans	NetworkCallsAnswered	NetworkCallsAnswered
Skillset Conf	CDNCallsConfToCDN + CDNCallsConfToDN + CDNCallsConfToIncalls + CDNCallsConfToOther	RCW_CDNCallsConferenced
Conf Out	CDNCallsConfToCDN + CDNCallsConfToDN + CDNCallsConfToIncalls + CDNCallsConfToOther + ACDCallsConfToCDN + ACDCallsConfToDN + ACDCallsConfToIncalls + ACDCallsConfToOther + DNCallsConfToCDN + DNCallsConfToDN + DNCallsConfToACDDNs + DNCallsConfToOther	RCW_CallsConferenced
Short Calls Ans	ShortCallsAnswered	ShortCallsAnswered
Skillset Trans	CDNCallsTransferredToCDN + CDNCallsTransferredToDN + CDNCallsTransferredToIncalls + CDNCallsTransferredToOther	RCW_CDNCallsTransferred

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
Trans Out	CDNCallsTransferredToCDN + CDNCallsTransferredToDN + CDNCallsTransferredToIncalls + CDNCallsTransferredToOther + ACDCallsTransferredToCDN + ACDCallsTransferredToDN + ACDCallsTransferredToIncalls + ACDCallsTransferredToOther + DNCallsTransferredToCDN + DNCallsTransferredToDN + DNCallsTransferredToACDDN + DNCallsTransferredToOther	RCW_CallsTransferred
Resrvd For Call (NSBR/NACD options)	ReservedForCall	ReservedForCall
Rtn to Que	CallsReturnedToQ	CallsReturnedToQ
Rtn to Que due to Timeout	CallsReturnedToQDueTo Timeout	CallsReturnedToQDueToTimeout

Time summary statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Logged In Time	LoggedInTime	RCW_LoggedInTime
Not Ready Time	NotReadyTime	RCW_NotReadyTime
Break Time	BreakTime	RCW_BreakTime
Resrvd Time (NSBR/NACD options)	ReservedTime	RCW_ReservedTime
Ring Time	RingTime	RCW_RingTime
Walkaway Time	WalkawayTime	RCW_WalkawayTime
ACD/NACD Talk Time	ACDCallsTalkTime + NACDCallsTalkTime	RCW_ACDNACDCallsTalkTime
Skillset Talk Time	TalkTime	RCW_TalkTime
Ntwk Talk Time (NSBR option)	NetworkCallsTalkTime	RCW_NetworkCallsTalkTime
Idle Time	WaitingTime	RCW_WaitingTime

Time averages

This report uses the following averages.

Report field	View field/formula	View field/Report Creation Wizard formula
Not Ready Time	NotReadyTime/CallsAnswered + ACDCallsAnswered + NACDCallsAnswered	RCW_AverageNotReadyTime
ACD/NACD Talk Time (Avaya Communication Server 1000 PABX)	ACDCallsTalkTime + NACDCallsTalkTime/ ACDCallsAnswered + NACDCallsAnswered	RCW_AverageACDNACD CallsTalkTime
Skillset Talk Time	TalkTime/ CallsAnswered	RCW_AverageTalkTime

Summaries

The report provides totals for each supervisor and subtotals for each agent. Agent statistics are further broken down by day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected agents.

Agent Performance Calls Answered, Bottom 5

The Agent Performance Calls Answered, Bottom 5 report is a daily report that shows summarized performance information for the five agents who accepted the lowest number of Contact Center Manager contacts.

The Agent Performance Calls Answered, Bottom 5 report compares agent-specific time summaries—such as total logged on time and not ready time—to a group average. Agents who appear frequently on this report can need assistance or further training to improve contact handling productivity.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the [AgentPerformanceStat views](#) on page 75. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

Collection frequency	Template	View
Daily	dm-agt3.rdl	dAgentPerformanceStat

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Agent Login ID	iAgentPerformanceStat.SupervisorLogin
Agent Name	iAgentPerformanceStat.Timestamp

Call total statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Skillset Ans	CallsAnswered	CallsAnswered
Skillset Conf	CDNCallsConfToCDN + CDNCallsConfToDN + CDNCallsConfToIncalls + CDNCallsConfToOther	RCW_CDNCallsConferenced
Skillset Trans	CDNCallsTransferredToCDN + CDNCallsTransferredToDN + CDNCallsTransferredToIncalls + CDNCallsTransferredToOther	RCW_CDNCallsTransferred
Resrvd For Call	ReservedForCall	ReservedForCall
Short Calls Ans	ShortCallsAnswered	ShortCallsAnswered
ACD/NACD Ans	ACDCallsAnswered + NACDCallsAnswered	RCW_ACDNACDCallsAnswered
Rtn to Que	CallsReturnedToQ	CallsReturnedToQ
Rtn to Que due to Timeout	CallsReturnedToQDueTo Timeout	CallsReturnedToQDueToTimeout
Total Answered	CallsAnswered + ACDCallsAnswered + NACDCallsAnswered	RCW_TotalCallsAnswered
Total Conferenced	CDNCallsConfToCDN + CDNCallsConfToDN + CDNCallsConfToIncalls + CDNCallsConfToOther + ACDCallsConfToCDN + ACDCallsConfToDN + ACDCallsConfToIncalls + ACDCallsConfToOther + DNCallsConfToCDN + DNCallsConfToDN + DNCallsConfToACDDN + DNCallsConfToOther	RCW_CallsConferenced

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
Total Transferred	CDNCallsTransferredToCDN + CDNCallsTransferredToDN + CDNCallsTransferredToIncalls + CDNCallsTransferredToOther + ACDCallsTransferredToCDN + ACDCallsTransferredToDN + ACDCallsTransferredToIncalls + ACDCallsTransferredToOther + DNCallsTransferredToCDN + DNCallsTransferredToDN + DNCallsTransferredToACDDN + DNCallsTransferredToOther	RCW_CallsTransferred

Time summary statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Logged In Time	LoggedInTime	RCW_LoggedInTime
Not Ready	NotReadyTime	RCW_NotReadyTime
Break	BreakTime	RCW_BreakTime
Resrvd Time (NSBR/ NACD options)	ReservedTime	RCW_ReservedTime
Ring Time	RingTime	RCW_RingTime
Walkaway Time	WalkawayTime	RCW_WalkawayTime
ACD/NACD Talk Time	ACDCallsTalkTime + NACDCallsTalkTime	RCW_ACDNACDCallsTalkTime
Skillset Talk Time	TalkTime	RCW_TalkTime
Idle Time	WaitingTime	RCW_WaitingTime

Statistics and summaries

The fields in this report are similar to those in the Agent Performance report. They report for the five agents who answered the lowest number of Contact Center Manager contacts. Statistics are summarized in the same way as for the Agent Performance report. See [Agent Performance](#) on page 568.

Agent Performance Calls Answered, Top 5

The Agent Performance Calls Answered, Top 5 report is a daily report that shows contact center managers summarized performance information for the five agents who accepted the highest number of Contact Center Manager contacts.

The Agent Performance Calls Answered, Top 5 report compares agent-specific time summaries—such as total logged on time and not ready time—to a group average. Managers can track performance and can offer incentives based on agent appearances in this report.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the [AgentPerformanceStat views](#) on page 75. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

This report contains data that is collected daily.

Templates

This report uses the following template.

- dm-agt2.rdl

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Agent Login ID	iAgentPerformanceStat.SupervisorLogin
Agent Name	iAgentPerformanceStat.Timestamp

Call total statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Skillset Ans	CallsAnswered	CallsAnswered
Skillset Conf	CDNCallsConfToCDN + CDNCallsConfToDN + CDNCallsConfToIncalls + CDNCallsConfToOther	RCW_CDNCallsConferenced

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
Skillset Trans	CDNCallsTransferredToCDN + CDNCallsTransferredToDN + CDNCallsTransferredToIncalls + CDNCallsTransferredToOther	RCW_CDNCallsTransferred
Resrvd For Call	ReservedForCall	ReservedForCall
Short Calls Ans	ShortCallsAnswered	ShortCallsAnswered
ACD/NACD Ans	ACDCallsAnswered + NACDCallsAnswered	RCW_ACDNACDCallsAnswered
Rtn To Que	CallsReturnedToQ	CallsReturnedToQ
Rtn to Que due to Timeout	CallsReturnedToQDueTo Timeout	CallsReturnedToQDueToTimeout
Total Answered	CallsAnswered + ACDCallsAnswered + NACDCallsAnswered	RCW_TotalCallsAnswered
Total Conferenced	CDNCallsConfToCDN + CDNCallsConfToDN + CDNCallsConfToIncalls + CDNCallsConfToOther + ACDCallsConfToCDN + ACDCallsConfToDN + ACDCallsConfToIncalls + ACDCallsConfToOther + DNCallsConfToCDN + DNCallsConfToDN + DNCallsConfToACDDN + DNCallsConfToOther	RCW_CallsConferenced
Total Transferred	CDNCallsTransferredToCDN + CDNCallsTransferredToDN + CDNCallsTransferredToIncalls + CDNCallsTransferredToOther + ACDCallsTransferredToCDN + ACDCallsTransferredToDN + ACDCallsTransferredToIncalls + ACDCallsTransferredToOther + DNCallsTransferredToCDN + DNCallsTransferredToDN + DNCallsTransferredToACDDN + DNCallsTransferredToOther	RCW_CallsTransferred

Time summary statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Logged In Time	LoggedInTime	RCW_LoggedInTime
Not Ready	NotReadyTime	RCW_NotReadyTime
Break Time	BreakTime	RCW_BreakTime
Resrvd Time	ReservedTime	RCW_ReservedTime
Ring Time	RingTime	RCW_RingTime
Walkaway Time	WalkawayTime	RCW_WalkawayTime
ACD/NACD Talk Time	ACDCallsTalkTime + NACDCallsTalkTime	RCW_ACDNACDCallsTalkTime
Skillset Talk Time	TalkTime	RCW_TalkTime
Idle Time	WaitingTime	RCW_WaitingTime

Summaries

Tare similar to those in the Agent Performance report. They report for the five agents who accepted the highest number of Contact Center Manager contacts. Statistics are summarized in the same way as for the Agent Performance report. For more information, see [Agent Performance](#) on page 568.

Agent Efficiency

The Agent Efficiency report shows summarized performance information for a specific agent. The report tracks agents' contact handling activities for incoming Contact Center Manager, ACD, and (on the Avaya Communication Server 1000 PABX) NACD contacts, drawing attention to activities to reward or weaknesses to address.

You can use this report to compare overall productivity, measured by the time agents spend at their positions and how often they are busy during a shift. This report also shows the agent efficiency in terms of handling multiple simultaneous contacts.

Important:

Compare agents who have similar skillset assignments only, as different contact types can require various service levels.

Contact processing time can also be an important indicator of an agent's rapport with customers.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the [AgentPerformanceStat views](#) on page 75. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- AgentEfficiency.rdl

Selection criteria

You can apply a filter to any field in the view. For example, you can apply a filter to specific agents or filter based on a number of calls answered.

Summary statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Logged In Time	LoggedInTime	RCW_LoggedIn_Time
Presented	Presented	—
Ans	Answered	—
Max Cap. Logged In Time	MaxCapacityLoggedInTime	—
Active Time	TalkTime	RCW_TalkTime
Blended Active Time	BlendedActiveTime	—
Max Cap. Time	MaxCapacityTime	—
Hold Time	ContactHoldTime	—
Blended Hold Time	HoldTime	—
Not Ready	NotReadyTime	RCW_NotReadyTime
Idle Time	WaitingTime	—
Maximum Cap. Idle Time	WaitingTime	—
Pres. Denied Time	WaitingTime	—

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
%Cap. Occupancy	$(\text{MaxCapacityLoggedInTime} - \text{MaxCapacityIdleTime}) * 100 / \text{MaxCapacityLoggedInTime}$	—
Avg Max Capacity	$\text{MaxCapacityLoggedInTime} / \text{LoggedInTime}$	—

Summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected agents.

Agent Efficiency by Contact Type

The Agent Efficiency by Contact Type report shows summarized agent performance data for each contact type under review. The report details performance statistics such as the total number of contacts accepted, and the total and average time spent serving contact center customers.

This report is an indicator of agent contribution to a contact type. It helps managers identify agents who have difficulty with a specific skill. The report also highlights agents who need additional training or reassignment to a different skillset.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the [AgentBySkillsetStat views](#) on page 65. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following template:

- AgentEfficiencyContactType.rdl

Selection criteria

You can apply a filter to any field in the view. For example, you can apply a filter to specific agents or a number of calls answered.

Statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Presented	Offered	Offered
Answered	Answered	CallsAnswered
Short Calls Ans	Short Contacts Answered	ShortCallsAnswered
ACW Time	PostCallProcessingTime	RCW_NotReadyTime
Talk Time	ContactTalkTime	—
Avg Talk Time	ContactTalkTime/ CallsAnswered	—
Active Time	ContactTalkTime- ContactHoldTime- BlendedActiveTime	—
Blended Active Time	BlendedActiveTime	—
Contacts Hold Time	ContactHoldTime	—
Contacts Work Time	PostCallProcessingTime + TalkTime	—

Summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected agents.

Agent Efficiency by Skillset

The Agent Efficiency by Skillset report shows summarized agent performance data for a specific skillset. The report details performance statistics such as the total number of contacts accepted, and the total and average time spent serving contact center customers.

This report is an indicator of agent contribution to a skillset. It helps managers identify agents who have difficulty with a specific skill. The report also highlights agents who need additional training or reassignment to a different skillset. This report can also be used to determine the agent efficiency in terms of handling multiple simultaneous contacts.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the [AgentBySkillsetStat views](#) on page 65. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- AgentEfficiencyBySkillset.rdl

Selection criteria

You can apply a filter to any field in the view. For example, you can apply a filter to specific agents or a number of calls answered.

Statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Answered	Answered	CallsAnwsered
Short Calls Ans	Short Calls Answered	ShortCallsAnswered
ACW Time	PostCallProcessingTime	RCW_NotReadyTime
Talk Time	TalkTime	RCW_TalkTime
Avg Talk Time	TalkTime / CallsAnswered	RCW_AverageTalkTime
Skillset Work Time	PostCallProcessingTime + TalkTime	RCW_AgentSkillsetTime
Max Cap. Total Staffed Time	MaxCapacityTotalStaffedTime	—
Avg Max Capacity	MaxCapacityTotalStaffedTime / TotalStaffedTime	—
Max Cap. Idle Time	MaxCapacityIdleTime	—
%Cap. Occupancy	(MaxCapacityTotalStaffedTime - MaxCapacityIdleTime)*100/MaxCapacityTotalStaffedTime	—

Summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected agents.

Agent Short Calls

The Agent Short Calls report shows summarized information about short call performance, grouping the data into supervisor and agent summaries.

This report also itemizes Contact Center Manager and ACD calls that are answered, transferred, conferenced, and returned to queue.

For more information, see [Report descriptions](#) on page 543.

A short call is an incoming Contact Center Manager or ACD call that lasts less than a predetermined amount of time, as defined for the threshold class to which the skillset belongs.

Short calls can occur under the following conditions:

- if a caller disconnects due to dialing the wrong number
- if an agent inadvertently presses the wrong button on the phone

A large number of short calls can suggest a need for further training.

Views

This report uses the AgentPerformanceStat view; see [AgentPerformanceStat views](#) on page 75.

For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- im-agt8.rdl
- dm-agt8.rdl

- wm-agt8.rdl
- mm-agt8.rdl

Selection Criteria

This report uses the following criteria.

Selection criteria	Database field names
Agent Login ID	iAgentPerformanceStat.SupervisorLogin
Agent Name	iAgentPerformanceStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Short Calls Ans	ShortCallsAnswered	ShortCallsAnswered
Skillset Ans	CallsAnswered	CallsAnswered
Skillset Conf	CDNCallsConfToCDN + CDNCallsConfToDN + CDNCallsConfToIncalls + CDNCallsConfToOther	RCW_CDNCallsConferenced
Skillset Trans	CDNCallsTransferredToCDN + CDNCallsTransferredToDN + CDNCallsTransferredToIncalls + CDNCallsTransferredToOther	RCW_CDNCallsTransferred
Rtn To Que	CallsReturnedToQ	CallsReturnedToQ
Resrvd For Call (NSBR/NACD options)	ReservedForCall	ReservedForCall
ACD/NACD Ans	ACDCallsAnswered + NACDCallsAnswered	RCW_ACDNACDCallsAnswered
Rtn to Que due to Timeout	CallsReturnedToQDueTo Timeout	CallsReturnedToQDueToTimeout
Ans	CallsAnswered + ACDCallsAnswered + NACDCallsAnswered	RCW_TotalCallsAnswered

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
Conf	CDNCallsConfToCDN + CDNCallsConfToDN + CDNCallsConfToIncalls + CDNCallsConfToOther + ACDCallsConfToCDN + ACDCallsConfToDN + ACDCallsConfToIncalls + ACDCallsConfToOther + DNCallsConfToCDN + DNCallsConfToDN + DNCallsConfToACDDN + DNCallsConfToOther	RCW_CallsConferenced
Trans	CDNCallsTransferredToCDN + CDNCallsTransferredToDN + CDNCallsTransferredToIncalls + CDNCallsTransferredToOther + ACDCallsTransferredToCDN + ACDCallsTransferredToDN + ACDCallsTransferredToIncalls + ACDCallsTransferredToOther + DNCallsTransferredToCDN + DNCallsTransferredToDN + DNCallsTransferredToACDDN + DNCallsTransferredToOther	RCW_CallsTransferred

Summaries

The report provides totals for each supervisor and subtotals for each agent. Agent statistics are further broken down by day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected agents.

Agent Transferred/Conferenced Activity

The Agent Transferred/Conferenced Activity report displays detailed statistics about voice and Web communication contacts conferenced and transferred by agents. The report provides summarized totals for the time period under review.

This report helps managers identify agents who have difficulty with a specific skill. The report also highlights agents who need additional training or reassignment to a different skillset.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the AgentPerformanceStat view; see [AgentPerformanceStat views](#) on page 75. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- im-agt18.rdl
- dm-agt18.rdl
- wm-agt18.rdl
- mm-agt18.rdl

Selection Criteria

This report uses the following criteria.

Selection criteria	Database field names
Agent Login ID Agent Name	iAgentPerformanceStat.SupervisorLogin iAgentPerformanceStat.Timestamp

Voice contacts transferred/conferenced by statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Skillset Trans	CDNCallsTransferredToCDN + CDNCallsTransferredToDN + CDNCallsTransferredToIncalls + CDNCallsTransferredToOther	RCW_CDNCallsConferenced

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
ACD Trans	ACDCallsTransferredToCDN + ACDCallsTransferredToDN + ACDCallsTransferredToIncalls + ACDCallsTransferredToOther	RCW_ACDCallsTransferred
DN Trans	DNCallsTransferredToCDN + DNCallsTransferredToDN + DNCallsTransferredToACDDN + DNCallsTransferredToOther	RCW_DNCallsTransferred
Skillset Conf	CDNCallsConfToCDN + CDNCallsConfToDN + CDNCallsConfToIncalls + CDNCallsConfToOther	RCW_CDNCallsConferenced
ACD Conf	ACDCallsConfToCDN + ACDCallsConfToDN + ACDCallsConfToIncalls + ACDCallsConfToOther	RCW_ACDCallsConferenced
DN Conf	DNCallsConfToCDN + DNCallsConfToDN + DNCallsConfToACDDN + DNCallsConfToOther	RCW_DNCallsConferenced

Voice contacts transferred/conferenced by statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Trans ACD	CDNCallsTransferredToIncalls + ACDCallsTransferredToIn calls + DNCallsTransferredToAC DDN	RCW_CallsTransferredToACD
Trans DN	CDNCallsTransferredToDN + ACDCallsTransferredToDN + DNCallsTransferredToDN	RCW_CallsTransferredToDN
Trans CDN	CDNCallsTransferredToCDN + ACDCallsTransferredToC DN + DNCallsTransferredToCDN	RCW_CallsTransferredToCDN
Trans Other	CDNCallsTransferredToOther + ACDCallsTransferredToO ther + DNCallsTransferredToOther	RCW_CallsTransferredToOther
Conf ACD	CDNCallsConferencedToIncalls + ACDCallsConferencedToIncalls + DNCallsConferencedToIncalls	RCW_CallsConferencedToACD

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
Conf DN	CDNCallsConferencedToDN + ACDCallsConferencedToDN + DNCallsConferencedToDN	RCW_CallsConferencedToDN
Conf CDN	CDNCallsConferencedToCDN + ACDCallsConferencedToCDN + DNCallsConferencedToCDN	RCW_CallsConferencedToCDN
Conf Other	CDNCallsConferencedToOther + ACDCallsConferencedToOther + DNCallsConferencedToOther	RCW_CallsConferencedToOther

Consultation statistics (Avaya Communication Server 1000 PABX)

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Consult Time	ConsultationTime	RCW_ConsultationTime
Trans Out	CDNCallsTransferredToCDN + CDNCallsTransferredToDN + CDNCallsTransferredToIncalls + CDNCallsTransferredToOther + ACDCallsTransferredToCDN + ACDCallsTransferredToDN + ACDCallsTransferredToIncalls + ACDCallsTransferredToOther + DNCallsTransferredToCDN + DNCallsTransferredToDN + DNCallsTransferredToACDDN + DNCallsTransferredToOther	RCW_CallsTransferred
Conf Out	CDNCallsConfToCDN + CDNCallsConfToDN + CDNCallsConfToIncalls + CDNCallsConfToOther + ACDCallsConfToCDN + ACDCallsConfToDN + ACDCallsConfToIncalls + ACDCallsConfToOther + DNCallsConfToCDN + DNCallsConfToDN + DNCallsConfToACDDN + DNCallsConfToOther	RCW_CallsConferenced

Summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected agents.

Estimated Revenue by Agent

The Estimated Revenue by Agent report shows the amount of revenue each agent generates based on the total number of contacts accepted and the number of times a specified activity code is recorded.

For user-defined reports that use this report as a template, you can configure a dollar value to multiply against activity code occurrences. This report is a useful feature for contact centers that offer revenue-based incentives.

Important:

This report does not include Not Ready reason codes. For standard reports, local currency is used.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the [ActivityCodeStat views](#) on page 50. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- daily
- weekly
- monthly

Templates

This report uses the following templates:

- dm-agt13.rdl
- wm-agt13.rdl
- mm-agt13.rdl

Selection Criteria

This report uses the following criteria.

Selection criteria	Database field names
Activity Code Activity Name Agent Login ID Agent Name	iActivityCodeStat.Application <> 'System_Application' iActivityCodeStat.ActivityCode iActivityCodeStat.AgentLogin iActivityCodeStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Activity Time	ActivityTime	RCW_ActivityTime
Occurrences	Occurrences	Occurrences
Estimated Revenue	Occurrences x Per Unit \$ (specified at run-time)	RCW_EstimatedRevenue

Summaries

The report provides totals for each agent and subtotals for each activity code. For each activity code, statistics are further broken down by day, week, or month, depending on the selected reporting period. The report also contains a grand total for all selected agents.

Not Ready Reason Codes by Agent

With the Not Ready Reason Codes by Agent report you monitor why agents went into Not Ready state. You can define Not Ready reason codes in Contact Center Manager Administration. When an agent enters Not Ready state and enters one of these codes, the incident pegs in the ActivityCodeStat view.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the [ActivityCodeStat views](#) on page 50. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- im-agt20.rdl
- dm-agt20.rdl
- wm-agt20.rdl
- mm-agt20.rdl

Selection Criteria

Selection criteria	Database field names
Activity Name ID	iActivityCodeStat.Appliation <> 'System_Application'
Agent Name	iActivityCodeStat.AgentSurName + " " +iActivityCodeStat.AgentGivenName iActivityCodeStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Total Time	ActivityTime	RCW_ActivityTime
Avg Time	ActivityTime/Occurrences	RCW_AverageActivityTime
Occurrences	Occurrences	Occurrences

Summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected agents.

Skillset by Agent Performance

The Skillset by Agent Performance report shows summarized agent performance data for each skillset under review. The report details performance statistics such as the total number of contacts accepted, total time spent serving contact center customers, and average processing time. This report is an indicator of agent contribution to a skillset.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the [AgentBySkillsetStat views](#) on page 65. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- im-agt21.rdl
- dm-agt21.rdl
- wm-agt21.rdl
- mm-agt21.rdl

Selection Criteria

This report uses the following criteria.

Selection criteria	Database field names
Activity Login ID	iAgentBySkillsetStat.AgentLogin
Agent Name Skillset Name ID	iAgentBySkillsetStat.Skillset
Skillset Name	iAgentBySkillsetStat.Timestamp

Statistics

This report uses the following statistics.

Standard agent performance reports

Report field	View field/formula	View field/Report Creation Wizard formula
Answered	CallsAnswered	CallsAnswered
Short Calls Ans	ShortCallsAnswered	ShortCallsAnswered
ACW Time	PostCallProcessingTime	RCW_PostCallProcessingTime
Talk Time	TalkTime	RCW_TalkTime
Staffed Time	TotalStaffedTime	RCW_TotalStaffedTime

Summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval, and within each interval, by agent. The report also contains a grand total for all selected skillsets.

Chapter 19: Standard call-by-call reports

This section describes standard call-by-call reports.

Call by Call Statistics

For each contact, the Call by Call Statistics report shows detailed information including time, event, agent, source, and destination.

You can collect contact information from the time the contact starts until the time it leaves Contact Center Manager control. You can collect statistics for all events defined in Historical Statistics Collection.

The Call by Call Statistics report includes event information from a specific day. The report can be generated for a maximum 1-hour period on that day.

Call by Call Statistics reports contain a large amount of data. Consequently, they take much longer to generate than other types of reports. Event information is written to the database every 15 minutes.

For more information, see [Report descriptions](#) on page 543.

Daylight Savings Time

With Contact Center Manager Server, the report uses new fields in the database view. This ensures that the data is reported in the correct order even after a significant time change occurs, such as Daylight Savings Time.

The following are available:

- When the Contact Center Manager Server time changes, events related to the current call appear in the order they occur regardless of the time the event occurs.
- The date and time of when a call first arrives is known regardless of the first event on the report. Call arrived date and time are printed with the Call ID.
- The report is grouped first by the date and time the call arrived, and then by the Call ID. If a Call ID is reused, the events of each call appear as unique call events.

Call by Call reports and Contact Center Release 5.0 call data

If your Contact Center Manager Server contains data migrated from Contact Center Release 5.0, it is possible that no timestamp is available for certain call events. When this occurs, the timestamp field on the report appears blank.

Views

This report uses the following views:

- eCallByCallStatYYYYMMDD; see [eCallByCallStat views](#) on page 193.
- Agent; see [Agent view](#) on page 222.

For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

This report contains interval data.

Templates

Two templates for this report are available. If you have a release of Contact Center Manager Server earlier than service pack 03, this report uses the em-res9.rdl template. If you have Contact Center Manager Server service pack 03 and later, this report uses the em-res9.rdl template in the subfolder 60.

Selection criteria

Report field	View field/Formula	View field/Report Creation Wizard formula
Call ID	eCallByCallStatYYYYMMDD. CallId	eCallByCallStatYYYYMMDD. CallId
Time	eCallByCallStatYYYYMMDD. Time	eCallByCallStatYYYYMMDD. Time
Event	eCallByCallStatYYYYMMDD. CallEventName	eCallByCallStatYYYYMMDD. Ca lLEventName
Agent	Agent.SurName, Agent.GivenName, Agent.TelsetLoginID	RCW_AgentNameID
Source	eCallByCallStatYYYYMMDD. Source	eCallByCallStatYYYYMMDD. Source
Destination	eCallByCallStatYYYYMMDD. Destination	eCallByCallStatYYYYMMDD. Destination

Table continues...

Report field	View field/Formula	View field/Report Creation Wizard formula
Associated Data	eCallByCallStatYYYYMMDD. AssociatedData	eCallByCallStatYYYYMMDD. AssociatedData
Event Data	eCallByCallStatYYYYMMDD. EventData	eCallByCallStatYYYYMMDD. EventData

Grouping

Events in the Call by Call Statistics report are grouped by call ID.

Chapter 20: Standard configuration reports

This section describes standard configuration reports.

Activity Code Properties

The Activity Code Properties report lists all of the activity codes and assigned names. The report groups the activity codes by type (Activity Code, After Call Work Item, and Not Ready Reason) and displays activity code mappings to contact types and Skillsets.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the ActivityCode view. See [ActivityCode view](#) on page 218.

The report uses the following tables, which are not available for RCW or user-created reports:

- NIActivityCode
- NIActivityCodeMapping
- NISkillset
- NIContactTypes

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config8.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
Activity Code	ActivityCode.ActivityCode
Activity Name	ActivityCode.Name

Report data fields

Activity Code Types

The Activity Code Types section is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Type	NIActivityCode.Type	—

Report field	View field/formula	View field/Report Creation Wizard formula
Activity Code Name	ActivityCode.Name	ActivityCode.Name
Activity Code Number	ActivityCode.ActivityCode	ActivityCode.ActivityCode

Activity Code Mappings

The Activity Code Mappings section is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Activity Code Name - Number:	ActivityCode.Name + " - " + ActivityCode.ActivityCode	—

The report displays the following data fields in the Activity Code Mappings section:

Report field	View field/formula	View field/Report Creation Wizard formula
Contact Types	NIContactTypes.Name	—
Skillsets	NISkillset.Name	—

Agent By Supervisor Properties

The Agent By Supervisor Properties report lists agents and the supervisors to whom they are assigned.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the SupervisorAgentAssignment view. See [SupervisorAgentAssignment view](#) on page 302.

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config31.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
Supervisor Login ID	SupervisorAgentAssignment.SupervisorTelsetLoginID
Supervisor Name	SupervisorAgentAssignment.SupervisorGivenName + " " + SupervisorAgentAssignment.SupervisorSurName

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Supervisor Name – ID:	SupervisorGivenName + “ “ + SupervisorSurName + “ – “ + SupervisorTelsetLoginID	RCW_SupervisorNameID

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Agent Name	AgentGivenName + “ “ + AgentSurName	RCW_AgentName
Agent Login ID	AgentTelsetLoginIDm	AgentTelsetLoginID

Agent Properties

The Agent Properties report presents agent information in the following sections:

- User Details
- Agent Information
- Call Presentation Class
- Phoneset - available only for CS 1000 – AML systems
- Agent Greeting - available only if Agent Greeting is licensed
- Offsite Agent - available only if Offsite Agent is licensed
- Contact Types

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the following views:

- Agent, see [Agent view](#) on page 222
- SupervisorAgentAssignment, see [SupervisorAgentAssignment view](#) on page 302
- ContactType, see [ContactType view](#) on page 237

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config5.rdl template.

Selection criteria

The following table gives the description of Selection criteria.

Selection criteria	Database field names
Agent Login ID	Agent.TelsetLoginID
Agent Name	Agent.GivenName + " " + Agent.SurName

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Agent Name – ID:	Agent.GivenName + " " + Agent.SurName + " – " + Agent.TelsetLoginID	RCW_AgentNameID

The report displays the following data fields for each group:

- [User Details](#) on page 602
- [Agent Information](#) on page 602
- [Call Presentation Class](#) on page 603
- [Phoneset: available on CS1000 AML](#) on page 604
- [Agent Greeting - available only if Agent Greeting is licensed](#) on page 604
- [Offsite Agent - available only if Offsite Agent is licensed](#) on page 604
- [Contact Types](#) on page 604

User Details

The report displays the following data fields in the User Details section for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Title:	Agent.Title	Agent.Title
Department:	Agent.Department	Agent.Department
Comment:	Agent.Comment	Agent.Comment
User Type: (Shown if Supervisor/ Agent)	Agent.UserType	Agent.UserType
Login ID:	Agent.TelsetLoginID	Agent.TelsetLoginID
Voice URI:	Agent.URIList (Voice URI only)	—
IM URI:	Agent.URIList (IM URI only)	—
Personal DN: (CS1000 – AML)	Agent.PersonalDN	Agent.PersonalDN
ACD Queue: (CS1000 – AML)	Agent.ACD_Queue	Agent.ACD_Queue
ACD Queue Error: (CS1000 – AML)	Agent.ACD_Queue_Error_String	Agent.ACD_Queue_Error_String

Agent Information

The report displays the following data fields in the Agent Information section for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Primary Supervisor:	SupervisorAgentAssignment.Supervis orSurname + “ “ + SupervisorAgentAssignment.Supervis orGivenName + “ – “ + SupervisorAgentAssignment.Supervis orTelsetLoginID	RCW_SupervisorNameID
Threshold:	Agent.ThresholdTemplateName	Agent.ThresholdTemplateName
Multiplicity Presentation Class: (if Multiplicity is licensed)	Agent.MultiplicityTemplateDesc	Agent.MultiplicityTemplateDesc

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
Call Manager Agent ID: (if Call Manager Server configured)	Agent.ExternalAgentID	Agent.ExternalAgentID
Call Manager Server: (if Call Manager Server configured)	Agent.ExternalServer	Agent.ExternalServer

Call Presentation Class

The report displays the following data fields in the Call Presentation Class section for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Call Presentation:	Agent.TemplateName	Agent.TemplateName
Presentation Option:	if ({Agent.CallForceOption} = "Y") then "Call Force Delay" else if {Agent.ReturnToQueueOnNoAnswer} = "Y") then "Return to Queue" else "Let it Ring"	—
Call Force Delay Timer: (Shown if Presentation Option = "Call Force Delay")	Agent.CallForceDelayTimer	RCW_CallForceDelayTimer
Return to Queue Timer: (Shown if Presentation Option = "Return to Queue")	Agent.ReturnToQueueWaitInterval	RCW_ReturnToQueueWaitInterval
After Return to Queue, Make Phoneset: (Shown if Presentation Option = "Return to Queue")	Agent.ReturnToQueueMode	RCW_MakePhoneSet
Break Timer:	Agent.UnionBreakTimer	Agent.UnionBreakTimer

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
Answer by Placing DN Call on Hold:	Agent.AlternateCallAnswer	Agent.AlternateCallAnswer
Agent Reserved For Network Call: (NSBR option)	Agent.TelsetShowReserve	Agent.TelsetShowReserve

Phonaset: available on CS1000 AML

The report displays the following data fields in the Phonaset section for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Switch Port Address:	Agent.SwitchPortAddress	RCW_SwitchPortAddress
Switch Port Name:	Agent.SwitchPortName	RCW_SwitchPortName
Switch ID:	Agent.SwitchID	Agent.SwitchID

Agent Greeting - available only if Agent Greeting is licensed

The report displays the following data fields in the Agent Greeting section for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Agent Greeting Enabled:	Agent.AGState	Agent.AGState
Agent Greeting Recorded:	Agent.AGRecorded	Agent.AGRecorded

Offsite Agent - available only if Offsite Agent is licensed

The report displays the following data fields in the Offsite Agent section for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Offsite Agent Enabled:	Agent.OffsiteAllowed	Agent.OffsiteAllowed
Offsite Agent Mode:	Agent.OffsiteMode	Agent.OffsiteMode
Phone 1:	Agent.OffsitePhone1	Agent.OffsitePhone1
Phone 2:	Agent.OffsitePhone2	Agent.OffsitePhone2
Allow agent enter an alternate phone:	Agent.OffsiteAlternatePhone	Agent.OffsiteAlternatePhone

Contact Types

The report displays the following data fields in the Contact Types section for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
—	ContactType.Name	ContactType.Name

Agent Skillset Assignment

The Agent Skillset Assignment report lists scheduled changes of agents and skillset assignments.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the ScheduledSkillsetAssignment view. See [ScheduledSkillsetAssignment view](#) on page 273.

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config24.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
Agent Login ID	ScheduledSkillsetAssignment.UserTelsetLoginID
Agent Name	ScheduledSkillsetAssignment.UserGivenName + " " + ScheduledSkillsetAssignment.UserSurName

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Assignment Name:	AssignName	AssignName

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Status:	Status	Status
Comment:	Comment	Comment

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
Agent Name - ID	UserSurName + " " + UserGivenName + " - " + UserTelsetLoginID	RCW_UserNameID
To Skillset	SkillsetName	RCW_SkillsetName
Skillset State	SkillsetState	SkillsetState
Priority	Priority	RCW_Priority

Agent Skillset Properties

The Agent Skillset Properties report lists general agent information and skillset assignments. General information includes department, title, and assigned templates. Skillset information includes the skillset name and the agent's priority within the skillset.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the following views:

- Agent, see [Agent view](#) on page 222
- Skillset, see [Skillset view](#) on page 284
- SkillsetByAgent, see [SkillsetByAgent view](#) on page 289

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config29.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
Agent Login ID	Agent.TelsetLoginID
Agent Name	Agent.GivenName + " " + Agent.SurName

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Agent Name – ID:	Agent.GivenName + “ “ + Agent.SurName + “ – “ + Agent.TelsetLoginID	RCW_AgentNameID

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Voice URI:	Agent.URIList (Voice URI only)	—
IM URI:	Agent.URIList (IM URI only)	—
Personal DN: (CS1000 – AML)	Agent.PersonalDN	Agent.PersonalDN
ACD Queue: (CS1000 – AML)	Agent.ACD_Queue	Agent.ACD_Queue
ACD Queue Error: (CS1000 – AML)	Agent.ACD_Queue_Error_String	Agent.ACD_Queue_Error_String
Call Presentation	Agent.TemplateName	Agent.TemplateName
Multiplicity Presentation Class	Agent.MultiplicityTemplateDesc	Agent.MultiplicityTemplateDesc
Threshold	Agent.ThresholdTemplateName	Agent.ThresholdTemplateName
Skillset Name	Skillset.Skillset	Skillset.Skillset
Skillset State	SkillsetByAgent.SkillsetState	SkillsetByAgent.SkillsetState
Priority	SkillsetByAgent.Priority	RCW_Priority

Agent Supervisor Assignment

The Agent Supervisor Assignment report lists agent-to-supervisor assignments and the properties.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the following views:

- ScheduledSupervisorAssignment, see [ScheduledSupervisorAssignment view](#) on page 276
- SupervisorAgentAssignment, see [SupervisorAgentAssignment view](#) on page 302

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config23.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
Agent Login	SupervisorAgentAssignment.AgentTelsetLoginID
Agent Name	SupervisorAgentAssignment.AgentGivenName + " " + SupervisorAgentAssignment.AgentSurName

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Assignment Name	ScheduledSupervisorAssignment.AssignName	RCW_AssignName

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Status:	ScheduledSupervisorAssignment.AssignName	ScheduledSupervisorAssignment.AssignName
Comment:	ScheduledSupervisorAssignment.Comment	ScheduledSupervisorAssignment.Comment
Agent Name – ID	SupervisorAgentAssignment.AgentSurName + " " + SupervisorAgentAssignment.AgentGivenName + " – " + SupervisorAgentAssignment.AgentTelsetLoginID	RCW_AgentNameID
From Supervisor	SupervisorAgentAssignment.SupervisorGivenName + " " + SupervisorAgentAssignment.SupervisorSurname + " – " + SupervisorAgentAssignment.SupervisorUserID	RCW_SupervisorNameID

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
To Supervisor	ScheduledSupervisorAssignment. SupervisorGivenName + " " + ScheduledSupervisorAssignment. SupervisorSurname + " - " + ScheduledSupervisorAssignment. SupervisorID	RCW_ToSupervisorName

Application Script Properties

The Application Script Properties report describes the relationship between application scripts.

For more information, see [Report descriptions](#) on page 543.

Definitions

Parent script

A parent script is any script that directs a contact to a secondary script.

Child script

A child script is a secondary script to which a primary script or another secondary script directs a contact.

Views

This report uses the ApplicationByScript view. See [ApplicationByScript view](#) on page 232.

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config14.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
Application Name ID	ApplicationByScript.ParentName
Application Name	ApplicationByScript.ParentName

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Parent Script Name	ParentName	ParentName
Child Script Name	ChildName	ChildName

Application Template Properties

The Application Template Properties report lists all your applications. For each application, it provides the service level threshold, threshold class, and threshold levels.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the following views:

- Application, see [Application view](#) on page 231
- ApplicationThresholdTemplate, see [ApplicationThresholdTemplate view](#) on page 234

The report uses the NIThresholdTemplate table, which is not available for RCW or user-created reports.

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config15.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
Application Name ID	Application.Name
Application Name	Application.Name

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Application Name:	Application.Name	Application.Name

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Call by Call:	Application.CallByCall	RCW_CallByCall
Threshold Class:	ApplicationThresholdTemplate.Name	ApplicationThresholdTemplate.Name
Threshold	ApplicationThresholdTemplate.Field	ApplicationThresholdTemplate.Field
Service Level Threshold	Application.ServiceLevelThreshold	Application.ServiceLevelThreshold
Short Call	NIThresholdTemplate.MinShortCallDelay	—
Level 1	ApplicationThresholdTemplate.Level1	ApplicationThresholdTemplate.Level1
Level 2	ApplicationThresholdTemplate.Level2	ApplicationThresholdTemplate.Level2

CDN (Route Point) Properties

The CDN (Route Point) report lists the CDNs and assigned names.

For more information, see [Report descriptions](#) on page 543.

Definitions

CDN

A Controlled Directory Number (CDN) is a number configured on the PABX as the entry point for voice contacts into Contact Center Manager. You can configure multiple CDNs in the PABX and associate them with the Master script of Contact Center Manager.

Views

This report uses the CDN view. See [CDN view](#) on page 235.

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config7.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
CDN	CDN.CDN
CDN Name	CDN.Name

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Call Type:	Type	Type

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
CDN (Route Point)	CDN	CDN
CDN Name	Name	Name
URI (SIP if supported by Call Type)	URI	URI

Database View Definitions

The Database View Definitions report generates a complete list of database views available in the Contact Center Manager database. You can use these views to design user-created reports.

The Database View Definition report does not include views from the Contact Center Multimedia database.

For each database view, the report lists the fields in the view. For each field, the report provides the field type and length.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the Views view. See [Views view](#) on page 320.

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config34.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
None	None

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
View Name:	Name	Name

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Field Name	ColumnName	ColumnName
Type	Type	Type
Length	Length	Length

DNIS Properties

The DNIS Properties report lists each DNIS and the assigned name. It also lists the service level threshold.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the DNIS view. See [DNIS view](#) on page 238.

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config10.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
DNIS	DNIS.DNIS
DNIS Name	DNIS.Name

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Type	Type	Type

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
DNIS Name – Number	Name + “ – “ + DNIS	RCW_DNISNameID
Service Level Threshold	ServiceLevelThreshold	ServiceLevelThreshold
URI	URI	URI
Description	DNIS_PREFIX	DNIS_PREFIX

Formula Properties

The Formula Properties report lists all custom formulas and definitions as they appear in real-time displays. You can use formulas to create custom real-time statistics fields by combining existing statistics fields with mathematical operators.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the Formula view. See [Formula view](#) on page 240.

For more information about views, see [Access rights by view](#) on page 34.

Important:

The Formula view contains the raw formula data. For example, formula definitions include the variable codes. This report uses an internal API call to convert formula variables to variable names and stores them in the temporary CUSTFORM.MDB file at run time. The report is run from both the database view (Formula) and the .mdb file (CustForm.mdb).

Templates

This report uses the config17.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
None	None

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Formula Name:	Name	RCW_FormulaName

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Statistics Group:	Class	Class
Comment:	Comment	Comment
Formula:	Definition	Definition

Historical and Real Time Statistics Properties

The Historical and Real Time Statistics Properties report lists the historical and real-time statistics you configured Contact Center Manager to collect.

To view call-by-call properties for individual applications, see the [Application Template Properties report](#) on page 610.

For more information, see [Report descriptions](#) on page 543.

Real-time statistics collection modes

You can collect real-time statistics in the following modes:

- Moving window mode—In moving window mode, statistics shown represent the last 10 minutes of system activity.
- Interval-to-date mode—In interval-to-date mode, statistics are collected only for the current interval (defined on the Real-time Statistics Configuration property sheet). When the interval is over, data fields initialize to zero and collection begins for the next interval.

Views

This report uses the following views:

- HistoricalStatCollection, see [HistoricalStatCollection view](#) on page 242
- HistoricalStatDuration, see [HistoricalStatDuration view](#) on page 244
- HistoricalStatStorage, see [HistoricalStatStorage view](#) on page 246
- RealTimeStatCollection, see [RealTimeStatCollection view](#) on page 266
- Application, see [Application view](#) on page 231

The report uses the following views to calculate Measured Value for Parameters that can be measured:

- Agent, see [Agent view](#) on page 222
- Skillset, see [Skillset view](#) on page 284
- DNIS, see [DNIS view](#) on page 238
- CDN, see [CDN view](#) on page 235
- IVRQueue, see [IVRQueue view](#) on page 249
- ActivityCode, see [ActivityCode view](#) on page 218
- Route, see [Route view](#) on page 271
- Application, see [Application view](#) on page 231
- IVRPort, see [IVRPort view](#) on page 248

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config1.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
None	None

Report data fields

The report displays the following data fields for each group:

- [Historical Statistics](#) on page 617
- [Collect the following statistics](#) on page 618
- [Call-by-Call](#) on page 619

- [Duration](#) on page 619
- [Real-time Statistics](#) on page 620
- [Interval-to-date](#) on page 621
- [Minimum refresh rates](#) on page 621

Historical Statistics

Parameters

The report displays the following data fields in the Parameters section:

Report field	View field/formula	View field/Report Creation Wizard formula
Parameter Name	HistoricalStatStorage.Parameter	RCW_Parameter
• Agent Positions	COUNT (*) FROM Agent WHERE UserType != 2	—
• Skillset	COUNT (*) FROM Skillset WHERE SkillsetID > 10000	—
• Calls per Hour	0 (Not Measured)	—
• DNISs	COUNT (*) FROM DNIS	—
• CDNs	COUNT (*) FROM CDN	—
• IVR ACD-DNs	COUNT (*) FROM IVRQueue	—
• Activity Codes	COUNT (*) FROM ActivityCode	—
• Agent Event per Day	0 (Not Measured)	—
• Routes	COUNT (*) FROM Route	—
• RAN Routes	0 (Not Measured)	—
• Music Routes	0 (Not Measured)	—
• Trunks	0 (Not Measured)	—
• Applications	COUNT (*) FROM Application	—
• Nodes	0 (Not Measured)	—
• IVR Ports (CS1000 –AML)	COUNT (*) FROM IVRPort	—
• Active Agents	N/A	—
• Configured Agents IDs	N/A	—
• Supervisors	COUNT (*) FROM Supervisor	—
Configured Value	HistoricalStatStorage.Configured	RCW_Configured
Measured Value		
System Value	HistoricalStatStorage.System	HistoricalStatStorage.System

Collect the following statistics

The report displays the following data fields in the Collect the following statistics section:

Report field	View field/formula	View field/Report Creation Wizard formula
Type		
• Call Flow	—	—
• Agent	—	—
• IVR	—	—
Name	—	—
Collect		
Call Flow		
• Application	HistoricalStatCollection.Application	HistoricalStatCollection.Application
• CDN	HistoricalStatCollection.CDN	HistoricalStatCollection.CDN
• Skillset	HistoricalStatCollection.Skillset	HistoricalStatCollection.Skillset
• Activity Code	HistoricalStatCollection.ActivityCode	HistoricalStatCollection.ActivityCode
• DNIS	HistoricalStatCollection.DNIS	HistoricalStatCollection.DNIS
• Trunk	HistoricalStatCollection.Trunk	HistoricalStatCollection.Trunk
• Route	HistoricalStatCollection.Route	HistoricalStatCollection.Route
• Music/RAN Route	HistoricalStatCollection.RANMusicRoute	HistoricalStatCollection.RANMusicRoute
• Network in Call (NSBR Option)	HistoricalStatCollection.NetworkCall	HistoricalStatCollection.NetworkCall
• Network Out Call (NSBR Option)	HistoricalStatCollection.NetworkOutCall	HistoricalStatCollection.NetworkOutCall
• Contact Summary	HistoricalStatCollection.CSR	HistoricalStatCollection.CSR
Agent		
• Performance	HistoricalStatCollection.AgentPerformance	HistoricalStatCollection.AgentPerformance
• By-Application	HistoricalStatCollection.AgentByApplication	HistoricalStatCollection.AgentByApplication
• By-Skillset	HistoricalStatCollection.AgentBySkillset	HistoricalStatCollection.AgentBySkillset
• Login/Logout	HistoricalStatCollection.AgentLogin	HistoricalStatCollection.AgentLogin
IVR		
• ACD-DN Statistics	HistoricalStatCollection.IVR	HistoricalStatCollection.IVR

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
• Voice Port Statistics (CS1000 – AML)	HistoricalStatCollection.IVRPort	HistoricalStatCollection.IVRPort
• Voice Port Login (CS1000 – AML)	HistoricalStatCollection.IVRPortLogin	HistoricalStatCollection.IVRPortLogin

Call-by-Call

The report displays the following data fields in the Call-by-Call section:

Report field	View field/formula	View field/Report Creation Wizard formula
Application name	Application.Name	Application.Name
Statistics collection method	Application.CallByCall	RCW_CallByCall

Duration

The report displays the following data fields in the Duration section:

Report field	View field/formula	View field/Report Creation Wizard formula
Name	—	—
• Interval (days)	HistoricalStatDuration.DaysOfInterval	HistoricalStatDuration.DaysOfInterval
• Daily (Days)	HistoricalStatDuration.DaysOfDaily	HistoricalStatDuration.DaysOfDaily
• Weekly (weeks)	HistoricalStatDuration.WeeksOfWeekly	HistoricalStatDuration.WeeksOfWeekly
• Monthly (months)	HistoricalStatDuration.MonthsOfMonthly	HistoricalStatDuration.MonthsOfMonthly
• IVR Voice Port (days)	HistoricalStatDuration.DaysOfIVRPortLogin	HistoricalStatDuration.DaysOfIVRPortLogin
• Agent login and logout (days)	HistoricalStatDuration.DaysOfAgentLogin	HistoricalStatDuration.DaysOfAgentLogin
• Length of Business day (hours)	HistoricalStatDuration.BusinessHoursPerDay	HistoricalStatDuration.BusinessHoursPerDay
• Business week contains (days)	HistoricalStatDuration.BusinessDaysPerWeek	HistoricalStatDuration.BusinessDaysPerWeek
• Call-by-Call (days)	HistoricalStatDuration.DaysOfCallByCall	HistoricalStatDuration.DaysOfCallByCall
• Contact Summary (days)	HistoricalStatDuration.DaysOfCSR	HistoricalStatDuration.DaysOfCSR

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
Value		
Business week starts:	HistoricalStatDuration.BusinessDaysPerWeek	HistoricalStatDuration.BusinessDaysPerWeek

Real-time Statistics

The following statistical data is collected.

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Skillset Statistics:		
• Moving Window	RealTimeStatCollection.MWSkillset	RealTimeStatCollection.MWSkillset
• Interval-to-date	RealTimeStatCollection.ITDSkillset	RealTimeStatCollection.ITDSkillset
Nodal:		
• Moving Window	RealTimeStatCollection.MWNodalCall	RealTimeStatCollection.MWNodalCall
• Interval-to-date	RealTimeStatCollection.ITDNodalCall	RealTimeStatCollection.ITDNodalCall
Application Statistics:		
• Moving Window	RealTimeStatCollection.MWApplication	RealTimeStatCollection.MWApplication
• Interval-to-date	RealTimeStatCollection.ITDApplication	RealTimeStatCollection.ITDApplication
IVR Statistics:		
• Moving Window	RealTimeStatCollection.MWIVR	RealTimeStatCollection.MWIVR
• Interval-to-date	RealTimeStatCollection.ITDIVR	RealTimeStatCollection.ITDIVR
Route Statistics:		
• Moving Window	RealTimeStatCollection.MWRoute	RealTimeStatCollection.MWRoute
• Interval-to-date	RealTimeStatCollection.ITDRoute	RealTimeStatCollection.ITDRoute
Agent Statistics:		
• Moving Window	RealTimeStatCollection.MWAgent	RealTimeStatCollection.MWAgent
• Interval-to-date	RealTimeStatCollection.ITDAgent	RealTimeStatCollection.ITDAgent
Network Statistics:		
• Moving Window	RealTimeStatCollection.MWNetworkCall	RealTimeStatCollection.MWNetworkCall
• Interval-to-date	RealTimeStatCollection.ITDNetworkCall	RealTimeStatCollection.ITDNetworkCall

The report uses the fields defined in the table to determine the type of RTD in which the statistics group can appear. The formula for the displayed RTD type is, where mw = Moving Window and itd = Interval-to-date:

```
If (mw <> "Y" And itd <> "Y") Then
  "None"
Else
  If (mw = "Y" And itd = "Y") Then
    "Moving Window & Interval-to-date"
  Else
    If (mw = "Y") Then
      "Moving Window"
    Else
      "Interval-to-date"
```

Interval-to-date

The report displays the following data fields in the Interval-to-date section:

Report field	View field/formula	View field/Report Creation Wizard formula
Data Collection Interval:	RealTimeStatCollection.IntervalDuration	RCW_IntervalDuration
One of the intervals starts at:	RealTimeStatCollection.IntervalStartTime	RealTimeStatCollection.IntervalStartTime

Minimum refresh rates

The report displays the following data fields in the Minimum refresh rates section:

Report field	View field/formula	View field/Report Creation Wizard formula
Agent Real-time Displays:	NIPParameter WHERE ParameterName = 'MinAgentRTUpdate'	—
Other Real-time Displays:	RealTimeStatCollection.MinRefreshRate	RCW_MinRefreshRate

IVR Queue and Port Properties

The IVR Queue and Port Properties report lists the name, number, and threshold class for each Interactive Voice Response (IVR) system queue (ACD-DN), as well as the voice ports assigned to the queue.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the following views:

- IVRQueue, see [IVRQueue view](#) on page 249.
- IVRPort, see [IVRPort view](#) on page 248.
- IVRThresholdTemplate

The report uses the NIThresholdTemplate table, which is not available for RCW or user-created reports

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config11.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
IVR Queue ID	IVRQueue.IVRQueueID
IVR Queue Name	IVRQueue.Name

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
IVR Queue Name – ID:	IVRQueue.Name + “ – “ + IVRQueue.IVRQueueID	RCW_IVRQueueNameID

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Acquired:	IVRQueue.Acquire	IVRQueue.Acquire
Status:	IVRQueue.Status	IVRQueue.Status
Threshold Class:	IVRQueue.TemplateName	IVRQueue.TemplateName

IVR Ports

The report displays the following data fields in the IVR Ports section for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
IVR Port Name – ID	IVRQueue.IVRPortName + “ – “ + IVRQueue.IVRPortID	RCW_IVRPortNameID
Switch Port Address	IVRPort.SwitchPortAddress	IVRPort.SwitchPortAddress
Switch Port Name	IVRPort.SwitchPortName	IVRPort.SwitchPortName
Switch ID	IVRPort.SwitchID	IVRPort.SwitchID

Thresholds

The report displays the following data fields in the Thresholds section for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Threshold	IVRThresholdTemplate.Field	IVRThresholdTemplate.Field
• Service Level Threshold	IVRThresholdTemplate.ServiceLevelThreshold	IVRThresholdTemplate.ServiceLevelThreshold
• Short Call	NIThresholdTemplate.MinShortCallDelay	—
Level 1	IVRThresholdTemplate.Level1	IVRThresholdTemplate.Level1
Level 2	IVRThresholdTemplate.Level2	IVRThresholdTemplate.Level2

Logged In Agent

The Logged In Agent report lists agents and provides, for each, a logon ID. On the CS1000 - AML the position ID and personal DN are also shown.

Important:

AACC CS1000 – AML, the position ID is read from the Agent Login/Logout Historical Statistics. To show the position ID, ensure Agent Login/Logout Historical Statistics are collected and the duration covers enough days to maintain the required details.

Agent Login/Logout Historical Statistics are written to the database every three minutes. This report shows the agent’s position ID as of the end of the last three-minute interval.

For NES CS1000 – AML, the details of a logged in agent are read from the Agent Login/Logout Historical Statistics. To show logged in agent, ensure Agent Login/Logout Historical Statistics are collected and the duration covers enough days to maintain the Login In event for the agents.

Agent Login/Logout Historical Statistics are written to the database every three minutes. This report shows agent status as of the end of the last three-minute interval.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the following views:

- Agent, see [Agent view](#) on page 222.
- eAgentLoginStat, see [eAgentLoginStat view](#) on page 190.

The report uses the NIUser table, which is not available for RCW or user-created reports.

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config32.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
Agent Login	Agent.TelsetLoginID
Agent Name	Agent.GivenName + " " + Agent.SurName

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Agent Name	Agent.GivenName + " " + Agent.SurName	RCW_AgentName

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Agent Login ID	Agent.TelsetLoginID	Agent.TelsetLoginID
Position ID (CS 1000 – AML)	eAgentLoginStat.PositionID	RCW_DisplayPositionID
Personal DN (CS 1000 – AML)	Agent.PersonalIDN	RCW_PersonalIDN

Route Properties

The Route Properties report lists each route, the assigned route name, and the assigned threshold class name. It also lists the threshold times defined for each template.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the following views:

- Route, see [Route view](#) on page 271
- RouteThresholdTemplate, see [RouteThresholdTemplate view](#) on page 272

The report uses the NIThresholdTemplate table, which is not available for RCW or user-created reports.

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config9.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
Route ID	Route.RouteID
Route Name	Route.Name

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Route Name:	Route.Name	Route.Name

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Route Number:	Route.RouteID	Route.RouteID
Acquired: (CS1000 – AML)	Route.Acquire	Route.Acquire

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
Status: (CS1000 – AML)	Route.Status	Route.Status
Threshold Class:	RouteThresholdTemplate.Name	RouteThresholdTemplate.Name
Threshold	RouteThresholdTemplate.Field	RouteThresholdTemplate.Field
Service Level Threshold (CS1000 – AML)	NIThresholdTemplate.ServiceLevelT hreshold	—
Short Call (CS1000 – AML)	NIThresholdTemplate.MinShortCallID elay	—
Level 1	RouteThresholdTemplate.Level1	RouteThresholdTemplate.Level1
Level 2	RouteThresholdTemplate.Level2	RouteThresholdTemplate.Level2

Script Variable by Script

For each script, the Script Variable by Script report lists the script type and status, along with the names of the script variables used. For each variable, the report provides the status and type.

For more information about scripting, see *Using Contact Center Orchestration Designer*.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the ScriptVariables view. See [ScriptVariables view](#) on page 281.

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config36.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
Script Name	ScriptVariables.Script

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Script Name:	ScriptVariables.Script	ScriptVariables.Script

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Status:	ScriptStatus	ScriptStatus
Type:	ScriptType	ScriptType
Script Variable Name	Variable	Variable
Status	VariableStatus	VariableStatus
Type	VariableType	VariableType

Script Variable Properties

The Script Variable Properties report lists the group, type, status, and class of each variable.

For more information about scripting, see *Using Contact Center Orchestration Designer*.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the following views:

- ScriptVariableProperties, see [ScriptVariableProperties view](#) on page 279
- ScriptVariables, see [ScriptVariables view](#) on page 281

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config35.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
Script Variable Name	ScriptVariableProperties.Name

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Script Variable Name:	ScriptVariableProperties.Name	ScriptVariableProperties.Name

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Status:	ScriptVariableProperties.Status	ScriptVariableProperties.Status
Type:	ScriptVariableProperties.Type	ScriptVariableProperties.Type
Scope:	ScriptVariableProperties.Grouping	ScriptVariableProperties.Grouping
Class:	ScriptVariableProperties.Class	ScriptVariableProperties.Class
Comment:	ScriptVariableProperties.Comment	ScriptVariableProperties.Comment
Referencing Script	ScriptVariables.Script	ScriptVariables.Script
Status	ScriptVariables.ScriptStatus	ScriptVariables.ScriptStatus
Type	ScriptVariables.ScriptType	ScriptVariables.ScriptType

Skillset Properties

The Skillset Properties report describes all skillset properties, including the skillset type (local or network) and the service level threshold defined for the threshold class to which the skillset belongs.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the following views:

- Agent, see [Agent view](#) on page 222
- Skillset, see [Skillset view](#) on page 284
- SkillsetByAgent, see [SkillsetByAgent view](#) on page 289

The report uses the following tables, which are not available for RCW or user-created reports:

- NINetworkSkillset
- NISkillset
- NIThresholdTemplate

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config16.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
Skillset Name ID	Skillset.Skillset
Skillset Name	Skillset.Skillset

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Skillset Name:	Skillset.Skillset	Skillset.Skillset

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Contact Type:	Skillset.ContactName	Skillset.ContactName
Skillset Type: (if Networking is licensed)	Skillset.IsNetworked	Skillset.IsNetworked
Default Activity Code:	Skillset.ActivityCode	Skillset.ActivityCode
Threshold Class:	NIThresholdTemplate.Name	—
Call Age Preference:	Skillset.CallAgePreference	RCW_CallAgePreference
Map To ACD-DN:	Skillset.DN	Skillset.DN
Out Of Service Mode:	Skillset.NightServiceType	RCW_NightServiceType
Target Service Level:	NISkillset.TargetServiceLevel	—
Service Level Routing:	NISkillset.ServiceLevelRouting	—
Service Level Threshold:	Skillset.ServiceLevelThreshold	Skillset.ServiceLevelThreshold
Short Call:	Skillset.MinShortCallDelay	Skillset.MinShortCallDelay
Comment:	Skillset.Comment	Skillset.Comment
Agent Name—ID	Agent.GivenName + " " + Agent.SurName	RCW_AgentNameID
Skillset State	SkillsetByAgent.SkillsetState	SkillsetByAgent.SkillsetState
Priority	SkillsetByAgent.Priority	RCW_Priority

Network Skillset Name:<Skillset.NetworkSkillsetName> (NSCR Option)

The report displays the following data fields in the Network Skillset Name:<Skillset.NetworkSkillsetName> section for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Call Source Preference:	Skillset.CallSourcePreference	RCW_CallSourcePreference
Call Request Queue Size:	Skillset.CallRequestQueueSize	Skillset.CallRequestQueueSize
Flow Control Threshold:	Skillset.CallRequestQueueSizeThreshold	Skillset.CallRequestQueueSizeThreshold
Include Local Node: (AACC 6.2 and later)	NISkillset.IncludeLocalNode	—
Routing Method:	Skillset.UseRoundRobin	Skillset.UseRoundRobin
Networking Method: (AACC 6.2 and later)	NINetworkSkillset.UseLongestIdleAgent	—
Comment:	Skillset.NetworkSkillsetComment	Skillset.NetworkSkillsetComment

Supervisor Properties

The Supervisor Properties report lists all Contact Center Manager supervisors by name and threshold class.

The Supervisor Properties report presents agent information in the following sections:

- User Details
- Phoneset - available only for CS 1000 – AML systems
- Agent Greeting - available only if Agent Greeting is licensed
- Assigned Agents

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the following views:

- SupervisorAgentAssignment, see [SupervisorAgentAssignment view](#) on page 302
- Supervisor, see [Supervisor view](#) on page 294

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config4.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
Supervisor Login ID	Supervisor.TelsetLoginID
Supervisor Name	Supervisor.GivenName + " " + Supervisor.SurName

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Supervisor Name – ID:	Supervisor.Given Name + " " + Supervisor.SurName + " – " + Supervisor.TelsetLoginID	RCW_SupervisorNameID

The report displays the following data fields for each group:

- [User Details](#) on page 631
- [Phoneset - available on CS1000 - AML](#) on page 632
- [Agent Greeting - available only if Agent Greeting is licensed](#) on page 632
- [Assigned Agents](#) on page 632

User Details

The report displays the following data fields in the User Details section for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Title:	Supervisor.Title	Supervisor.Title
Department:	Supervisor.Department	Supervisor.Department
Comment:	Supervisor.Comment	Supervisor.Comment
Supervisor/Agent	Supervisor.UserType	Supervisor.UserType
Login ID:	Supervisor.TelsetLoginID	Supervisor.TelsetLoginID
Voice URI:	Supervisor.URIList (Voice URI only)	—
IM URI:	Supervisor.URIList (IM URI only)	—
Personal DN: (CS1000 – AML)	Supervisor.PersonalDN	Supervisor.PersonalDN

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
ACD Queue: (CS1000 – AML)	Supervisor.ACD_Queue	Supervisor.ACD_Queue
ACD Queue Error: (CS1000 – AML)	Supervisor.ACD_Queue_Error_String	Supervisor.ACD_Queue_Error_String

Phonset - available on CS1000 - AML

The report displays the following data fields in the Phonset section for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Switch Port Address:	Supervisor.SwitchPortAddress	RCW_SwitchPortAddress
Switch Port Name:	Supervisor.SwitchPortName	RCW_SwitchPortName
Switch ID:	Supervisor.SwitchID	RCW_SwitchID

Agent Greeting - available only if Agent Greeting is licensed

The report displays the following data fields in the Agent Greeting section for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Agent Greeting Enabled:	Supervisor.AGState	Supervisor.AGState
Agent Greeting Recorded:	Supervisor.AGRecorded	Supervisor.AGRecorded

Assigned Agents

The report displays the following data fields in the Assigned Agents section for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
—	SupervisorAgentAssignment.AgentGivenName + " " + SupervisorAgentAssignment.AgentSurName + " – " + SupervisorAgentAssignment.AgentTelsetLoginID	RCW_AgentNameID

Telephone Display Properties

Available for CS 1000 – AML systems only. You can configure the order in which Contact Center Manager lists information (such as caller line ID, or CLID, and caller name) on agent phones.

The Telephone Display Properties report lists the configured display types, the width of the display, and the number of rows in the display.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the PhoneSetDisplay view. See [PhonesetDisplay view](#) on page 262.

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config6.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
None	None

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Phoneset Display:	DisplayTypeName	RCW_DisplayTypeName

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Field Name	FieldName	FieldName
Width	Width	Width
Row	Row	Row

User Access Privilege

The User Access Privilege report lists all of the access classes defined in the system. For each class, the report lists all of the privileges assigned to that class and all desktop users belonging to that class.

Important:

For users access privileges for the Contact Center Manager Administration server, run the Access and Partition Management reports.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the AccessRights view. See [AccessRights view](#) on page 215.

For more information about views, see [Access rights by view](#) on page 34.

Templates

This report uses the config42.rdl template.

Selection criteria

The following table gives the description of Selection criteria:

Selection criteria	Database field names
None	None

Report data fields

The report is grouped by:

Report field	View field/formula	View field/Report Creation Wizard formula
Access Class Name:	AccessRights.GroupName	AccessRights.GroupName

The report displays the following data fields for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Comment:	AccessRights.Comment	AccessRights.Comment

Access Class Members

The report displays the following data fields in the Access Class Members section for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Name	AccessRights.GivenName + " " + AccessRights.Surname	RCW_AgentName
User ID	AccessRights.PCLoginName	AccessRights.PCLoginName

Access Class Access Rights

The report displays the following data fields in the Access Class Access Rights section for each group:

Report field	View field/formula	View field/Report Creation Wizard formula
Item in System Window	AccessRights.ObjectName	AccessRights.ObjectName
Level of Access	AccessRights.CreateDeleteAccess + AccessRights.CreatedDeleteAgentAccess + AccessRights.CreateDeleteAllAgentAccess + AccessRights.ReadAccess + AccessRights.ReadAgentAccess + AccessRights.ReadAllAgentAccess + AccessRights.WriteAccess + AccessRights.WriteAgentAccess + AccessRights.WriteAllAgentAccess	RCW_AccessCode

Chapter 21: Contact Summary Reports

This section describes of the Contact Summary reports.

Activity Code by Address

With the Activity Code by Address report you monitor each agent's work and time distribution by the contact address, for example, DNIS and To: email address. During the contact handling, agents can identify the contact type by entering an activity (Line of Business) code. The code identifies contacts as sales, service, or support.

This report includes the system default ACW code (00000), which is the code for reporting Post Contact Processing (PCP). PCP begins when an agent enters Not Ready (without a Reason Code) or enters Not Ready with the system default ACW code (00000), immediately after a contact ends.

Contact Statistics reports contain a large amount of data. Consequently, they take much longer to generate than other types of reports. To ensure the report is generated in a reasonable amount of time, and with a manageable amount of data, use the selection criteria to filter the data or limit the data range to a minimal period of time.

For more information see [Report descriptions](#) on page 543.

Views

This report uses the following views:

- eCSRCodeStat
- eCSRStat

For more information see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly

- monthly

Templates

This report uses the following templates:

- iActivityCodeByAddress.rdl
- dActivityCodeByAddress.rdl
- wActivityCodeByAddress.rdl
- mActivityCodeByAddress.rdl

Selection criteria

You can apply a filter to any field in the view. You can apply a filter, for example, to specific activity or PCP codes, agents, and addresses.

Statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Activity Time	Duration	RCW_Duration
Avg Activity Time	Duration / Count (Duration)	—
Activity Occurrences	Count (Duration)	—

Summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the reporting period selected). For the interval reporting period, statistics are further broken down into 15-minute intervals. The report also contains a grand total for all selected agents.

Agent by Address

The Agent by Address report shows summarized agent performance data for each address (DNIS, and To: email address). The report details performance statistics such as the total number of contacts accepted, and the total and average time spent serving contact center customers.

This report is an indicator of agent contribution to an address. It helps managers identify agents who have difficulty with contacts that arrive on a specific address. The report also highlights agents who need additional training.

Contact Statistics reports contain a large amount of data. Consequently, they take much longer to generate than other types of reports. To ensure the report is generate in a reasonable amount of

time, and with a manageable amount of data, use the selection criteria to filter the data or limit the data range to a minimal period of time.

For more information, see [Report descriptions](#) on page 543.

View

This report uses the following views:

- eCSRStat
- Skillset

For more information, see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- iAgentByAddress.rdl
- dAgentByAddress.rdl
- wAgentByAddress.rdl
- mAgentByAddress.rdl

Selection criteria

You can apply a filter to any field in the view. You can apply a filter, for example, to specific agents, or address.

The FinalDisposition IN [RC, RH, RL, XF] filter limits the accepted contacts.

Statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Answered	Count(Handling Time)	RCW_Accepted

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
Short Calls Ans	HandlingTime < Skillset.MinShortCallDelay	RCW_ShortAccepted
RCW Time	PCPTime	RCW_PostCallProcessingTime
Talk Time	HandlingTime	RCW_HandlingTime
Average Talk Time	Average(HandlingTime)	
Skillset Work Time	Handling Time, PCP Time	RCW_SkillsetWorkTime

Summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down into 15-minute intervals. The report also contains a grand total for all selected agents.

Contact Duration

The Contact Duration report provides a summary by skillset of all completed contacts within the specified time. The report details the percent of contacts with durations within the specified time range, the average and the longest duration for each interval. The Contact Duration report also provides a summary of contacts that are processed without being associated with a skillset, and such contacts are grouped under “none”.

Contact Statistics reports contain a large amount of data. Consequently, they take much longer to generate than other types of reports. To ensure the report is generated in a reasonable amount of time, and with a manageable amount of data, use the selection criteria to filter the data or limit the data range to a minimal period of time.

For more information, see [Report descriptions](#) on page 543.

View

This report uses the following views:

- eCSRStat view
- Skillset

For more information, see [Access rights by view](#) on page 34.

Collection Frequency

The following collection frequency types are available for this report:

- interval
- daily

- weekly
- monthly

Templates

This report uses the following templates:

- iCallDuration.rdl
- dCallDuration.rdl
- wCallDuration.rdl
- mCallDuration.rdl

Selection Criteria

You can apply a filter to any field in the view. You can apply a filter, for example, to specific skillsets or agents.

The FinalDisposition IN [RC, RH, RL, XF] filter limits the accepted contacts.

Statistics

This report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
No. Ans	Count(InitialDispoision)	RCW_Accepted
% of Calls with Duration (Sec)		
0-<10	totCall1/Count(Duration)*100	
10 -<20	totCall2/Count(Duration)*100	
20-<30	totCall3/Count(Duration)*100	
30-<60	totCall4/Count(Duration)*100	
60-<90	totCall5/Count(Duration)*100	
90-<180	totCall6/Count(Duration)*100	
180-<240	totCall7/Count(Duration)*100	
240-<300	totCall8/Count(Duration)*100	
300-<360	totCall9/Count(Duration)*100	
360-<+	totCall10/Count(Duration)*100	
Avg Dur	Average(Duration)	
Long Dur	Maximum(Duration)	

Summaries

The report provides totals for each agent and subtotals for each day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down into 15-minute intervals. The report also contains a grand total for all selected agents.

Contact Duration by Agent

The Contact Duration by Agent report is a gantt chart showing the start times and end times of all contacts and contact types for an agent.

The report is grouped by AgentNameID, ServiceStamp and ContactType. These values together identify multiple active contacts that an agent manages at one time.

For more information, see [Report descriptions](#) on page 543.

View

This report uses the eCSRStat view.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the ContactDurationByAgent.rdl template.

Selection Criteria

You can apply a filter to any field in the view. You can apply a filter, for example, to specific applications, skillsets, agents, or contact type.

Chart Properties

This report is represented in Gantt chart format. A chart is available for each group. Each chart shows the start service time and end service time for each contact that appears within the group. The report contains the following groups:

- AgentNameID

- ServiceStamp
- ContactType

The report is represented in a Gantt chart format showing the start time, end time, and duration of an agents' work on each contact that originated in the specified report interval. Note that contacts, especially Multimedia contacts, can originate in a report interval that is different from the interval in which the agent works on the contact. As a result, the time and date of service stamps shown on the report can be outside the interval specified for the report.

The report is grouped by agent, ServiceStamp (for each day), ServiceStamp (for each hour), and finally by ContactType.

Contact Summary

The Contact Summary report shows detailed information for each contact segment.

The report is grouped by ContactOriginatedStamp and then CCMID. For multisegment contacts, the ContactOriginatedStamp is the OriginatedStamp for the first segment. The CCMID is an internal value that represents the contact ID as known throughout applications in the Contact Center suite. These values together identify contact segments that make up a single composite contact, for example, all legs of a transferred call. A line is printed between each contact segment to help highlight that the details are for a new segment and not a new contact.

Contact Statistics reports contain a large amount of data. Consequently, they take much longer to generate than other types of reports. To ensure the report is generate in a reasonable amount of time, and with a manageable amount of data, use the selection criteria to filter the data or limit the data range to a minimal period of time.

For more information, see [Report descriptions](#) on page 543.

View

This report uses the eCSRStat view.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the ContactSummary.rdl template.

Selection Criteria

You can apply a filter to any field in the view. You can apply a filter, for example, to specific applications, skillsets, agents, address, originators, or number of times on hold.

Statistics

The main report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Originated Time	OriginatedStamp	RCW_OriginatedStamp
End time	FinalDispositionStamp	RCW_FinalDispositionStamp
Duration	Duration	RCW_Duration
Initial Disposition	InitialDisposition	—
Final Disposition	FinalDisposition	—
Disconnect Source	DisconnectSource	RCW_DisconnectSource
Contact Type	ContactTypeName + “ “ + ContactSubType + “ “ + ContactProximity	—
Site	SiteName, SiteID	—
Remote Site	RemoteSiteName, RemoteSiteID	—
Originator	Originator	Originator
Address	Address	Address
Route point	RoutePoint	RoutePoint

Statistics shown when ApplicationID <> 0.

Report field	View field/formula	View field/Report Creation Wizard formula
Application	SourceApplicationName ApplicationName ApplicationID	RCW_ApplicationNameOrID
Application Delay	AppAcceptedDelay AppAbandonDelay	RCW_ApplicationDelay
Last Treatment	Treatment LastTreatmentID	—

Statistics shown when SkillsetID <>0.

Report field	View field/formula	View field/Report Creation Wizard formula
Skillset	SkillsetName Or SkillsetID	RCW_SkillsetNameOrID
Skillset Delay	SksAcceptedDelay Or SksAbandonDelay	RCW_SkillsetDelay
Priority	Priority	Priority

Statistics shown when AgentID <> 0 OR AgentID != "".

Report field	View field/formula	View field/Report Creation Wizard formula
Agent Name - ID	AgentGivenName + " " + AgentSurName + " " +	RCW_Accepted
Handling Time	Handling Time	Handling Time
next Address	NextAddress	NextAddress
Ring Time	PresentingTime	PresentingTime
Consult Time	ConsultTime	ConsultTime
After Call Work Time	PCPTime	PCPTime

Statistics shown when NumberOfTimesOhHold <> 0 or NumberOfTimesRTQ <> 0.

Report field	View field/formula	View field/Report Creation Wizard formula
No. of Times on Hold	NumberOfTimesOnHold	NumberOfTimesOnHold
Hold Time	HoldTime	HoldTime
No. of Times Rtn To Que	NumberOfTimesRTQ	NumberOfTimesRTQ

Statistics shown when NumContactObserves > 0 or NumContactBargeIns > 0.

Number of whispers is hidden if the CCMS version is 7.0.0 or earlier.

Report field	View field/formula	View field/Report Creation Wizard formula
Number of observes	NumContactObserves	NumContactObserves
Number of barge ins	NumContactBargeIns	NumContactBargeIns
Number of whispers	NumContactWhispers	NumContactWhispers

Statistics shown when Avaya Aura® MS Zoning is enabled.

Report field	View field/formula	View field/Report Creation Wizard formula
Anchored Media Server	AnchoredMediaServer	—
Preferred Media Server	PreferredMediaServer	—
Preferred Media Server Result	PreferredMediaServerResult	—

Contacts by Agent

The Contact by Agent report shows detailed information for each contact handled by an agent and highlights the contacts managed simultaneously with other active contacts.

The report is grouped by AgentNameID and OriginatedStamp. The report helps to show if the agent is working multiple contacts at the same time.

Contact Statistics reports contain a large amount of data. Consequently, they take much longer to generate than other types of reports. To ensure the report is generate in a reasonable amount of time, and with a manageable amount of data, use the selection criteria to filter the data or limit the data range to a minimal period of time.

For more information, see [Report descriptions](#) on page 543.

View

This report uses the eCSRStat view.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the ContactsByAgent.rdl template.

Selection Criteria

You can apply a filter to any field in the view. You can apply a filter, for example, to specific applications, skillsets, agents, address, originators, or number of times on hold.

Statistics

The main reports uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Contact Type	ContactType	—
Skillset	Skillset	—

Table continues...

Report field	View field/formula	View field/Report Creation Wizard formula
Originated	If {report_datarange} < 2 And {report_timeoffset} <> 0 Then DateAdd('n', {report_timeoffset}, {eCSRStat.OriginatedStamp}) Else {eCSRStat.OriginatedStamp}	—
Start Time	If {report_datarange} < 2 And {report_timeoffset} <> 0 Then DateAdd('n', {report_timeoffset}, {eCSRStat.ServiceStamp}) Else {eCSRStat.ServiceStamp}	—
End Time	If {report_datarange} < 2 And {report_timeoffset} <> 0 Then DateAdd('n', {report_timeoffset}, {eCSRStat.FinalDispositionStamp}) Else {eCSRStat.FinalDispositionStamp}	—
Duration	datediff("s", {eCSRStat.OriginatedStamp}, {eCSRStat.FinalDispositionStamp});	—
Handling Time	HandlingTime	—
Hold Time	HoldTime	—
No. Times on Hold	No.times on Hold	—
Wait Time	WaitTime	—

Originator by Disposition

The Originator By Disposition report shows detailed information for each contact segment. The report is grouped by Application, then FinalDisposition, and finally Originator.

View

This report uses the eCSRStat view. For more information, see [Access rights by view](#) on page 34.

Templates

This report uses the OriginatorByDisposition.rdl template.

Selection criteria

You can apply a filter to any field in the view. You can apply a filter, for example, to specific applications, final dispositions originator, and other such fields.

Statistics

The report uses the following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Originated Time	OriginatedStamp	RCW_OriginatedStamp
Contact Type	ContactTypeName + “ “ + ContactSubType + “ “ + ContactProximity	—
Contact ID	CCMID	CCMID
Segment	RowCount(CCMID)	—
Site	SiteName Or SiteID	—
Address	Address	Address
Application Delay	AppAcceptedDelay OR AppAbandonDelay	RCW_ApplicationDelay
Last Treatment	Treatment Or LastTreatmentID	—
Skillset	SkillsetName SkillsetID	RCW_SkillsetNameOrID
Agent Name - ID	AgentGivenName +” “ + AgentSurName +” “ + AgentID	—
Handling Time	HandlingTime	HandlingTime
Next Address	Next Address	NextAddress
Initial Disposition	InitialDisposition	—

Summaries

The report provides a count of the number of contacts for an application and for a final disposition. As well, the average application delay is shown for each final disposition.

Media Server Call Distribution report

The Media Server Call Distribution report provides statistics on the number of contacts anchored on each active Avaya Aura® MS instance over a period of time. The report details the number of times calls were anchored on the preferred and non-preferred Avaya Aura® MS instances. The report also provides the reason for the failure to anchor calls on the preferred Avaya Aura® MS.

View

This report uses the eCSRStat view.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Selection Criteria

You can apply a filter to the AnchoredMediaServer and PreferredMediaServer fields in the view.

Statistics

This report uses the following statistics.

Report field	Description
Anchored Calls	Total number of calls anchored on Media Server.
Preferred Target	Number of calls targeted for a specific Media Server.
Preferred Success	Number of calls successfully anchored on targeted Media Server.
Preferred Failed	Number of calls that failed to anchor on targeted Media Server.
Preferred Failure Reason — Invalid	Avaya Aura® MS name in script does not match any Avaya Aura® MS name configured in CCMA.
Preferred Failure Reason — Blacklisted	The targeted Avaya Aura® MS is blacklisted because it is unreachable or is not responding to ping request. The Contact Center server attempts to reestablish a connection with the Avaya Aura® MS after a short period of time and removes the Avaya Aura® MS from the blacklist upon the reestablishment of the connection.
Preferred Failure Reason — Server Error	Avaya Aura® MS fails to anchor the call. This can be due to an Avaya Aura® MS configuration error or a licensing issue.

Table continues...

Report field	Description
No Preference	No preferred list of Avaya Aura [®] MS instances provided – this can be due to a configuration error in the Media_Server_Selection flow application or script. This can also occur in landing pad call transfer scenarios where Orchestration Designer (OD) applications are not invoked — consequently no Avaya Aura [®] MS Zoning logic is applied.
Preference Unknown	This occurs when the preferred media server result is not reported to the AACC server, although the calls were successfully anchored on the targeted Media Server. This does not represent an error condition as such, and can be safely ignored.

Chapter 22: Standard Multimedia reports

This section provides a detailed description of the Multimedia reports.

Contacts Closed by Reason Code

The Contacts Closed by Reason Code report summarizes the contacts closed by reason codes based on each date.

Views

This report uses the ContactsbyContacts view.

Collection frequency

The following collection frequency types are available for this report:

- daily
- weekly
- monthly

Selection Criteria

You can apply a filter to any field in the view. You can apply a filter, for example, to specific skillsets, contact ID, or customer ID.

Templates

This report uses the ClosedReasonCodesReport.rdl template.

Summaries

This report is in the Multimedia group. The report groups closed contacts by disposition code based on day. The report also lists the grand total of contacts closed and the total for each day.

The columns list the grand total of contacts closed by the closed reason code. The closed reason codes appear in the column headings. The total of the contacts that were closed without a closed reason code appears in the column with the blank heading.

Contacts Closed by Skillset

The Contacts Closed by Skillset Report summarizes the contacts closed across skillsets based on date.

Views

This report uses the ContactsbyContacts view.

Collection frequency

The following collection frequency types are available for this report:

- daily
- weekly
- monthly

Selection Criteria

You can apply a filter to any field in the view. You can apply a filter, for example, to specific skillsets, contact ID, or customer ID.

Templates

This report uses the MM Contacts Closed by Skillset.rdl template.

Summaries

The report is in the Multimedia group. The report groups the closed contacts by skillset for each day. The report also lists the grand total of contacts closed, the total for each day, and the total for each skillset.

Contacts Details

The Contact Details Report summarizes the contacts based on skillset.

Views

This report uses the ContactsbyContacts view.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Selection Criteria

You can apply a filter to fields in the view. You can apply a filter, for example, to specific skillsets, contact ID, or contact status.

Templates

This reports use the ContactByContactDetails.rdl template.

Summaries

The report is in the Multimedia group. The report displays grand total and average information for all contacts, and then displays total and average information for contacts grouped by skillset.

The grand total and average information for all contacts and is divided into the following sections.

- Contact Summary and Status Details
 - Total
 - Closed
 - Open
 - New
 - Waiting
- Contact Open Duration—This sections displays both total and average contact open duration.
- Contact Waiting Duration—This sections displays both total and average contact wait duration.

The report also provides information for contact details grouped by skillset. For each skillset the report provides the following information where applicable:

- Contact Status
 - Total
 - Closed
 - Open

- New
- Waiting
- Contact Waiting Duration
 - Total
 - Average
- Contact Open Duration
 - Total
 - Average
- Dial Duration
- Talk Duration
- Call Duration

The report also displays the contacts for each particular day and lists the following information where applicable:

- Closed Date
- Contact ID
- Arrival Date/Time
- Waiting Duration
- Open Time
- Closed Time
- Open Duration
- Agent Name - ID
- Closed Reason Code
- Mail From
- Disposition Code
- Campaign Name
- Call Duration
- Contact Status

Contacts Outstanding Detail

The Contacts Outstanding Detail Report contains the details about each contact that remains open for each skillset.

! **Important:**

Report Creation Wizard formulas are not supported for this report.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the ContactsOutstandingDetail view.

Selection Criteria

You can apply a filter to any field in the view. You can apply a filter to specific disposition codes.

Templates

This report uses the ContactsOutstandingDetailReport.rdl template.

Summaries

The report is in the Multimedia group. The report groups the outstanding contacts by skillset and lists the following details:

- Contact ID
- Arrival Time
- Status
- Contact Type
- Agent
- Customer

For each skillset group, both the count and the percentage of total outstanding contacts relating to that skillset are listed. The report also lists the grand total of outstanding contacts.

Contacts Outstanding Summary

The Contacts Outstanding Detail Summary contains a summary of the contacts that remain for each skillset.

! **Important:**

Report Creation Wizard formulas are not supported for this report.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the ContactsOutstandingSummary view.

Selection Criteria

You can apply a filter to any field in the view. You can apply a filter to specific disposition codes.

Templates

This report uses the ContactsOutstandingSummaryReport.rdl template.

Summaries

The report is in the Multimedia group. The report groups the skillsets with outstanding contacts by day, and lists the following details:

- By Day
- Skillset
- No. Outstanding

The report also lists the grand total of outstanding contacts.

Contacts Received by Skillset

The Contacts Received by Skillset Report summarizes the number of contacts received across skillsets based on date, and lists the total number of contacts received across all skillsets.

Important:

Report Creation Wizard formulas are not supported for this report.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the ContactsbyContacts view.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly

- monthly

Selection Criteria

You can apply a filter to any field in the view. You can apply a filter, for example, to specific skillsets.

Templates

This report uses the MM Contacts Received by Skillset.rdl template.

Summaries

The report is in the Multimedia group. The report lists the number of received contacts each day for each skillset, and a grand total of contacts received across all skillsets.

Chapter 23: Standard network reports

This section lists the networking reports that you can generate after you log on to a server on the network. In some cases, these reports are similar to non-network reports, but they use a different view or contain additional fields.

Network Site and Application Properties

NSBR option only. The Network Site and Application Properties report lists all of the sites in the network, and for each one, shows

- the properties for the site (as configured on the Network Control Center)
- the remote PABX parameters for the site (as configured on the local server)
- the applications at that site

For each application, the report includes the service level threshold and if local and network call-by-call statistics are collected for the application.

Important:

You cannot schedule user-defined reports that use this standard report as a template.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the following views:

- RemoteApplication; see [RemoteApplication view](#) on page 270.
- Site; see [Site view](#) on page 255.
- TargetSwitchComm; see [TargetSwitchComm view](#) on page 307.

For more information about views; see [Access rights by view](#) on page 34.

Templates

This report uses the config28.rdl template.

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Site Name for App ID	RemoteApplication.SiteName
Site Name for App	

Available Site properties

This report uses the following properties.

Report field	View field/Formula	View field/Report Creation Wizard formula
Site Name	Site.SiteName	Site.SiteName
Filter Timer	Site.OutOfServiceTimer	RCW_OutOfServiceTimer
Relative to GMT	Site.RelativeGMT	RCW_RelativeGMT
Contact Person	Site.ContactPerson	Site.ContactPerson
Phone Number	Site.ContactNumber	Site.ContactNumber

Destination Configuration Fields

This report uses the following fields.

Report field	View field/Formula	View field/Report Creation Wizard formula
Destination Site	TargetSwitchComm.SiteName	TargetSwitchComm.SiteName
Dialable DN	TargetSwitchComm.DialableDN	TargetSwitchComm.DialableDN
Number of Retries	TargetSwitchComm.NumRetries	TargetSwitchComm.NumRetries
RetryTimer (Sec.)	TargetSwitchComm.RetryTimer	TargetSwitchComm.RetryTimer
Agent Reserve Timer	TargetSwitchComm.AgentReserveTimer	TargetSwitchComm.AgentReserveTimer

Application properties

This report uses the following properties.

Report field	View field/Formula	View field/Report Creation Wizard formula
Application ID	RemoteApplication.RemoteApplicationID	RemoteApplication.RemoteApplicationID
Application	RemoteApplication.Name	RemoteApplication.Name
Call By Call	RemoteApplication.CallByCall	RCW_CallByCall
Service Level Threshold	RemoteApplication.ServiceLevelThreshold	RemoteApplication.ServiceLevelThreshold

Grouping

Application information is grouped by site.

Network Skillset Routing Properties

The Network Skillset Routing Properties report lists all the network skillsets and indicates the routing table method used for the network skillset.

You cannot schedule user-defined reports that use this standard report as a template.

For more information, see [Report descriptions](#) on page 543.

Round-robin routing: Round-robin routing is an agent request method that evenly distributes calls across the network. Each agent request is sent to a predefined site or group of sites. For example, in a four-site Contact Center Manager network, an agent request can be sent to nodes 1, 2, and 3; the next agent request is sent to nodes 2, 3, and 4; and then the next agent request is sent to nodes 4, 1, and 2. The agent request always goes to the next target node or group of nodes, even if agents are available in a preceding target.

Sequential routing: Sequential routing is an agent request method that always queues a call, for example, to the first site, and then the second site, and then the third site. The presentation remains unchanged.

Views

This report uses the following views:

- NetworkSkillsetStatus; see [NetworkSkillsetStatus view](#) on page 259.
- Ranking; see [Ranking view](#) on page 263.
- Skillset; see [Skillset view](#) on page 284.

For more information about views; see [Access rights by view](#) on page 34.

Templates

This report uses the config39.rdl template.

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Network Skillset Name ID	NetworkSkillsetStatus.NetworkSkillsetID = Ranking.NetworkSkillsetID

Table continues...

Selection criteria	Database field names
Network Skillset Name	NetworkSkillsetStatus.NetworkSkillsetID = Skillset.NetworkSkillsetID
Site Name ID	NetworkSkillsetStatus.SiteName = Ranking.DstSiteName
Site Name	NetworkSkillsetStatus.NetworkSkillset
	NetworkSkillsetStatus.SiteName

Site fields

This report uses the following fields.

Report field	View field/Formula	View field/Report Creation Wizard formula
Site Name	Site.SiteName	Site.SiteName
Site Filter	Site.OutOfServiceTimer	RCW_OutOfServiceTimer
Network Skillset Name (if skillset is filtered)	NetworkSkillsetStatus.NetworkSkillset	NetworkSkillsetStatus.NetworkSkillset
Network Skillset Filter (if skillset is filtered)	NetworkSkillsetStatus.FlowControlStatus	RCW_SkillsetFilter

Network skillset fields

This report uses the following fields.

Report field	View field/Formula	View field/Report Creation Wizard formula
Network Skillset	NetworkSkillsetStatus.NetworkSkillset	NetworkSkillsetStatus.NetworkSkillset
Routing Method	Skillset.UseRoundRobin	RCW_UseRoundRobin
Rank	Ranking.Rank	RCW_Rank
Destination Site Name	NetworkSkillsetStatus.SiteName	NetworkSkillsetStatus.SiteName
Network Skillset Filter	NetworkSkillsetStatus.FlowControlStatus	RCW_SkillsetFilter

Crosstab - Network Incoming Calls

The Crosstab - Network Incoming Calls report provides an at-a-glance view of inbound contact activity (contacts offered, contacts accepted, and contacts abandoned) for several days. You can use this report to compare network activity for the same reporting period on different days.

! **Important:**

You cannot schedule user-defined reports that use this standard report as a template.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the iNetworkInCallStat view; see [NetworkInCallStat views](#) on page 135. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

This report contains interval data.

Templates

This report uses the icross_net_in_calls.rdl template.

Selection Criteria

This report uses the following criteria.

Selection criteria	Database field names
Source Site Name ID	iNetworkInCallStat.SrcSite
Source Site Name	iNetworkInCallStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula
Offered	CallsOffered
Answered	CallsAnswered
Abandoned	CallsAbandoned

Summaries

The report provides totals for each selected source site for the selected intervals, and totals for the selected intervals are grouped by day.

Crosstab - Network Outgoing Calls

The report provides totals for each selected source site for the selected intervals, and totals for the selected intervals are grouped by day.

! **Important:**

You cannot schedule user-defined reports using this standard report as a template.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the iNetworkOutCallStat view see [NetworkOutStat views](#) on page 140. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

This report contains interval data.

Templates

This report uses the icross_net_out_calls.rdl template.

Selection Criteria

This report uses the following criteria.

Selection criteria	Database field names
Destination Site Name ID	iNetworkOutStat.DstSite
Destination Site Name	iNetworkOutStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula
Offered	CallsOffered
Answered	CallsAnswered
Abandoned	CallsAbandoned

Summaries

The report provides totals for each selected source site for the selected intervals, and totals for the selected intervals are grouped by day.

Network Application Performance

The Network Application Performance report provides summarized performance information for application contacts that entered your local site and are routed to a remote site.

For each application, the report provides information about the number of outgoing network contacts that are accepted, delayed, and abandoned. This report can be particularly useful to determine the efficiency of your network configuration.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the ApplicationStat view; see [ApplicationStat views](#) on page 97. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- inetapp1.rdl
- dnetapp1.rdl
- wnetapp1.rdl
- mnetapp2.rdl

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Application Name ID	iApplicationStat.Application<>'Network_ Script' AND iApplicationStat.Application<> 'ACD_DN_Application'
Application Name	iApplicationStat.Application
	iApplicationStat.Timestamp

Network Out Call Statistics

Refer the following table for Network Out Call Statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	NetOutCalls	NetOutCalls
Answered	NetOutCallsAnswered	NetOutCallsAnswered
Abandoned	NetOutCallsAbandoned	NetOutCallsAbandoned
Reach Non ISDN Trunks	NetOutCallsReachNonISDN	NetOutCallsReachNonISDN

Call Delay Time statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Ans Delay	NetOutCalls	RCW_NetOutCallsAnsweredDelay
Max Ans Delay	NetOutCallsAnsweredDelay	RCW_MaxNetOutCallsAnsweredDelay
Avg Ans Delay	NetOutCallAnsweredDelay/ NetOutCallsAnswered	RCW_AverageNetOutCallsAnsweredDelay
Abnd Delay	NetOutCallsAbandonedDelay	RCW_NetOutCallsAbandonedDelay
Time Before Network Out	TimeBeforeNetOut	RCW_TimeBeforeNetOut
Time Before Reach Non ISDN Trunks	TimeBeforeReachNonISDK	RCW_TimeBeforeReachNonISDN

NACD Call statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Given NACD	CallsGivenNACD	CallsGivenNACD
NACD Out	CallsNACDOut	CallsNACDOut
Time Before NACD Out	TimeBeforeNACDOut	RCW_TimeBeforeNACDOut

Summaries

The report provides totals for each application and subtotals for each day, week, or month, depending on the selected reporting period. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected applications.

Network DNIS Statistics

The Network DNIS Statistics report lists the total voice contact volume to each Dialed Number Identification Service (DNIS) number. The report lists the total calls answered, total voice contacts accepted, the percentage of voice contacts that abandoned after the service level threshold defined for the DNIS, and the total number of voice contacts networked out.

You can use this report to track network performance for a DNIS number.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the DNISStat view; see [DNISStat views](#) on page 120. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- inetres6.rdl
- dnetres6.rdl
- wnetres6.rdl
- mnetres6.rdl

Selection Criteria

This report uses the following criteria.

Selection criteria	Database field names
DNIS	iDNISStat.DNIS
DNIS Name	iDNISStat.Timestamp

Call Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	CallsOffered	CallsOffered
Ans	CallsAnswered	CallsAnswered
Ans Aft Thld	CallsAnsweredAftThreshold	CallsAnsweredAftThreshold
Abnd	CallsAbandoned	CallsAbandoned
Abnd Aft Thld	CallsAbandonedAftThreshold	CallsAbandonedAftThreshold
% Service Level	$\frac{[(\text{CallsAnswered} + \text{CallsAbandoned}) - (\text{CallsAnsweredAftThreshold} + \text{CallsAbandonedAftThreshold})]}{(\text{CallsAnswered} + \text{CallsAbandoned})} \times 100$	RCW_PctServiceLevel

Call Treatment statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Disconnected	CallsGivenForceDisconnect	CallsGivenForceDisconnect
Overflowed	CallsGivenForceOverflow	CallsGivenForceOverflow
Route	CallsGivenRouteTo	CallsGivenRouteTo
Default	CallsGivenDefault	CallsGivenDefault
IVR Trans	IVRTransferred	IVRTransferred
Given Busy	CallsGivenForceBusy	CallsGivenForceBusy

Call Time statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Ans Delay	CallsAnsweredDelay	RCW_CallsAnsweredDelay
Max Ans Delay	MaxAnsweredDelay	RCW_MaxAnsweredDelay
Avg Ans Delay	$\frac{\text{CallsAnsweredDelay}}{\text{CallsAnswered}}$	RCW_AverageAnsweredDelay
Abnd Delay	CallsAbandonedDelay	RCW_CallsAbandonedDelay
Max Abnd Delay	MaxAbandonedDelay	RCW_MaxAbandonDelay
Talk Time	TalkTime	RCW_TalkTime

Network Calls statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Ntwk Out	CallsNetworkedOut	CallsNetworkedOut
NACD Out	CallsNACDOut	CallsNACDOut
Reaching Non-ISDN	CallsReachNonISDN	CallsReachNonISDN

Summaries

The report provides totals for each DNIS and subtotals for each day, week, or month, depending on the selected reporting period. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected DNISs.

Network Incoming Calls

The Network Incoming Calls report provides statistics about incoming network contacts for your site. It contains information about the number of incoming network contacts offered, accepted, and abandoned at your site. The report also provides statistics about the number of contacts agents accepted or abandoned after the service level threshold and the delays experienced by customers.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the NetworkInCallStat view; see [NetworkInCallStat views](#) on page 135. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- inet-10.rdl
- dnet-10.rdl
- wnet-10.rdl

- mnet-10.rdl

Selection Criteria

This report uses the following criteria.

Selection criteria	Database field names
Source Site Name ID	iNetworkInCallStat.SrcSite
Source Site Name	iNetworkInCallStat.Timestamp

Network Incall statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	CallsOffered	CallsOffered
Answered	CallsAnswered	CallsAnswered
Answered After Threshold	CallsAnsweredAftThreshold	CallsAnsweredAftThreshold
Abandoned	CallsAbandoned	CallsAbandoned
Abandoned After Threshold	CallsAbandonedAftThreshold	CallsAbandonedAftThreshold

Answer Delay statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Total Delay	CallsAnsweredDelay	RCW_CallsAnsweredDelay
Max Delay	MaxAnsweredDelay	RCW_MaxAnsweredDelay
Total At Dest	CallsAnsweredDelayAtDest	RCW_CallsAnsweredDelayAtDest
Max At Dest	MaxAnsweredDelayAtDest	RCW_MaxAnsweredDelayAtDest

Abandon Delay statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Total Delay	CallsAbandonedDelay	RCW_CallsAbandonedDelay
Max Delay	MaxAbandonedDelay	RCW_MaxAbandonedDelay
Total At Dest	CallsAbandonedDelayAtDest	RCW_CallsAbandonedDelayAtDest
Max At Dest	MaxAbandonedDelayAtDest	RCW_MaxAbandonedDelayAtDest

Summaries

The report provides totals for each source site and subtotals for each day, week, or month, depending on the selected reporting period. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected destination sites.

Network Outgoing Calls

The Network Outgoing Calls report provides statistics about outgoing network contacts for your site. The report contains information about the number of outgoing network contacts offered, accepted, and abandoned at the source and destination sites.

For more information, see [Report descriptions](#) on page 543

Views

This report uses the NetworkOutStat view; see [NetworkOutStat views](#) on page 140. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- inet-11.rdl
- dnet-11.rdl
- wnet-11.rdl
- mnet-11.rdl

Selection Criteria

This report uses the following criteria.

Selection criteria	Database field names
Destination Site Name ID	iNetworkOutStat.DstSite
Destination Site Name	iNetworkOutStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	CallsOffered	CallsOffered
Answered	CallsAnswered	CallsAnswered
Abandoned	CallsAbandoned	CallsAbandoned

Summaries

The report provides totals for each destination site and subtotals for each day, week, or month, depending on the selected reporting period. For the interval reporting period, statistics are further broken down by interval and application. The report also contains a grand total for all selected destination sites.

Network Route Performance

The Network Route Performance report shows summarized performance information grouped by route. The report indicates how often and the length of time all trunks within the route are busy. It also lists the total number of contacts that cannot reach another site because all trunks within the route are busy. Contacts blocked by all-trunks-busy signal peg against the route attempted.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the RouteStat view; see [RouteStat views](#) on page 148. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- inetres2.rdl
- dnetres2.rdl
- wnetres2.rdl
- mnetres2.rdl

Selection Criteria

This report uses the following criteria.

Name	Description
Route ID	iRouteStat.RouteID
Route Name	iRouteStat.Timestamp

Call Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
All Trunks Busy	AllTrunksBusy	AllTrunksBusy
# Network Out Blocked by All Trunks Busy	CallsBlockedByAllTrunksBusy	CallsBlockedByAllTrunksBusy
# Network Out Reached Non- ISDN Trunks	CallsReachNonISDN	CallsReachNonISDN

Call Time Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
All Trunks Busy	AllTrunksBusyTime	RCW_AllTrunksBusyTime
Average All Trunks Busy	AllTrunksBusyTime/ AllTrunksBusy	RCW_AverageAllTrunksBusyTime

Summaries

The report provides totals for each route and subtotals for each day, week, or month, depending on the selected reporting period. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected routes.

Network Skillset Performance

The Network Skillset Performance report shows summarized contact-handling performance information for each selected skillset defined on your system. The report lists the total local and incoming network contacts accepted by agents for the skillset, the number and percentage of contacts agents accepted after the service level threshold, the maximum delay a customer experienced, and the total time all agents are busy serving contacts within the skillset.

By indicating the volume of contacts and the delay times customers experienced, along with the amount of time agents are busy serving contacts to the skillset, the report indicates whether the skillset has the number of agents required to serve customers. If a skillset is not performing well, consult the agent reports.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the SkillsetStat view; see [SkillsetStat views](#) on page 151. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- inet-12.rdl
- dnet-12.rdl
- wnet-12.rdl
- mnet-12.rdl

Selection Criteria

This report uses the following criteria.

Name	Description
Skillset Name ID	iSkillsetStat.Skillset
Skillset Name	iSkillsetStat.Timestamp

Skillset Call statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Ans	CallsAnswered	CallsAnswered
Ntwk In Ans	NetCallsAnswered	NetCallsAnswered
% Ans After Thld	CallsAnsweredAfterThreshold /CallsAnswered x 100	RCW_PctCallsAnsweredAfterThreshold
Answered After Threshold	CallsAnsweredAftThreshold	CallsAnsweredAftThreshold

Skillset Answer Delay Time statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Total	CallsAnsweredDelay	RCW_CallsAnsweredDelay
Max	MaxAnsweredDelay	RCW_MaxAnsweredDelay
Average	CallsAnsweredDelay/ CallsAnswered	RCW_AverageCallsAnsweredDelay

Agent Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
All Agents Busy Time	AllAgentBusyTime	RCW_AllAgentBusyTime
All Agent Staffed Time	TotalStaffedTime	RCW_TotalStaffedTime
Skillset Active Time	ActiveTime	RCW_ActiveTime
Avg No. Of Agents	TotalStaffedTime/ ActiveTime	RCW_AverageNumberOfAgents

Summaries

The report provides totals for each selected skillset and for each application/site combination. Statistics are further broken down by day, week, or month, depending on the selected reporting period. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected skillsets.

Network Skillset Timeline

The Network Skillset Timeline report shows a graphical representation of the service level, contact handling performance, and agent staffing information for skillsets defined on your system. The report also lists the active time, the staffed time, and the multiplicity staffed time within the reporting period. You can select any number of skillsets for the report.

The report shows the skillset statistics as a line plotted on a timeline graph. The line is drawn between points which represent the accumulated value for each statistic at a specific date and time. The values available for the date and time depend on the collection frequency type you select.

The statistics appear in three separate timeline graphs for each skillset:

- Service Level
- Contacts
- Average Agents

The scales shown on the timeline graph are automatically adjusted to the data. The vertical axis always starts at 0 and ends at the highest value required. The horizontal axis represents the timeline and shows the dates and times for the data range specified. When the collection frequency is interval, the timeline scale shows every other interval; however, the points on the graph appear for all 15-minute intervals in the selected range. All other collection frequencies appear in the timeline scale.

A legend appears below each timeline graph to describe the colored lines in each portion of the graphical report. The lines are plotted on the timeline graph in the same order as the legend from left to right and top to bottom. If the lines overlap, the last in the list appears on the graph. For example, if all contacts presented are accepted, the line for presented contacts is covered by the line for accepted contacts. For a contact to be accepted, it must have been presented, so you can still interpret all of the data on the timeline chart.

This report is best viewed when printed on a color printer. The printer must support printing charts and be able to automatically reduce the page size to fit the selected paper for printing.

The report is graphical and can only be exported to formats that support graphics. The supported formats are:

- Adobe PDF
- Excel
- Word

For a graphical representation of local contacts, see [Skillset Timeline](#) on page 716.

This report is restricted to an Avaya Aura® Contact Center system only. For more information, see [Report descriptions](#) on page 543.

Interpretation

The Service Level, shown as a percentage, indicates how agents staffing a skillset are managing the contacts presented. If the service level is acceptable, you might not need to review the other timeline charts for the skillset. If the number of contacts presented is 0, the service level is 0.

The Contacts timeline chart indicates the number of contacts presented, accepted, abandoned, accepted after threshold, and abandoned after threshold. Use the Contacts timeline chart when the service level is below target to determine if there is an unusual number of contacts accepted or abandoned. The service level increases when contacts are accepted or abandoned before the service level threshold. The service level decreases when contacts are accepted or abandoned after the service level threshold.

The Average Agents timeline chart indicates the number of agents staffing a skillset and how these agents are contributing to the service level. Use the average agents timeline chart when the service level is below target to determine if there are enough agents staffing the skillset or if the agents are unavailable. An agent is considered available if the agent is handling a contact from the skillset or idle waiting on a contact. The number of idle agents appears on the timeline chart to help determine how many agents are waiting to handle a contact. If the agent is in another state (such as Not Ready) or handling a contact from another skillset, then the agent is not available to handle a contact presented to the current skillset.

The following table describes other observations on the graphical charts:

Observation	Occurs when...
No lines appear on chart	There are no agents staffing the skillset.
Lines on chart are broken	There are no agents staffing the skillset for some of the intervals shown.
Continuous line on chart, but timeline is not continuous: A warning appears.	There is no system data available for the intervals indicated in the warning message.
No data appears on chart, but when you expand range, chart appears	There was no skillset data for the initial data range selected. When the range is expanded, a reference point is available and skillset data is presented.

Views

This report uses the SkillsetStat views; see [SkillsetStat views](#) on page 151. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- 15 minute interval
- daily
- weekly

- monthly

Selection Criteria

This report uses the following criteria:

Name	Description
Contact Type	iSkillsetStat.ContactType
Skillset Name ID	iSkillsetStat.Skillset
Skillset Name	iSkillsetStat.Timestamp

The data range for this report is filtered based on the following criteria:

Database field name
iSkillsetStat.Timestamp

Statistics

This report uses the following statistics.

Table 4: Service Level Timeline Graph and Summaries

Report field	View field/Formula	View field/Report Creation Wizard formula
% Service Level	$\frac{((\text{CallsAnswered} + \text{CallsAbandoned}) - (\text{CallsAnsweredAftThreshold} + \text{CallsAbandonedAftThreshold}))}{(\text{CallsAnswered} + \text{CallsAbandoned})} \times 100$	RCW_PctServiceLevel

Table 5: Contacts Timeline Graph and Summaries

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	VirtualCallsOffered	VirtualCallsOffered
Network in Accepted	NetCallsAnswered	NetCallsAnswered
Ans	CallsAnswered	CallsAnswered
Abnd	VirtualCallsAbandoned	VirtualCallsAbandoned
Ans After Thld	CallsAnsweredAfterThreshold	CallsAnsweredAfterThreshold
Abnd After Thld	VirtualCallsAbnAftThreshold	VirtualCallsAbnAftThreshold

Table 6: Average Agents Timeline Graph and Summaries

Report field	View field/Formula	View field/Report Creation Wizard formula
Avg Agents Staffing	TotalStaffedTime / ActiveTime	RCW_AverageNumberOfAgents
Avg Agents Multi. Staffing	MaxCapacityTotalStaffedTime / ActiveTime	—
Avg Agents Available	(MaxCapacityIdleTime + TalkTime) / ActiveTime	—
Avg Agents Idle	MaxCapacityIdleTime / ActiveTime	—

Table 7: Summaries

Report field	View field/Formula	View field/Report Creation Wizard formula
Active Time	ActiveTime	RCW_ActiveTime
Staffed Time	TotalStaffedTime	RCW_TotalStaffedTime
Multi. Staffed Time	MaxCapacityTotalStaffedTime	—

Summaries

The report provides totals for each skillset, and subtotals for each day, month, or year, depending on the reporting period you select:

Collection frequency	Subtotal
Interval	Each day
Daily	Each month
Weekly	Each year
Monthly	Each year

Network Skillset Timeline by Contact Type

The Network Skillset Timeline by Contact Type report shows a graphical representation of the service level, contact handling performance, and agent staffing information for skillsets by contact type defined on your system. The report also lists the active time, the staffed time, and the multiplicity staffed time within the reporting period. You can select any number of skillsets for the report.

The report shows the skillset statistics as a line plotted on a timeline graph. The line is drawn between points which represent the accumulated value for each statistic at a specific date and time. The values available for the date and time depend on the collection frequency type you select.

The statistics appear in three separate timeline graphs for each skillset:

- Service Level
- Contacts
- Average Agents

The scales shown on the timeline graph are automatically adjusted to the data. The vertical axis always starts at 0 and ends at the highest value required. The horizontal axis represents the timeline and shows the dates and times for the data range specified. When the collection frequency is interval, the timeline scale shows every other interval; however, the points on the graph appear for all 15-minute intervals in the selected range. All other collection frequencies appear in the timeline scale.

A legend appears below each timeline graph to describe the colored lines in each portion of the graphical report. The lines are plotted on the timeline graph in the same order as the legend from left to right and top to bottom. If the lines overlap, the last in the list appears on the graph. For example, if all contacts presented are accepted, the line for presented contacts is covered by the line for accepted contacts. For a contact to be accepted, it must have been presented, so you can still interpret all of the data on the timeline chart.

This report is best viewed when printed on a color printer. The printer must support printing charts and be able to automatically reduce the page size to fit the selected paper for printing.

The report is graphical and can only be exported to formats that support graphics. The supported formats are:

- Adobe PDF
- Excel
- Word

For a graphical representation that includes only local contacts, see [Skillset Timeline by Contact Type](#) on page 719.

This report is restricted to an Avaya Aura[®] Contact Center system only. For more information, see [Report descriptions](#) on page 543.

Interpretation

The Service Level, shown as a percentage, indicates how agents staffing the skillsets of a specific contact type are managing the contacts presented. If the service level is acceptable, you might not need to review the other timeline charts for the skillset. If the number of contacts presented is 0, the service level is 0.

The Contacts timeline chart indicates the number of contacts presented, accepted, abandoned, accepted after threshold, and abandoned after threshold. Use the Contacts timeline chart when the service level is below target to determine if there is an unusual number of contacts accepted or abandoned. The service level increases when contacts are accepted or abandoned before the service level threshold. The service level decreases when contacts are accepted or abandoned after the service level threshold.

The Average Agents timeline chart indicates the number of agents staffing the skillsets of a specific contact type and how these agents are contributing to the service level. Use the average agents timeline chart when the service level is below target to determine if there are enough agents staffing the skillset or if the agents are unavailable. An agent is considered available if the agent is handling a contact from the skillsets of a contact type or idle waiting on a contact. The number of idle agents appears on the timeline chart to help determine how many agents are waiting to handle a contact. If the agent is in another state (such as Not Ready) or handling a contact from another contact type, then the agent is not available to handle a contact presented to the skillsets of a specific contact type.

The following table describes other observations on the graphical charts:

Observation	Occurs when...
No lines appear on chart	There are no agents staffing the skillset.
Lines on chart are broken	There are no agents staffing the skillset for some of the intervals shown.
Continuous line on chart, but timeline is not continuous: A warning appears.	There is no system data available for the intervals indicated in the warning message.
No data appears on chart, but when you expand range, chart appears	There was no skillset data for the initial data range selected. When the range is expanded, a reference point is available and skillset data is presented.

Since the statistics are for a specific contact type, the issues might exist in one or more skillsets belonging to the contact type. For details of each skillset, see the [Network Skillset Timeline](#) on page 674.

Views

This report uses the SkillsetStat views; see [SkillsetStat views](#) on page 151. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- 15 minute interval
- daily
- weekly
- monthly

Selection Criteria

This report uses the following criteria:

Selection criteria	Database field names
Contact Type	iSkillsetStat.ContactType
Skillset Name ID	iSkillsetStat.Skillset
Skillset Name	iSkillsetStat.Timestamp

The data range for this report is filtered based on the following criteria:

Database field name
iSkillsetStat.Timestamp

Statistics

This report uses the following statistics.

Table 8: Service Level Timeline Graph and Summaries

Report field	View field/Formula	View field/Report Creation Wizard formula
% Service Level	$\frac{[(\text{CallsAnswered} + \text{CallsAbandoned}) - (\text{CallsAnsweredAftThreshold} + \text{CallsAbandonedAftThreshold})]}{(\text{CallsAnswered} + \text{CallsAbandoned})} \times 100$	RCW_PctServiceLevel

Table 9: Contacts Timeline Graph and Summaries

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	VirtualCallsOffered	VirtualCallsOffered
Network in Accepted	NetCallsAnswered	NetCallsAnswered
Ans	CallsAnswered	CallsAnswered
Abnd	VirtualCallsAbandoned	VirtualCallsAbandoned
Ans After Thld	CallsAnsweredAfterThreshold	CallsAnsweredAfterThreshold
Abnd After Thld	VirtualCallsAbnAftThreshold	VirtualCallsAbnAftThreshold

Table 10: Average Agents Timeline Graph and Summaries

Report field	View field/Formula	View field/Report Creation Wizard formula
Avg Agents Staffing	TotalStaffedTime / ActiveTime	RCW_AverageNumberOfAgents
Avg Agents Multi. Staffing	MaxCapacityTotalStaffedTime / ActiveTime	—

Table continues...

Report field	View field/Formula	View field/Report Creation Wizard formula
Avg Agents Available	$(\text{MaxCapacityIdleTime} + \text{TalkTime}) / \text{ActiveTime}$	—
Avg Agents Idle	$\text{MaxCapacityIdleTime} / \text{ActiveTime}$	—

Table 11: Summaries

Report field	View field/Formula	View field/Report Creation Wizard formula
Active Time	ActiveTime	RCW_ActiveTime
Staffed Time	TotalStaffedTime	RCW_TotalStaffedTime
Multi. Staffed Time	MaxCapacityTotalStaffedTime	—

Summaries

The report provides totals for each skillset, and subtotals for each day, month or year, depending on the reporting period you select:

Collection frequency	Subtotal
Interval	Each day
Daily	Each month
Weekly	Each year
Monthly	Each year

Chapter 24: Additional CCMA reports in the Others folder

This section describes additional CCMA reports in the Others folder.

Activity Code by Application

With the Activity Code by Application report, you monitor activity time for each application on your system. The Activity Code by Application report includes all activity time and occurrences for an application.

Important:

This report does not include Not Ready reason codes.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the ActivityCodeStat view; see [ActivityCodeStat views](#) on page 50. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- im-app8.rdl
- dm-app8.rdl

- wm-app8.rdl
- mm-app8.rdl

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
Application Name ID	iActivityCodeStat.Application <> 'System_Application'
Application Name	iActivityCodeStat.Application
	iActivityCodeStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Activity Time	ActivityTime	RCW_ActivityTime
Avg Activity Time	ActivityTime/Occurrences	RCW_AverageActivity Time
Activity Occurrences	Occurrences	Occurrences

Summaries

The report provides totals for each application and subtotals for each day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected applications.

Application by Activity Code

Use the Application by Activity Code report to monitor each agent's work and time distribution by the types of contacts accepted. During contacts, agents can identify the contact type by entering an activity code. Multiple codes can reflect activities performed for a single contact.

Important:

This report does not include Not Ready reason codes.

For more information, see [Report descriptions](#) on page 543.

Collection Frequency

The following collection frequency types are available for this report:

- interval

Additional CCMA reports in the Others folder

- daily
- weekly
- monthly

Templates

This report uses the following templates:

- im-app9.rdl
- dm-app9.rdl
- wm-app9.rdl
- mm-app9.rdl

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
Activity Code	iActivityCodeStat.Application <> 'System_Application'
Activity Name	iActivityCodeStat.ActivityCode
	iActivityCodeStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Activity Time	ActivityTime	RCW_ActivityTime
Avg Activity Time	ActivityTime/Occurrences	RCW_AverageActivity Time
Activity Occurrences	Occurrences	Occurrences

Summaries

The report provides totals for each activity code and subtotals for each application. For each activity code, statistics are broken down by day, week, or month, depending on the selected reporting period. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected agents.

Application by Skillset

The Application by Skillset report shows summarized application statistics for each skillset under review. The report provides statistics such as the total number of contacts accepted for a skillset,

number of contacts accepted after the service level threshold for the skillset, all agent staffed time, and average number of agents.

This report is an indicator of application contribution to a skillset.

! **Important:**

This report does not contain statistics for the System_Application.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the SkillsetStat view [SkillsetStat views](#) on page 151. For more information about views; see [Access rights by view](#) on page 34.

Collection Frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- imskill3.rdl
- dmskill3.rdl
- wmskill3.rdl
- mmskill3.rdl

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
Skillset Name ID	iSkillsetStat.SiteID = 0
Skillset Name	iSkillsetStat.Application <> "System_Application"
	iSkillsetStat.Skillset
	iSkillsetStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Skillset Ans	CallsAnswered	CallsAnswered
Skillset Ans After Thld	CallsAnsweredAfterThreshold	CallsAnsweredAfterThreshold
% Ans After Thld	CallsAnsweredAfterThreshold/ CallsAnswered x 100	RCW_PctCallsAnsweredAfter Threshold
Ans Delay	CallsAnsweredDelay	RCW_CallsAnsweredDelay
Avg Ans Delay	CallsAnsweredDelay/ CallsAnswered	RCW_AverageCallsAnswered Delay
Max Ans Delay	MaxAnsweredDelay	RCW_MaxAnsweredDelay

Summaries

The report provides totals for each skillset and subtotals for each application. For each application, statistics are further broken down by day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval, and within each interval, by application. The report also contains a grand total for all selected skillsets.

Application Call Treatment

The Application Call Treatment report shows summary performance information about the handling of each contact associated with an application. The report lists multiple treatments that can occur within the voice contact script or application and the number of voice contacts that received the specified treatments. The report records the number of voice contacts that the system accepted, abandoned, offered, routed, and disconnected.

This report measures other treatments within the call script, including commands such as Give Force Busy, Give Route To, or Give Force Disconnect. You can track the number of customers who receive a specific treatment and service.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the ApplicationStat view (see [ApplicationStat views](#) on page 97). For more information about views, see [Access rights by view](#) on page 34.

Collection Frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly

- monthly

! **Important:**

If you use the interval data type, remember that a call offered at one interval can receive treatment at another interval.

Templates

This report uses the following templates:

- im-app7.rdl
- dm-app7.rdl
- wm-app7.rdl
- mm-app7.rdl

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
Application Name ID	iApplicationStat.Application
Application Name	iApplicationStat.Timestamp

Overflowed statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Quantity	CallsGivenForceOverflow	CallsGivenForceOverflow
Percentage (%)	CallsGivenForceOverflow/ CallsOffered x 100	RCW_PctCallsGivenForce Overflow
Avg time before treat.	TimeBeforeForceOverflow/ number of calls given Force Overflow	RCW_AverageTimeBefore ForceOverflow
Avg calls per intvl	CallsGivenForceOverflow/number of reporting periods (intervals, days, weeks, or months)	Average of CallsGivenForce Overflow
Avg time before treat. per intvl	TimeBeforeForceOverflow/number of reporting periods (intervals, days, weeks, or months)	Not Available

Defaulted statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Quantity	CallsGivenDefault	CallsGivenDefault
Percentage (%)	CallsGivenDefault/CallsOffered x 100	RCW_PctCallsGivenDefault
Avg time before treat.	TimeBeforeDefault/number of calls given default treatment	RCW_AverageTimeBefore Default
Avg calls per intvl	CallsGivenDefault/number of reporting periods (intervals, days, weeks, or months)	Average of CallsGivenDefault
Avg time before treat. per intvl	TimeBeforeDefault/number of reporting periods (intervals, days, weeks, or months)	Not Available

Given busy statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Quantity	CallsGivenForceBusy	CallsGivenForceBusy
Percentage (%)	CallsGivenForceBusy/ CallsOffered x 100	RCW_PctCalls GivenForceBusy
Avg time before treat.	TimeBeforeForceBusy/number of calls given Force Busy treatment	RCW_AverageTimeBefore ForceBusy
Avg calls per intvl	CallsGivenForceBusy/number of reporting periods (intervals, days, weeks, or months)	Average of CallsGivenForceBusy
Avg time before treat. per intvl	TimeBeforeForceBusy/number of reporting periods (intervals, days, weeks, or months)	Not Available

Routed statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Quantity	CallsGivenRouteTo	CallsGivenRouteTo
Percentage (%)	CallsGivenRouteTo/CallsOffered x 100	RCW_PctCallsGivenRouteTo
Avg time before treat.	TimeBeforeRouteTo/Number of calls given Route To treatment	RCW_AverageTimeBefore RouteTo

Table continues...

Report field	View field/Formula	View field/Report Creation Wizard formula
Avg calls per intvl	CallsGivenRouteTo/number of reporting periods (intervals, days, weeks, or months)	Average of CallsGivenRouteTo
Avg time before treat. per intvl	TimeBeforeRouteTo/number of reporting periods (intervals, days, weeks, or months)	Not Available

Disconnected statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Quantity	CallsGivenForceDisconnect	CallsGivenForceDisconnect
Percentage (%)	CallsGivenForceDisconnect/ CallsOffered x 100	RCW_PctCallsGivenForceDisconnect
Avg time before treat.	TimeBeforeForceDisconnect/ Number of calls	RCW_AverageTimeBeforeForceDisconnect
Avg calls per intvl	CallsGivenForceDisconnect/number of reporting periods (intervals, days, weeks, or months)	Average of CallsGivenForceDisconnect
Avg time before treat. per intvl	TimeBeforeForceDisconnect/ number of reporting periods (intervals, days, weeks, or months)	Not Available

Offered statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Quantity	CallsOffered	CallsOffered

Answered statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Quantity	CallsAnswered	CallsAnswered
Percentage (%)	CallsAnswered/CallsOffered x 100	RCW_PctCallsAnswered
Avg time before treat.	Calls Answered/number of reporting periods (intervals, days, weeks, or months)	Average of CallsAnswered

Abandoned statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Quantity	CallsAbandoned	CallsAbandoned
Percentage (%)	$\text{CallsAbandoned}/\text{CallsOffered} \times 100$	RCW_PctCallsAbandoned
Avg time before treat.	CallsAbandoned/number of reporting periods (intervals, days, weeks, or months)	Average of CallsAbandoned

Given Host Lookup statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Quantity	CallsGivenHostLookup	CallsGivenHostLookup
Percentage (%)	$\text{CallsGivenHostLookup}/\text{CallsOffered} \times 100$	RCW_PctCallsGiven HostLookup
Avg time before treat.	CallsGivenHostLookup/number of reporting periods (intervals, days, weeks, or months)	Average of CallsGivenHostLookup

Summaries

The report provides totals for each application and subtotals for each day, week, or month, depending on the selected reporting period. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected applications.

Application Delay Before Abandon

The Application Delay Before Abandon report gauges service quality by indicating how many customers disconnect (abandon) before reaching an agent. The spectrum shows the length of time customers typically wait before abandoning the call, whether they abandoned the call before or after reaching the service level threshold for the application, and the percentage of contacts that are abandoned.

With a greater awareness of customer tolerance levels, contact center managers can adjust scripts to provide quick service, frequently offer recorded announcements, offer customers the option to access an interactive voice recognition system, and add additional agents to increase service.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the ApplicationStat view (see [ApplicationStat views](#) on page 97). For more information about views, see [Access rights by view](#) on page 34.

Collection Frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- im-app5.rdl
- dm-app5.rdl
- wm-app5.rdl
- mm-app6.rdl

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
Application Name ID	iApplicationStat.Application
Application Name	iApplicationStat.Timestamp

Abandon delay spectrum

The Application Delay Before Abandon report contains a histogram showing the number of contacts abandoned after delays of times divided into 2-second increments. The AbdDelay view fields provide the statistics for the histogram.

Statistics

This report uses the following criteria.

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	CallsOffered	CallsOffered
Answered	CallsAnswered	CallsAnswered
Abandoned	CallsAbandoned	CallsAbandoned
% Abandoned	$CallsAbandoned/CallsOffered \times 100$	RCW_PctCallsAbandoned
Abnd After Thld	CallsAbandonedAftThreshold	CallsAbandonedAftThreshold
Abnd Delay	CallsAbandonedDelay	RCW_CallsAbandonedDelay
Max Abnd Delay	MaxCallsAbandonedDelay	RCW_MaxCallsAbandonedDelay
Avg Abnd Delay	$CallsAbandonedDelay/CallsAbandoned$	RCW_AverageCallsAbandonedDelay

Summaries

The report provides totals for each application and subtotals for each day, week, or month, depending on the selected reporting period. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected applications.

Application Delay Before Answer

The Application Delay Before Answer report shows summarized performance information regarding call answer delays for an application. The report focuses on application performance from the customer's point of view, indicating the length customers wait before connecting to an agent. The statistics include all Contact Center Manager contacts for this application. The report also indicates whether the delay occurred after the skillset received the contact.

By keeping delays to a minimum, the contact center can provide optimal responses to customers.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the ApplicationStat view (see [ApplicationStat views](#) on page 97). For more information about views, see [Access rights by view](#) on page 34.

Collection Frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly

- monthly

Templates

This report uses the following templates:

- im-app3.rdl
- dm-app3.rdl
- wm-app3.rdl
- mm-app4.rdl

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
Application Name ID	iApplicationStat.Application
Application Name	iApplicationStat.Timestamp

Abandon delay spectrum

The Application Delay Before Answer report contains a histogram showing the number of contacts accepted after delays of times divided into 2-second increments. The AnsDelay view fields provide the statistics for the histogram.

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	CallsOffered	CallsOffered
Answered	CallsAnswered	CallsAnswered
Ans Delay	CallsAnsweredDelay	CallsAnsweredDelay
Ans Delay At Skillset	CallsAnsweredDelayAtSkillset	RCW_CallsAnsweredDelayAtSkillset
Ans After Thld	CallsAnsweredAftThreshold	CallsAnsweredAftThreshold
Max Ans Delay	MaxCallsAnsDelay	RCW_MaxCallsAnsDelay
Max Delay at Skillset	MaxCallsDelayAtSkillset	RCW_MaxCallsAnsDelayAtSkillset
Avg Ans Delay	CallsAnsweredDelay/CallsAnswered	RCW_AverageCallsAnsweredDelay

Summaries

The report provides totals for each application and subtotals for each day, week, or month, depending on the selected reporting period. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected applications.

Application Performance

The Application Performance report provides summarized performance information about your Contact Center Manager applications. The report gives an overview of contacts accepted, delayed, and abandoned, as well as the percentage of contacts that achieved a minimum service level. The report tracks contacts routed to the specified application (master or primary call script). This report can be particularly useful to determine the efficiency of the service your center provides to specific contact types and customers.

Important:

For the Network_Script, service level is based on network calls answered at this site and abandoned network calls at this site. Call wait times are calculated from the time the call arrives at the destination site.

By showing the volume of contacts accepted in a specified period, along with the average delay customers experienced, the report can identify the level of service customers received on a specific type of contact or activity.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the ApplicationStat view. For more information see [ApplicationStat views](#) on page 97 and [Access rights by view](#) on page 34.

Collection Frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- im-app1.rdl

- dm-app1.rdl
- wm-app1.rdl
- mm-app2.rdl

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
Application Name ID	iApplicationStat.Application
Application Name	iApplicationStat.Timestamp

Statistics

This report uses the following statistics.

Important:

For the Network_Script application, the service level calculation is based on network contacts accepted at this site and network contacts that are abandoned after routing to this site.

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	CallsOffered	CallsOffered
Answered	CallsAnswered	CallsAnswered
Ans Delay	CallsAnsweredDelay	RCW_CallsAnsweredDelay
Avg Ans Delay	CallsAnsweredDelay/ CallsAnswered	RCW_AverageCallsAnsweredDelay
Max Ans Delay	MaxCallsAnsDelay	RCW_MaxCallsAnsDelay
Ans After Thld	CallsAnsweredAftThreshold	CallsAnsweredAftThreshold
Abandoned	CallsAbandoned	CallsAbandoned
Max Abnd Delay	MaxCallsAbandonedDelay	RCW_MaxCallsAbandonedDelay
Abnd After Thld	CallsAbandonedAftThreshold	CallsAbandonedAftThreshold
Ans Delay At Skillset	CallsAnsweredDelayAtSkillset	RCW_CallsAnsweredDelayAtSkillset
% Service Level	$\frac{((\text{CallsAnswered} + \text{CallsAbandoned}) - (\text{CallsAnsweredAftThreshold} + \text{CallsAbandonedAftThreshold}))}{(\text{CallsAnswered} + \text{CallsAbandoned})} \times 100$	RCW_PctServiceLevel

Summaries

The report provides totals for each application and subtotals for each day, week, or month, depending on the reporting period selected. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected applications.

CDN (Route Point) Statistics

The CDN (Route Point) Statistics report details summarized contact volume information for the CDNs (Route Points) configured on the server. The report lists the total number of contacts offered to the CDN (Route Point) and the total number of contacts accepted. The report also provides terminated and abandoned contact information. The CDN (Route Point) Statistics report now includes the number of calls that failed to anchor on the preferred Media Server.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the CDNStat view, see [CDNStat views](#) on page 116. For more information about views, see [Access rights by view](#) on page 34.

Collection Frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- im-res7.rdl
- dm-res7.rdl
- wm-res7.rdl
- mm-res7.rdl

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
CDN	iCDNStat.CDN
CDN Name	iCDNStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	CallsOffered	CallsOffered
Answered	CallsAnswered	CallsAnswered
Terminated	CallsTerminated	CallsTerminated
% Terminated	$\text{CallsTerminated}/\text{CallsOffered} \times 100$	RCW_PctCallsTerminated
Abandoned	CallsAbandoned	CallsAbandoned
% Abandoned	$\text{CallsAbandoned}/\text{CallsOffered} \times 100$	RCW_PctCallsAbandoned
Preferred Media Server Failed	PreferredMediaServerFailed	PreferredMediaServerFailed

Summaries

The report provides totals for each selected CDN and subtotals for each day, week, or month, depending on the selected reporting period. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected CDNs.

Crosstab—Application Performance

The Crosstab—Application Performance report provides an at-a-glance view of application performance (contacts accepted, contacts abandoned, and contacts offered) for several days. You can use this report to compare application performance for the same reporting period on different days.

Important:

This report does not support report Creation Wizard formulas.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the iApplicationStat view (see [ApplicationStat views](#) on page 97). For more information about views, see [Access rights by view](#) on page 34.

Collection Frequency

This report contains interval data.

Templates

This report uses the icross_Application.rdl template.

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
Application Name ID	iApplicationStat.Application
Application Name	iApplicationStat.Timestamp

Statistics

This report uses the following statistics.

Name	View field/Formula
Offered	CallsOffered
Answered	CallsAnswered
Abandoned	CallsAbandoned

Summaries

The report provides totals for each selected application for the selected intervals. Also, totals for the selected intervals are grouped by day.

Crosstab—CDN (Route Point) Statistics

The Crosstab—CDN (Route Point) Statistics report provides you with an at-a-glance view of CDN (Route Point) Statistics (contacts accepted, contacts answered, contacts terminated, and contacts abandoned) for several days. You can use this report to compare CDN (Route Point) Statistics for the same reporting period on different days.

Important:

This report does not support report Creation Wizard formulas.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the iCDNStat view; see [CDNStat views](#) on page 116. For more information about views; see [Access rights by view](#) on page 34.

Collection Frequency

This report contains interval data.

Templates

This report uses the icross_CDN.rdl template.

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
CDN	iCDNStat.CDN
CDN Name	iCDNStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula
Offered	CallsOffered
Answered	CallsAnswered
Terminated	CallsTerminated
Abandoned	CallsAbandoned
Preferred Media Server Failed	PreferredMediaServerFailed

Summaries

The report provides totals for each selected CDN for the selected intervals. Also, totals for the selected intervals are grouped by day.

Crosstab—DNIS Statistics

The Crosstab—DNIS Statistics report provides an at-a-glance view of DNIS statistics (contacts accepted, contacts answered, and contacts abandoned) for several days. You can use this report to compare DNIS statistics for the same reporting period on different days.

Important:

This report does not support report Creation Wizard formulas.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the iDNISStat view. For more information, see [DNISStat views](#) on page 120. For more information about views; see [Access rights by view](#) on page 34.

Collection Frequency

This report contains interval data.

Templates

This report uses the icross_DNIS.rdl template.

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
DNIS	iDNISStat.DNIS
DNIS Name	iDNISStat.Timestamp

Statistics

This report uses the following statistics.

Name	View field/Formula
Offered	CallsOffered
Answered	CallsAnswered
Abandoned	CallsAbandoned

Summaries

The report provides totals for each selected DNIS for the selected intervals. Also, totals for the selected intervals are grouped by day.

Crosstab—Route Performance

The report applies to the Avaya Communication Server 1000 PABX only. The Crosstab—Route Performance report provides the number of times that all the trunks in a route are busy. The report also shows the number of contacts blocked by the all-trunks-busy signal. When all trunks in a route are busy, customers to your contact center receive a busy signal or are blocked from networking. Your telecommunications manager can use this report to determine if your system reached capacity and whether the company must provide additional trunk lines to meet the demand.

When you review the report, be aware that the value NUMBER OF ATB PERIODS increases by one at the beginning of each all-trunks-busy period within the reporting interval. If an all-trunks-busy period spans two or more intervals, the period is counted only against the interval in which it began.

Use the Crosstab—Route Performance report with other reports to interpret the cause of all-trunks-busy periods. This report can help you determine the best action to reduce the number of all-trunks-busy periods. For example, a change in your operating procedures can move contacts through faster and free lines. Or, you might need to lease extra trunk lines during your busiest periods.

! **Important:**

Contacts blocked by all-trunks-busy statistics peg against the route attempted.

This report does not support report Creation Wizard formulas.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the iRouteStat view [RouteStat views](#) on page 148. For more information about views; see [Access rights by view](#) on page 34.

Collection Frequency

This report contains interval data.

Templates

This report uses the icross_route.rdl template.

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
Route ID	iRouteStat.RouteID
Route Name	iRouteStat.Timestamp

Statistics

This report uses the following statistics.

Name	View field/Formula
All Trunks Busy	AllTrunksBusy
Calls Blocked by All Trunks Busy	CallsBlockedByAllTrunksBusy

Summaries

The report provides totals for each selected route for the selected intervals. Also, totals for the selected intervals are grouped by day.

Crosstab—Skillset Performance

The Crosstab—Skillset Performance report provides an at-a-glance view of skillset performance (contacts accepted, contacts answered, network contacts answered, and skillset contacts abandoned) for several days. You can use this report to compare skillset performance for the same reporting period on different days.

! **Important:**

This report does not support report Creation Wizard formulas.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the iSkillsetStat view; see [SkillsetStat views](#) on page 151. For more information about views; see [Access rights by view](#) on page 34.

Collection Frequency

This report contains interval data.

Templates

This report uses the icross_skillset.rdl template.

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
Skillset Name ID	iSkillsetStat.Application<>"System_Application"
Skillset Name	iSkillsetStat.Skillset
	iSkillsetStat.Timestamp

Statistics

This report uses the following statistics.

Name	View field/Formula
Offered	CallOffered
Answered	CallAnswered
Network Answered	NetworkCallAnswered
Abandoned	SkillsetAbandoned

Summaries

The report provides totals for each selected skillset for the selected intervals. Also, totals for the selected intervals are grouped by day.

Crosstab—Trunk Performance

The report applies to the Avaya Communication Server 1000 PABX only. The Crosstab—Trunk Performance report helps you understand contact center traffic patterns. The report lists the total contact volume by individual trunk, including total contacts abandoned, accepted, and offered.

Important:

This report does not support report Creation Wizard formulas.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the iTrunkStat view; see [TrunkStat views](#) on page 162. For more information about views; see [Access rights by view](#) on page 34.

Collection Frequency

This report contains interval data.

Templates

This report uses the icross_trunk.rdl template.

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
Trunk ID	iTrunkStat.Timestamp

Statistics

This report uses the following statistics.

Name	View field/Formula
Offered	CallOffered
Answered	CallAnswered
Abandoned	CallsAbandoned

Summaries

The report provides totals for each selected trunk for the selected intervals. Also, totals for the selected intervals are grouped by day.

DNIS Statistics

The DNIS Statistics report summarizes the total contact volume to each DNIS number. The DNIS Statistics report lists the total contacts accepted, total customer wait time, total contacts abandoned, and the percentage of contacts abandoned after a wait greater than or equal to the service level threshold defined for the DNIS.

You can use this report to track call handling performance on products or services associated with a DNIS number.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the DNISStat view. For more information, see [DNISStat views](#) on page 120. For more information about views; see [Access rights by view](#) on page 34.

Collection Frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- im-res6.rdl
- dm-res6.rdl
- wm-res6.rdl
- mm-res6.rdl

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
DNIS	iDNISStat.DNIS
DNIS Name	iDNISStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	CallsOffered	CallsOffered
Ans	CallsAnswered	CallsAnswered
Ans Delay	CallsAnsweredDelay	RCW_CallsAnsweredDelay
Max Ans Delay	MaxAnsweredDelay	RCW_MaxAnsweredDelay
Avg Ans Delay	CallsAnsweredDelay/CallsAnswered	RCW_AverageAnsweredDelay
Ans After Thld	CallsAnsweredAftThreshold	CallsAnsweredAftThreshold
Disconnected	CallsGivenForceDisconnect	CallsGivenForceDisconnect
Overflowed	CallsGivenForceOverflow	CallsGivenForceOverflow
Routed	CallsGivenRouteTo	CallsGivenRouteTo
Avaya Communication Server 1000 — AML		
NACD Out (Avaya Communication Server 1000 PABX)	CallsNACDOut	CallsNACDOut
IVR Trans	IVRTransferred	IVRTransferred
Defaulted	CallsGivenDefault	CallsGivenDefault
Given Busy	CallsGivenForceBusy	CallsGivenForceBusy
Abnd	CallsAbandoned	CallsAbandoned
Abnd Delay	CallsAbandonedDelay	RCW_CallsAbandonedDelay
Abnd After Thld	CallsAbandonedAftThreshold	CallsAbandonedAftThreshold
% Service Level	$\frac{[(\text{CallsAnswered} + \text{CallsAbandoned}) - (\text{CallsAnsweredAftThreshold} + \text{CallsAbandonedAftThreshold})]}{(\text{CallsAnswered} + \text{CallsAbandoned})} \times 100$	RCW_PctServiceLevel
Talk Time	TalkTime	RCW_TalkTime

Summaries

The report provides totals for each DNIS number and subtotals for each day, week, or month, depending on the selected reporting period. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected DNIS numbers.

IVR Port First Login/Last Logout

The IVR Port First Login/Last Logout report provides information about the first login to and last logoff from the server. The report lists the ports on which the first logon and last logoff occurred and the time at which these events occurred.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the eIVRPortLoginStat view; see [IVRPortStat views](#) on page 126. For more information about views; see [Access rights by view](#) on page 34.

Templates

This report uses the em-res5.rdl template.

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
None	(eIVRPortLoginStat.EventType='LI' OR eIVRPortLoginStat.EventType='LO')
—	eIVRPortLoginStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Time	Time	Time
Port ID	IVRPortID	IVRPortID

IVR Port Statistics

The IVR Port Statistics report shows summarized statistical information grouped by IVR port. The report provides detailed information about specific IVR ports used within the contact center. For each port specified, the report shows the total number of contacts accepted, conferenced, and transferred.

The IVR Port Statistics report also indicates the amount of time the port is available to accept contacts and how much time is spent waiting to receive contacts. The report helps you determine whether a specific port can be causing poor performance within an IVR queue.

The report can also be used for troubleshooting to identify ports that are removed from service or that have no application running.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the IVRPortStat view; see [IVRPortStat views](#) on page 126. For more information about views; see [Access rights by view](#) on page 34.

Collection Frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- im-res4.rdl
- dm-res4.rdl
- wm-res4.rdl
- mm-res4.rdl

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
IVR Port ID	iIVRPortStat.IVRPortID
IVR Port Name	iIVRPortStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Answered	CallsAnswered	CallsAnswered
Conf	CallsConferenced	CallsConferenced

Table continues...

Report field	View field/Formula	View field/Report Creation Wizard formula
Transferred	CallsTransferred	CallsTransferred
Logged In Time	LoggedInTime	RCW_LoggedInTime
Not Ready Time	NotReadyTime	RCW_NotReadyTime
Talk Time	TalkTime	RCW_TalkTime
Waiting Time	WaitingTime	RCW_WaitTime

Summaries

The report provides totals for each IVR port and subtotals for each day, week, or month, depending on the reporting period selected. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all IVR ports.

IVR Queue Statistics

The IVR Queue Statistics report shows summarized statistical information grouped by IVR queue. The report details the performance of IVR queues, and is especially useful for understanding contact volume and delays customers experience when they attempt to access the IVR system.

If the report shows you that an IVR queue is not performing well, equip the queue with more IVR ports.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the IVRStat view; see [IVRStat views](#) on page 130. For more information about views; see [Access rights by view](#) on page 34.

Collection Frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- im-res3.rdl

- dm-res3.rdl
- wm-res3.rdl
- mm-res3.rdl

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
IVR Queue ID	iIVRStat.IVRQueueID
IVR Queue Name	iIVRStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	CallsOffered	CallsOffered
Answered	CallsAnswered	CallsAnswered
Answered After Threshold	CallsAnsweredAftThreshold	CallsAnsweredAftThreshold
Ans Delay	CallsAnsweredDelay	RCW_CallsAnsweredDelay
Conferenced	CallsConferenced	CallsConferenced
Transferred	CallsTransferred	CallsTransferred
Not Treated	CallsNotTreated	CallsNotTreated
Not Treated Aft Th	CallsNotTreatedAftThreshold	CallsNotTreatedAftThreshold
Not Treated Dly	CallsNotTreatedDelay	RCW_CallsNotTreatedDelay

Summaries

The report provides totals for each IVR queue and subtotals for each day, week, or month, depending on the selected reporting period. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected IVR queues.

Music/RAN Route Statistics

The Music/RAN Route Statistics report shows information about music and recorded announcement (RAN) routes. For each route, the report provides the number of route accesses and the route access time.

This report can help you pinpoint overloaded routes.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the RANMusicRouteStat view, (see [RANMusicRouteStat views](#) on page 146). For more information about views; see [Access rights by view](#) on page 34.

Collection Frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- im-res8.rdl
- dm-res8.rdl
- wm-res8.rdl
- mm-res8.rdl

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
Route ID	iRANMusicRouteStat.RouteID
Route Name	iRANMusicRouteStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Route Access	RouteAccess	RouteAccess
Route Access Time	RouteAccessTime	RCW_RouteAccessTime

Summaries

The report provides totals for each music and RAN route and subtotals for each day, week, or month, depending on the selected reporting period. For the interval reporting period, statistics are

further broken down by interval. The report also contains a grand total for all selected music and RAN routes.

Route Performance

The report applies to the Avaya Communication Server 1000 PABX only. The Crosstab - Route Performance report provides the number of times that all the trunks in a route are busy. The report also shows the number of contacts blocked by the all-trunks-busy. When all trunks in a route are busy, customers who contact your contact center receive a busy signal or are blocked from networking. Your telecommunications manager can use this report to determine if your system reached capacity and whether the company must provide more trunk lines to meet the demand.

When you review the report, be aware that the value NUMBER OF ATB PERIODS increases by one at the beginning of each all-trunks-busy period within the reporting interval. If an all-trunks-busy period spans two or more intervals, the value is counted only against the interval in which it began.

Use the Crosstab - Route Performance report with other reports to interpret the cause of all-trunks-busy periods. The report helps you determine the best action to reduce the number of all-trunks-busy periods. For example, a change in your operating procedures can move contacts through faster and free lines; or you might need to lease extra trunk lines during your busiest periods.

Contacts blocked by all-trunks-busy signal peg against the Default_Route 999.

For more information, see [Report descriptions](#) on page 543.

Route: A route is a group of trunks with similar characteristics.

Example

A contact center can direct two routes to each contact center skillset, depending on the demographics of a customer area. Each route is configured with multiple trunks.

Views

This report uses the RouteStat view; see [RouteStat views](#) on page 148. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- im-res2.rdl
- dm-res2.rdl
- wm-res2.rdl
- mm-res2.rdl

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
Route ID	iRouteStat.RouteID
Route Name	iRouteStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
All Trunks Busy	AllTrunksBusy	AllTrunksBusy
All Trunks Busy Time	AllTrunksBusyTime	RCW_AllTrunksBusyTime
Calls Blocked by All Trunks Busy	CallsBlockedByAllTrunksBusy	CallsBlockedByAllTrunksBusy

Summaries

The report provides totals for each route and subtotals for each day, week, or month, depending on the selected reporting period. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected routes.

Skillset by Application

The Skillset by Application report shows summarized skillset statistics for each application under review. The report provides statistics such as the total number of contacts accepted for a skillset, number of contacts accepted after the service level threshold for the skillset, all agent staffed time, and average number of agents.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the SkillsetStat view; see [SkillsetStat views](#) on page 151. For more information about views; see [Access rights by view](#) on page 34.

Collection Frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- imskill4.rdl
- dmskill4.rdl
- wmskill4.rdl
- mmskill4.rdl

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
Skillset Name ID	iSkillsetStat.SiteID = 0
Skillset Name	iSkillsetStat.Application <> "System_Application"
	iSkillsetStat.Skillset
	iSkillsetStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Skillset Ans	CallsAnswered	CallsAnswered
Skillset Ans After Thld	CallsAnsweredAfterThreshold	CallsAnsweredAfterThreshold
% Ans After Thld	CallsAnsweredAfterThreshold/ CallsAnswered x 100	RCW_PctCallsAnsweredAfterThreshol d

Table continues...

Report field	View field/Formula	View field/Report Creation Wizard formula
Ans Delay	CallsAnsweredDelay	RCW_CallsAnsweredDelay
Avg Ans Delay	CallsAnsweredDelay/CallsAnswered	RCW_AverageCallsAnswered Delay
Max Ans Delay	MaxAnsweredDelay	RCW_MaxAnsweredDelay

Summaries

The report provides totals for each application and subtotals for each skillset. For each skillset, statistics are further broken down by day, week, or month (depending on the selected reporting period). For the interval reporting period, statistics are further broken down by interval, and within each interval, by skillset. The report also contains a grand total for all selected applications.

Skillset Performance

The Skillset Performance report provides summarized contact handling performance information for each skillset defined on your system. For network skillsets, only local contacts are included. The report lists the total number of local contacts answered by agents for the skillset, the number and percentage of local contacts agents answered after a predefined service level threshold, the maximum delay a caller experienced, and the total time all agents are busy serving contacts in the skillset.

By indicating the volume of contacts and the delay times customers experienced, along with the amount of time agents are busy serving contacts in the skillset, the report indicates whether the skillset has the number of agents required to service customers. If a skillset is not performing well, consult the agent reports.

For network skillsets; see [Network Skillset Performance](#) on page 672 for a report showing all local and incoming NSBR contacts in this skillset. For more information, see [Report descriptions](#) on page 543.

Views

This report uses the SkillsetStat view; see [SkillsetStat views](#) on page 151. For more information about views; see [Access rights by view](#) on page 34.

Collection Frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly

- monthly

Templates

This report uses the following templates:

- imskill1.rdl
- dmskill1.rdl
- wmskill1.rdl
- mmskill2.rdl

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
Skillset Name ID	iSkillsetStat.SiteID = 0
Skillset Name	iSkillsetStat.Skillset
	iSkillsetStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Skillset Ans	CallsAnswered	CallsAnswered
Skillset Ans After Thld	CallsAnsweredAfterThreshold	CallsAnsweredAfterThreshold
% Ans After Thld	CallsAnsweredAfterThreshold/ CallsAnswered x 100	RCW_PctCallsAnsweredAfterThreshold
Ans Delay	CallsAnsweredDelay	RCW_CallsAnsweredDelay
Avg Ans Delay	CallsAnsweredDelay/CallsAnswered	RCW_AverageCallsAnsweredDelay
Max Ans Delay	MaxAnsweredDelay	RCW_MaxAnsweredDelay
All Agents Busy Time	AllAgentBusyTime	RCW_AllAgentBusyTime
Staffed Time	TotalStaffedTime	RCW_TotalStaffedTime
Skillset Active Time	ActiveTime	RCW_ActiveTime
Avg. No of Agents	TotalStaffedTime/ ActiveTime	RCW_AverageNumberOfAgents

Summaries

The report provides totals for each skillset and subtotals for each day, week, or month, depending on the selected reporting period. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected skillsets.

Skillset Timeline

The Skillset Timeline report shows a graphical representation of the service level, contact handling performance, and agent staffing information for skillsets defined on your system. The report also lists the active time, the staffed time, and the multiplicity staffed time within the reporting period. You can select any number of skillsets for the report.

The report shows the skillset statistics as a line plotted on a timeline graph. The line is drawn between points which represent the accumulated value for each statistic at a specific date and time. The values available for the date and time depend on the collection frequency type you select.

The statistics appear in three separate timeline graphs for each skillset:

- Service Level
- Contacts
- Average Agents

The scales shown on the timeline graph are automatically adjusted to the data. The vertical axis always starts at 0 and ends at the highest value required. The horizontal axis represents the timeline and shows the dates and times for the data range specified. When the collection frequency is interval, the timeline scale shows every other interval; however, the points on the graph appear for all 15-minute intervals in the selected range. All other collection frequencies appear in the timeline scale.

A legend appears below each timeline graph to describe the colored lines in each portion of the graphical report. The lines are plotted on the timeline graph in the same order as the legend from left to right and top to bottom. If the lines overlap, the last in the list appears on the graph. For example, if all contacts presented are accepted, the line for presented contacts is covered by the line for accepted contacts. For a contact to be accepted, it must have been presented, so you can still interpret all of the data on the timeline chart.

This report is best viewed when printed on a color printer. The printer must support printing charts and be able to automatically reduce the page size to fit the selected paper for printing.

The report is graphical and can only be exported to formats that support graphics. The supported formats are:

- Adobe PDF
- Excel
- Word

For network skillsets, only local contacts are included. For a graphical representation including incoming NSBR contacts, see [Network Skillset Timeline](#) on page 674.

This report is restricted to an Avaya Aura[®] Contact Center system only. For more information, see [Report descriptions](#) on page 543.

Interpretation

The Service Level, shown as a percentage, indicates how agents staffing a skillset are managing the contacts presented. If the service level is acceptable, you might not need to review the other timeline charts for the skillset. If the number of contacts presented is 0, the service level is 0.

The Contacts timeline chart indicates the number of contacts presented, accepted, abandoned, accepted after threshold, and abandoned after threshold. Use the Contacts timeline chart when the service level is below target to determine if there is an unusual number of contacts accepted or abandoned. The service level increases when contacts are accepted or abandoned before the service level threshold. The service level decreases when contacts are accepted or abandoned after the service level threshold.

The Average Agents timeline chart indicates the number of agents staffing a skillset and how these agents are contributing to the service level. Use the average agents timeline chart when the service level is below target to determine if there are enough agents staffing the skillset or if the agents are unavailable. An agent is considered available if the agent is handling a contact from the skillset or idle waiting on a contact. The number of idle agents appears on the timeline chart to help determine how many agents are waiting to handle a contact. If the agent is in another state (such as Not Ready) or handling a contact from another skillset, then the agent is not available to handle a contact presented to the current skillset.

The following table describes other observations on the graphical charts:

Observation	Occurs when...
No lines appear on chart	There are no agents staffing the skillset.
Lines on chart are broken	There are no agents staffing the skillset for some of the intervals shown.
Continuous line on chart, but timeline is not continuous: A warning appears.	There is no system data available for the intervals indicated in the warning message.
No data appears on chart, but when you expand range, chart appears	There was no skillset data for the initial data range selected. When the range is expanded, a reference point is available and skillset data is presented.

Views

This report uses the SkillsetStat views; see [SkillsetStat views](#) on page 151. For more information about views; see [Access rights by view](#) on page 34.

Collection Frequency

The following collection frequency types are available for this report:

- 15 minute interval
- daily
- weekly

- monthly

Selection Criteria

This report uses the following criteria:

Selection criteria	Database field names
Contact Type	iSkillsetStat.ContactType
Skillset Name ID	iSkillsetStat.Skillset
Skillset Name	iSkillsetStat.Timestamp

The data range for this report is filtered based on the following criteria:

Database field name
iSkillsetStat.Timestamp

This report uses the following predefined criteria:

Database field name	Criteria
iSkillsetStat.Timestamp	iSkillsetStat.SiteID=0
iSkillsetStat.SiteID	iSkillsetStat.SiteID=0

Statistics

This report uses the following statistics.

Table 12: Service Level Timeline Graph and Summaries

Report field	View field/Formula	View field/Report Creation Wizard formula
% Service Level	$\frac{\{(CallsAnswered + CallsAbandoned) - (CallsAnsweredAftThreshold + CallsAbandonedAftThreshold)\}}{(CallsAnswered + CallsAbandoned)} \times 100$	RCW_PctServiceLevel

Table 13: Contacts Timeline Graph and Summaries

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	VirtualCallsOffered	VirtualCallsOffered
Ans	CallsAnswered	CallsAnswered
Ans After Thld	VirtualCallsAbandoned	VirtualCallsAbandoned
Abnd	CallsAnsweredAfterThreshold	CallsAnsweredAfterThreshold
Abnd After Thld	VirtualCallsAbnAftThreshold	VirtualCallsAbnAftThreshold

Table 14: Average Agents Timeline Graph and Summaries

Report field	View field/Formula	View field/Report Creation Wizard formula
Avg Agents Staffing	TotalStaffedTime / ActiveTime	RCW_AverageNumberOfAgents
Avg Agents Multi. Staffing	MaxCapacityTotalStaffedTime / ActiveTime	—
Avg Agents Available	(MaxCapacityIdleTime + TalkTime) / ActiveTime	—
Avg Agents Idle	MaxCapacityIdleTime / ActiveTime	—

Table 15: Summaries

Report field	View field/Formula	View field/Report Creation Wizard formula
Active Time	ActiveTime	RCW_ActiveTime
Staffed Time	TotalStaffedTime	RCW_TotalStaffedTime
Multi. Staffed Time	MaxCapacityTotalStaffedTime	—

Summaries

The report provides totals for each skillset, and subtotals for each day, month, or year, depending on the reporting period you select:

Collection frequency	Subtotal
Interval	Each day
Daily	Each month
Weekly	Each year
Monthly	Each year

Skillset Timeline by Contact Type

The Skillset Timeline by Contact Type report shows a graphical representation of the service level, contact handling performance, and agent staffing information for skillsets for each contact type defined on your system. The report also lists the active time, the staffed time, and the multiplicity staffed time within the reporting period. You can select any number of skillsets for the report.

The report shows the skillset statistics as a line plotted on a timeline graph. The line is drawn between points which represent the accumulated value for each statistic at a specific date and time. The values available for the date and time depend on the collection frequency type you select.

The statistics appear in three separate timeline graphs for each skillset:

- Service Level
- Contacts
- Average Agents

The scales shown on the timeline graph are automatically adjusted to the data. The vertical axis always starts at 0 and ends at the highest value required. The horizontal axis represents the timeline and shows the dates and times for the data range specified. When the collection frequency is interval, the timeline scale shows every other interval; however, the points on the graph appear for all 15-minute intervals in the selected range. All other collection frequencies appear in the timeline scale.

A legend appears below each timeline graph to describe the colored lines in each portion of the graphical report. The lines are plotted on the timeline graph in the same order as the legend from left to right and top to bottom. If the lines overlap, the last in the list appears on the graph. For example, if all contacts presented are accepted, the line for presented contacts is covered by the line for accepted contacts. For a contact to be accepted, it must have been presented, so you can still interpret all of the data on the timeline chart.

This report is best viewed when printed on a color printer. The printer must support printing charts and be able to automatically reduce the page size to fit the selected paper for printing.

The report is graphical and can only be exported to formats that support graphics. The supported formats are:

- Adobe PDF
- Excel
- Word

For network skillsets, only local contacts are included. For a graphical representation including incoming NSBR contacts, see [Network Skillset Timeline](#) on page 674.

This report is restricted to an Avaya Aura[®] Contact Center system only. For more information, see [Report descriptions](#) on page 543.

Interpretation

The Service Level, shown as a percentage, indicates how agents staffing the skillsets of a specific contact type are managing the contacts presented. If the service level is acceptable, you might not need to review the other timeline charts for the skillset. If the number of contacts presented is 0, the service level is 0.

The Contacts timeline chart indicates the number of contacts presented, accepted, abandoned, accepted after threshold, and abandoned after threshold. Use the Contacts timeline chart when the service level is below target to determine if there is an unusual number of contacts accepted or abandoned. The service level increases when contacts are accepted or abandoned before the service level threshold. The service level decreases when contacts are accepted or abandoned after the service level threshold.

The Average Agents timeline chart indicates the number of agents staffing the skillsets of a specific contact type and how these agents are contributing to the service level. Use the average agents timeline chart when the service level is below target to determine if there are enough agents staffing the skillset or if the agents are unavailable. An agent is considered available if the agent is handling a contact from the skillsets of a contact type or idle waiting on a contact. The number of idle agents appears on the timeline chart to help determine how many agents are waiting to handle a contact. If the agent is in another state (such as Not Ready) or handling a contact from another contact type, then the agent is not available to handle a contact presented to the skillsets of a specific contact type.

The following table describes other observations on the graphical charts:

Observation	Occurs when...
No lines appear on chart	There are no agents staffing the skillset.
Lines on chart are broken	There are no agents staffing the skillset for some of the intervals shown.
Continuous line on chart, but timeline is not continuous: A warning appears.	There is no system data available for the intervals indicated in the warning message.
No data appears on chart, but when you expand range, chart appears	There was no skillset data for the initial data range selected. When the range is expanded, a reference point is available and skillset data is presented.

Since the statistics are for a specific contact type, the issues might exist in one or more skillsets belonging to the contact type. For details of each skillset, see the [Skillset Timeline](#) on page 716.

Views

This report uses the SkillsetStat views; see [SkillsetStat views](#) on page 151. For more information about views; see [Access rights by view](#) on page 34.

Collection Frequency

The following collection frequency types are available for this report:

- 15 minute interval
- daily
- weekly
- monthly

Selection Criteria

This report uses the following criteria:

Selection criteria	Database field names
Contact Type	iSkillsetStat.ContactType
Skillset Name ID	iSkillsetStat.Skillset
Skillset Name	iSkillsetStat.Timestamp

The data range for this report is filtered based on the following criteria:

Database field name
iSkillsetStat.Timestamp

This report uses the following predefined criteria:

Database field name	Criteria
iSkillsetStat.Timestamp	iSkillsetStat.SiteID=0
iSkillsetStat.SiteID	iSkillsetStat.SiteID=0

Statistics

This report uses the following statistics.

Table 16: Service Level Timeline Graph and Summaries

Report field	View field/Formula	View field/Report Creation Wizard formula
% Service Level	$\frac{((\text{CallsAnswered} + \text{CallsAbandoned}) - (\text{CallsAnsweredAftThreshold} + \text{CallsAbandonedAftThreshold}))}{(\text{CallsAnswered} + \text{CallsAbandoned})} \times 100$	RCW_PctServiceLevel

Table 17: Contacts Timeline Graph and Summaries

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	VirtualCallsOffered	VirtualCallsOffered
Ans	CallsAnswered	CallsAnswered
Ans After Thld	VirtualCallsAbandoned	VirtualCallsAbandoned
Abnd	CallsAnsweredAfterThreshold	CallsAnsweredAfterThreshold
Abnd After Thld	VirtualCallsAbnAftThreshold	VirtualCallsAbnAftThreshold

Table 18: Average Agents Timeline Graph and Summaries

Report field	View field/Formula	View field/Report Creation Wizard formula
Avg Agents Staffing	TotalStaffedTime / ActiveTime	RCW_AverageNumberOfAgents
Avg Agents Multi. Staffing	MaxCapacityTotalStaffedTime / ActiveTime	—
Avg Agents Available	(MaxCapacityIdleTime + TalkTime) / ActiveTime	—
Avg Agents Idle	MaxCapacityIdleTime / ActiveTime	—

Table 19: Summaries

Report field	View field/Formula	View field/Report Creation Wizard formula
Active Time	ActiveTime	RCW_ActiveTime
Staffed Time	TotalStaffedTime	RCW_TotalStaffedTime
Multi. Staffed Time	MaxCapacityTotalStaffedTime	—

Summaries

The report provides totals for each skillset, and subtotals for each day, month, or year, depending on the reporting period you select:

Collection frequency	Subtotal
Interval	Each day
Daily	Each month
Weekly	Each year
Monthly	Each year

Trunk Performance

Avaya Communication Server 1000 PABX only. The Trunk Performance report shows summarized performance information grouped by trunk.

The Trunk Performance report helps you understand contact center traffic patterns. The report lists the total call volume by individual trunk, including total contacts accepted, answered, and offered.

To further evaluate trunk and contact center performance, the Trunk Performance report also shows the amount of time customers waited for an agent to accept their contact and the amount of time customers waited before abandoning their contact.

If specific trunks are under used or consistently backlogged, you can take action to make these contact center resources more efficient.

Note the following information about Trunk Performance reports:

- This report does not contain statistics for ISA trunks.
- To use this report, trunks must directly enter the Contact Center Manager Server. Contact centers that use an IVR type of application do not support the Trunk Performance report.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the TrunkStat view; see [TrunkStat views](#) on page 162. For more information about views; see [Access rights by view](#) on page 34.

Collection Frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- im-res1.rdl
- dm-res1.rdl
- wm-res1.rdl
- mm-res1.rdl

Selection criteria

This report uses the following criteria.

Selection Criteria	Database field names
Trunk ID	iTrunkStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Avg Utilization per Intvl	Occupancy Time/Number of reporting periods	RCW_PctUseage
Usage Time	OccupancyTime	RCW_OccupancyTime
Ans Delay	CallsAnsweredDelay	RCW_CallsAnsweredDelay
Abnd Delay	CallsAbandonedDelay	RCW_CallsAbandonedDelay
Offered	CallsOffered	CallsOffered
Answered	CallsAnswered	CallsAnswered
Abnd	CallsAbandoned	CallsAbandoned

Summaries

The report provides totals for each trunk and subtotals for each day, week, or month, depending on the reporting period selected. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand total for all selected trunks.

Chapter 25: Standard administration reports

This section lists the four administration reports that are available in Contact Center Manager Administration (CCMA).

The four new administration reports are:

- Access Classes
- Reports Groups
- User Defined Partitions
- Users

These reports are listed under the server entry Administration. You cannot import a user-created report or a Report Creation Wizard report to the Administration server. However, you can save a user-defined Access and Partition Management report in the private report templates folder for scheduling.

Important:

These reports do not support Report Creation Wizard formulas.

Accessibility

The following users and groups can run these reports:

- webadmin
- users with Full data across all servers
- users with All Data for Administration server
- users with Standard Configuration Reports checked for Administration server

Data source

The data for these reports is generated from the proprietary API developed for CCMA. The data for these reports is extracted from Active Directory Lightweight Directory Services (AD-LDS). For each user report session, the data extracted from AD-LDS is temporarily stored in memory. The reports are created using these temporary memory data sources.

Access Classes

The Access Classes report presents all information concerning access classes configured in CCMA:

- Access Class Name—Contains the access class name.
- Members—Contains the users assigned to the access class.
- Access Class properties—Shows access rights for each server.

! **Important:**

This report does not support Report Creation Wizard formulas.

For more information, see [Report descriptions](#) on page 543.

Templates

This report uses the APMAcc.rdl template.

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Access Class	None

Report Groups

The Report Group report lists information for each Contact Center Manager Server configured on CCMA.

The following are the displayed main rows in the report body:

- Server—Contains the Contact Center Manager Server name.
- List of report groups—Contains the list of report groups (standard and user-defined).
- Report Group—Contains report group name, partition allocated to this report group, and user report saved under the report group (reports displayed only for user-defined report groups).

! **Important:**

This report does not support Report Creation Wizard formulas.

For more information, see [Report descriptions](#) on page 543.

Templates

This report uses the APMRGRP.rdl template.

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Server IP	None
Server name	

User Defined Partitions

The User Defined Partitions report lists the following information for each user-defined partition:

- Partition Name—Contains the user-defined partition name.
- Members—Contains the users assigned to the user-defined partition with rights on Contact Center Manager, Historical Reporting, and Real Time Reporting components.
- Server Name—Shows data allocated for all Contact Center Manager Servers for the partition, such as Agents, Skillsets, Report Groups, Applications, CDN, and DNIS.

! **Important:**

This report does not support Report Creation Wizard formulas.

For more information, see [Report descriptions](#) on page 543.

Templates

This report uses the APMPartition.rdl template.

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Partition Name	None

Users

The Users report lists information for each user configured on CCMA.

The report body displays the following main rows:

- User Name—the CCMA user details.
- Basic Access Rights—the basic access rights for each CCMA component.

- Access Classes—the name of the access classes allocated to this user.
- Partitions—whether the user has full data access across all servers.
- Data per server—partitions data for each server for the user including Standard partitions and supervisors.
- User defined partitions—the user-defined partitions and component level access on the partitions for this user.

! **Important:**

This report does not support Report Creation Wizard formulas.

For more information, see [Report descriptions](#) on page 543.

Templates

This report uses the APMUser.rdl template.

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
User ID	None

Chapter 26: Standard Outbound reports

This section lists the reports associated with Outbound campaigns.

Campaign Call Details

The Campaign Call Details report lists a detailed description of each contact, including the number dialed for a campaign.

! **Important:**

This report does not support Report Creation Wizard formulas.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the CampaignCallDetails view.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Selection criteria

You can apply a filter to any field in the view. For example, you can apply a filter to specific disposition codes.

Templates

This report uses the CampaignCallDetailsReport.rdl template.

Summaries

The report is in the Outbound group. Any call can be dialed multiple times; in which case, a separate entry represents each call attempt. For example, if the number 091 389123 is dialed initially, and the number is busy and dialed again later with a successful connection, two entries appear in the report for this number.

If you require campaign data in electronic format, you can use the Outbound Campaign Management Tool (OCMT) export tool to export campaign data to a text file.

Campaign Script Results Details

The Campaign Scripts Results Details report provides a detailed description of each contact and associated questions and answers.

Important:

Report Creation Wizard formulas are not supported for this report.

Views

This report uses the CampaignAgentScriptResultsCallByCallDetails view.

Selection criteria

You can apply a filter to any field in the view. For example, you can apply a filter to specific disposition codes.

Templates

This report uses the CampaignAgentScriptResultsCallByCallDetailsReport.rdl template.

Summaries

The report is in the Outbound group. You must include an agent script as part of the campaign for questions and answers to be associated with a contact.

Important:

If you require the data in electronic format, you can use the OCMT export tool to export campaign data and results to a text file.

Campaign Performance

The Campaign Performance report provides an overall summary of the campaign including details about the total number of contacts and a summation of the Contact Open, Dial, Talk, and Call duration.

Views

This report uses the CampaignCallByCallDetails view.

Selection criteria

You can apply a filter to any field in the view. For example, CampaignName, ContactLastClosedTime, ContactLastOpenTime, TotalDialTime, and TotalTalkTime.

Templates

This report uses the CampaignPerformance.rdl template.

Summaries

The report is in the Outbound group.

Campaign Summary

The Campaign Summary Report lists the following information:

- Summary of the campaign settings, such as Start Date, End Date, and Created by.
- Number of contacts processed by agents.
- Summary of the disposition codes for the campaign and the number of contacts in each disposition code.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the CampaignSummary view.

Selection criteria

You can apply a filter to any field in the view. For example, you can apply a filter to specific disposition codes.

Templates

This report uses the CampaignSummaryReport.rdl template.

Summaries

The report is in the Outbound group.

! **Important:**

If you require the campaign data in electronic format, you can use the OCMT export tool to export the campaign data and results to a text file.

Script Summary

The Script Summary Report provides a summary of answers associated with each question.

! **Important:**

This report does not support Report Creation Wizard formulas.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the ScriptSummary view.

Selection criteria

You can apply a filter to any field in the view. For example, a filter can be applied to specific disposition codes.

Templates

This report uses theScriptSummaryReport.rdl template.

Summaries

The report is in the Outbound group.

! **Important:**

If you require the campaign data and results in electronic format, you can use the OCMT export tool to export the campaign data and results to a text file.

Chapter 27: Standard Network Control Center reports

This section lists the reports that you can generate on the Network Control Center.

Network Call by Call Statistics

Network Control Center option only. For each contact that is networked out, the Network Call by Call report shows detailed information including time, event, agent, source, and destination.

Important:

Network Call by Call reports contain a large amount of data. Consequently, they take much longer to generate than other types of reports. You must schedule the user-defined reports that use this standard report as a template. You cannot run an on-demand report. To run this report, you must select at least one network site.

Time zone conversion

When you generate a Network Call by Call report, you specify a source site and a data extraction period based on the time at the source site. (The data extraction period can be up to 1 hour.) The report contains information about all contacts networked out from the source site during this period, and provides all events applicable to those contacts, from the time they entered the source site to the time that they ended. If you configure the Time Zone Relative to GMT correctly for each site, the Timestamp for each contact event is in the time zone of the source site.

For example, the administrator of the BestAir Network Control Center wants to generate a Network Call by Call report to report on contacts networked out from the Chicago server during the period from 10:00 a.m. to 11:00 a.m., Toronto time. (Chicago is 1 hour behind Toronto.) When generating the report, the administrator identifies Chicago as the source site, and specifies a data extraction period of 9:00 a.m. to 10:00 a.m.

Views

This report uses the following views:

- eCallByCallStatYYYYMMDD (source site); see [eCallByCallStat views](#) on page 193.

- eNetCallByCallStatYYYYMMDD

For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

This report contains interval data.

Templates

This report uses the netcbc.rdl template.

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
None	None

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Call ID	eNetCallByCallStatYYYYMMD D.CallId	eNetCallByCallStatYYYYMMDD.CallId
Timestamp	eNetCallByCallStatYYYYMMD D.Timestamp	eNetCallByCallStatYYYYMMDD.Timestamp
Time	eNetCallByCallStatYYYYMMD D.Time	eNetCallByCallStatYYYYMMDD.
Event	eNetCallByCallStatYYYYMMD D.CallEventName	eNetCallByCallStatYYYYMMDD.CallEventName
AgentID	eNetCallByCallStatYYYYMMD D.TelsetLoginID	eNetCallByCallStatYYYYMMDD.TelsetLoginID
Event Data	eNetCallByCallStatYYYYMMD D.EventData	eNetCallByCallStatYYYYMMDD.EventData
Source	eNetCallByCallStatYYYYMMD D.Source	eNetCallByCallStatYYYYMMDD.Source
Destination	eNetCallByCallStatYYYYMMD D.Destination	eNetCallByCallStatYYYYMMDD.Destination

Network Consolidated Application Performance

Network Control Center option only. This report contains summarized application performance statistics for all sites in the network. For each site, the report lists all applications. For each application at a site, the report lists the number of outgoing network contacts that are accepted, delayed, and abandoned.

The report contains a grand summary section that consolidates the results for all sites in the network, and provides a roll-up summary for all contact statistics. This report can be particularly useful in determining the efficiency of your network configuration.

Important:

To run this report, you must select at least one network site.

For more information, see [Report descriptions](#) on page 543.

Time zone conversion

When you generate a consolidated report, specify a data extraction period based on the time at the Network Control Center. If you choose the time zone conversion option, and if you configure Time Relative to GMT correctly for each site included in the report, the Network Control Center time is converted to the corresponding local time at each site. For example, the Network Control Center at BestAir is in Chicago. The Network Control Center administrator generates a consolidated report with time zone conversion, choosing a data extraction period from 10:00 a.m. to 11:00 a.m. Chicago time. The report includes events occurring at Toronto from 11:00 a.m. to 12:00 noon local time, and at San Francisco from 8:00 a.m. to 9:00 a.m. local time.

If you choose not to use the time zone conversion option, the Network Control Center time is not converted to local time. For example, if the administrator generates the same report, without time zone conversion, it includes events occurring at Toronto from 11:00 a.m. to 12:00 noon local time, and at San Francisco from 11:00 a.m. to 12:00 noon local time.

Views

This report uses the ApplicationStat view (see [ApplicationStat views](#) on page 97). For more information about views, see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- icnetapp1.rdl
- dcnetapp1.rdl
- wcnetapp1.rdl
- mcnetapp2.rdl

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Network sites	iApplicationStat.Application<>'Network_Script' ANDiApplicationStat.Application<>'ACD_DN_Application' iApplicationStat.Timestamp

Network Out Call Statistics

Refer the following table for Network Out Call Statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	NetOutCalls	NetOutCalls
Answered	NetOutCallsAnswered	NetOutCallsAnswered
Abandoned	NetOutCallsAbandoned	NetOutCallsAbandoned
Reach Non ISDN Trunks	NetOutCallsReachNonISDN	NetOutCallsReachNonISDN

Call Delay Time Statistics

Refer to the following table for Call Delay Time Statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Ans Delay	NetOutCallsAnsweredDelay	RCW_NetOutCallsAnsweredDelay
Maximum Ans Delay	MaxNetOutCallsAnsweredDelay	RCW_MaxNetOutCalls AnsweredDelay
Average Ans Delay	NetOutCallAnsweredDelay/ NetOutCallsAnswered	RCW_AverageNetOutCalls AnsweredDelay
Aban Delay	NetOutCallsAbandonedDelay	RCW_NetOutCallsAbandonedDelay
Time Before Network Out	TimeBeforeNetOut	RCW_TimeBeforeNetOut

Table continues...

Report field	View field/Formula	View field/Report Creation Wizard formula
Time Before Reach Non ISDN Trunks	TimeBeforeReachNonISDN	RCW_TimeBeforeReachNon ISDN

NACD Statistics

This report uses following statistics.

Report field	View field/formula	View field/Report Creation Wizard formula
Given NACD	CallsGivenNACD	CallsGivenNACD
NACD Out	CallsNACDOut	CallsNACDOut
Time Before NACD Out	TimeBeforeNACDOut	RCW_TimeBeforeNACDOut

Summaries

The report provides totals for each site and application and subtotals for each day, week, or month, depending on the reporting period selected. For the interval reporting period, statistics are further broken down by interval.

Network Consolidated DNIS Statistics

Network Control Center option only. This report contains summarized DNIS statistics for all sites in the network. For each site, the report lists all DNISs, and gives total contacts accepted, total contacts abandoned, the percentage of contacts that abandoned after a wait greater than or equal to the service level threshold defined for the DNIS, and the total number of contacts networked out. The report also contains a grand summary section that consolidates the results for all sites in the network, and provides a roll-up summary for all contact statistics.

You can use this report to track network performance for a DNIS number.

Important:

To run this report, you must select at least one network site.

For more information, see [Report descriptions](#) on page 543.

Time zone conversion

When you generate a consolidated report, specify a data extraction period based on the time at the Network Control Center. If you choose the time zone conversion option, and if you configure Time Relative to GMT correctly for each site included in the report, the Network Control Center time is converted to the corresponding local time at each site. For example, the Network Control Center at BestAir is in Chicago. The Network Control Center administrator generates a

consolidated report with time zone conversion, choosing a data extraction period from 10:00 a.m. to 11:00 a.m. Chicago time. The report includes events occurring at Toronto from 11:00 a.m. to 12:00 noon local time, and at San Francisco from 8:00 a.m. to 9:00 a.m. local time.

If you choose not to use the time zone conversion option, the Network Control Center time is not converted to local time. For example, if the administrator generates the same report, without time zone conversion, it includes events occurring at Toronto from 11:00 a.m. to 12:00 noon local time, and at San Francisco from 11:00 a.m. to 12:00 noon local time.

Views

This report uses the DNISStat view; see [DNISStat views](#) on page 120. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- icnetres6.rdl
- dcnetres6.rdl
- wcnetres6.rdl
- mcnetres6.rdl

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Network sites	iDNISStat.Timestamp

Call Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	CallsOffered	CallsOffered
Ans	CallsAnswered	CallsAnswered
Ans After Thld	CallsAnsweredAftThreshold	CallsAnsweredAftThreshold
Abnd	CallsAbandoned	CallsAbandoned
Abnd After Thld	CallsAbandonedAftThreshold	CallsAbandonedAftThreshold
% Service Level	$\frac{[(\text{CallsAnswered} + \text{CallsAbandoned}) - (\text{CallsAnsweredAftThreshold} + \text{CallsAbandonedAftThreshold})]}{(\text{CallsAnswered} + \text{CallsAbandoned})} \times 100$	RCW_PctServiceLevel

Call Treatment Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Disconnected	CallsGivenForceDisconnect	CallsGivenForceDisconnect
Overflowed	CallsGivenForceOverflow	CallsGivenForceOverflow
Route	CallsGivenRouteTo	CallsGivenRouteTo
Default	CallsGivenDefault	CallsGivenDefault
IVR Trans	IVRTransferred	IVRTransferred
Given Busy	CallsGivenForceBusy	CallsGivenForceBusy

Call Time Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Ans Delay	CallsAnsweredDelay	RCW_CallsAnsweredDelay
Max Ans Delay	MaxAnsweredDelay	RCW_MaxAnsweredDelay
Avg Ans Delay	$\frac{\text{CallsAnsweredDelay}}{\text{CallsAnswered}}$	RCW_AverageAnswered Delay
Abnd Delay	CallsAbandonedDelay	RCW_CallsAbandonedDelay
Max Abnd Delay	MaxAbandonedDelay	RCW_MaxAbandonDelay
Talk Time	TalkTime	RCW_TalkTime

Network Call Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Ntwk Out	CallsNetworkedOut	CallsNetworkedOut
NACD Out	CallsNACDOut	CallsNACDOut
Reaching Non-ISDN	CallsReachNonISDN	CallsReachNonISDN

Summaries

The report provides totals for each DNIS number and subtotals for each day, week, or month, depending on the reporting period selected. For the interval reporting period, statistics are further broken down by interval. The report also contains a grand summation for all selected DNIS numbers.

Network Consolidated Incoming Calls

Network Control Center option only. This report contains incoming contact statistics for all sites in the network. It consists of information about the number of network contacts originating at each site that are offered, accepted, and abandoned at the site. The report provides statistics about the number of contacts agents accepted or rejected after the service level threshold and the delays experienced by contacts. It also provides a grand summary section that consolidates the results for all sites in the network and a roll-up summary for all contacts statistics.

Important:

To run this report, you must select at least one network site.

For more information, see [Report descriptions](#) on page 543.

Time zone conversion

When you generate a consolidated report, specify a data extraction period based on the time at the Network Control Center. If you choose the time zone conversion option, and if you configure Time Relative to GMT correctly for each site included in the report, the Network Control Center time is converted to the corresponding local time at each site. For example, the Network Control Center at BestAir is in Chicago. The Network Control Center administrator generates a consolidated report with time zone conversion, choosing a data extraction period from 10:00 a.m. to 11:00 a.m. Chicago time. The report includes events occurring at Toronto from 11:00 a.m. to 12:00 noon local time, and at San Francisco from 8:00 a.m. to 9:00 a.m. local time.

If you choose not to use the time zone conversion option, the Network Control Center time is not converted to local time. For example, if the administrator generates the same report, without time zone conversion, it includes events occurring at Toronto from 11:00 a.m. to 12:00 noon local time, and at San Francisco from 11:00 a.m. to 12:00 noon local time.

Views

This report uses the NetworkInCallStat view; see [NetworkInCallStat views](#) on page 135. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- icnet-10.rdl
- dcnet-10.rdl
- wcnet-10.rdl
- mcnet-10.rdl

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Network Sites	iNetworkInCallStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	CallsOffered	CallsOffered
Ans	CallsAnswered	CallsAnswered
Answered After Threshold	CallsAnsweredAftThreshold	CallsAnsweredAftThreshold
Abnd	CallsAbandoned	CallsAbandoned
Abandoned After Threshold	CallsAbandonedAftThreshold	CallsAbandonedAftThreshold

Answer Delay Time Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Total Delay	CallsAnsweredDelay	RCW_CallsAnsweredDelay
Max Delay	MaxAnsweredDelay	RCW_MaxAnsweredDelay
Total at Dest	CallsAnsweredDelayAtDest	RCW_CallsAnsweredDelay AtDest
Max at Dest	MaxAnsweredDelayAtDest	RCW_MaxAnsweredDelay AtDest

Abandoned delay Time Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Total Delay	CallsAbandonedDelay	RCW_CallsAbandonedDelay
Max Delay	MaxAbandonedDelay	RCW_MaxAbandonedDelay
Total at Dest	CallsAbandonedDelayAtDest	RCW_CallsAbandonedDelayAtDest
Max at Dest	MaxAbandonedDelayAtDest	RCW_MaxAbandonedDelay AtDest

Summaries

The report provides totals for each source site and subtotals for each day, week, or month, depending on the reporting period selected. For the interval reporting period, statistics are further broken down by interval.

Network Consolidated Outgoing Calls

Network Control Center option only. This report contains outgoing contact statistics for all sites in the network. It contains information about the number of outgoing network contacts offered, accepted, and abandoned at the source and destination sites. The report also contains a grand summary section that consolidates the results for all sites in the network, and provides a roll-up summary for all contact statistics.

Important:

To run this report, you must select at least one network site.

For more information, see [Report descriptions](#) on page 543.

Time zone

When you generate a consolidated report, specify a data extraction period based on the time at the Network Control Center. If you choose the time zone conversion option, and if you configure Time Relative to GMT correctly for each site included in the report, the Network Control Center time is converted to the corresponding local time at each site. For example, the Network Control Center at BestAir is in Chicago. The Network Control Center administrator generates a consolidated report with time zone conversion, choosing a data extraction period from 10:00 a.m. to 11:00 a.m. Chicago time. The report includes events occurring at Toronto from 11:00 a.m. to 12:00 noon local time, and at San Francisco from 8:00 a.m. to 9:00 a.m. local time.

If you choose not to use the time zone conversion option, the Network Control Center time is not converted to local time. For example, if the administrator generates the same report, without time zone conversion, it includes events occurring at Toronto from 11:00 a.m. to 12:00 noon local time, and at San Francisco from 11:00 a.m. to 12:00 noon local time.

Views

This report uses the NetworkOutStat view; see [NetworkOutStat views](#) on page 140. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- icnet-11.rdl
- dcnet-11.rdl
- wcnet-11.rdl
- mcnet-11.rdl

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Network Sites	iNetworkOutStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	CallsOffered	CallsOffered
Answered	CallsAnswered	CallsAnswered
Abandoned	CallsAbandoned	CallsAbandoned

Summaries

The report provides totals for each source site and subtotals for each destination site. Statistics are further broken down by day, week, or month, depending on the reporting period selected. For the interval reporting period, statistics are further broken down by interval.

Network Consolidated Route Performance

Network Control Center option only. This report contains route performance statistics for all sites in the network. For each site, the report lists all routes, and indicates how often and how long all trunks within the route are busy. The report lists the total number of contacts that are unable to reach another site because all trunks within the route are busy. It also contains a grand summary section that consolidates the results for all sites in the network, and provides a roll-up summary for all contact statistics.

Important:

Calls blocked by all-trunks-busy signal peg against the Default_Route, 999. To run this report, you must select at least one network site.

For more information, see [Report descriptions](#) on page 543.

Time zone conversion

When you generate a consolidated report, specify a data extraction period based on the time at the Network Control Center. If you choose the time zone conversion option, and if you configure Time Relative to GMT correctly for each site included in the report, the Network Control Center time is converted to the corresponding local time at each site. For example, the Network Control Center at BestAir is in Chicago. The Network Control Center administrator generates a consolidated report with time zone conversion, choosing a data extraction period from 10:00 a.m. to 11:00 a.m. Chicago time. The report includes events occurring at Toronto from 11:00 a.m. to 12:00 noon local time, and at San Francisco from 8:00 a.m. to 9:00 a.m. local time.

If you choose not to use the time zone conversion option, the Network Control Center time is not converted to local time. For example, if the administrator generates the same report, without time zone conversion, it includes events occurring at Toronto from 11:00 a.m. to 12:00 noon local time, and at San Francisco from 11:00 a.m. to 12:00 noon local time.

Views

This report uses the RouteStat view, see [RouteStat views](#) on page 148. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- icnetres2.rdl
- dcnetres2.rdl
- wcnetres2.rdl
- mcnetres2.rdl

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Network Sites	iRouteStat.Timestamp

Call statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
All Trunks Busy	AllTrunksBusy	AllTrunksBusy
# Network Out Blocked by All Trunks Busy	CallsBlockedByAllTrunksBusy	CallsBlockedByAllTrunksBusy
# Network Out Reached Non-ISDN Trunks	CallsReachNonISDN	CallsReachNonISDN

Call Time statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
All Trunks Busy Time	AllTrunksBusyTime	RCW_AllTrunksBusyTime
Avg All Trunks Busy Time	AllTrunksBusyTime/ AllTrunksBusy	RCW_AverageAllTrunksBusyTime

Summaries

The report provides totals for each site and subtotals for each route. Statistics are further broken down by day, week, or month, depending on the reporting period selected. For the interval reporting period, statistics are further broken down by interval.

Network Consolidated Skillset CallDistribution

Network Control Center option only. This report contains skillset call distribution statistics for all sites in the network. For each skillset, the report lists the total local and incoming network contacts accepted by agents at each site, the percentage of contacts agents accepted that are local and incoming network contacts, and the average delay a customer experienced. The report contains a skillset summary that consolidates the results for all sites for each skillset, and a grand summary section that consolidates the results for all sites in the network and provides a roll-up summary for all contact statistics.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the SkillsetConStat view, see [SkillsetStat views](#) on page 151. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- icsnet_cd-12.rdl
- dcsnet_cd-12.rdl

- wcsnet_cd-12.rdl
- mcsnet_cd-12.rdl

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Network Skillset Name ID	iSkillsetConStat.Skillset
Network Skillset Name	iSkillsetConStat.Timestamp

Skillset Call statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Answered	CallsAnswered	CallsAnswered
Local	CallsAnswered - NetCallsAnswered	RCW_LocalCallsAnswered
Remote	NetCallsAnswered	NetCallsAnswered
%Ans Local	$[(\text{CallsAnswered} - \text{NetCallsAnswered}) / \text{CallsAnswered}] \times 100$	RCW_PctLocalCallsAnswered
%Ans Remote	$(\text{NetCallsAnswered} / \text{CallsAnswered}) \times 100$	RCW_PctNetCallsAnswered

Skillset Call Delay statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Average Ans Delay	$\text{CallsAnsweredDelay} / \text{CallsAnswered}$	RCW_AverageCallsAnsweredDelay

Summaries

The report provides totals for each skillset and subtotals for each site. Statistics are further broken down by day, week, or month, depending on the reporting period selected. For the interval reporting period, statistics are further broken down by interval.

Network Consolidated Skillset Performance

Network Control Center option only. This report contains skillset performance statistics for all sites in the network. For each site, the report lists the total local and incoming network contacts accepted by agents for the skillset, the number and percentage of contacts agents accepted after a predefined threshold, the maximum delay a customer experienced, and the total time all agents are busy serving contacts within the skillset. The report also contains a grand summary section that consolidates the results for all sites in the network, and provides a roll-up summary for all contact statistics.

Important:

To run this report, you must select at least one network site.

For more information, see [Report descriptions](#) on page 543.

Time zone conversion

When you generate a consolidated report, specify a data extraction period based on the time at the Network Control Center. If you choose the time zone conversion option, and if you configure Time Relative to GMT correctly for each site included in the report, the Network Control Center time is converted to the corresponding local time at each site. For example, the Network Control Center at BestAir is in Chicago. The Network Control Center administrator generates a consolidated report with time zone conversion, choosing a data extraction period from 10:00 a.m. to 11:00 a.m. Chicago time. The report includes events occurring at Toronto from 11:00 a.m. to 12:00 noon local time, and at San Francisco from 8:00 a.m. to 9:00 a.m. local time.

If you choose not to use the time zone conversion option, the Network Control Center time is not converted to local time. For example, if the administrator generates the same report, without time zone conversion, it includes events occurring at Toronto from 11:00 a.m. to 12:00 noon local time, and at San Francisco from 11:00 a.m. to 12:00 noon local time.

Service level threshold

Skillset service level thresholds are defined at each site. To ensure that comparisons between sites are valid, use the same value for service level threshold at every site. For example, Toronto defines the service level threshold for a skillset as 20 seconds. Boston defines the threshold as 25 seconds. At Toronto, the percentage of calls answered after the threshold is 25. At Boston, it is 20. The statistic appears to indicate that callers to Toronto wait longer than callers to Boston.

Views

This report uses the SkillsetStat view; see [SkillsetStat views](#) on page 151. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- icnet-12.rdl
- dcnet-12.rdl
- wcnet-12.rdl
- mcnet-12.rdl

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Network Sites	iSkillsetStat.Timestamp

Skillset Call Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Ans	CallsAnswered	CallsAnswered
Ntwk In Ans	NetCallsAnswered	NetCallsAnswered
% Ans After Thld	CallsAnsweredAfter Threshold/ CallsAnswered X 100	RCW_PctCallsAnsweredAfterThreshold
Answered After Threshold	CallsAnsweredAfter Threshold	CallsAnsweredAfterThreshold

Skillset Call Delay statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Total	CallsAnsweredDelay	RCW_CallsAnsweredDelay

Table continues...

Report field	View field/Formula	View field/Report Creation Wizard formula
Max	MaxAnsweredDelay	RCW_MaxAnsweredDelay
Average	CallsAnsweredDelay/ CallsAnswered	RCW_AverageCallsAnsweredDelay

Agent statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
All Agents Busy Time	AllAgentBusyTime	RCW_AllAgentBusyTime
All Agent Staffed Time	TotalStaffedTime	RCW_TotalStaffedTime
Skillset Active Time	ActiveTime	RCW_ActiveTime
Avg No. of Agents	TotalStaffedTime/ActiveTime	RCW_AverageNumberOf Agents

Summaries

The report provides totals for each site and subtotals for each skillset and site application combination. Statistics are further broken down by day, week, or month, depending on the reporting period selected. For the interval reporting period, statistics are further broken down by interval.

Network Site and Application Properties (NCC)

Network Control Center option only. The Network Site and Application Properties (NCC) report lists each site in the network and, for each one, shows the properties.

Important:

User-defined reports using this standard report as a template cannot be scheduled.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the following views:

- NCCSite; see [NCCSite view](#) on page 282.
- NCCRemoteApplication; see [NCCRemoteApplication view](#) on page 253.

For more information about views; see [Access rights by view](#) on page 34.

Templates

This report uses the config38.rdl template.

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Site Name for App ID Site Name for App	NCCRemoteApplication.SiteName

Sites properties

This report uses the following properties.

Report field	View field/Formula	View field/Report Creation Wizard formula
Site Name	NCCSite.SiteName	NCCSite.SiteName
Filter Timer	NCCSite.OutOfServiceTimer	RCW_OutOfServiceTimer
Time Relative to GMT	NCCSite.RelativeGMT	RCW_RelativeGMT
Contact Person	NCCSite.ContactPerson	NCCSite.ContactPerson
Phone Number	NCCSite.ContactNumber	NCCSite.ContactNumber

Application properties

This report uses the following properties.

Report field	View field/Formula	View field/Report Creation Wizard formula
Application	NCCRemoteApplication.Name	NCCRemoteApplication.Name
Service Level Threshold	NCCRemoteApplication.ServiceLevelThreshold	NCCRemoteApplication.ServiceLevelThreshold
Call by Call	NCCRemoteApplication.CallByCall	RCW_CallByCall

Grouping

Applications are grouped by site.

Network Skillset Routing Properties (NCC)

Network Control Center option only. The Network Skillset Properties (NCC) report lists all the network skillsets and indicates the routing table method used for the network skillset.

A routing table defines how contacts are queued to the sites on the network. Each site has a routing table for each network skillset at that site. When you create a network skillset, choose the routing table type for that skillset. Two types of routing tables are available.

! **Important:**

User-defined reports using this standard report as a template cannot be scheduled.

For more information, see [Report descriptions](#) on page 543.

Round-robin

The server queues the first contact to the first, second, and third site in the routing table for the network skillset. After an agent becomes available at one of these sites, the server reserves the agent, and the contact is presented to the agent.

After the second contact arrives, the server queues it to the second, third, and fourth site in the routing table. After the third contact arrives, the server queues it, for example, to the third, fourth, and fifth site.

This type of routing table distributes contact most evenly among the sites.

Sequential

Whenever a contact arrives, the server queues it to the first three sites in the routing table. After an agent becomes available at one of these sites, the server reserves the agent, and the contact is presented to the agent.

This type of routing table minimizes the number of trunks used to network contacts.

Views

This report uses the following views:

- NCCNetworkSkillset; see [NCCNetworkSkillset view](#) on page 250.
- NCCRanking; see [NCCRanking view](#) on page 252.

For more information about views; see [Access rights by view](#) on page 34.

Templates

This report uses the config26.rdl template.

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Network Skillset Name ID	NCCRanking.NetworkSkillsetID =
Network Skillset Name	NCCNetworkSkillset.NetworkSkillsetID
Source Site Name ID	NCCNetworkSkillset.NetworkSkillset
Source Site Name	NCCRanking.SrcSiteName

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Source Site	NCCRanking.SourceSiteName	NCCRanking.SourceSiteName
Network Skillset Name	NCCRanking.NetworkSkillsetName	NCCRanking.NetworkSkillsetName
Routing Method	NCCNetworkSkillset.UseRoundRobin	RCW_RankingTableMethod
Rank	NCCRanking.Rank	NCCRanking.Rank
Destination Site Name	NCCRanking.Rank.DestSiteName	NCCRanking.Rank.DestSiteName

Grouping

Network skillsets are grouped by source site.

Network Table Routing Assignments (NCC)

Network Control Center (NCC) option only. The Network Table Routing Assignments (NCC) report provides a list of the Network Control Center table routing assignments. For each assignment, the report provides status, source site, comments, and the routing table.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the following views:

- NCCNetworkSkillset; see [NCCNetworkSkillset view](#) on page 250.
- NetworkRankingAssignment; see [NetworkRankingAssignment view](#) on page 257.

For more information about views; see [Access rights by view](#) on page 34.

Templates

This report uses the config25.rdl template.

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Source Site Name ID	NetworkRankingAssignment.Network SkillsetID *=
Source Site Name	NCCNetworkSkillset.NetworkSkillsetID NetworkRankingAssignment.SrcSiteName

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Assign Name	NetworkRankingAssignment.AssignName	NetworkRankingAssignment.AssignName
Status	NetworkRankingAssignment.Status	NetworkRankingAssignment.Status
Source Site Name	NetworkRankingAssignment.SrcSiteName	NetworkRankingAssignment.SrcSiteName
Comment	NetworkRankingAssignment. Comment	NetworkRankingAssignment. Comment
Network Skillset	NetworkRankingAssignment. NetworkSkillsetName	NetworkRankingAssignment. NetworkSkillsetName
Routing Method	NCCNetworkSkillset.UseRound Robin	RCW_RankingMethod
Rank	NetworkRankingAssignment.Rank	RCW_Rank
Destination Site Name	NetworkRankingAssignment.Dest SiteName	NetworkRankingAssignment.Dest SiteName

Grouping

Assignments are grouped by AssignName and NetworkSkillsetName.

Nodal Consolidated Application Delay Before Abandon

Network Control Center option only. This report is similar to the Application Delay Before Abandon report, but it contains statistics for all applications in the network. Application statistics are consolidated across all sites.

This report helps gauge service quality by determining how many customers disconnect (abandon) the call before reaching an agent. The spectrum shows how long customers typically wait before abandoning the call, whether the customers abandon before or after the service level threshold for the application, and the percentage of contacts that are abandoned.

! **Important:**

To run this report, you must select at least one network site.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the ApplicationStat view; see [ApplicationStat views](#) on page 97. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- inodapp5.rdl
- dnodapp5.rdl
- wnodapp5.rdl
- mnodapp6.rdl

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Network Sites	iApplicationStat.Timestamp

Abandon delay spectrum

The report contains a histogram showing the number of contacts abandoned after delays of times divided into 2-second increments. The statistics for the histogram are taken from the AbdDelay view fields.

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	CallsOffered	CallsOffered
Answered	CallsAnswered	CallsAnswered
Abandoned	CallsAbandoned	CallsAbandoned
% Abandoned	CallsAbandoned/CallsOffered X 100	RCW_PctCallsAbandoned
Abnd After Thld	CallsAbandonedAftThreshold	CallsAbandonedAftThreshold
Abnd Delay	CallsAbandonedDelay	RCW_CallsAbandonedDelay
Max Abnd Delay	MaxCallsAbandonedDelay	RCW_MaxCallsAbandoned Delay
Avg Abnd Delay	CallsAbandonedDelay/CallsAbandoned	RCW_AverageCalls AbandonedDelay

Summaries

The report provides totals for each site and subtotals for each application. Statistics are further broken down by day, week, or month, depending on the reporting period selected. For the interval reporting period, statistics are further broken down by interval.

Nodal Consolidated Application Delay BeforeAnswer

Network Control Center option only. This report is similar to the Application Delay Before Answer report, but it contains statistics for all applications in the network. Application statistics are consolidated across all sites.

This report helps gauge service quality by determining how long customers wait before connecting to an agent. The report also indicates if the delay occurred after the skillset received the contact.

Important:

To run this report, you must select at least one network site.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the ApplicationStat view; see [ApplicationStat views](#) on page 97. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- inodapp3.rdl
- dnodapp3.rdl
- wnodapp3.rdl
- mnodapp4.rdl

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Network Sites	iApplicationStat.Timestamp

Answer delay spectrum

The report contains a histogram showing the number of contacts accepted after delays of times divided into 2-second increments. The statistics for the histogram are taken from the AnsDelay view fields.

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	CallsOffered	CallsOffered
Answered	CallsAnswered	CallsAnswered
Ans Delay	CallsAnsweredDelay	RCW_CallsAnsweredDelay
Ans Delay At Skillset	CallsAnsweredDelayAtSkillset	RCW_CallsAnsweredDelay AtSkillset
Ans After Thld	CallsAnsweredAftThreshold	CallsAnsweredAftThreshold
Max Ans Delay	MaxCallsAnsDelay	RCW_MaxCallsAnsDelay

Table continues...

Report field	View field/Formula	View field/Report Creation Wizard formula
Max Delay at Skillset	MaxCallsDelayAtSkillset	RCW_MaxCallsAnsDelayAtSkillset
Avg Ans Delay	CallsAnsweredDelay/CallsAnswered	RCW_AverageCalls AnsweredDelay

Summaries

The report provides totals for each site and subtotals for each application. Statistics are further broken down by day, week, or month, depending on the reporting period selected. For the interval reporting period, statistics are further broken down by interval.

Nodal Consolidated Application Performance

Network Control Center option only. This report is similar to the Application Performance report, but it contains statistics for all applications in the network. Application statistics are consolidated across all sites. For each application, the report gives an overview of contacts accepted, delayed, and abandoned. It can be particularly useful in determining the efficiency of your network configuration.

Important:

To run this report, you must select at least one network site.

For more information, see [Report descriptions](#) on page 543.

Views

This report uses the ApplicationStat view; see [ApplicationStat views](#) on page 97. For more information about views; see [Access rights by view](#) on page 34.

Collection frequency

The following collection frequency types are available for this report:

- interval
- daily
- weekly
- monthly

Templates

This report uses the following templates:

- inodapp1.rdl

- dnodapp1.rdl
- wnodapp1.rdl
- mnodapp2.rdl

Selection criteria

This report uses the following criteria.

Selection criteria	Database field names
Network Sites	iApplicationStat.Timestamp

Statistics

This report uses the following statistics.

Report field	View field/Formula	View field/Report Creation Wizard formula
Offered	CallsOffered	CallsOffered
Ans	CallsAnswered	CallsAnswered
Ans Delay	CallsAnsweredDelay	RCW_CallsAnsweredDelay
Avg Ans Delay	CallsAnsweredDelay/ CallsAnswered	RCW_AverageCallsAnswered Delay
Max Ans Delay	MaxCallsAnsDelay	RCW_MaxCallsAnsDelay
Ans After Thld	CallsAnsweredAftThreshold	CallsAnsweredAftThreshold
Abnd	CallsAbandoned	CallsAbandoned
Max Abnd Delay	MaxCallsAbandonedDelay	RCW_MaxCallsAbandonedDelay
Abandoned After Threshold	CallsAbandonedAft Threshold	CallsAbandonedAftThreshold
Ans Delay At Skillset	CallsAnsweredDelayAt Skillset	RCW_CallsAnsweredDelay AtSkillset
% Service Level	$\frac{((\text{CallsAnswered} + \text{CallsAbandoned}) - (\text{CallsAnsweredAft Threshold} + \text{CallsAbandonedAft Threshold}))}{(\text{CallsAnswered} + \text{CallsAbandoned})} \times 100$	RCW_PctServiceLevel

Summaries

The report provides totals for each site and subtotals for each application. Statistics are further broken down by day, week, or month, depending on the reporting period selected. For the interval reporting period, statistics are further broken down by interval.

Chapter 28: Report Creation Wizard

This section describes the reports available in Report Creation Wizard.

Overview

Report Creation Wizard is a new reporting feature accessible through the main Historical Reporting interface. Through a user-friendly interface, you create, maintain, and modify custom on-demand reports. You can import and schedule the reports in Historical Reporting.

Important:

You cannot import reports created in Microsoft SQL Server Report Builder using Report Creation Wizard. You must use the Historical Reporting Template Importing Wizard.

Sample Report Creation Wizard reports

This section describes the contents of the Report Creation Wizard sample reports. You can use this information to understand the content of the sample reports and the choices made in Report Creation Wizard to produce these reports.

This section covers the basic choices made in the Report Creation Wizard, but does not detail the changes made on the Report Layout page. Modifications not discussed include:

- changing the position of fields
- suppressing section of the report
- adding static text fields
- selecting font size and style

You can import these reports into Historical Reporting or modified in Report Creation Wizard to create new reports.

Sample report descriptions

The description of the sample reports is divided into subsections. Each section relates to a specific page in the Report Creation Wizard.

Description: Brief description of the report

Report Type: Indicates the report type selected when the sample report was created. The available report types are as follows:

- Simplified Report—The sample report is using one of the report definitions packaged with the Report Creation Wizard.
- Advanced Report—The sample report is using an ODBC Data Source Name (DSN).

Data Source: If the report type is Simplified Report, this indicates the path to the Report Definition file selected to create the sample report. The path shown is the path that appears in the Report Creation Wizard page. The Report Definition files are stored in: <InstallDirectory>\Apps\Reporting\Historical\rpt\RCW.

If the report type is Advanced Report, this indicates the ODBC Data Source Name (DSN) selected to create the sample report. This name is a general Data Source Name because the actual name depends on the DSNs configured.

Table Selection: Indicates the database table or view that provides the data for the report. For more information about the database views; see [Overview](#) on page 31 and [Overview for CCMM](#) on page 382.

If the Report Type is Simplified Report, the Table Selection page is not available to the user. The description in this case provides details about the tables included in the Report Definition. If the Report Type is Advanced Report, the tables listed must be selected on the Table Selection page.

Field Selection: This section of the sample report describes the selections made on the Field Selection page. The Field Selection page represents only those fields in the Details section of the report. You can place fields in any section of the report, but only the fields in the Details section appear on the Fields Selection page. If you remove a field from the Field Selection page, then the field is removed only from the Details section, not from any other section.

The details appear in a table with the following columns.

Column	Description
Column Heading	The modified title for the text objects that appear in the Page Heading section. After fields and formulas are selected, the default title for the column heading is the same as the field or formula name. Edit the information on the Report Layout page.
View field/RCW Formula	The fields and formulas selected for the report. To differentiate between view fields and RCW formulas, view fields appear in italics.
Width	The width, in pixels, selected for the field.

Grouping: This section of the sample report describes the selections made on the Grouping page. The order shown is the same order for fields in the Group By list. The groups you choose determine the summary statistics that are generate. For example, to obtain totals for each supervisor, you must group the report by supervisor.

The details appear in a table with the following columns.

Column	Description
Group By	Fields or formulas selected for grouping. To differentiate between view fields and RCW formulas, view fields appear in italics.
Sort Order	Sort order for the group by field. This can be ascending or descending.
The section will be printed	For Time, Date or DateTime fields only (for example, Timestamp fields). Indicates how often the group is printed (for example, for each hour, for each day).

Summaries: This section of the sample report describes the selections made on the Summaries page. The details appear in a table with the following columns.

Column	Description
Fields	Field or formula used for summary statistics. To differentiate between view fields and RCW formulas, view fields appear in italics.
Summation Type	The summation type for the selected field. For dynamic formulas that perform group summation, the summation type is not required. Therefore, the type is blank.
Groups	The groups where the summary statistic is included. Generally the summations are included in all footer sections on the report. This includes the Report Footer (Grand Total section) and all Group Footers which are numerically labeled for each group added. If the summation is in all footers, this column displays All Footers instead of listing each individually.

Preview: This section shows a graphic representation of the sample report, when you preview it in the Report Creation Wizard. The data included in this preview is limited to a small number of records and is meant to assist in the report creation.

The Report Creation Wizard applies a Report Template, which includes a number of fields used to show information passed from Historical Reporting when the report is generated. When previewed in RCW, these fields are the default value, which includes the text (To Be Passed). For example, the Site Name field appears as Site Name (To Be Passed).

Avaya Communication Server 1000 and SIP reports

This section describes the reports that are common on all the PABX platforms.

Agent DN Performance.rdl

The Agent DN Performance.rdl sample report shows the amount of time that agents spend on their personal or secondary directory numbers (DN). The report records incoming and outgoing information, including the total number of DN calls and the average amount of time spent on DN calls.

Report type

This report is a Simplified Report.

Data source

The following report definitions are available:

- Report Definitions\CS1000 (M1)\Agent Performance\Agent Performance Stats.rdl
- Report Definitions\SIP_CC\Agent Performance\Agent Performance Stats.rdl

Table selection

This report uses the AgentPerformanceStat view, see [AgentBySkillsetStat views](#) on page 65. For more information about views; see [Access rights by view](#) on page 34.

Field selection

Report header	View field/Report Creation Wizard formula	Width
	RCW_SupervisorNameID	300
	RCW_AgentNameID	300
	Timestamp	100
Time	Time	100
DN Calls Conferenced	RCW_DNCallsConferenced	50
DN Calls Transferred	RCW_DNCallsTransferred	50
Total	RCW_DNInCalls	50
Internal	DNInIntCalls	50
Average Int. Talk Time	RCW_AverageDNInIntCallsTalkTime	50
External	DNInExtCalls	50
Average Ext. Talk Time	RCW_AverageDNInExtCallsTalkTime	50
Total	RCW_DNOutCalls	50
Internal	DNOutIntCalls	50
Average Int. Talk Time	RCW_AverageDNOutIntCallsTalkTime	50
External	DNOutExtCalls	50
Average Ext. Talk Time	RCW_AverageDNOutExtCallsTalkTime	50

Grouping

Group by	Sort order	The section will be printed
RCW_SupervisorNameID	Ascending order	—
RCW_AgentNameID	Ascending order	—
Timestamp	Ascending order	For each hour

Summaries

Fields	Summation type	Groups
RCW_DNCallsConferenced	Sum	All footers
RCW_DNCallsTransferred	Sum	All footers
RCW_DNInCalls	Sum	All footers
DNInIntCalls	Sum	All footers
RCW_AverageDNInIntCallsTalkTime	—	All footers
DNInExtCalls	Sum	All footers
RCW_AverageDNInExtCallsTalkTime	—	All footers
RCW_DNOutCalls	Sum	All footers
DNOutIntCalls	Sum	All footers
RCW_AverageDNOutIntCallsTalkTime	—	All footers
DNOutExtCalls	Sum	All footers
RCW_AverageDNOutExtCallsTalkTime	—	All footers

Agent Performance.rdl

The Agent Performance.rdl sample report shows summarized performance information for a specific agent. The report tracks the agent's call handling activities, drawing attention to activities to reward or weaknesses to address.

Report type

This report is a Simplified Report.

Data source

The following report definitions are available:

- Report Definitions\CS1000 (M1)\Agent Performance\Agent Performance Stats.rdl
- Report Definitions\SIP_CC\Agent Performance\Agent Performance Stats.rdl

Table selection

This report uses the AgentPerformanceStat view; see [AgentPerformanceStat views](#) on page 75. For more information about views; see [Access rights by view](#) on page 34.

Field selection

Report header	View field/Report Creation Wizard formula	Width
	RCW_SupervisorNameID	300
	RCW_AgentNameID	300
	Timestamp	100
Time	Time	100
Calls Offered	Calls Offered	50

Table continues...

Report header	View field/Report Creation Wizard formula	Width
Calls Answered	Calls Answered	50
Avg Total Talk Time	RCW_AverageTotalTalkTime	50
Avg Wait Time	RCW_AverageWaitingTime	50
Not Ready Time	RCW_NotReadyTime	50
DN In Calls	RCW_DNInCalls	50
DN In Talk Time	RCW_DNInCallsTalkTime	50
DN Out Calls	RCW_DNOutCalls	50
DN Out Talk Time	RCW_DNOutCallsTalkTime	50
Logged In Time	RCW_LoggedInTime	50
%Work	RCW_PctWork	50
%Available	RCW_PctAvailable	50

Grouping

Group by	Sort order	The section will be printed
RCW_SupervisorNameID	Ascending order	—
RCW_AgentNameID	Ascending order	—
Timestamp	Ascending order	For each hour

Summaries

Fields	Summation type	Groups
CallsOffered	Sum	All footers
CallsAnswered	Sum	All footers
RCW_AverageTotalTalkTime	—	All footers
RCW_AverageWaitingTime	—	All footers
RCW_NotReadyTime	—	All footers
RCW_DNInCalls	Sum	All footers
RCW_DNInCallsTalkTime	—	All footers
RCW_DNOutCalls	Sum	All footers
RCW_DNOutCallsTalkTime	—	All footers
RCW_LoggedInTime	—	All footers
RCW_PctWork	—	All footers
RCW_PctAvailable	—	All footers

CDN Statistics.rdl

The CDN Statistics.rdl sample report details summarized call volume information for the CDNs configured on the server. The report lists the total number of calls offered to the CDN and the total number of calls answered. The report also provides terminated and abandoned call information.

Report type

This report is a Simplified Report.

Data source

The following report definitions are available:

- Report Definitions\CS1000 (M1)\Other\CDN Stats.rdl
- Report Definitions\SIP_CC\Other\CDN Stats.rdl

Table selection

This report uses the CDNStat view; see [CDNStat views](#) on page 116. For more information about views; see [Access rights by view](#) on page 34.

Field selection

Report header	View field/Report Creation Wizard formula	Width
	RCW_CDNNameOrID	200
	Timestamp	100
Time	Time	100
Calls Offered	CallsOffered	50
Calls Answered	CallsAnswered	50
Calls Terminated	CallsTerminated	50
%Calls Terminated	RCW_PctCallsTerminated	50
Calls Abandoned	CallsAbandoned	50
%Calls Abandoned	RCW_PctCallsAbandoned	50

Grouping

Group by	Sort order	The section will be printed
RCW_CDNNameOrID	Ascending order	—
Timestamp	Ascending order	For each hour

Summaries

Fields	Summation type	Groups
CallsOffered	Sum	All footers
CallsAnswered	Sum	All footers
CallsTerminated	Sum	All footers

Table continues...

Fields	Summation type	Groups
RCW_PctCallsTerminated	—	All footers
CallsAbandoned	Sum	All footers
RCW_PctCallsAbandoned	—	All footers

Skillset Performance.rdl

The Skillset Performance.rdl sample report provides summarized call handling performance information for each skillset defined on your system. The report lists the total calls answered by agents for the skillset, the number and percentage of calls agents answered after a predefined service level threshold, the maximum delay a caller experienced, and the total time all agents were busy serving calls to the skillset.

Report type

This report is a Simplified Report.

Data source

The following report definitions are available:

- Report Definitions\CS1000 (M1)\Other\Skillset Stats.rdl
- Report Definitions\SIP_CC\Other\Skillset Stats.rdl

Table selection

This report uses the SkillsetStat view; see [SkillsetStat views](#) on page 151. For more information about views; see [Access rights by view](#) on page 34.

Field selection

Report header	View field/Report Creation Wizard formula	Width
	RCW_SkillsetNameID	300
	RCW_ApplicationNameID	300
	Timestamp	100
Time	Time	100
Calls Answered	CallsAnswered	50
Calls Answered After Threshold	CallsAnsweredAfterThreshold	50
%Calls Answered After Threshold	RCW_PctCallsAnsweredAfterThreshold	50
Calls Answered Delay	RCW_CallsAnsweredDelay	50
Average Calls Answered Delay	RCW_AverageCallsAnsweredDelay	50
Max Answered Delay	RCW_MaxAnsweredDelay	50
All Agent Busy Time	RCW_AllAgentBusyTime	50
Total Staffed Time	RCW_TotalStaffedTime	50

Table continues...

Report header	View field/Report Creation Wizard formula	Width
Active Time	RCW_ActiveTime	50
Average Number Of Agents	RCW_AverageNumberOfAgents	50

Grouping

Group by	Sort order	The section will be printed
RCW_SkillsetNameID	Ascending order	—
RCW_ApplicationNameID	Ascending order	—
Timestamp	Ascending order	for each hour

Summaries

Fields	Summation type	Groups
CallsAnswered	Sum	All footers
CallsAnsweredAfterThreshold	Sum	All footers
RCW_PctCallsAnsweredAfterThreshold	—	All footers
RCW_CallsAnsweredDelay	—	All footers
RCW_AverageCallsAnsweredDelay	—	All footers
RCW_MaxAnsweredDelay	—	All footers
RCW_AllAgentBusyTime	—	All footers
RCW_TotalStaffedTime	—	All footers

Skillset Work Time.rdl

The Skillset Work Time sample report displays summarized contact handling information for each skillset defined on your system. The report lists the total number of contacts answered, average work time, average talk time, average hold time, and average post call processing time for all agents staffing the skillset. The report also displays the percentage of work time spent on talk time, hold time, or post call processing time for all agents staffing the skillset.

Report type

This report is a Simplified Report.

Data source

The following report definitions are available:

- Report Definitions\CS1000 (M1)\ Agent Performance\Agent By Skillset Stats.rdl
- Report Definitions\SIP_CC\ Agent Performance\Agent By Skillset Stats.rdl

Table selection

This report uses the AgentBySkillsetStat view, see [AgentBySkillsetStat views](#) on page 65. For more information about views, see [Access rights by view](#) on page 34.

Field selection

Report header	View field/Report Creation Wizard formula	Width
	RCW_SkillsetNameID	574
	RCW_TimestampGroupName	115
	RCW_Time	115
Calls Answered	CallsAnswered	54
Avg. Work Time	RCW_AverageWorkTime	64
Avg. Talk Time No Hold	RCW_AverageTalkTimeNoHold	64
Avg. Hold Time	RCW_AverageHoldTime	64
Avg. PCP Time	RCW_AveragePostCallProcessingTime	64
% Talk No Hold Time	RCW_PctTalkNoHold/WorkTime	54
% Hold Time	RCW_PctHold/WorkTime	54
% PCP Time	RCW_PctPostCallProcessing/WorkTime	54

Grouping

Group by	Sort order	The section will be printed
RCW_SkillsetNameID	Ascending order	—
RCW_Timestamp	Ascending order	for each minute

Summaries

Fields	Summation type	Groups
CallsAnswered	Sum	All footers
RCW_AverageWorkTime	—	All footers
RCW_AverageTalkTimeNoHold	—	All footers
RCW_AverageHoldTime	—	All footers
RCW_AveragePostCallProcessingTime	—	All footers
RCW_PctTalkNoHold/WorkTime	—	All footers
RCW_PctHold/WorkTime	—	All footers
RCW_PctPostCallProcessing/WorkTime	—	All footers

License Manager Reports

License Usage Statistics.rdl

The License Usage Statistics.rdl sample report provides license usage stats for each server. The report shows the licensed feature, the IP address of the server using the feature and the maximum licenses used for the report interval.

For more information, see [Report descriptions](#) on page 543.

Report type

This report is a Simplified Report.

Data source

You can find the report definition here: Report Definitions\Common Definitions\License Manager\License Usage Stat.rdl

Table selection

This report uses the LicenseStat view; see [LicenseStat views](#) on page 133. For more information about views; see [Access rights by view](#) on page 34.

Field selection

Report header	View field/Report Creation Wizard formula	Width
	Timestamp	—
	Feature	—
Client Address	ClientAddress	—
Max License Usage	MaxLicenseUsage	—

Grouping

Group by	Sort order	The section will be printed
Timestamp	Ascending order	for each minute

Contact Center Multimedia reports

SampleContactsOutstandingDrilldown.rdl

The SampleContactsOutstandingDrilldown.rdl sample report lists the total number of contacts outstanding and details for each skillset. The details provided include the Contact ID, Arrival Date and Time, Status, Contact Type, Agent, and Customer.

For more information, see [Report descriptions](#) on page 543.

Report type

This report is a Simplified Report.

Data source

You can find the report definition here: Report Definitions\MultiMedia (CCMM)\Contacts Outstanding Drilldown.rdl.

Table selection

This report uses the ContactsOutstanding view.

Field selection

Report header	View field/Report Creation Wizard formula	Width
	Skillset	300
Contact ID	Contact No	50
Arrival Time	ArrivalTime	120
Status	Status	50
Contact Type	Contact Type	80
Agent	Agent	150
Customer	Customer	160

Grouping

Group by	Sort order	The section will be printed
Skillset	Ascending order	—

Summaries

Fields	Summation type	Groups
Contact No	Count	All footers

SampleContactsOutstandingSummary.rdl

The SampleContactsOutstandingSummary.rdl sample report lists the total number of contacts outstanding for each skillset. The report also shows the total number of contacts outstanding for all skillsets by day.

For more information, see [Report descriptions](#) on page 543.

Report type

This report is a Simplified Report.

Data source

You can find the report definition here: Report Definitions\MultiMedia (CCMM)\Contacts Outstanding Summary.rdl

Table selection

This report uses the ContactsOutstandingSumm view.

Field selection

Report header	View field/Report Creation Wizard formula	Width
—	ByDay	120
Skillset	Skillset	200
Contacts Outstanding	Count	60

Grouping

Group by	Sort order	The section will be printed
ByDay	Ascending order	—

Summaries

Fields	Summation type	Groups
Count	Sum	All footers

SampleCampaignAgentScriptData.rdl

The SampleCampaignAgentScriptData.rdl sample report shows the answers provided to questions asked of each outbound contact. The report groups the contacts by the campaign name that show details for each outbound contact.

For more information, see [Report descriptions](#) on page 543.

Report type

This report is a Simplified Report.

Data source

You can find the report definition here: Report Definitions\MultiMedia (CCMM)\Outbound\Campaign Agent Script Data.rdl

Table selection

This report uses the CampaignAgentScriptResultsCallByCall view.

Field selection

Report header	View field/Report Creation Wizard formula	Width
	Campaign	200
	ContactID	60
Question	Question	200
Answer	Answer	120
AnswerFreeText	AnswerFreeText	120

For this report, the following additional fields are added to Group Header #2 (ContactID) from the Report Layout page.

View field/Report Creation Wizard formula	Width
CustomerID	60
PhoneNumber	80
FirstName	140
LastName	200
DispositionCode	140
DateCreated	120

Grouping**Table 20: Grouping**

Group by	Sort order	The section will be printed
Campaign	Ascending order	—
ContactID	Ascending order	—

SampleCampaignCallByCallData.rdl

The SampleCampaignCallByCallData.rdl sample report shows each outbound contact grouped by campaign name. The details provided include the Contact ID, Contact Name, Disposition Code Name, and the date and time the contact was processed.

For more information, see [Report descriptions](#) on page 543.

Report type

This report is a Simplified Report.

Data source

You can find the report definition here: Report Definitions\MultiMedia (CCMM) \Outbound\Campaign Call by Call Data.rdl.

Table selection

This report uses the CampaignCallByCallDetails view.

Field selection

Report header	View field/Report Creation Wizard formula	Width
CampaignName	CampaignName	200
ContactID	ContactID	60
FirstName	FirstName	80
LastName	LastName	200
ActionID	ActionID	60
CallProcessedTime	CallProcessedTime	100
DialedDN	DialedDN	60
Agent	Agent	80
DispositionCodeName	DispositionCodeName	120

Grouping

Group by	Sort order	The section will be printed
CampaignName	Ascending order	—

SampleCampaignDispCodeData.rdl

The SampleCampaignDispCodeData.rdl sample report shows the details about each outbound contact, grouped by Disposition Code for each Campaign Name.

For more information, see [Report descriptions](#) on page 543.

Report type

This report is an Advanced Report.

Data source

Select CCMM_<IP address>_DSN.

This report uses the DispCodeData view.

Table selection

This report uses the DispCodeData view.

Field selection

Report header	View field/Report Creation Wizard formula	Width
	CampaignName	200

Table continues...

Report header	View field/Report Creation Wizard formula	Width
	Disposition Code	200
Time	Time	100
DialedDN	DialedDN	80
FirstName	FirstName	80
LastName	LastName	100
Agent	Agent	80

Grouping

Group by	Sort order	The section will be printed
CampaignName	Ascending order	—
Disposition Code	Ascending order	—

SampleCampaignSumm.rdl

The SampleCampaignSumm.rdl sample report shows the total number of outbound contacts by Disposition Code. The report also shows the total number of outbound contacts for each Campaign Name.

For more information, see [Report descriptions](#) on page 543.

Report type

This report is a Simplified Report.

Data source

You can find the report definition here: Report Definitions\MultiMedia (CCMM) \Outbound\Campaign Summary Data.rdl.

Table selection

This report uses the CampaignSummary view.

Field selection

Report header	View field/Report Creation Wizard formula	Width
	CampaignName	200
Disposition Code Name	DispositionCodeName	200
Count	DispositionCodeCount	60

Grouping

Group by	Sort order	The section will be printed
CampaignName	Ascending order	—

Summaries

Fields	Summation type	Groups
DispositionCodeCount	Sum	All footers

Network consolidated reports**Network Consolidated Skillset Performance**

Network Control Center option only. This report contains skillset performance statistics for all sites in the network. For each site, the report lists the total, local, and remote calls answered by agents for the skillset, the percentage of calls, which are local or remote, and the maximum delay a caller experienced.

For more information, see [Report descriptions](#) on page 543.

Report type

This report is a Simplified Report.

Data source

You can find the report definition here: Report Definitions\Network Consolidated (NCC)\Other\Network Skillset Consolidated Statistics.rdl.

Table selection

This report uses the SkillsetConStat view.

Field selection

Report header	View field/Report Creation Wizard formula	Width
	RCW_SkillsetNameID	150
	TerminatingSite	50
	Timestamp	115
Source Site	OriginatingSite	50
Answered	CallsAnswered	50
Local	RCW_LocalCallsAnswered	50

Table continues...

Report header	View field/Report Creation Wizard formula	Width
Remote	NetCallsAnswered	50
%Ans Local	RCW_PctLocalCallsAnswered	50
%Ans Remote	RCW_PctNetCallsAnswered	50
Average Ans Delay	RCW_AverageCallsAnsweredDelay	50

Grouping

Group by	Sort order	The section will be printed
RCW_SkillsetNameID	Ascending order	—
TerminatingSite	Ascending order	—
Timestamp	Ascending order	for each day

Summaries

Fields	Summation type	Groups
CallsAnswered	Sum	All headers All footers
RCW_LocalCallsAnswered	Sum	All headers All footers
NetCallsAnswered	Sum	All headers All footers
RCW_PctLocalCallsAnswered	—	All headers All footers
RCW_PctNetCallsAnswered	—	All headers All footers
RCW_AverageCallsAnsweredDelay	—	All headers All footers

Functions, operators, and formulas

Report Creation Wizard functions

Functions are built-in procedures or subroutines used to evaluate, make calculations on, or transform data.

After you specify a function, the program performs the set of operations built into the function without you specifying each operation separately. In this way, a function is shorthand which makes it easy and less time-consuming to create reports.

Standard functions

Report Creation Wizard supports a set of standard functions, which are a subset of functions supported by Microsoft SQL Server Reporting Services. A subset of functions are listed in Report Creation Wizard to help reduce the complexity in creating formulas.

Because Report Creation Wizard builds Microsoft SQL Server Reporting Services compatible reports, all functions supported in Microsoft SQL Server Reporting Services are supported in Report Creation Wizard. Users familiar with Microsoft SQL Server Reporting Services can use these additional functions.

Report Creation Wizard functions

Report Creation Wizard functions are custom functions created to handle common operations used in the Contact Center standard reports. These functions appear in the set of standard functions under the Additional Functions group.

Report Creation Wizard operators

Operators are special symbols or words that describe an operation or an action between two or more values. Formulas contain operators. The program reads the operators in a formula and performs the actions specified.

Standard operators

Report Creation Wizard supports a set of standard operators, which are a subset of operators supported by Microsoft SQL Server Reporting Services. A subset of operators are listed in Report Creation Wizard to help reduce the complexity creating formulas.

Because Report Creation Wizard builds Microsoft SQL Server Reporting Services compatible reports, all operators supported in Microsoft SQL Server Reporting Services are supported in Report Creation Wizard. If you are familiar with Microsoft SQL Server Reporting Services, you can use these additional operators.

Report Creation Wizard formulas

Report Creation Wizard provides a number of formulas that you can use in your reports. This section describes those formulas.

Generic formulas

The following generic formulas are available.

RCW_PrintedDateTime: Lists the date and time that the report was generated.

RCW_DataRange: Lists the value for the report_datarange formula as a string.

RCW_report_datarange: Numeric value related to the data range selected in the Historical Reporting application. The possible values are as follows:

- 0 = None
- 1 = Interval
- 2 = Daily
- 4 = Weekly
- 8 = Monthly

RCW_ReportInterval: Lists the collection period selected when running the report. This value is passed from the Historical Reporting application when the report is run.

RCW_ReportLanguage: Lists the language code set for the report. The default value is en-us. The formula is used to pass the report language into other formulas requiring the language code.

RCW_ReportTitle: Lists the title of the report, as defined on the General - Report Properties property page. This value is passed from the Historical Reporting application when the report is run.

RCW_ReportUser: Lists the user ID of the user who printed the report. This value is passed from the Historical Reporting application when the report is run.

RCW_SiteIDName: Lists the name of the site at which the report is printed. This value is passed from the Historical Reporting application when the report is run.

ActivityCodeStat formulas

The following ActivityCodeStat formulas are available.

RCW_ActivityCodeNameID: Lists the Activity Code name and ID in the format ActivityCodeName - ActivityCode. If the information is not available, the “No Information on Activity Code” message appears.

RCW_ActivityCodeNameIDLabel: Lists the text Activity Name & ID: ActivityCodeName - ActivityCode. If the information is not available, the “No Information on Activity Code” message appears.

RCW_ActivityTime: Lists the total time spent on this activity by an agent.

RCW_AgentName: Lists the agent's full name in the format AgentGivenName AgentSurName. If the information is not available, the “Agent Name Not Defined” message appears.

RCW_AgentNameID: Lists the agent's full name and logon ID in the format AgentGivenName AgentSurName - AgentLogin. If the information is not available, the “No Agent Name and ID Available” message appears.

RCW_AgentNameIDLabel: Lists the text Agent Name & ID: AgentGivenName AgentSurname - AgentLogin. If the agent information is not available, the “No Agent Name and ID Available” message appears.

RCW_ApplicationLabel: Lists the text Application: Application.

RCW_ApplicationNameID: Lists the application name and ID in the format Application - ApplicationID. If the information is not available, the “No Information on Application” message appears.

RCW_ApplicationNameIDLabel: Lists the text Application Name & ID: Application - ApplicationID. If the information is not available, the “No Information on Application” message appears.

RCW_ApplicationNameOrID: Lists Application, or if this is not available, ApplicationID. If the information is not available, the “No Information on Application” message appears.

RCW_ApplicationNameOrIDLabel: Lists the text Application Name: Application or, if this is not available, Application Name: ApplicationID. If the information is not available, the “No Information on Application” message appears.

RCW_AverageActivityTime: Lists the average time spent on this activity by an agent by dividing ActivityTime by Occurrences.

RCW_EstimatedRevenue: Calculates the estimated revenue by multiplying the value for revenue_unit by Occurrences.

RCW_TimestampGroupName: Lists the Timestamp value as a formatted string based on the report_datarange formula and the setting for the option The section will be printed. If the value for report_datarange is Daily, Weekly, or Monthly, only the date is printed. If the value for report_datarange is Interval, the value is modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TimestampGroupNameLabel: Lists a label indicating the group option selected followed by the Timestamp value as a formatted string (for example, Daily: 25/10/2005). The label and date shown are based on the report_datarange formula and the setting for the option The section will be printed.

If the value for report_datarange is Daily, Weekly, or Monthly, only the label and date are printed. If the value for report_datarange is Interval, the label and value are modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

AgentByApplicationStat formulas

The following AgentByApplicationStat formulas are available.

RCW_PctCallsAnswered: Calculates the percentage of calls answered by dividing CallsAnswered by CallsOffered, and multiplying by 100.

RCW_PctHold/WorkTime: Calculates the percentage of time an agent spends on hold during Contact Center Manager calls for this application. The percentage is calculated by dividing HoldTime by TalkTime + PostCallProcessingTime, and multiplying by 100.

RCW_PctPostCallProcessing/WorkTime: Calculates the percentage of time an agent spends performing post call processing. The percentage is calculated by dividing PostCallProcessingTime by TalkTime + PostCallProcessingTime, and multiplying by 100.

RCW_PctTalk/WorkTime: Calculates the percentage of time an agent spends handling contacts, excluding DN calls, after the contact is answered or accepted. The percentage is calculated by dividing TalkTime by TalkTime + PostCallProcessingTime, and multiplying by 100. This statistic includes hold time.

RCW_PctTalkNoHold/WorkTime: Calculates the percentage of time an agent spends handling contacts, excluding DN calls and the time the contact was on hold, after the contact is answered or accepted. The percentage is calculated by dividing TalkTime – HoldTime by TalkTime + PostCallProcessingTime, and multiplying by 100. This statistic excludes hold time.

RCW_AgentName: Lists the agent's full name in the format AgentGivenName AgentSurName. If the information is not available, the “Agent Name Not Defined” message appears.

RCW_AgentNameID: Lists the agent's full name and logon ID in the format AgentGivenName AgentSurName - AgentLogin. If the information is not available, the “No Agent Name and ID Available” message appears.

RCW_AgentNameIDLabel: Lists the text Agent Name & ID: AgentGivenName AgentSurname - AgentLogin. If the agent information is not available, the “No Agent Name and ID Available” message appears.

RCW_ApplicationLabel: Lists the text Application: Application.

RCW_ApplicationNameID: Lists the application name and ID in the format Application - ApplicationID. If the information is not available, the “No Information on Application” message appears.

RCW_ApplicationNameIDLabel: Lists the text Application Name & ID: Application - ApplicationID. If the information is not available, the “No Information on Application” message appears.

RCW_ApplicationNameOrID: Lists Application or, if this is not available, ApplicationID. If the information is not available, the “No Information on Application” message appears.

RCW_ApplicationNameOrIDLabel: Lists the text Application Name: Application or, if this is not available, Application ID: ApplicationID. If the information is not available, the “No Information on Application” message appears.

RCW_AverageHoldTime: Lists the average time an agent spends on hold during Contact Center Manager calls for this application by dividing HoldTime by the CallsAnswered.

RCW_AveragePostCallProcessingTime: Lists the average time an agent spends performing post call processing by dividing PostCallProcessingTime by the CallsAnswered.

RCW_AverageTalkTime: Lists the average time an agent spends handling contacts, excluding DN calls, after the contact is answered or accepted by dividing TalkTime by CallsAnswered. This statistic includes hold time.

RCW_AverageTalkTimeNoHold: Lists the average time an agent spends handling contacts, excluding DN calls and the time the contact was on hold, after the contact is answered or accepted by dividing TalkTime – HoldTime by CallsAnswered. This statistic excludes hold time.

RCW_AverageWaitTime: Lists average time an agent spends in the idle state after releasing a Contact Center Manager call for this application by dividing WaitTime by CallsAnswered.

RCW_AverageWorkTime: Lists average time an agent spends working on contacts by dividing TalkTime + PostCallProcessingTime by CallsAnswered.

RCW_ConsultTime: Lists the time an agent spends in consultation during Contact Center Manager calls for this application. Consultation time occurs during a consult transfer if the caller disconnects and the answering agent remains on the line.

RCW_DNOutExtTalkTime: For Avaya Communication Server 1000 PABX only. Lists the total time spent on outgoing external DN calls.

RCW_DNOutIntTalkTime: For Avaya Communication Server 1000 PABX only. Lists the total time spent on outgoing internal DN calls.

RCW_DNOutTalkTime: For Avaya Communication Server 1000 PABX only. Lists the total time spent on outgoing DN calls by adding DNOutIntTalkTime + DNOutExtTalkTime.

RCW_HoldTime: Lists the total time an agent spends on hold during Contact Center Manager calls for this application.

RCW_PostCallProcessingTime: Lists the total time an agent spends performing post call processing. Normally, an agent uses this time to complete work related to the call just released, such as filling in forms or filing papers.

RCW_RingTime: Lists the total time that contacts spend in the Alert (Ringing) state before they are answered or accepted, returned to the queue by this agent, or abandoned.

RCW_TalkTime: Lists the total time an agent spends handling contacts, excluding DN calls, after the contact is answered or accepted. This statistic includes hold time.

RCW_TalkTimeNoHold: Lists the total time an agent spends handling contacts, excluding DN calls and the time the contact was on hold, after the contact is answered or accepted. This statistic excludes hold time and is calculated by subtracting HoldTime from TalkTime.

RCW_TimestampGroupName: Lists the Timestamp value as a formatted string based on the report_datarange formula and the setting for the option The section will be printed. If the value for report_datarange is Daily, Weekly, or Monthly, only the date is printed. If the value for report_datarang is Interval, the value is modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TimestampGroupNameLabel: Lists a label indicating the group option selected followed by the Timestamp value as a formatted string (for example, Daily: 25/10/2005). The label and date shown are based on the report_datarange formula and the setting for the option The section will be printed.

If the value for report_datarange is Daily, Weekly, or Monthly, only the label and date are printed. If the value for report_datarange is Interval, the label and value are modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_WaitTime: Lists the total time the agent spent in the idle state after releasing a Contact Center Manager call for this application.

RCW_WorkTime: Lists the total time the agent spends working on contacts. This statistic includes hold time and is calculated by adding TalkTime + PostCallProcessingTime.

AgentBySkillsetStat formulas

The following AgentBySkillsetStat formulas are available.

RCW_PctAvailableTime: Calculates the percentage of time an agent works on a contact or waits to receive a contact by dividing TalkTime + PostCallProcessingTime + IdleTime by TotalStaffedTime, and multiplying by 100.

RCW_PctCallsAnswered: Calculates the percentage of calls answered by dividing CallsAnswered by CallsOffered, and multiplying by 100.

RCW_PctHold/WorkTime: Calculates the percentage of time an agent spends on hold during Contact Center Manager calls for this skillset. The percentage is calculated by dividing HoldTime by TalkTime + PostCallProcessingTime, and multiplying by 100.

RCW_PctIdle/AvailableTime: Calculates the percentage of time an agent spends in the idle state after releasing a Contact Center Manager call for this skillset. The percentage is calculated by dividing IdleTime by TalkTime + PostCallProcessingTime + IdleTime, and multiplying by 100. AvailableTime is the amount of time the agent works on a contact or waits to receive a contact.

RCW_PctPostCallProcessing/WorkTime: Calculates the percentage of time an agent spends performing post call processing. The percentage is calculated by dividing PostCallProcessingTime by TalkTime + PostCallProcessingTime, and multiplying by 100.

RCW_PctShortCallsAnswered: Calculates the percentage of short calls answered by dividing ShortCallsAnswered by CallsAnswered, and multiplying by 100. Short calls are calls that have a talk time less than the short call threshold assigned to the threshold class for the skillset.

RCW_PctTalk/WorkTime: Calculates the percentage of time an agent spends handling contacts, excluding DN calls, after the contact is answered or accepted. The percentage is calculated by dividing TalkTime by TalkTime + PostCallProcessingTime, and multiplying by 100. This statistic includes hold time.

RCW_PctTalkNoHold/WorkTime: Calculates the percentage of time an agent spends handling contacts, excluding DN calls and the time the contact was on hold, after the contact is answered or accepted. The percentage is calculated by dividing TalkTime — HoldTime by TalkTime + PostCallProcessingTime, and multiplying by 100. This statistic excludes hold time.

RCW_PctUnavailableTime: Calculates the percentage of time an agent spends not working on a contact or not waiting to receive a contact. This percentage is calculated by dividing TotalStaffedTime - (TalkTime + PostCallProcessingTime + IdleTime) by TotalStaffedTime, and multiplying by 100. This statistics includes the time an agent spends working on a contact in another skillset.

RCW_PctWorkTime: Calculates the percentage of time an agent spends working on contacts by dividing TalkTime + PostCallProcessingTime by TotalStaffedTime, and multiplying by 100.

RCW_AgentName: Lists the agent's full name in the format AgentGivenName AgentSurName. If the information is not available, the "Agent Name Not Defined" message appears.

RCW_AgentNameID: Lists the agent's full name and logon ID in the format AgentGivenName AgentSurName - AgentLogin. If the information is not available, the “No Agent Name and ID Available” message appears.

RCW_AgentNameIDLabel: Lists the text Agent Name & ID: AgentGivenName AgentSurname - AgentLogin. If the agent information is not available, the “No Agent Name and ID Available” message appears.

RCW_AgentSkillsetTime: Lists the amount of time that the agent spent on calls for this skillset by adding TalkTime + PostCallProcessingTime.

RCW_AvailableTime: Lists the amount of time that an agent works on a contact or waits to receive a contact by adding TalkTime + PostCallProcessingTime + IdleTime.

RCW_AverageHoldTime: Lists the average time an agent spends on hold during Contact Center Manager calls for this skillset by dividing HoldTime by CallsAnswered. This also includes agent walkaway time.

RCW_AveragePostCallProcessingTime: Lists the average time an agent spends performing post call processing by dividing PostCallProcessingTime by CallsAnswered.

RCW_AverageTalkTime: Lists the average time for local Contact Center Manager contacts, incoming NSBR contacts, ACD calls, and NACD calls for this skillset, including hold time, by dividing TalkTime by CallsAnswered.

RCW_AverageTalkTimeNoHold: Lists the average time for local Contact Center Manager contacts, incoming NSBR contacts, ACD calls, and NACD calls for this skillset, excluding hold time, by dividing TalkTime – HoldTime by CallsAnswered. This statistic excludes hold time.

RCW_AverageWaitTime: Lists average time an agent spends in the idle state after releasing a Contact Center Manager call for this skillset by dividing WaitTime by CallsAnswered.

RCW_AverageWorkTime: Lists average time an agent spends working on contacts by dividing TalkTime + PostCallProcessingTime by CallsAnswered.

RCW_ConsultTime: Lists the time an agent spends in consultation during Contact Center Manager calls for this skillset. Consultation time occurs during a consult transfer if the caller disconnects and the answering agent remains on the line.

RCW_DNOutExtTalkTime: For Avaya Communication Server 1000 PABX only. Lists the total time spent on outgoing external DN calls.

RCW_DNOutIntTalkTime: For Avaya Communication Server 1000 PABX only. Lists the total time spent on outgoing internal DN calls.

RCW_DNOutTalkTime: For Avaya Communication Server 1000 PABX only. Lists the total time spent on outgoing DN calls by adding DNOutIntTalkTime + DNOutExtTalkTime.

RCW_HoldTime: Lists the amount of time the agent spent on hold for this skillset.

RCW_IdleTime: Lists the amount of time an agent spends waiting for contacts. Idle time is recorded for each of the Skillsets that the agent is staffing.

RCW_NotReadyTime: Lists the amount of time an agent spends in the NotReady state after releasing a Contact Center Manager call for this skillset.

RCW_NotReadyTimeNoPCP: Lists the amount of time an agent spends in the NotReady state, excluding time spent by the agent performing post call processing, after releasing a Contact Center Manager call for this skillset. This is calculated by subtracting PostCallProcessingTime from NotReadyTime.

RCW_Occupancy: Calculates the percentage of Work Time out of Available Time by dividing TalkTime + PostCallProcessingTime by TalkTime + PostCallProcessingTime + IdleTime, and multiplying by 100.

RCW_PostCallProcessingTime: Lists the total time an agent spends performing post call processing. Normally, an agent uses this time to complete work related to the call just released, such as filling in forms or filing papers.

RCW_TalkTimeNoHold: Lists the total time an agent spends handling contacts, excluding DN calls and the time the contact was on hold, after the contact is answered or accepted for this skillset. This statistic excludes hold time and is calculated by subtracting HoldTime from TalkTime.

RCW_RingTime: Lists the total time that Contact Center Manager contacts queued to this skillset spent in Ringing state before they are answered or returned to queue by this agent, or abandoned.

RCW_SkillsetLabel: Lists the text Skillset: Skillset.

RCW_SkillsetNameID: Lists the skillset name and ID in the format Skillset - SkillsetID. If the information is not available, the “No Information on Skillset” message appears.

RCW_SkillsetNameIDLabel: Lists the text Skillset Name & ID: Skillset - SkillsetID. If the information is not available, the “No Information on Skillset” message appears.

RCW_SkillsetNameOrID: Lists Skillset or, if this is not available, SkillsetID. If the information is not available, the “No Information on Skillset” message appears.

RCW_SkillsetNameOrIDLabel: Lists the text Skillset Name: Skillset, or if this is not available Skillset ID: SkillsetID. If the information is not available, the “No Information on Skillset” message appears.

RCW_TalkTime: Lists the total time spent by the agent on local Contact Center Manager calls, incoming NSBR calls, ACD calls, and NACD calls, including hold time, for this skillset.

RCW_TimestampGroupName: Lists the Timestamp value as a formatted string based on the report_datarange formula and the setting for the option The section will be printed. If the value for report_datarange is Daily, Weekly, or Monthly, only the date is printed. If the value for report_datarang is Interval, the value is modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TimestampGroupNameLabel: Lists a label indicating the group option selected followed by the Timestamp value as a formatted string (for example, Daily: 25/10/2005). The label and date shown are based on the report_datarange formula and the setting for the option The section will be printed.

If the value for report_datarange is Daily, Weekly, or Monthly, only the label and date are printed. If the value for report_datarange is Interval, the label and value are modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TotalStaffedTime: Lists the total time an agent is logged on and assigned to this skillset.

RCW_UnavailableTime: Lists the time an agent spends not working on a contact or not waiting to receive a contact by subtracting TalkTime + PostCallProcessingTime + IdleTime from TotalStaffedTime. This statistics includes the time an agent spends working on a contact in another skillset.

RCW_WaitTime: Lists the total time an agent spends in the idle state after releasing a Contact Center Manager call for this skillset.

RCW_WorkTime: Lists the total time an agent spends working on contacts. This statistic includes hold time and is calculated by adding TalkTime + PostCallProcessingTime.

AgentPerformanceStat formulas

The following AgentPerformanceStat formulas are available.

RCW_PctACDCallsAnswered: For Avaya Communication Server 1000 PABX—Calculates the percentage of ACD calls answered by dividing ACDCallsAnswered by CallsAnswered + ACDCallsAnswered + NACDCallsAnswered, and multiplying by 100.

RCW_PctAvailable: For Avaya Communication Server 1000 PABX—Calculates the percentage of time an agent is busy on calls routed to the Contact Center Manager or Idle waiting for calls by dividing TalkTime + ACDCallsTalkTime + NACDCallsTalkTime + WaitingTime by LoggedInTime, and multiplying by 100.

RCW_PctAvailableTime: Calculates the percentage of time an agent works on a contact or waits to receive a contact by dividing TalkTime + ACDCallsTalkTime + NACDCallsTalkTime + PostCallProcessingTime + WaitingTime by LoggedInTime, and multiplying by 100.

The statistic %Available exists for AgentPerformanceStat views, however this statistic does not include Post Call Processing Time, since the Post Call Processing Time field was not available in earlier releases. This formula remains to allow a version that can be used on earlier Contact Center systems.

RCW_PctBusy: Calculates the percentage of time an agent is busy on calls routed to the Contact Center Manager, in the Not Ready state or on a DN call by dividing LoggedInTime - WaitingTime by LoggedInTime, and multiplying by 100.

RCW_PctCallsAnswered: Calculates the percentage of calls answered by dividing CallsAnswered by CallsOffered, and multiplying by 100.

RCW_PctHold/WorkTime: Calculates the percentage of time an agent spends on hold during a Contact Center Manager call by dividing HoldTime by TalkTime + ACDCallsTalkTime + NACDCallsTalkTime + PostCallProcessingTime, and multiplying by 100.

In the AgentPerformanceStat views, the amount of Hold Time associated with ACD and NACD contacts is not tracked.

RCW_PctIdle/AvailableTime: Calculates the percentage of time an agent spends in the idle state after releasing a Contact Center Manager call. The percentage is calculated by dividing WaitingTime by TalkTime + ACDCallsTalkTime + NACDCallsTalkTime + PostCallProcessingTime

+ WaitingTime, and multiplying by 100. AvailableTime is the amount of time the agent works on a contact or waits to receive a contact.

RCW_PctLocalCallsAnswered: Calculates the percentage of local calls answered by dividing CallsAnswered - NetworkCallsAnswered by CallsAnswered, and multiplying by 100.

RCW_PctNACDCallsAnswered: For Avaya Communication Server 1000 PABX only. Calculates the percentage of NACD calls answered by dividing NACDCallsAnswered by CallsAnswered + ACDCallsAnswered + NACDCallsAnswered, and multiplying by 100.

RCW_PctNetworkCallsAnswered: Calculates the percentage of network calls answered by dividing NetworkCallsAnswered by CallsAnswered, and multiplying by 100.

RCW_PctPostCallProcessing/WorkTime: Calculates the percentage of time an agent spends performing post call processing. The percentage is calculated by dividing PostCallProcessingTime by TalkTime + ACDCallsTalkTime + NACDCallsTalkTime + PostCallProcessingTime, and multiplying by 100.

RCW_PctTalk/WorkTime: Calculates the percentage of time an agent spends handling contacts, excluding DN calls, after the contact is answered or accepted. The percentage is calculated by dividing TalkTime + ACDCallsTalkTime + NACDCallsTalkTime by TalkTime + ACDCallsTalkTime + NACDCallsTalkTime + PostCallProcessingTime, and multiplying by 100. This statistic includes Hold Time.

RCW_PctTalkNoHold/WorkTime: Calculates the percentage of time an agent spends handling contacts, excluding DN calls and the time the contact was on hold, after the contact is answered or accepted. The percentage is calculated by dividing TalkTime + ACDCallsTalkTime + NACDCallsTalkTime - HoldTime by TalkTime + ACDCallsTalkTime + NACDCallsTalkTime + PostCallProcessingTime, and multiplying by 100. This statistic excludes Hold Time.

In the AgentPerformanceStat views, the amount of Hold Time associated with ACD and NACD contacts is not tracked.

RCW_PctShortCallsAnswered: For Avaya Communication Server 1000 PABX—Calculates the percentage of short calls answered by dividing ShortCallsAnswered by CallsAnswered + ACDCallsAnswered + NACDCallsAnswered, and multiplying by 100. Short calls are calls that have a talk time less than the short call threshold assigned to the threshold class for the skillset in which the call is answered.

RCW_PctUnavailableTime: Calculates the percentage of time an agent spends not working on a contact or not waiting to receive a contact. This percentage is calculated by dividing LoggedInTime - (TalkTime + ACDCallsTalkTime + NACDCallsTalkTime + PostCallProcessingTime + WaitingTime) by LoggedInTime, and multiplying by 100.

RCW_PctWork: For Avaya Communication Server 1000 PABX—Calculates the percentage of logged on time an agent is either busy on calls routed to the Contact Center Manager or in Not Ready state by dividing TalkTime + ACDCallsTalkTime + NACDCallsTalkTime + NotReadyTime by LoggedInTime, and multiplying by 100.

For Avaya Communication Server 2x00—Calculates the percentage of logged on time an agent is either busy on calls routed to the Contact Center Manager or in Not Ready state by dividing

TalkTime + ACDCallsTalkTime + NACDCallsTalkTime + NotReadyTime by LoggedInTime, and multiplying by 100.

RCW_PctWorkTime: Calculates the percentage of time an agent spends working on contacts by dividing TalkTime + ACDCallsTalkTime + NACDCallsTalkTime + PostCallProcessingTime by LoggedInTime, and multiplying by 100.

The statistic %Work exists for AgentPerformanceStat views, however this statistic uses Not Ready Time instead of Post Call Processing Time, since the Post Call Processing Time field was not available in earlier releases. This formula remains to allow a version that can be used on earlier Contact Center systems.

RCW_ACDCallsConferenced: Calculates the number of ACD calls conferenced by adding ACDCallsConfToCDN + ACDCallsConfToDN + ACDCallsConfToIncalls + ACDCallsConfToOther.

RCW_ACDCallsTalkTime: For Avaya Communication Server 1000 PABX—Lists the total time spent on ACD calls, including Hold Time.

RCW_ACDCallsTransferred: Calculates the number of ACD calls transferred by adding ACDCallsTransferredToCDN + ACDCallsTransferredToDN + ACDCallsTransferredToIncalls + ACDCallsTransferredToOther.

RCW_ACDNACDCallsAnswered: For Avaya Communication Server 1000 PABX only. Calculates the total number of ACD and NACD calls answered by adding ACDCallsAnswered + NACDCallsAnswered.

RCW_ACDNACDCallsTalkTime: For Avaya Communication Server 1000 PABX only. Lists the total talk time for both ACD and NACD calls by adding ACDCallsTalkTime + NACDCallsTalkTime.

RCW_AgentName: Lists the agent's full name in the format AgentGivenName AgentSurName. If the information is not available, the "Agent Name Not Defined" message appears.

RCW_AgentNameID: Lists the agent's full name and logon ID in the format AgentGivenName AgentSurName - AgentLogin. If the information is not available, the "No Agent Name and ID Available" message appears.

RCW_AgentNameIDLabel: Lists the text Agent Name & ID: AgentGivenName AgentSurname - AgentLogin. If the agent information is not available, the "No Agent Name and ID Available" message appears.

RCW_AvailableTime: Lists the amount of time that an agent works on a contact or waits to receive a contact by adding TalkTime + ACDCallsTalkTime + NACDCallsTalkTime + PostCallProcessingTime + WaitingTime.

RCW_AverageACDCallsTalkTime: Lists the average time spent on ACD calls by dividing ACDCallsTalkTime by ACDCallsAnswered.

RCW_AverageACDNACDCallsTalkTime: For Avaya Communication Server 1000 PABX only. Lists the average time spent on ACD and NACD calls by dividing ACDCallsTalkTime + NACDCallsTalkTime by ACDCallsAnswered + NACDCallsAnswered.

RCW_AverageBusyOnDNTime: For Avaya Communication Server 1000 PABX only. Lists the average time the Incalls key of an agent is busy because the agent pressed the personal DN

key or is busy on a DN call by dividing BusyOnDNTime by DNInExtCalls + DNInIntCalls + DNOutExtCalls + DNOutIntCalls.

RCW_AverageCallsAnsweredPerHour: Lists the average number of contacts answered for each hour by dividing CallsAnswered + CDCallsAnswered + NACDCallsAnswered by (LoggedInTime/ 3600).

RCW_AverageDNCallsHoldTime: For Avaya Communication Server 1000 PABX—Lists the average time DN calls are on hold by dividing DNInExtCallsHoldTime + DNInIntCallsHoldTime + DNOutExtCallsHoldTime + DNOutIntCallsHoldTime by DNInExtCalls + DNInIntCalls + DNOutExtCalls + DNOutIntCalls.

RCW_AverageDNCallsTalkTime: For Avaya Communication Server 1000 PABX—Lists the average time spent on DN calls, including Hold Time, by dividing DNInExtCallsTalkTime + DNInIntCallsTalkTime + DNOutExtCallsTalkTime + DNOutIntCallsTalkTime by DNInExtCalls + DNInIntCalls + DNOutExtCalls + DNOutIntCalls.

RCW_AverageDNInCallsHoldTime: For Avaya Communication Server 1000 PABX—Lists the average time incoming DN calls are on hold by dividing DNInExtCallsHoldTime + DNInIntCallsHoldTime by DNInExtCalls + DNInIntCalls.

RCW_AverageDNInCallsTalkTime: For Avaya Communication Server 1000 PABX—Lists the average time spent on incoming DN calls, including Hold Time, by dividing DNInExtCallsTalkTime + DNInIntCallsTalkTime by DNInExtCalls + DNInIntCalls.

RCW_AverageDNInExtCallsHoldTime: For Avaya Communication Server 1000 PABX only. Lists the average time incoming external DN calls are on hold by dividing DNInExtCallsHoldTime by DNInExtCalls.

RCW_AverageDNInExtCallsTalkTime: For Avaya Communication Server 1000 PABX only. Lists the average time spent on incoming external DN calls, including Hold Time, by dividing DNInExtCallsTalkTime by DNInExtCalls.

RCW_AverageDNInIntCallsHoldTime: For Avaya Communication Server 1000 PABX only. Lists the average time incoming internal DN calls are on hold by dividing DNInIntCallsHoldTime by DNInIntCalls.

RCW_AverageDNInIntCallsTalkTime: For Avaya Communication Server 1000 PABX only. Lists the average time spent on incoming internal DN calls, including Hold Time, by dividing DNInIntCallsTalkTime by DNInIntCalls.

RCW_AverageDNOutCallsHoldTime: For Avaya Communication Server 1000 PABX—Lists the average time outgoing DN calls are on hold by dividing DNOutExtCallsHoldTime + DNOutIntCallsHoldTime by DNOutExtCalls + DNOutIntCalls.

RCW_AverageDNOutCallsTalkTime: For Avaya Communication Server 1000 PABX—Lists the average time spent on outgoing DN calls, including Hold Time, by dividing DNOutExtCallsTalkTime + DNOutIntCallsTalkTime by DNOutExtCalls + DNOutIntCalls.

RCW_AverageDNOutExtCallsHoldTime: For Avaya Communication Server 1000 PABX only. Lists the average time outgoing external DN calls are on hold by dividing DNOutExtCallsHoldTime by DNOutExtCalls.

RCW_AverageDNOutExtCallsTalkTime: For Avaya Communication Server 1000 PABX only. Lists the average time spent on outgoing external DN calls, including Hold Time, by dividing DNOutExtCallsTalkTime by DNOutExtCalls.

RCW_AverageDNOutIntCallsHoldTime: For Avaya Communication Server 1000 PABX only. Lists the average time outgoing internal DN calls are on hold by dividing DNOutIntCallsHoldTime by DNOutIntCalls.

RCW_AverageDNOutIntCallsTalkTime: For Avaya Communication Server 1000 PABX only. Lists the average time spent on outgoing internal DN calls, including Hold Time, by dividing DNOutIntCallsTalkTime by DNOutIntCalls.

RCW_AverageHoldTime: Lists the average time this agent placed local and incoming contacts on hold, excluding DN calls, ACD calls and NACD calls by dividing HoldTime by the CallsAnswered.

RCW_AverageLocalCallsTalkTime: Lists the average time that the agent spent handling local contacts, including Hold Time, by dividing TalkTime - NetworkCallsTalkTime by CallsAnswered - NetworkCallsAnswered.

RCW_AverageNACDCallsTalkTime: For Avaya Communication Server 1000 PABX only. Lists the average time spent on NACD calls, including Hold Time, by dividing NACDCallsTalkTime by NACDCallsAnswered.

RCW_AverageNetworkCallsTalkTime: Lists the average time that the agent spent handling incoming NSBR contacts, including Hold Time, by dividing NetworkCallsTalkTime by NetworkCallsAnswered.

RCW_AverageNotReadyTime: For Avaya Communication Server 1000 PABX—Lists the average Not Ready time by dividing NotReadyTime by CallsAnswered + ACDCallsAnswered + NACDCallsAnswered.

RCW_AverageNotReadyTimePerHour: Lists the average Not Ready time for each hour by dividing NotReadyTime by (LoggedInTime/3600).

RCW_AveragePostCallProcessingTime: Lists the average post call processing time after releasing a Contact Center Manager call by dividing PostCallProcessingTime by CallsAnswered + ACDCallsAnswered + NACDCallsAnswered.

RCW_AverageTalkTime: Lists the average time spent by the agent handling all contacts except DN calls, ACD calls and NACD calls, including Hold Time, by dividing TalkTime by CallsAnswered.

RCW_AverageTalkTimeNoHold: Lists the average time spent by the agent handling all contacts except DN calls, ACD calls and NACD calls and excluding Hold Time, by dividing TalkTime - HoldTime by CallsAnswered. This statistic excludes Hold Time.

RCW_AverageTalkTimePerHour: For Avaya Communication Server 1000 PABX. Lists the average time spent for each hour by the agent on calls, including Hold Time, by dividing TalkTime + ACDTalkTime + NACDTalkTime by (LoggedInTime/3600).

RCW_AverageTotalTalkTime: For Avaya Communication Server 1000 PABX. Lists the average time spent by the agent on calls, including Hold Time, by dividing TalkTime + ACDTalkTime + NACDTalkTime by CallsAnswered + ACDCallsAnswered + NACDCallsAnswered.

RCW_AverageTotalTalkTimeNoHold: Lists the average time spent by the agent on calls, excluding Hold Time, by dividing $\text{TalkTime} + \text{ACDCallsTalkTime} + \text{NACDCallsTalkTime} - \text{HoldTime}$ by $\text{CallsAnswered} + \text{ACDCallsAnswered} + \text{NACDCallsAnswered}$.

In the AgentPerformanceStat views, the amount of Hold Time associated with ACD and NACD contacts is not tracked and therefore this statistic includes Hold Time for ACD and NACD contacts.

RCW_AverageWaitingTime: Lists average time an agent spends waiting for contacts by dividing WaitingTime by $\text{CallsAnswered} + \text{ACDCallsAnswered} + \text{NACDCallsAnswered}$.

RCW_AverageWorkTime: Lists average time an agent spends working on contacts by dividing $\text{TalkTime} + \text{ACDCallsTalkTime} + \text{NACDCallsTalkTime} + \text{PostCallProcessingTime}$ by $\text{CallsAnswered} + \text{ACDCallsAnswered} + \text{NACDCallsAnswered}$.

RCW_BreakTime: Lists the total time an agent is in the Break state for all skillsets. You can configure an agent's call presentation class to place the agent in Break state after each call.

RCW_BusyMiscTime: For Avaya Communication Server 1000 PABX only. Lists the total time the Incalls key of an agent is busy because of events not related to DN calls (for example, programming the Call Forward key or ACD call ringing).

RCW_BusyOnDNTime: For Avaya Communication Server 1000 PABX only. Lists the total time the Incalls key of an agent is busy because the agent pressed the personal DN key or is busy on a DN call. This statistic does not include DN calls that originated as part of a Contact Center Outbound contact.

RCW_CallsConferenced: Calculates the total number of calls conferenced, by adding $\text{ACDCallsConfToCDN} + \text{ACDCallsConfToDN} + \text{ACDCallsConfToIncalls} + \text{ACDCallsConfToOther} + \text{CDNCallsConfToCDN} + \text{CDNCallsConfToDN} + \text{CDNCallsConfToIncalls} + \text{CDNCallsConfToOther} + \text{DNCallsConfToCDN} + \text{DNCallsConfToDN} + \text{DNCallsConfToACDDN} + \text{DNCallsConfToOther}$.

RCW_CallsConferencedToACD: Calculates the number of calls conferenced to an ACD-DN by adding $\text{ACDCallsConfToIncalls} + \text{CDNCallsConfToIncalls} + \text{DNCallsConfToACDDN}$.

RCW_CallsConferencedToCDN: Calculates the number of calls conferenced to a CDN acquired by Contact Center Manager by adding $\text{ACDCallsConfToCDN} + \text{CDNCallsConfToCDN} + \text{DNCallsConfToCDN}$.

RCW_CallsConferencedToDN: Calculates the number of calls conferenced to a DN by adding $\text{ACDCallsConfToDN} + \text{CDNCallsConfToDN} + \text{DNCallsConfToDN}$.

RCW_CallsConferencedToOther: Calculates the number of calls conferenced to resources external to Contact Center Manager system by adding $\text{ACDCallsConfToOther} + \text{CDNCallsConfToOther} + \text{DNCallsConfToOther}$.

RCW_CallsTransferred: Calculates the total number of calls transferred, by adding $\text{ACDCallsTransferredToCDN} + \text{ACDCallsTransferredToDN} + \text{ACDCallsTransferredToIncalls} + \text{ACDCallsTransferredToOther} + \text{CDNCallsTransferredToCDN} + \text{CDNCallsTransferredToDN} + \text{CDNCallsTransferredToIncalls} + \text{CDNCallsTransferredToOther} + \text{DNCallsTransferredToCDN} + \text{DNCallsTransferredToDN} + \text{DNCallsTransferredToACDDN} + \text{DNCallsTransferredToOther}$.

RCW_CallsTransferredToACD: Calculates the number of calls transferred to an ACD-DN by adding $ACDCallsTransferredToIncalls + CDNCallsTransferredToIncalls + DNCallsTransferredToACDDN$.

RCW_CallsTransferredToCDN: Calculates the number of calls transferred to a CDN acquired by Contact Center Manager $ACDCallsTransferredToCDN + CDNCallsTransferredToCDN + DNCallsTransferredToCDN$.

RCW_CallsTransferredToDN: Calculates the number of calls transferred to a DN by adding $ACDCallsTransferredToDN + CDNCallsTransferredToDN + DNCallsTransferredToDN$.

RCW_CallsTransferredToOther: Calculates the number of calls transferred to resources external to the Contact Center Manager system by adding $ACDCallsTransferredToOther + CDNCallsTransferredToOther + DNCallsTransferredToOther$.

RCW_CDNCallsConferenced: Calculates the number of CDN calls conferenced by adding $CDNCallsConfToCDN + CDNCallsConfToDN + CDNCallsConfToIncalls + CDNCallsConfToOther$.

RCW_CDNCallsTransferred: Calculates the number of CDN calls transferred by adding $CDNCallsTransferredToCDN + CDNCallsTransferredToDN + CDNCallsTransferredToIncalls + CDNCallsTransferredToOther$.

RCW_ConsultationTime: Lists the total time an agent spends in consultation with another agent during a call transfer or conference after the caller drops off the call.

RCW_DNCalls: For Avaya Communication Server 1000 PABX—Calculates the number of DN calls handled by an agent, by adding $DNInExtCalls + DNInIntCalls + DNOutExtCalls + DNOutIntCalls$.

RCW_DNCallsConferenced: Calculates the number of DN calls conferenced by adding $DNCallsConfToACDDN + DNCallsConfToCDN + DNCallsConfToDN + DNCallsConfToOther$.

RCW_DNCallsHoldTime: Lists the total time DN calls are on hold by adding $DNInExtCallsHoldTime + DNInIntCallsHoldTime + DNOutExtCallsHoldTime + DNOutIntCallsHoldTime$.

RCW_DNCallsTalkTime: For Avaya Communication Server 1000 PABX—Lists the total time spent handling DN calls by adding $DNInExtCallsTalkTime + DNInIntCallsTalkTime + DNOutExtCallsTalkTime + DNOutIntCallsTalkTime$.

For Avaya Communication Server 2x00 PABX—Lists the total time spent handling DN calls by adding $DNInCallsTalkTime + DNOutCallsTalkTime$.

RCW_DNCallsTransferred: Calculates the number of DN calls transferred by adding $DNCallsTransferredToACDDN + DNCallsTransferredToCDN + DNCallsTransferredToDN + DNCallsTransferredToOther$.

RCW_DNInCalls: For Avaya Communication Server 1000 PABX—Calculates the number of incoming DN calls by adding $DNInExtCalls + DNInIntCalls$.

RCW_DNInCallsHoldTime: Lists the total time incoming DN calls are on hold by adding $DNInExtCallsHoldTime + DNInIntCallsHoldTime$.

RCW_DNInCallsTalkTime: For Avaya Communication Server 1000 PABX—Lists the total time spent on incoming DN calls, including Hold Time, by adding DNInExtCallsTalkTime + DNInIntCallsTalkTime.

RCW_DNInExtCallsHoldTime: Lists the total time incoming external DN calls are on hold.

RCW_DNInExtCallsTalkTime: For Avaya Communication Server 1000 PABX only. Lists the total time spent on incoming external DN calls, including Hold Time.

RCW_DNInIntCallsHoldTime: Lists the total time incoming internal DN calls are on hold.

RCW_DNInIntCallsTalkTime: For Avaya Communication Server 1000 PABX only. Lists the total time spent on incoming internal DN calls, including Hold Time.

RCW_DNOutCalls: For Avaya Communication Server 1000 PABX—Calculates the number of outgoing DN calls by adding DNOutExtCalls + DNOutIntCalls.

RCW_DNOutCallsHoldTime: Lists the total time outgoing DN calls are on hold by adding DNOutExtCallsHoldTime + DNOutIntCallsHoldTime.

RCW_DNOutCallsTalkTime: For Avaya Communication Server 1000 PABX only. Lists the total time spent on outgoing DN calls, including Hold Time, by adding DNOutExtCallsTalkTime + DNOutIntCallsTalkTime.

RCW_DNOutExtCallsHoldTime: Lists the total time outgoing external DN calls are on hold.

RCW_DNOutExtCallsTalkTime: For Avaya Communication Server 1000 PABX only. Lists the total time spent on outgoing external DN calls, including Hold Time.

RCW_DNOutIntCallsHoldTime: Lists the total time outgoing internal DN calls are on hold.

RCW_DNOutIntCallsTalkTime: For Avaya Communication Server 1000 PABX only. Lists the total time spent on outgoing internal DN calls, including Hold Time.

RCW_HoldTime: Lists the amount of time this agent placed local and incoming contacts on hold, excluding DN calls, ACD calls and NACD calls.

RCW_LocalCallsAnswered: Calculates the number of local contacts answered by subtracting NetworkCallsAnswered from CallsAnswered.

RCW_LocalCallsTalkTime: Lists the total time that the agent spent handling local contacts, including Hold Time, by subtracting NetworkCallsTalkTime from TalkTime.

RCW_LoggedInTime: Lists the total time an agent is in the Login state.

RCW_NACDCallsTalkTime: For Avaya Communication Server 1000 PABX only Lists total time spent on NACD calls by an agent, including Hold Time.

RCW_NetworkCallsTalkTime: Lists the total time that the agent spent handling incoming NSBR contacts, including Hold Time.

RCW_NotReadyTime: Lists total time an agent spends in the Not Ready state. Not Ready time includes post call processing time and Not Ready time with reason codes.

RCW_NotReadyTimeNoPCP: Lists total time an agent spends in the NotReady state, excluding time spent by the agent performing post call processing. This is calculated by subtracting PostCallProcessingTime from NotReadyTime.

RCW_Occupancy: Calculates the percentage of Work Time out of Available Time by dividing TalkTime + ACDCallsTalkTime + NACDCallsTalkTime + PostCallProcessingTime by TalkTime + ACDCallsTalkTime + NACDCallsTalkTime + PostCallProcessingTime + WaitingTime, and multiplying by 100.

RCW_PostCallProcessingTime: Lists the total time an agent spends performing post call processing. Normally, an agent uses this time to complete work related to the call just released, such as filling in forms or filing papers.

RCW_ReservedTime: Lists the total time the agent is in Reserved state.

RCW_RingTime: Lists the total time an agent spends in the Ringing state before answering a Contact Center Manager call.

RCW_SupervisorName: Lists the supervisor's full name in the format SupervisorGivenName SupervisorSurName. If the information is not available, the "Supervisor Name Not Defined" message appears.

RCW_SupervisorNameID: Lists the supervisor's full name and logon ID in the format SupervisorGivenName SupervisorSurName - SupervisorLogin. If the information is not available, the "No Supervisor Name or ID Available" message appears.

RCW_SupervisorNameIDLabel: Lists the text Supervisor Name & ID: SupervisorGivenName SupervisorSurname - SupervisorLogin. If the information is not available, the "Supervisor Name & ID Not Found" message appears.

RCW_TalkTime: Lists the total time spent by the agent handling all contacts except DN calls, ACD calls, and NACD calls, including Hold Time.

RCW_TalkTimeNoHold: Lists the total time an agent spends handling contacts, excluding DN calls, ACD calls, and NACD calls, and the time the contact was on hold. This statistic excludes Hold Time and is calculated by subtracting HoldTime from TalkTime.

RCW_TimestampGroupName: Lists the Timestamp value as a formatted string based on the report_datarange formula and the setting for the option The section will be printed. If the value for report_datarange is Daily, Weekly, or Monthly, only the date is printed. If the value for report_datarang is Interval, the value is modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TimestampGroupNameLabel: Lists a label indicating the group option selected followed by the Timestamp value as a formatted string (for example, Daily: 25/10/2005). The label and date shown are based on the report_datarange formula and the setting for the option The section will be printed.

If the value for report_datarange is Daily, Weekly, or Monthly, only the label and date are printed. If the value for report_datarange is Interval, the label and value are modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TotalCallsAnswered: For Avaya Communication Server 1000 PABX—Calculates the total number of calls answered by adding CallsAnswered + ACDCallsAnswered + NACDCallsAnswered.

RCW_TotalTalkTime: For Avaya Communication Server 1000 PABX—Lists the total time spent by the agent handling all contacts, including Hold Time by adding TalkTime + ACDCallsTalkTime + NACDCallsTalkTime.

RCW_TotalTalkTimeNoHold: Lists the total time spent by the agent handling all contacts, excluding Hold Time by subtracting HoldTime from TalkTime + ACDCallsTalkTime + NACDCallsTalkTime.

In the AgentPerformanceStat views, the amount of Hold Time associated with ACD and NACD contacts is not tracked and therefore this statistic includes Hold Time for ACD and NACD contacts.

RCW_UnavailableTime: Lists the time an agent spends not working on a contact or not waiting to receive a contact by subtracting TalkTime + ACDCallsTalkTime + NACDCallsTalkTime + PostCallProcessingTime + WaitingTime from LoggedInTime.

RCW_WaitingTime: Lists the total time an agent spends waiting for contacts.

RCW_WalkawayTime: Lists the total time an agent is in the Walkaway state.

RCW_WorkTime: Lists the total time the agent spends working on contacts. This statistic includes Hold Time and is calculated by adding TalkTime + ACDCallsTalkTime + NACDCallsTalkTime + PostCallProcessingTime.

ApplicationStat formulas

The following ApplicationStat formulas are available.

RCW_PctCallsAbandoned: Calculates the percentage of calls abandoned by dividing CallsAbandoned by CallsOffered, and multiplying by 100.

RCW_PctCallsAnswered: Calculates the percentage of calls answered by dividing CallsAnswered by CallsOffered, and multiplying by 100.

RCW_PctCallsAnsweredAfterThreshold: Calculates the percentage of calls answered that are answered after a wait greater than or equal to the service level threshold for the threshold class to which the application belongs by dividing CallsAnsweredAftThreshold by CallsAnswered, and multiplying by 100.

RCW_PctCallsAnsweredBeforeThreshold: Calculates the percentage of calls answered that are answered before a wait greater than or equal to the service level threshold for the threshold class to which the application belongs by dividing CallsAnswered - CallsAnsweredAftThreshold by CallsAnswered, and multiplying by 100.

RCW_PctCallsGivenDefault: Calculates the percentage of calls with default treatment by dividing CallsGivenDefault by CallsOffered, and multiplying by 100.

RCW_PctCallsGivenForceBusy: Calculates the percentage of calls with Force Busy treatment by dividing CallsGivenForceBusy by CallsOffered, and multiplying by 100.

RCW_PctCallsGivenForceDisconnect: Calculates the percentage of calls with Force Disconnect treatment by dividing CallsGivenForceDisconnect by CallsOffered, and multiplying by 100.

RCW_PctCallsGivenForceOverflow: Calculates the percentage of calls with Force Overflow treatment by dividing CallsGivenForceOverflow by CallsOffered, and multiplying by 100.

RCW_PctCallsGivenHostLookup: Calculates the percentage of calls with Host Lookup treatment by dividing CallsGivenHostLookup by CallsOffered, and multiplying by 100.

RCW_PctCallsGivenRouteTo: Calculates the percentage of calls with Route To treatment by dividing CallsGivenRouteTo by CallsOffered, and multiplying by 100.

RCW_PctPostCallProcessing/WorkTime: Calculates the percentage of time an agent spends performing post call processing. The percentage is calculated by dividing PostCallProcessingTime by TalkTime + PostCallProcessingTime, and multiplying by 100.

RCW_PctServiceLevel: Calculates the percentage of calls handled within the service level threshold for the application by dividing $(\text{CallsAnswered} + \text{CallsAbandoned}) - (\text{CallsAnsweredAftThreshold} + \text{CallsAbandonedAftThreshold})$ by $(\text{CallsAnswered} + \text{CallsAbandoned})$, and multiplying by 100.

RCW_PctTalk/WorkTime: Calculates the percentage of time an agent spends handling contacts, excluding DN calls, after the contact is answered or accepted. The percentage is calculated by dividing TalkTime by TalkTime + PostCallProcessingTime, and multiplying by 100. This statistic includes hold time.

RCW_ApplicationCallsAbandoned: Calculates the actual number of calls that entered the application and are hung up before they are answered by subtracting IVRAbandoned from CallsAbandoned.

RCW_ApplicationLabel: Lists the text Application: Application.

RCW_ApplicationNameID: Lists the application name and ID in the format Application - ApplicationID. If the information is not available, the “No Information on Application” message appears.

RCW_ApplicationNameIDLabel: Lists the text Application Name & ID: Application - ApplicationID. If the information is not available, the “No Information on Application” message appears.

RCW_ApplicationNameOrID: Lists Application or, if this is not available, ApplicationID. If the information is not available, the “No Information on Application” message appears.

RCW_ApplicationNameOrIDLabel: Lists the text Application Name: Application or, if this is not available, Application ID: ApplicationID. If the information is not available, the “No Information on Application” message appears.

RCW_AverageCallsAbandonedDelay: Lists the average wait time experienced by calls that are abandoned by dividing CallsAbandonedDelay by the CallsAbandoned.

RCW_AverageCallsAnsweredDelay: Lists the average wait time experienced by calls that are answered by dividing CallsAnsweredDelay by the CallsAnswered.

RCW_AverageNetOutCallsAbandonedDelay: Lists the average time delay experienced by outgoing NSBR calls sent by this application and abandoned at the destination sites, by dividing NetOutCallsAbandonedDelay by NetOutCallsAbandoned.

RCW_AverageNetOutCallsAnsweredDelay: Lists the average time delay experienced by outgoing NSBR calls routed by this application and answered at the destination sites, by dividing NetOutCallsAnsweredDelay by NetOutCallsAnswered.

RCW_AveragePostCallProcessingTime: Displays the average time agents spent performing post call processing by dividing PostCallProcessingTime by the CallsAnswered.

RCW_AverageTalkTime: Displays the average time agents spent handling contacts (excluding DN calls) in this interval, that were handled by this application by dividing TalkTime by CallsAnswered. This statistic includes hold time.

RCW_AverageTimeBeforeDefault: Lists the average time spent in the system by local Contact Center Manager contacts and incoming NSBR contacts that received default treatment for this application, by dividing TimeBeforeDefault by CallsGivenDefault.

RCW_AverageTimeBeforeForceBusy: Lists the average time spent in the system by local Contact Center Manager calls and incoming NSBR calls that received Force Busy treatment for this application, by dividing TimeBeforeForceBusy by CallsGivenForceBusy.

RCW_AverageTimeBeforeForceDisconnect: Lists the average time spent in the system by local Contact Center Manager calls and incoming NSBR calls that received Force Disconnect treatment for this application, by dividing TimeBeforeForceDisconnect by CallsGivenForceDisconnect.

RCW_AverageTimeBeforeForceOverflow: Lists the average time spent in the system by local Contact Center Manager calls and incoming NSBR calls that received Force Overflow treatment for this application, by dividing TimeBeforeForceOverflow by CallsGivenForceOverflow.

RCW_AverageTimeBeforeRouteTo: Lists the average time spent in the system by local Contact Center Manager calls and incoming NSBR calls that received Route Call treatment, by dividing TimeBeforeRouteTo by CallsGivenRouteTo.

RCW_AverageWaitTime: Displays the average time agents spend waiting for a contact after releasing a voice call or closing a multimedia contact handled by this application by dividing WaitTime by CallsAnswered.

RCW_AverageWorkTime: Lists average time an agent spends working on contacts by dividing TalkTime + PostCallProcessingTime by CallsAnswered.

RCW_CallsAbandonedDelay: Lists the wait time experienced by all Contact Center Manager calls abandoned by callers.

RCW_CallsAnsweredBeforeThreshold: Calculates the number of calls answered before a wait greater than or equal to the service level threshold for the threshold class to which the application belongs by subtracting CallsAnsweredAftThreshold from CallsAnswered.

RCW_CallsAnsweredDelay: Lists the wait time experienced by all Contact Center Manager contacts answered or accepted for this application.

RCW_CallsAnsweredDelayAtSkillset: Lists the total wait time experienced in the skillset queue by all Contact Center Manager contacts that are answered for this application.

RCW_DNOutCallsTalkTime: For Avaya Communication Server 1000 PABX only. Displays the total time spent on outgoing DN calls, including hold time, for this application by adding DNOutExtCallsTalkTime + DNOutIntCallsTalkTime.

RCW_DNOutExtCallsTalkTime: For Avaya Communication Server 1000 PABX only. Displays the total time spent by agents on outgoing external DN calls, including hold time, for this application.

RCW_DNOutIntCallsTalkTime: For Avaya Communication Server 1000 PABX only. Displays the total time spent by agents on outgoing internal DN calls, including hold time, for this application.

RCW_MaxCallsAbandonedDelay: Lists the wait time experienced by the Contact Center Manager call that waited the longest before the call is abandoned.

RCW_MaxCallsAnsDelay: Lists the wait time experienced by the Contact Center Manager call that waited the longest before the call is answered.

RCW_MaxCallsAnsDelayAtSkillset: Lists the wait time experienced by the Contact Center Manager contact that waited the longest in the skillset queue before the call is answered.

RCW_MaxNetOutCallsAbandonedDelay: Lists the wait time experienced by the outgoing NSBR Contact Center Manager contact routed by this application that waited the longest before the system abandons the call at the destination site.

RCW_MaxNetOutCallsAnsweredDelay: Lists the wait time experienced by the outgoing NSBR contact routed by this application that waited the longest before the call is answered or terminated at the destination site.

RCW_NetOutCallsAbandonedDelay: Lists the total time delay experienced by outgoing NSBR calls sent by this application and abandoned at the destination sites.

RCW_NetOutCallsAnsweredDelay: Lists the total time delay experienced by outgoing NSBR calls routed by this application and answered at the destination sites.

RCW_PostCallProcessingTime: Displays the total time agents spent performing post call processing. Normally, an agent uses this time to complete work related to the call just released, such as filling in forms or filing papers.

RCW_TalkTime: Displays the total time agents spent handling contacts (excluding DN calls) in this interval, that were handled by this application. This statistic includes hold time.

RCW_TimeBeforeDefault: Lists the total time spent in the system by local Contact Center Manager contacts and incoming NSBR contacts that received default treatment for this application.

RCW_TimeBeforeForceBusy: Lists the total time spent in the system by local Contact Center Manager calls and incoming NSBR calls that received Force Busy treatment for this application.

RCW_TimeBeforeForceDisconnect: Lists the total time spent in the system by local Contact Center Manager calls and incoming NSBR calls that received Force Disconnect treatment for this application.

RCW_TimeBeforeForceOverflow: Lists the total time spent in the system by local Contact Center Manager calls and incoming NSBR calls that received Force Overflow treatment for this application.

RCW_TimeBeforeInterflow: Lists total amount of time that local Contact Center Manager contacts and outgoing NSBR contacts spent in the Master_Script application before they are passed to a primary application. For the Master_Script application, this is the total time spent in the Master_Script by all contacts. For primary applications, this is the total time spent in the Master_Script application by all contacts answered for the primary application.

RCW_TimeBeforeIVRTransferred: Lists the total time spent in the system by local Contact Center Manager calls and incoming NSBR calls transferred to an IVR session for this application.

RCW_TimeBeforeNACDOut: For Avaya Communication Server 1000 PABX only. Lists the total time spent in the system by local Contact Center Manager calls networked out through the NACD queue and answered at remote nodes. NACD calls are sent to other PABXs without using the Contact Center Manager NSBR feature.

RCW_TimeBeforeNetOut: Lists the total time spent in the system by outgoing NSBR contacts that are networked out by this application.

RCW_TimeBeforeReachNonISDN: Lists the total time spent in the system by outgoing NSBR Contact Center Manager calls before they reached a non-ISDN trunk.

RCW_TimeBeforeRouteTo: Lists the total time spent in the system by local Contact Center Manager calls and incoming NSBR calls that received Route Call treatment.

RCW_TimestampGroupName: Lists the Timestamp value as a formatted string based on the report_datarange formula and the setting for the option The section will be printed. If the value for report_datarange is Daily, Weekly, or Monthly, only the date is printed. If the value for report_datarang is Interval, the value is modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TimestampGroupNameLabel: Lists a label indicating the group option selected followed by the Timestamp value as a formatted string (for example, Daily: 25/10/2005). The label and date shown are based on the report_datarange formula and the setting for the option The section will be printed.

If the value for report_datarange is Daily, Weekly, or Monthly, only the label and date are printed. If the value for report_datarange is Interval, the label and value are modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_WaitTime: Displays the total time agents spend waiting for a contact after releasing a voice call or closing a multimedia contact handled by this application.

RCW_WorkTime: Lists the total time agents spend working on contacts. This statistic includes hold time and is calculated by adding TalkTime + PostCallProcessingTime.

CDNStat formulas

The following CDNStat formulas are available.

RCW_PctCallsAbandoned: Calculates the percentage of calls abandoned by dividing CallsAbandoned by CallsOffered, and multiplying by 100.

RCW_PctCallsAnswered: Calculates the percentage of calls answered by dividing CallsAnswered by CallsOffered, and multiplying by 100.

RCW_PctCallsTerminated: Calculates the percentage of calls abandoned by dividing CallsTerminated by CallsOffered, and multiplying by 100.

RCW_CDNameID: Lists the CDN name and ID in the format CDName - CDN. If the information is not available, the “No Information on CDN” message appears.

RCW_CDNameIDLabel: Lists the text CDN Name & ID: CDName - CDN. If the information is not available, the “There is no CDN Name or ID” message appears.

RCW_CDNameOrID: Lists CDName or, if this is not available, CDN. If the information is not available, the “No Information on CDN” message appears.

RCW_CDNameOrIDLabel: Lists the text CDN Name: CDName or, if this is not available, CDN ID: CDN. If the information is not available, the “No Information on CDN” message appears.

RCW_TimestampGroupName: Lists the Timestamp value as a formatted string based on the report_datarange formula and the setting for the option The section will be printed. If the value for report_datarange is Daily, Weekly, or Monthly, only the date is printed. If the value for report_datarang is Interval, the value is modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TimestampGroupNameLabel: Lists a label indicating the group option selected followed by the Timestamp value as a formatted string (for example, Daily: 25/10/2005). The label and date shown are based on the report_datarange formula and the setting for the option The section will be printed.

If the value for report_datarange is Daily, Weekly, or Monthly, only the label and date are printed. If the value for report_datarange is Interval, the label and value are modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

DNISStat formulas

The following DNISStat formulas are available.

RCW_PctCallsAbandoned: Calculates the percentage of calls abandoned by dividing CallsAbandoned by CallsOffered, and multiplying by 100.

RCW_PctCallsAbandonedAfterThreshold: Calculates the percentage of calls abandoned that are abandoned after a wait greater than or equal to the service level threshold for the DNIS number by dividing CallsAbandonedAftThreshold by CallsAbandoned, and multiplying by 100.

RCW_PctCallsAbandonedBeforeThreshold: Calculates the percentage of calls abandoned that are abandoned before a wait greater than or equal to the service level threshold for the DNIS number by dividing CallsAbandoned - CallsAbandonedAftThreshold by CallsAbandoned, and multiplying by 100.

RCW_PctCallsAnswered: Calculates the percentage of calls answered by dividing CallsAnswered by CallsOffered, and multiplying by 100.

RCW_PctCallsAnsweredAfterThreshold: Calculates the percentage of calls answered that are answered after a wait greater than or equal to the service level threshold for the DNIS number by dividing CallsAnsweredAftThreshold by CallsAnswered, and multiplying by 100.

RCW_PctCallsAnsweredBeforeThreshold: Calculates the percentage of calls answered that are answered before a wait greater than or equal to the service level threshold for the DNIS number by dividing CallsAnswered - CallsAnsweredAftThreshold by CallsAnswered, and multiplying by 100.

RCW_PctCallsGivenDefault: Calculates the percentage of calls with default treatment by dividing CallsGivenDefault by CallsOffered, and multiplying by 100.

RCW_PctCallsGivenForceBusy: Calculates the percentage of calls with Force Busy treatment by dividing CallsGivenForceBusy by CallsOffered, and multiplying by 100.

RCW_PctCallsGivenForceDisconnect: Calculates the percentage of calls with Force Disconnect treatment by dividing CallsGivenForceDisconnect by CallsOffered, and multiplying by 100.

RCW_PctCallsGivenForceOverflow: Calculates the percentage of calls with Force Overflow treatment by dividing CallsGivenForceOverflow by CallsOffered, and multiplying by 100.

RCW_PctCallsGivenRouteTo: Calculates the percentage of calls with Route To treatment by dividing CallsGivenRouteTo by CallsOffered, and multiplying by 100.

RCW_PctCallsNetworkedOut: Calculates the percentage of calls that are routed to a remote site and answered or abandoned by dividing CallsNetworkedOut by CallsOffered, and multiplying by 100.

RCW_PctServiceLevel: Calculates the percentage of calls handled within the service level threshold for the application by dividing $(\text{CallsAnswered} + \text{CallsAbandoned}) - (\text{CallsAnsweredAftThreshold} + \text{CallsAbandonedAftThreshold})$ by $(\text{CallsAnswered} + \text{CallsAbandoned})$, and multiplying by 100.

RCW_AverageAbandonedDelay: Calculates the average wait time experienced by all local Contact Center Manager calls and incoming NSBR calls abandoned for a DNIS number, by dividing CallsAbandonedDelay by CallsAbandoned.

RCW_AverageAnsweredDelay: Calculates the average wait time experienced by all local Contact Center Manager calls and incoming NSBR calls answered for a DNIS number, by dividing CallsAnsweredDelay by CallsAnswered.

RCW_AverageTalkTime: Lists the average time spent by all agents on local Contact Center Manager calls and incoming NSBR calls for a DNIS number, including hold time, by dividing TalkTime by CallsAnswered.

RCW_CallsAbandonedBeforeThreshold: Calculates the number of calls answered that are answered before a wait greater than or equal to the service level threshold for the DNIS number, by subtracting CallsAbandonedAftThreshold from CallsAbandoned.

RCW_CallsAbandonedDelay: Lists the total wait experienced by calls that are abandoned.

RCW_CallsAnsweredBeforeThreshold: Calculates the number of calls answered before a wait greater than or equal to the service level threshold for the DNIS number by subtracting CallsAnsweredAftThreshold from CallsAnswered.

RCW_CallsAnsweredDelay: Lists the wait time experienced by all local Contact Center Manager calls and incoming NSBR calls answered for a DNIS number.

RCW_DNISNameID: Lists the DNIS name and ID in the format DNISName - DNIS. If the information is not available, the “No Information on DNIS” message appears.

RCW_DNISNameIDLabel: Lists the text DNIS Name & ID: DNISName - DNIS. If the information is not available, the “No DNIS Information available” message appears.

RCW_DNISNameOrID: Lists DNISName or, if this is not available, DNIS. If the information is not available, the “No Information on DNIS” message appears.

RCW_DNISNameOrIDLabel: Lists the text DNIS Name: DNISName or, if this is not available, DNIS ID: DNIS. If the information is not available, the “No Information on DNIS” message appears.

RCW_MaxAbandonDelay: Lists the wait time experienced by the local Contact Center Manager calls or incoming NSBR call that waited the longest before the call is abandoned.

RCW_MaxAnsweredDelay: Lists the wait time experienced by the local Contact Center Manager calls or incoming NSBR call that waited the longest before the call is answered.

RCW_TalkTime: Lists the total time spent by all agents on local Contact Center Manager calls and incoming NSBR calls for a DNIS number, including hold time.

RCW_TimestampGroupName: Lists the Timestamp value as a formatted string based on the report_datarange formula and the setting for the option The section will be printed. If the value for report_datarange is Daily, Weekly, or Monthly, only the date is printed. If the value for report_datarang is Interval, the value is modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TimestampGroupNameLabel: Lists a label indicating the group option selected followed by the Timestamp value as a formatted string (for example, Daily: 25/10/2005). The label and date shown are based on the report_datarange formula and the setting for the option The section will be printed.

If the value for report_datarange is Daily, Weekly, or Monthly, only the label and date are printed. If the value for report_datarange is Interval, the label and value are modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

IVRPortStat formulas

The following IVRPortStat formulas are available.

RCW_AverageNotReadyTime: Lists the average time spent by the IVR port in the Not Ready state by dividing NotReadyTime by CallsAnswered.

RCW_AverageTalkTime: Lists the average time the IVR port is in use by dividing TalkTime by CallsAnswered.

RCW_AverageWaitingTime: Lists average time the IVR port is idle by dividing WaitingTime by CallsAnswered.

RCW_IVRPortNameID: Lists the IVR Port name and ID in the format IVRPortName - IVRPortID. If the information is not available, the “No Information on IVRPort” message appears.

RCW_IVRPortNameIDLabel: Lists the text Port Name & ID: IVRPortName - IVRPortID. If the information is not available, the “IVR Port Name & ID not available” message appears.

RCW_IVRQueueNameID: Lists the IVR Queue name and ID in the format IVRQueueName - IVRQueueID. If the information is not available, the “No Information on IVRQueue” message appears.

RCW_IVRQueueNameIDLabel: Lists the text Queue Name & ID: IVRQueueName - IVRQueueID. If the information is not available, the “IVR Queue Name & ID not available” message appears.

RCW_LoggedInTime: Lists the total time that the IVR port is logged on.

RCW_NotReadyTime: Lists the total time spent by the IVR port in the Not Ready state.

RCW_TalkTime: Lists the total time the IVR port is in use.

RCW_TimestampGroupName: Lists the Timestamp value as a formatted string based on the report_datarange formula and the setting for the option The section will be printed. If the value for report_datarange is Daily, Weekly, or Monthly, only the date is printed. If the value for report_datarange is Interval, the value is modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TimestampGroupNameLabel: Lists a label indicating the group option selected followed by the Timestamp value as a formatted string (for example, Daily: 25/10/2005). The label and date shown are based on the report_datarange formula and the setting for the option The section will be printed.

If the value for report_datarange is Daily, Weekly, or Monthly, only the label and date are printed. If the value for report_datarange is Interval, the label and value are modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_WaitTime: Lists the total time the IVR port is idle.

IVRStat formulas

The following IVRStat formulas are available.

RCW_PctCallsAnswered: Calculates the percentage of calls answered by dividing CallsAnswered by CallsOffered, and multiplying by 100.

RCW_PctCallsAnsweredAfterThreshold: Calculates the percentage of calls answered that are answered after a wait greater than or equal to the service level threshold for the threshold class

to which the IVR ACD-DN belongs by dividing `CallsAnsweredAftThreshold` by `CallsAnswered`, and multiplying by 100.

RCW_PctCallsAnsweredBeforeThreshold: Calculates the percentage of calls answered that are answered before a wait greater than or equal to the service level threshold for the threshold class to which the IVR ACD-DN belongs by dividing `CallsAnswered - CallsAnsweredAftThreshold` by `CallsAnswered`, and multiplying by 100.

RCW_AverageCallsAnsweredDelay: Lists the average wait time experienced by all the calls answered by dividing `CallsAnsweredDelay` by `CallsAnswered`.

RCW_AverageCallsNotTreatedDelay: Lists the average wait time experienced by all the calls abandoned or pulled back from an IVR queue by dividing `CallsNotTreatedDelay` by `CallsNotTreated`.

RCW_CallsAnsweredBeforeThreshold: Calculates the number of calls answered before a wait greater than or equal to the service level threshold for the threshold class to which the IVR ACD-DN belongs by subtracting `CallsAnsweredAftThreshold` from `CallsAnswered`.

RCW_CallsAnsweredDelay: Lists the total wait time experienced by all the calls answered.

RCW_CallsNotTreatedDelay: Lists The total wait time experienced by all calls abandoned or pulled back from an IVR queue.

RCW_IVRQueueNameID: Lists the IVR Queue name and ID in the format `IVRQueueName - IVRQueueID`. If the information is not available, the “No Information on IVRQueue” message appears.

RCW_IVRQueueNameIDLabel: Lists the text Queue Name & ID: `IVRQueueName - IVRQueueID`. If the information is not available, the “No Queue Information available” message appears.

RCW_TimestampGroupName: Lists the Timestamp value as a formatted string based on the `report_datarange` formula and the setting for the option The section will be printed. If the value for `report_datarange` is Daily, Weekly, or Monthly, only the date is printed. If the value for `report_datarang` is Interval, the value is modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TimestampGroupNameLabel: Lists a label indicating the group option selected followed by the Timestamp value as a formatted string (for example, Daily: 25/10/2005). The label and date shown are based on the `report_datarange` formula and the setting for the option The section will be printed.

If the value for `report_datarange` is Daily, Weekly, or Monthly, only the label and date are printed. If the value for `report_datarange` is Interval, the label and value are modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

LicenseStat formulas

The following LicenseStat formulas are available.

RCW_TimestampGroupName: Lists the Timestamp value as a formatted string based on the report_datarange formula and the setting for the option The section will be printed. If the value for report_datarange is Daily, Weekly, or Monthly, only the date is printed. If the value for report_datarang is Interval, the value is modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TimestampGroupNameLabel: Lists a label indicating the group option selected followed by the Timestamp value as a formatted string (for example, Daily: 25/10/2005). The label and date shown are based on the report_datarange formula and the setting for the option The section will be printed.

If the value for report_datarange is Daily, Weekly, or Monthly, only the label and date are printed. If the value for report_datarange is Interval, the label and value are modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

NetworkInCallStat formulas

The following NetworkInCallStat formulas are available.

RCW_PctCallsAbandoned: Calculates the percentage of calls abandoned by dividing CallsAbandoned by CallsOffered, and multiplying by 100.

RCW_PctCallsAbandonedAfterThreshold: Calculates the percentage of calls abandoned that are abandoned after a wait greater than or equal to the service level threshold for the application by dividing CallsAbandonedAftThreshold by CallsAbandoned, and multiplying by 100.

RCW_PctCallsAbandonedBeforeThreshold: Calculates the percentage of calls abandoned that are abandoned before a wait greater than or equal to the service level threshold for the application by dividing CallsAbandoned - CallsAbandonedAftThreshold by CallsAbandoned, and multiplying by 100.

RCW_PctCallsAnswered: Calculates the percentage of calls answered by dividing CallsAnswered by CallsOffered, and multiplying by 100.

RCW_PctCallsAnsweredAfterThreshold: Calculates the percentage of calls answered that are answered after a wait greater than or equal to the service level threshold for the application by dividing CallsAnsweredAftThreshold by CallsAnswered, and multiplying by 100.

RCW_PctCallsAnsweredBeforeThreshold: Calculates the percentage of calls answered that are answered before a wait greater than or equal to the service level threshold for the application by dividing CallsAnswered - CallsAnsweredAftThreshold by CallsAnswered, and multiplying by 100.

RCW_AverageCallsAbandonedDelay: Lists the average wait time experienced by all incoming NSBR calls abandoned at the local site, by dividing CallsAbandonedDelay by CallsAbandoned.

RCW_AverageCallsAbandonedDelayAtDest: Lists the average wait time experienced at the local site by all incoming NSBR calls abandoned at the local site, by dividing CallsAbandonedDelayAtDest by CallsAbandoned.

RCW_AverageCallsAnsweredDelay: Lists the average wait time experienced by all incoming NSBR calls answered at the local site, by dividing CallsAnsweredDelay by CallsAnswered.

RCW_AverageCallsAnsweredDelayAtDest: Lists the average wait time experienced at the local site by all incoming NSBR calls answered at the local site, by dividing CallsAnsweredDelayAtDest by CallsAnswered.

RCW_CallsAbandonedBeforeThreshold: Calculates the number of calls answered that are answered before a wait greater than or equal to the service level threshold for the application, by subtracting CallsAbandonedAftThreshold from CallsAbandoned.

RCW_CallsAbandonedDelay: Lists the total wait time experienced by all incoming NSBR calls abandoned at the local site.

RCW_CallsAbandonedDelayAtDest: Lists the total wait time experienced at the local site by all incoming NSBR calls abandoned at the local site.

RCW_CallsAnsweredBeforeThreshold: Calculates the number of calls answered before a wait greater than or equal to the service level threshold for the application by subtracting CallsAnsweredAftThreshold from CallsAnswered.

RCW_CallsAnsweredDelay: Lists the total wait time experienced by all incoming NSBR calls answered at the local site.

RCW_CallsAnsweredDelayAtDest: Lists the total wait time experienced at the local site by all incoming NSBR calls answered at the local site.

RCW_DstSiteNameOrID: Lists DstSite or, if this is not available, DstSiteID. If the information is not available, the “No Information on Destination Site” message appears.

RCW_MaxAbandonedDelay: Lists the wait time experienced by the incoming NSBR call that waited the longest before the call is abandoned at the local site.

RCW_MaxAbandonedDelayAtDest: Lists the wait time experienced by the call that waited the longest at the local site before the call is abandoned.

RCW_MaxAnsweredDelay: Lists the total wait time experienced by all calls answered at the local site.

RCW_MaxAnsweredDelayAtDest: Lists the wait time experienced by the call that waited the longest at the local site before the call is answered.

RCW_SrcSiteNameOrID: Lists SrcSite or, if this is not available, SrcSiteID. If the information is not available, the “No Information on Source Site” message appears.

RCW_TimestampGroupName: Lists the Timestamp value as a formatted string based on the report_datarange formula and the setting for the option The section will be printed. If the value for report_datarange is Daily, Weekly, or Monthly, only the date is printed. If the value for report_datarang is Interval, the value is modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TimestampGroupNameLabel: Lists a label indicating the group option selected followed by the Timestamp value as a formatted string (for example, Daily: 25/10/2005). The label and date

shown are based on the report_datarange formula and the setting for the option The section will be printed.

If the value for report_datarange is Daily, Weekly, or Monthly, only the label and date are printed. If the value for report_datarange is Interval, the label and value are modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

NetworkOutStat formulas

The following NetworkOutStat formulas are available.

RCW_PctCallsAbandoned: Calculates the percentage of calls abandoned by dividing CallsAbandoned by CallsOffered, and multiplying by 100.

RCW_PctCallsAnswered: Calculates the percentage of calls answered by dividing CallsAnswered by CallsOffered, and multiplying by 100.

RCW_AverageCallAbandonedDelayAtDest: Lists the average wait time experienced at the destination site by all calls from the local site that are abandoned at the destination site, by dividing CallAbandonedDelayAtDest by CallsAbandoned.

RCW_AverageCallAnsweredDelayAtDest: Lists the average wait time experienced at the destination site by all calls from the local site that are answered by an agent, answered by IVR, or terminated at the destination site, by dividing CallAnsweredDelayAtDestination by CallsAnswered.

RCW_AverageTotalCallAbandonedDelay: Lists the average wait time experienced by all calls from the local site that are abandoned at the destination site, by dividing TotalCallAbandonedDelay by CallsAbandoned.

RCW_AverageTotalCallAnsweredDelay: Lists the average wait time experienced by all calls from the local site, which are answered by an agent or by IVR, or terminated at the destination site, by dividing TotalCallAnsweredDelay by CallsAnswered.

RCW_CallAbandonedDelayAtDest: Lists the total wait time experienced at the destination site by all calls from the local site that are abandoned at the destination site.

RCW_CallAnsweredDelayAtDest: Lists the total wait time experienced at the destination site by all calls from the local site, which are answered by an agent or by IVR, or terminated at the destination site.

RCW_DstSiteNameOrID: Lists DstSite or, if this is not available, DstSiteID. If the information is not available, the “No Information on Destination Site” message appears.

RCW_MaxCallAbandonedDelay: Lists the wait time experienced by the call originating at the local site that waited the longest before the call is abandoned at the destination site.

RCW_MaxCallAbandonedDelayAtDest: Lists the wait time experienced by the call originating at the local site that waited the longest at the destination site before the call is abandoned.

RCW_MaxCallAnsweredDelay: Lists the wait time experienced by the call originating at the local site that waited the longest before it is answered by an agent, answered by IVR, or terminated at the destination site.

RCW_MaxCallAnsweredDelayAtDest: Lists the wait time experienced by the call originating at the local site that waited the longest at the destination site before it is answered by an agent, answered by IVR, or terminated.

RCW_SrcSiteNameOrID: Lists SrcSite or, if this is not available, SrcSiteID. If the information is not available, the “No Information on Source Site” message appears.

RCW_TimestampGroupName: Lists the Timestamp value as a formatted string based on the report_datarange formula and the setting for the option The section will be printed. If the value for report_datarange is Daily, Weekly, or Monthly, only the date is printed. If the value for report_datarang is Interval, the value is modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TimestampGroupNameLabel: Lists a label indicating the group option selected followed by the Timestamp value as a formatted string (for example, Daily: 25/10/2005). The label and date shown are based on the report_datarange formula and the setting for the option The section will be printed.

If the value for report_datarange is Daily, Weekly, or Monthly, only the label and date are printed. If the value for report_datarange is Interval, the label and value are modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TotalCallAbandonedDelay: Lists the total wait time experienced by all calls from the local site that are abandoned at the destination site.

RCW_TotalCallAnsweredDelay: Lists the total wait time experienced by all calls from the local site that are answered by an agent, answered by IVR, or terminated at the destination site.

RANMusicRouteStat formulas

The following RANMusicRouteStat formulas are available.

RCW_RouteAccessTime: Lists the total time a music or RAN route is in use.

RCW_RouteNameID: Lists the Route name and ID in the format RouteName - RouteID. If the information is not available, the “No Information on Route” message appears.

RCW_RouteNameIDLabel: Lists the text Route Name & ID: RouteName - RouteID. If the information is not available, the “Route Name and ID not available” message appears.

RCW_TimestampGroupName: Lists the Timestamp value as a formatted string based on the report_datarange formula and the setting for the option The section will be printed. If the value for report_datarange is Daily, Weekly, or Monthly, only the date is printed. If the value for report_datarang is Interval, the value is modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TimestampGroupNameLabel: Lists a label indicating the group option selected followed by the Timestamp value as a formatted string (for example, Daily: 25/10/2005). The label and date

shown are based on the report_datarange formula and the setting for the option The section will be printed.

If the value for report_datarange is Daily, Weekly, or Monthly, only the label and date are printed. If the value for report_datarange is Interval, the label and value are modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RouteStat formulas

The following RouteStat formulas are available.

RCW_AllTrunksBusyTime: Lists the total time all trunks in this route are busy.

RCW_AverageAllTrunksBusyTime: Lists the total time all trunks in this route are busy by dividing AllTrunksBusyTime by AllTrunksBusy.

RCW_RouteNameID: Lists the Route name and ID in the format RouteName - RouteID. If the information is not available, the “No Information on Route” message appears.

RCW_RouteNameIDLabel: Lists the text Route Name & ID: RouteName - RouteID. If the information is not available, the “No Route Name and ID Available” message appears.

RCW_TimestampGroupName: Lists the Timestamp value as a formatted string based on the report_datarange formula and the setting for the option The section will be printed. If the value for report_datarange is Daily, Weekly, or Monthly, only the date is printed. If the value for report_datarang is Interval, the value is modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TimestampGroupNameLabel: Lists a label indicating the group option selected followed by the Timestamp value as a formatted string (for example, Daily: 25/10/2005). The label and date shown are based on the report_datarange formula and the setting for the option The section will be printed.

If the value for report_datarange is Daily, Weekly, or Monthly, only the label and date are printed. If the value for report_datarange is Interval, the label and value are modified based on the setting for The section will be printed. You can use this formula in the Timestamp group header or group footer only.

SkillsetStat formulas

The following SkillsetStat formulas are available.

RCW_PctAvailableTime: Calculates the percentage of time agents work on a contact or wait to receive a contact by dividing TalkTime + PostCallProcessingTime + IdleTime by TotalStaffedTime, and multiplying by 100.

In SkillsetStat views, the database fields TotalStaffedTime and IdleTime are pegged against System_Application only. The report details section, Application-based group, or any group below an Application-based group displays % Idle Time out of Total Staffed Time for System_Application only and 0% for all other applications.

RCW_PctCallsAnswered: Calculates the percentage of calls answered by dividing CallsAnswered by CallsOffered, and multiplying by 100.

RCW_PctCallsAnsweredAfterThreshold: Calculates the percentage of calls answered that are answered after a wait greater than or equal to the service level threshold for the threshold class, to which the skillset belongs by dividing CallsAnsweredAftThreshold by CallsAnswered, and multiplying by 100.

RCW_PctCallsAnsweredBeforeThreshold: Calculates the percentage of calls answered that are answered before a wait greater than or equal to the service level threshold for the threshold class to which the skillset belongs by dividing CallsAnswered - CallsAnsweredAftThreshold by CallsAnswered, and multiplying by 100.

RCW_PctIdle/AvailableTime: Calculates the percentage of time agents spend in the idle state for this skillset. The percentage is calculated by dividing IdleTime by TalkTime + PostCallProcessingTime + IdleTime, and multiplying by 100. AvailableTime is the amount of time the agent works on a contact or waits to receive a contact.

In SkillsetStat views, the database field IdleTime is pegged against System_Application only. The report details section, Application-based group, or any group below an Application-based group displays % Idle Time for System_Application only and 0% for all other applications.

RCW_PctLocalCallsAnswered: Calculates the percentage of local calls answered for this skillset by dividing CallsAnswered - NetCallsAnswered by CallsAnswered, and multiplying by 100.

RCW_PctNetCallsAnswered: Calculates the percentage of incoming network calls answered for this skillset by dividing NetCallsAnswered by CallsAnswered, and multiplying by 100.

RCW_PctPostCallProcessing/WorkTime: Calculates the percentage of time agents spend performing post call processing. The percentage is calculated by dividing PostCallProcessingTime by TalkTime + PostCallProcessingTime, and multiplying by 100.

RCW_PctTalk/WorkTime: Calculates the percentage of time agents spend handling contacts, excluding DN calls, after the contact is answered or accepted. The percentage is calculated by dividing TalkTime by TalkTime + PostCallProcessingTime, and multiplying by 100. This statistic includes hold time.

RCW_PctUnavailableTime: Calculates the percentage of time agents spend not working on a contact or not waiting to receive a contact. This percentage is calculated by dividing TotalStaffedTime - (TalkTime + PostCallProcessingTime + IdleTime) by TotalStaffedTime, and multiplying by 100. This statistics includes the time an agent spends working on a contact in another skillset.

In SkillsetStat views, the database fields TotalStaffedTime and IdleTime are pegged against System_Application only. The report details section, Application-based group, or any group below an Application-based group displays % Time not Idle out of Logged In Time for System_Application only and 0% for all other applications.

RCW_PctWorkTime: Calculates the percentage of time agents spend working on contacts by dividing TalkTime + PostCallProcessingTime by TotalStaffedTime, and multiplying by 100.

In SkillsetStat views, the database field TotalStaffedTime is pegged against System_Application only. This can only be used accurately at a Skillset group level.

RCW_ActiveTime: Lists the amount of time a skillset is in service. A skillset is in service when the skillset is not in Out of Service mode and at least one agent is logged on.

RCW_AllAgentBusyTime:

Lists the total time that all agents assigned this skillset are busy with calls or no agents are logged on.

RCW_ApplicationNameID: Lists the application name and ID in the format Application - ApplicationID. If the information is not available, the “No Information on Application” message appears.

RCW_ApplicationNameIDLabel: Lists the text Application Name & ID: Application - ApplicationID. If the information is not available, the “No Information on Application” message appears.

RCW_ApplicationNameOrID: Lists Application, or if this is not available, ApplicationID. If the information is not available, the “No Information on Application” message appears.

RCW_ApplicationNameOrIDLabel: Lists the text Application Name: Application or, if this is not available, Application ID: ApplicationID. If the information is not available, the “No Information on Application” message appears.

RCW_AvailableTime: Lists the amount of time agents work on a contact or waits to receive a contact by adding TalkTime + PostCallProcessingTime + IdleTime.

In SkillsetStat views, the database fields TotalStaffedTime and IdleTime are pegged against System_Application only. The report details section, Application-based group, or any group below an Application-based group displays Idle Time for System_Application only and 0 for all other applications.

RCW_AverageCallsAnsweredDelay: Calculates the average wait time experienced by all local Contact Center Manager calls and incoming NSBR calls answered for this skillset, by dividing CallsAnsweredDelay by CallsAnswered.

RCW_AverageNumberOfAgents: Calculates the average number of logged on agents belonging to this skillset, by dividing TotalStaffedTime by ActiveTime.

RCW_AveragePostCallProcessingTime: Displays the average time agents spend performing post call processing by dividing PostCallProcessingTime by the CallsAnswered.

RCW_AverageSkillsetAbandonedDelay: Lists the average wait time experienced by Contact Center Manager calls, which are abandoned for this skillset, by dividing SkillsetAbandonedDelay by SkillsetAbandoned.

RCW_AverageTalkTime: Displays the average time agents spend handling contacts (excluding DN calls) in this interval, which were handled by this skillset by dividing TalkTime by CallsAnswered. This statistic includes hold time.

RCW_AverageWaitTime: Displays the average time agents spend waiting for a contact after releasing a voice call or closing a multimedia contact handled by this skillset by dividing WaitTime by CallsAnswered.

RCW_AverageWorkTime: Lists average time agents spend working on contacts by dividing $TalkTime + PostCallProcessingTime$ by $CallsAnswered$.

RCW_CallsAnsweredBeforeThreshold: Calculates the number of calls answered before a wait greater than or equal to the service level threshold for the threshold class to which the skillset belongs by subtracting $CallsAnsweredAftThreshold$ from $CallsAnswered$.

RCW_CallsAnsweredDelay: Lists the wait time experienced by all local Contact Center Manager calls and incoming NSBR calls answered for this skillset.

RCW_DNOutCallsTalkTime: For Avaya Communication Server 1000 PABX only. Displays the total time spent on outgoing DN calls, including hold time, for this skillset by adding $DNOutExtCallsTalkTime + DNOutIntCallsTalkTime$.

RCW_DNOutExtCallsTalkTime: For Avaya Communication Server 1000 PABX only. Displays the total time spent by agents on outgoing external DN calls, including hold time, for this skillset.

RCW_DNOutIntCallsTalkTime: For Avaya Communication Server 1000 PABX only. Displays the total time spent by agents on outgoing internal DN calls, including hold time, for this skillset.

RCW_IdleTime: Lists the amount of time agents spend waiting for contacts. Idle time is recorded for each of the Skillsets that the agent is staffing.

In SkillsetStat views, the database field IdleTime is pegged against System_Application only. The report details section, Application-based group, or any group below an Application-based group displays Idle Time for System_Application only and 0 for all other applications.

RCW_LocalCallsAnswered: Calculates the number of local contacts answered by subtracting $NetCallsAnswered$ from $CallsAnswered$.

RCW_MaxAnsweredDelay: Lists the wait time experienced by the local Contact Center Manager calls or incoming NSBR call that waited the longest before an agent answers the call.

RCW_MaxSkillsetAbandonedDelay: Lists the wait time experienced by the local Contact Center Manager call or incoming NSBR call queued to this skillset that waited the longest before the call is abandoned.

RCW_NotReadyTime: Lists the amount of time agents spend in the NotReady state after releasing a Contact Center Manager call for this skillset.

In SkillsetStat views, the database field NotReadyTime is pegged against System_Application only. The report details section, Application-based group, or any group below an Application-based group displays NotReadyTime for System_Application only and 0 for all other applications.

RCW_NotReadyTimeNoPCP: Lists the amount of time agents spend in the NotReady state, excluding time spent by agents performing post call processing, after releasing a Contact Center Manager call for this skillset. This is calculated by subtracting $PostCallProcessingTime$ from $NotReadyTime$.

In SkillsetStat views, the database field NotReadyTime is pegged against System_Application only. The report details section, Application-based group, or any group below an Application-based group displays NotReadyTime for System_Application only and 0 for all other applications.

RCW_Occupancy: Calculates the percentage of Work Time out of Available Time by dividing TalkTime + PostCallProcessingTime by TalkTime + PostCallProcessingTime + IdleTime, and multiplying by 100.

In SkillsetStat views, the database fields TotalStaffedTime and IdleTime are pegged against System_Application only. The report details section, Application-based group, or any group below an Application-based group displays 0 for Occupancy. Since agents do not staff an application, this is the best value to present.

RCW_PostCallProcessingTime: Displays the total time agents spend performing post call processing. Normally, an agent uses this time to complete work related to the call just released, such as filling in forms or filing papers.

RCW_SiteNameOrID: Lists Site or, if this is not available, SiteID. If the information is not available, No Information on Site message appears.

RCW_SkillsetAbandonedBeforeThreshold: Calculates the number of Contact Center Manager calls abandoned for this skillset before a wait greater than or equal to the service level threshold for the threshold class to which the skillset belongs, by subtracting SkillsetAbandonedAftThreshold from SkillsetAbandoned.

RCW_SkillsetAbandonedDelay: Lists the total wait time experienced by Contact Center Manager calls that are abandoned for this skillset.

RCW_SkillsetNameID: Lists the skillset name and ID in the format Skillset - SkillsetID. If the information is not available, the “No Information on Skillset” message appears.

RCW_SkillsetNameIDLabel: Lists the text Skillset Name & ID: Skillset - SkillsetID. If the information is not available, the “No Information on Skillset” message appears.

RCW_SkillsetNameOrID: Lists Skillset or, if this is not available, SkillsetID. If the information is not available, the “No Information on Skillset” message appears.

RCW_SkillsetNameOrIDLabel: Lists the text Skillset Name: Skillset or, if this is not available, Skillset ID: SkillsetID. If the information is not available, the “No Information on Skillset” message appears.

RCW_TalkTime: Displays the total time agents spend handling contacts (excluding DN calls) in this interval, which were handled by this skillset. This statistic includes hold time.

RCW_TimestampGroupName: Lists the Timestamp value as a formatted string based on the report_datarange formula and the setting for the option The section will be printed. If the value for report_datarange is Daily, Weekly, or Monthly, only the date is printed. If the value for report_datarang is Interval, the value is modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TimestampGroupNameLabel: Lists a label indicating the group option selected followed by the Timestamp value as a formatted string (for example, Daily: 25/10/2005). The label and date shown are based on the report_datarange formula and the setting for the option The section will be printed.

If the value for report_datarange is Daily, Weekly, or Monthly, only the label and date are printed. If the value for report_datarange is Interval, the label and value are modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TotalStaffedTime: Lists the amount of logon time for all agents belonging to this skillset.

RCW_UnavailableTime: Lists the time agents spend not working on a contact or not waiting to receive a contact by subtracting TalkTime + PostCallProcessingTime + IdleTime from TotalStaffedTime. This statistics includes the time an agent spends working on a contact in another skillset.

In SkillsetStat views, the database fields TotalStaffedTime and IdleTime are pegged against System_Application only. The report details section, Application-based group, or any group below an Application-based group displays Time not Idle for System_Application only and 0 for all other applications.

RCW_WaitTime: Displays the total time agents spend waiting for a contact after releasing a voice call or closing a multimedia contact handled by this skillset.

RCW_WorkTime: Lists the total time agents spend working on contacts. This statistic includes hold time and is calculated by adding TalkTime + PostCallProcessingTime.

TrunkStat formulas

The following TrunkStat formulas are available:

RCW_PctCallsAbandoned: Calculates the percentage of calls abandoned by dividing CallsAbandoned by CallsOffered, and multiplying by 100.

RCW_PctCallsAnswered: Calculates the percentage of calls answered by dividing CallsAnswered by CallsOffered, and multiplying by 100.

RCW_PctUsage: Calculates the percentage of time that the trunk is occupied during the selected interval by dividing OccupancyTime by the time the trunk is available, and multiplying by 100. The time the trunk is available is determined based on the value for the report_datarange formula.

RCW_AverageCallsAbandonedDelay: Lists the average wait time experienced by calls that are abandoned by dividing CallsAbandonedDelay by the CallsAbandoned.

RCW_AverageCallsAnsweredDelay: Lists the average wait time experienced by calls that are answered by dividing CallsAnsweredDelay by the CallsAnswered.

RCW_CallsAbandonedDelay: Lists the total wait time experienced by calls that are abandoned.

RCW_CallsAnsweredDelay: Lists the total wait time experienced by calls that are answered.

RCW_OccupancyTime: Lists the amount of time that the trunk is occupied.

RCW_TimestampGroupName: Lists the Timestamp value as a formatted string based on the report_datarange formula and the setting for the option The section will be printed. If the value for report_datarange is Daily, Weekly, or Monthly, only the date is printed. If the value for report_datarang is Interval, the value is modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TimestampGroupNameLabel: Lists a label indicating the group option selected followed by the Timestamp value as a formatted string (for example, Daily: 25/10/2005). The label and date shown are based on the report_datarange formula and the setting for the option The section will be printed.

If the value for report_datarange is Daily, Weekly, or Monthly, only the label and date are printed. If the value for report_datarange is Interval, the label and value are modified based on the setting for The section will be printed.

You can use this formula in the Timestamp group header or group footer only.

RCW_TrunkIDRouteLabel: Lists a string identifying the specific trunk by combining Trunk ID: + TrunkID + Route Name: + Route + Route ID: RouteID. If the Route or RouteID fields are blank they do not appear.

Part 5: Pegging information

- [Pegging examples](#) on page 818
- [Agent state tracking](#) on page 836

Chapter 29: Pegging examples

This section provides example of the process to peg various call types in a contact center.

Pegging of local calls

This section provides a typical example of how local calls peg.

Table 21: Scenario

Call arrives	09:00:00
Call is given IVR treatment	09:00:10
Call is handed over to Booking_Script application	09:00:10
Call queues to Bookings skillset	09:00:11
Call is presented to Donna Royce	09:00:18
Call is answered by Donna Royce	09:00:23
Call is conferenced to a Brandon Woo's DN	09:00:32
Caller disconnects	09:00:43
Brandon Woo releases call Donna Royce releases call	09:00:46

In this scenario, the agent's call presentation class is configured for a break (variable wrap) of 30 seconds after each call.

Pegging

Table 22: AgentPerformanceStat view: Donna Royce

Field	Pegging
Interval	9:00–9:15
CallsOffered	1
CallsAnswered	1

Table continues...

Field	Pegging
CDNCallsConferencedToDN	1
ConsultationTime (Avaya Communication Server 1000 PABX)	3
TalkTime	23
BreakTime/VariableWrapTime	30

Table 23: ApplicationStat view: Master_Script

Field	Pegging
Interval	9:00–9:15
CallsOffered	1
CallsGivenIVR	1

Table 24: ApplicationStat view: Booking_Script

Field	Pegging
Interval	9:00–9:15
CallsOffered	1
CallsAnswered	1
CallsAnsweredDelay Time from when the Master handed off to the primary and is answered.	15 seconds
AnsDelay16	1
CallsAnsweredDelayAtSkillset	12 seconds
CallsConferencedOut	1
TimeBeforeInterflow	2 seconds

Table 25: CDNStat view

Field	Pegging
Interval	9:00–9:15
CallsOffered	1
CallsAnswered	1

Table 26: SkillsetStat view: Bookings

Field	Pegging
Interval	9:00–9:15
Application	Booking_Script
CallsOffered	1

Table continues...

Field	Pegging
CallsAnswered	1
CallsAnsweredDelay	12 seconds
BreakTime/VariableWrapTime	30 seconds

Pegging of network calls

This section provides a typical example of how network calls peg (at the source site and at the destination site).

Table 27: Scenario

Call arrives at Toronto	09:00:00
Call is handed over to Booking_Script application	09:00:01
Call queues to network skillset: Bookings	09:00:02
Call is routed to Boston	09:00:08
Call is presented to Boston agent, Lane Rivers	09:00:10
Lane Rivers answers call	09:00:15
Caller disconnects	09:00:35

Pegging at source site

Table 28: ApplicationStat view: Master_Script

Field	Pegging
Interval	9:00–9:15
CallsOffered	1

Table 29: ApplicationStat view: Booking_Script

Field	Pegging
Interval	9:00–9:15
CallsOffered	1
NetOutCalls	1
NetOutCallsAnswered	1
NetOutCallsAnsweredDelay	15 seconds

Table continues...

Field	Pegging
AnsDelay16	1
CallsAnsweredDelayAtSkillset	13 seconds

Table 30: NetworkOutCallStat view

Field	Pegging
Interval	9:00–9:15
Source Site	Toronto
Source Application	Booking_Script
Destination Site	Boston
Destination Application	Network_Script
Calls Offered	1
Calls Answered	1

Pegging at destination site

Table 31: ApplicationStat view: Network_Script

Field	Pegging
Interval	9:00–9:15
CallsAnswered	1
CallsAnsweredDelay	7 seconds
AnsDelay8	1
CallsAnsweredDelayAtSkillset	13 seconds

Table 32: NetworkInCallStat view

Field	Pegging
Interval	9:00–9:15
Source Site	Toronto
Source Application	Booking_Script
Destination Site	Boston
Destination Application	Network_Script
Calls Offered	1
Calls Answered	1

Table 33: AgentPerformanceStat view: Lane Rivers

Field	Pegging
Interval	9:00–9:15
CallsOffered	1
CallsAnswered	1
TalkTime	20

Pegging of Activity Codes

Activity codes can be recorded against all customer calls. In the case of an activity code entered during an emergency call or a consultation, the code is pegged against the customer contact and not the emergency call or consultation.

On the Avaya Communication Server 1000 PABX, an activity code has a maximum of four digits.

Example 1: Activity code entered in first interval:

For this example, the following events occur. This example applies to all switch types.

09:05:00	Agent answers call
09:11:00	Agent enters activity code 1234
09:14:00	Agent enters activity code 3456
09:23:00	Agent enters activity code 5678
09:26:00	Call ends

Activity code statistics (ActivityCodeStat view) peg as follows:

Interval	ActivityCode	Occurrences	ActivityTime (minutes)
09:00:00	1234	1	9 minutes
	3456	1	1 minutes
09:15:00	3456	0	8 minutes
	5678	1	3 minutes

Example 2: Activity code entered in second interval

For this example, the following events occur.

09:05:00	Agent answers call
09:21:00	Agent enters activity code 1234
09:33:00	Call ends
09:23:00	Agent enters activity code 5678
09:26:00	Call ends

Activity code statistics (ActivityCodeStat view) peg as follows:

Interval	ActivityCode	Occurrences	ActivityTime (minutes)
09:15:00	1234	1	25 minutes
09:30:00	1234	0	3 minutes

Default skillset activity code

For this example, the following events occur.

09:04:00	Agent answers call
09:06:00	Agent presses Activity key twice
09:12:00	Agent enters activity code 1234
09:18:00	Call ends

Activity code statistics (ActivityCodeStat view) peg as follows:

Interval	ActivityCode	Occurrences	ActivityTime (minutes)
09:00:00	00 (skillset default)	1	8 minutes
	1234	1	3 minutes
09:15:00	1234	0	3 minutes

Example 1: Activity code entered in first interval: For this example, the following events occur.

09:05:00	Agent answers call
09:11:00	Agent enters activity code 1234
09:14:00	Agent enters activity code 3456
09:23:00	Agent enters activity code 5678
09:26:00	Call ends

Activity code statistics (ActivityCodeStat view) peg as follows:

Interval	ActivityCode	Occurrences	ActivityTime (minutes)
09:00:00	1234	1	9 minutes
	3456	1	1 minutes
09:15:00	3456	0	8 minutes
	5678	1	3 minutes

Example 2: Activity code entered in second interval

For this example, the following events occur.

09:05:00	Agent answers call
09:21:00	Agent enters activity code 1234

Table continues...

Pegging examples

09:33:00	Call ends
09:23:00	Agent enters activity code 5678
09:26:00	Call ends

Activity code statistics (ActivityCodeStat view) peg as follows:

Interval	ActivityCode	Occurrences	ActivityTime (minutes)
09:15:00	1234	1	25 minutes
09:30:00	1234	0	3 minutes

Default skillset activity code

For this example, the following events occur.

09:04:00	Agent answers call
09:06:00	Agent presses Activity key twice
09:12:00	Agent enters activity code 1234
09:18:00	Call ends

Activity code statistics (ActivityCodeStat view) peg as follows:

Interval	ActivityCode	Occurrences	ActivityTime (minutes)
09:00:00	00 (skillset default)	1	8 minutes
	1234	1	3 minutes
09:15:00	1234	0	3 minutes

Pegging of Not Ready reason codes

Example 1: Not Ready reason code entered in first interval

For this example, the following events occur. This example applies to all switch types.

09:25:00	Agent enters Not Ready state
09:27:00	Agent enters Not Ready reason code 1234
09:31:00	Agent enters Not Ready reason code 3456
09:35:00	Agent enters activity code 5678

Not Ready reason code statistics peg as follows, in the ActivityCodeStat view:

Interval	ActivityCode	Occurrences	ActivityTime (minutes)
09:15:00	1234	1	5 minutes

Table continues...

Interval	ActivityCode	Occurrences	ActivityTime (minutes)
09:30:00	1234	0	1 minutes
	3456	1	4 minutes

Example 2: Not Ready reason code entered in second interval

For this example, the following events occur.

09:13:00	Agent enters Not Ready state
09:18:00	Agent enters Not Ready reason code 1234
09:19:00	Agent enters Not Ready reason code 3456
09:25:00	Agent enters Not Ready reason code 5678
09:26:00	Agent logs off

Not Ready reason code statistics peg as follows, in the ActivityCodeStat view:

Interval	ActivityCode	Occurrences	ActivityTime (minutes)
09:00:00	000 (system default)	1	2 minutes
09:15:00	000 (system default)	0	3 minutes
	1234	1	1 minute
	3456	1	6 minutes
	5678	1	1 minute

Example 3: Agent goes Not Ready during logon interval

For this example, the following events occur.

09:31:00	Agent logs on (automatically enters Not Ready state)
09:32:00	Agent enters Ready state
09:42:00	Agent enters Not Ready state
09:46:00	Agent enters Not Ready reason code 1234
09:48:00	Agent enters Ready state

Not Ready reason code statistics peg as follows, in the ActivityCodeStat view:

Interval	ActivityCode	Occurrences	ActivityTime (minutes)
09:30:00	000 (system default)	2	4 minutes
09:45:00	000 (system default)	0	1 minute
	1234	1	2 minutes

Pegging of Not Ready Reason code entered while an agent is active on a contact

For this example, the following events occur. This example applies to all switch types.

09:05:00	Agent answers a contact
09:08:00	Agent enters NRR code 1234
09:10:00	Agent releases the contact
09:14:00	Agent enters Ready state

Not Ready reason code statistics peg as follows, in the ActivityCodeStat view:

Interval	ActivityCode	Occurrences	ActivityTime (minutes)
09:00:00	1234	1	4 minutes

Pegging of Not Ready Reason when a Not Ready agent pulls a contact

Example 1: Not Ready Reason Code entered while active on a Pull Contact

For this example, the following events occur.

09:15:00	Agent enters Not Ready state
09:17:00	Agent pulls contact
09:17:30	Agent enters Not Ready Reason code 1234
09:22:00	Agent releases pulled contact
09:24:00	Agent enters Ready state

Not Ready reason codes peg as follows:

Interval	ActivityCode	Occurrences	ActivityTime (minutes)
09:15:00	000 (System Default)	1	7 minutes
	1234	1	2 minutes

Example 2: Not Ready Reason Code not entered while active on a Pull Contact

For this example, the following events occur.

09:15:00	Agent enters Not Ready state
09:17:00	Agent pulls contact
09:18:00	Agent releases pulled contact
09:22:00	Agent enters Not Ready Reason code 1234
09:25:00	Agent enters Ready state

Not Ready reason code statistics peg as follows, in the ActivityCodeStat view:

Interval	ActivityCode	Occurrences	ActivityTime (minutes)
09:15:00	000 (System Default)	1	2 minutes
	0000 (Default NRRC)	1	4 minutes
	1234	1	3 minutes

Pegging of agent state timers

Scenario

All agent state timers are maintained independently. For example, the following events occur.

9:00:00	The agent logs on.
9:00:10	The agent answers a DN call from an internal number.
9:00:20	The agent places the DN call on hold and answers a Contact Center Manager call.
9:01:20	The agent releases the Contact Center Manager call and resumes the DN call.
9:01:30	The agent releases the DN call and logs off.

Agent timer values

At the end of this period, the agent timers have the following values.

LoggedInTime	90 seconds
WaitingTime	10 seconds
DNInIntCallsTalkTime (Avaya Communication Server 1000 PABX)	80 seconds
TalkTime	60 seconds

The total activity time for the agent, as calculated in the following example, exceeds the agent logon time of 90 seconds.

WaitingTime + DNInCallsTalkTime or DNInIntCallsTalkTime + TalkTime

= 10 + 80 + 60

= 120 seconds

Pegging of ACD-DNs

By default, statistics for ACD-DNs peg against the Default ACD skillset, and statistics for NACD-DNs peg against the Default NACD skillset. However, you can map an ACD-DN to a skillset, using Contact Center Manager Administration. If you map an ACD-DN, statistics for that ACD-DN peg against that skillset.

Example 1: Pegging without skillset mapping

Scenario

For this example, an agent who is assigned to the Eng_Service_Sk answers an ACD and NACD call as follows.

03:04:00	Agent answers call on ACD-DN 51111.
03:06:00	The call ends
03:08:00	Agent answers a call on NACD-DN 7111.
03:11:00	The call ends.

Pegging: SkillsetStat view

Skillset statistics for the interval 03:00:00 are as follows.

Skillset/Application	Skillset Answered	All Agent Busy Time	All Agent Staffed Time	Skillset Active Time	Average Number of Agents
Default ACD	1	0	0	0	0
ACD_DN_Application	1	0	0	0	0
Default NACD	1	0	0	0	0
NACD_DN_Application	1	0	0	0	0
Eng_Service_Sk	0	5	15	15	1
Totals	2	5	15	15	1

The calls peg against the Default ACD and Default NACD skillsets.

Example 2: Pegging with skillset mapping (SkillsetStat view)

In this example, ACD-DN 5111 maps to skillset Eng_Service_Sk. The same events occur, but the pegging is as follows.

Skillset/Application	Skillset Answered	All Agent Busy Time	All Agent Staffed Time	Skillset Active Time	Average Number of Agents
Eng_Service_Sk	2	5	15	15	1
ACD_DN_Application	1	0	0	0	0

Table continues...

Skillset/Application	Skillset Answered	All Agent Busy Time	All Agent Staffed Time	Skillset Active Time	Average Number of Agents
NACD_DN_Application	1	0	0	0	0
Totals	2	5	15	15	1

Pegging of DNIS calls

Scenario

Consider a scenario where the following events occur.

1. A call arrives on DNIS 3111.
2. The Contact Center Manager script routes the call to the voice processing system.
3. The voice processing system transfers the call to another CDN acquired by Contact Center Manager Server.
4. The Contact Center Manager script queues the call to a skillset.
5. An agent answers the call.

Pegging: DNISStat view

CallsOffered	2
CallsAnswered	1
CallsRouted	1

The CallsOffered statistic pegs twice because the DNIS call is offered to Contact Center Manager two times.

Pegging of calls returned to queue

Scenario

1. A call enters CDN controlled by Contact Center Manager.
2. Contact Center Manager runs a script, which checks whether the skillset is staffed.
3. The skillset is staffed, so the script queues the call.
4. When an agent becomes available, the call is offered and presented to Agent 1 (no call forcing).

5. The call rings three times on the agent phone, but the agent does not answer.
6. After 18 seconds (the return to queue timeout as defined in the call presentation class), the call returns to the queue.
7. Agent 2 is available and is presented with the call.
8. The call rings for 6 seconds and the agent answers.

Pegging: AgentPerformanceStat view

Agent	Presented	Returned to Queue due to Timeout	Answered
Agent 1	1	1	0
Agent 2	1	0	1

Pegging when a skillset is out of service

Example 1: Call is routed to a voice processing system

Scenario

1. A call arrives at a CDN controlled by Contact Center Manager.
2. The script checks the status of the skillset. The skillset is in night service mode.
3. The call is routed to a voice mailbox on a third-party voice processing system.

Pegging

The call statistics peg as follows.

View	CallsOffered	CallsRouted	CallsTerminated
ApplicationStat view	1	1	0
CDNStat view	1	0	1

Example 2: Call is queued

Scenario

11:01:00	A call arrives at a CDN controlled by Contact Center Manager.
11:01:01	The script queues the call to the Bookings_Sk skillset.
11:01:03	The last remaining agent in the Bookings_Sk skillset finishes a call and presses the Make Set Busy key. The call is released.

Table continues...

11:01:05	An agent, realizing that the skillset is not staffed, quickly logs on. The script checks the call condition and determines that it is released, but the skillset is now staffed. Contact Center Manager requeues the call to the skillset.
11:01:07	The call is presented to the agent.
11:01:09	The agent answers the call.

Pegging

The call statistics peg as follows.

View	CallsOffered	CallsAnswered	Total Delay
ApplicationStat view	1	1	8 seconds
SkillsetStat view	1	0	4 seconds

Pegging for calls networked out by NACD

Scenario

The following events occur.

11:30:00	A call arrives on CDN 3010, which is controlled by Contact Center Manager.
11:30:01	The Master script queues the call to the Information_Sk skillset.
11:30:10	The script queues the call to an NACD queue. The PABX requests an agent from the remote PABX.
	The remote PABX responds with the information that all agents are busy. The call receives RAN treatment.
11:30:15	Agent1 becomes available on the remote PABX. The remote PABX reserves the agent and notifies the local PABX.
11:30:17	The local PABX routes the call to the remote PABX.
11:30:19	The remote PABX presents the call to the agent.
11:31:49	Agent 1 releases the call.

Pegging at local node

Table 34: CDNStat view

Control Directory Number	CallsOffered	CallsTerminated
3010	1	1

Table 35: ApplicationStat view

Application	Calls Offered Offered	CallsGiven NACD	CallsNACD Out	TimeBefore NACDOut
Master_Script	1	1	1	1
Network_Application				

Pegging at remote node

Table 36: ApplicationStat view

Application	CallsOffered	CallsTerminated
NACD_DN_Application	1	1

Table 37: AgentPerformanceStat view

Agent	NACDCalls Answered	NACDTalk Time	ReservedFor Call	Reserved Time
Agent 1	1	90 seconds	1	4 seconds

Pegging blind transfers

Scenario: Transfer completed before connection to the second agent

The following events occur.

11:30:00	A call arrives on the Sales CDN (3759), which is controlled by Contact Center Manager. The Master Script runs the Sales application (Sales_App). The call receives Ringback treatment.
11:30:02	Call queues to the Sales skillset (Sales_Skillset) and a Sales agent answers immediately.
11:32:02	The Sales agent determines that the call is transferred to the Service group, presses the Transfer button, and dials the Service CDN (3760). The call enters the Master script, and the Sales agent hears Ringback for 2 seconds.
11:32:06	The Sales agent finishes the transfer. The Master script restarts for the call, determines that the call is for the Service CDN, and runs the Service Application (Service_App). The call receives Ringback treatment.
11:32:08	The call queues to the Service skillset (Service_Skillset) and receives RAN treatment.
11:32:15	The call receives Music treatment.
11:32:23	The call is presented to a Service agent.
11:32:26	The Service agent answers the call.

Table 38: Pegging: CDNStat view

Control Directory Number	CallsOffered	CallsTerminated
3759	1	1
3760	1	1

Table 39: Pegging: ApplicationStat view

Application	CallsOffered	CallsAnswered	Total Delay
Master	2	0	0 seconds
Sales_App	1	1	2 seconds
Service_App	1	1	20 seconds

Table 40: Pegging: SkillsetStat view

Application	CallsOffered	CallsAnswered	Total Delay
Sales_Skillset	1	1	0 seconds
Service_Skillset	1	1	18 seconds

Scenario: Transfer completed after connection to second agent

The following events occur.

11:30:00	A call arrives on the Sales CDN (3759), which is controlled by Contact Center Manager. The call receives Ringback treatment. The Master Script runs the Sales Application (Sales_App).
11:30:02	The call queues to the Sales skillset (Sales_Skillset) and a Sales agent answers immediately.
11:32:02	The Sales agent determines that the call is transferred to the Service group, presses the Transfer button, and dials the Service CDN (3760). The call enters the Master script, and the Sales agent hears Ringback for 6 seconds.
11:32:08	The Master script hands off control to the Service application (Service_App). The Service application (Service_App) queues the call to the Service Skillset (Service_Skillset).
11:32:08	The Sales agent hears RAN.
11:32:15	The Sales agent hears Music treatment.
11:32:23	The call is presented to a Service agent. The Sales agent releases the call after talking to Service agent for 3 seconds.
11:32:26	The original caller and the Service agent are connected.

In this case, the Master script does not restart.

Table 41: Pegging: CDNStat view

Control Directory Number	CallsOffered	CallsTerminated
3759	1	1
3760	1	1

Table 42: Pegging: ApplicationStat view

Application	CallsOffered	CallsAnswered	Total Delay
Master	2	0	0 seconds
Sales_App	1	1	2 seconds
Service_App	1	1	20 seconds

Table 43: Pegging: SkillsetStat view

Application	CallsOffered	CallsAnswered	Total Delay
Sales_Skillset	1	1	0 seconds
Service_Skillset	1	1	18 seconds

Pegging when the caller leaves a message

Scenario

The following events occur.

11:44:00	A call arrives on CDN 3759, which is controlled by Contact Center Manager.
11:44:02	The call queues to Sales_Sk.
11:44:12	The script runs a Give IVR command, which gives the caller the option to leave a voice message. The caller leaves a message and disconnects.

Pegging

View	CallsOffered	CallsAbandoned
CDNStat	1	1
ApplicationStat	1	1

Pegging of calls answered by a backup skillset

Scenario

The following events occur.

10:13:00	A call arrives on CDN 3759, which is controlled by Contact Center Manager.
10:13:00	The Master script hands the call off to the Sales application.
10:13:00	The Sales application queues the call to the Sales_Sk skillset.
10:13:00	The Sales application queues the call to a backup skillset.
10:13:00	An agent in the backup skillset answers the call.

Pegging

Table 44: ApplicationStat view

Application	CallsOffered	CallsAnswered	CallsAnsweredDelayAtSkillset
Master_Script	1	0	0 seconds
Sales_Application	1	1	14 seconds

Table 45: CDNStat view

Control Directory Number	CallsOffered	CallsTerminated
3759	1	1

Table 46: SkillsetStat view

Skillset	CallsOffered	CallsAnswered
Sales_Sk	1	0
Backup_Sk	1	1

Chapter 30: Agent state tracking

This section provides information about how the system pegs an agent state.

Pegging agent state

The following table shows how agent state pegs in reports for several different Incalls and DN key statuses. The table does not distinguish between internal and external DN calls, which peg separately for the Avaya Communication Server 1000 PABX.

	Agent Status													
	Agent Key Status													
Incalls key	DN key (see Note 1)	A C D/ N A C D t a l k t i m e	Bu s y o n D N t i m e	Bu s y o n M i s c. t i m e	Ho l d t i m e	I n c o m i n g D N c a l l s t a l k t i m e	N e t w o r k c a l l s t a l k t i m e	N o t r e a d y t i m e	O u t g o i n g D N c a l l s t a l k t i m e	R i n g t i m e	T a l k t i m e	W a i t i n g t i m e	W a l k a w a y t i m e	
Idle	No call present												•	
Idle	Incoming DN call active		•			•								
Idle (see Note 2)	Incoming DN call on hold		•			•							•	
Idle	Outgoing DN call active		•						•					
Idle (see Note 2)	Outgoing DN call on hold		•						•				•	
Idle	Incoming DN call ringing												•	
Idle (see Note 3)	DN key pressed		•											
Skillset contact alerting	Not Active										•			
Skillset contact alerting	Incoming DN call ringing									•				

Table continues...

	Agent Status												
	Agent Key Status												
Incalls key	DN key (see Note 1)	ACD/NACD talk time	Busy on DN time	Busy on Misc. time	Hold time	Incoming DN calls talk time	Network calls talk time	Not ready time	Outgoing DN calls talk time	Ring time	Talk Time	Waiting time	Walkaway time
Active with Skillset contact	Not Active										•		
Skillset contact on Hold	Not Active				•						•		
Active with skillset contact	Incoming DN call on hold					•					•		
Skillset contact on hold	Incoming DN call active				•	•					•		
Skillset contact on hold	Incoming DN call on hold				•	•					•		
Active with skillset contact (see Note 4)	Outgoing DN call on hold								•		•		
Skillset contact on hold	Outgoing DN call active				•				•		•		
Skillset contact on hold	Outgoing DN call on hold				•				•		•		
ACD/NACD call ringing	Not Active		•										
Active with ACD/NACD call	Not Active	•											
ACD/NACD call on hold	Not Active	•											
Not ready	Not Active							•					
Not ready	DN key pressed							•					
Not ready	Incoming DN call active					•		•					
Not ready	Incoming DN call on hold					•		•					
Not ready	Outgoing DN call active							•	•				

Table continues...

	Agent Status												
	Agent Key Status												
Incalls key	DN key (see Note 1)	A C D/ N A C D talk time	Bu sy on DN time	Bu sy on Mi sc. time	Ho ld time	Inc om ing DN call s tal k time	Ne tw or k cal ls tal k time	Not rea dy time	Ou tgo ing DN call s tal k time	Ri ng time	Ta lk Time	Wai ting time	Wa lka way time
Not ready	Outgoing DN call on hold							•	•				
Not ready; agent activates Walkaway	Not active							•					•
Skillset contact on hold; agent activates Walkaway	Not Active				•						•		•
Active with incoming network Skillset contact (NSBR option)	Not Active						•				•		
Incoming network Skillset contact on hold (NSBR option)	Not Active				•		•				•		
Active with Outbound request contact	Outgoing DN call active										•		

Note 1: Not Active for the DN key status means that no DN calls are present.

Note 2: Avaya Communication Server 1000 PABX: If the Alternate Call Answer feature is enabled, Waiting Time pegs in AgentPerformanceStat.

Note 3: Busy on Misc. time for Avaya Communication Server 1000 PABX only.

Note 4: This does not peg if the active skillset contact is an outbound campaign contact.

Part 6: Frequently Asked Questions

- [Frequently Asked Questions](#) on page 840

Chapter 31: Frequently Asked Questions

This section contains frequently asked questions about Contact Center Manager statistics pegging and custom reports. The information in this section can also help you troubleshoot any problems with your reports.

General Questions

This section lists general questions.

What is the difference between application and skillset statistics?

Application statistics provide information about the entire life of a call. Skillset statistics provide information about a call when it queues against a specific skillset until the call is complete.

What is the reporting impact of having a primary script and skillset with the same name?

The data collectors do not know the names of the skillsets and applications; therefore, having the same name does not affect pegging.

However, using identical names makes reports and real-time displays difficult to interpret. Therefore, Avaya recommends that you use the suffix `_sk` for skillset names, to help identify them.

Why does CallsOffered not equal CallsAnswered plus CallsAbandoned?

CallsOffered does not equal CallsAnswered plus CallsAbandoned for two reasons:

- A call pegs as offered in the interval when it is first processed by the Master script. It pegs as answered in the interval when the call is answered, or it pegs as abandoned in the interval when the call is released. The call offer and call answered or abandoned events might not occur in the same interval.
- A call receives a treatment, such as Force Disconnect, Overflow, Route To, or Default, instead of being answered or abandoned. You can create a custom formula to account for all calls given a treatment (the formula varies depending on the types of treatments you use).

When you add this custom formula to CallsAnswered and CallsAbandoned, the result is close to CallsOffered. (The result might not be equal to CallsOffered if calls are offered in one interval and answered, abandoned, or given a treatment in another.)

Is there a difference between regular hold time versus hold time spent while the agent is in conference mode?

When an agent presses the conference key, the agent is placed OnHold until the conference is complete. HoldTime pegs in the same way as for regular hold time. The pegging component does not differentiate between them.

For example, the following actions occur.

Action	Time of day (HH:MM:SS)
Agent 2222 answers a call	12:00:00
Agent 2222 initiates consultation	12:00:05
Agent 3333 accepts consultation	12:00:15
All calls released	12:00:30

In this scenario we peg the following items.

TalkTime (MM:SS)	HoldTime (MM:SS)
Agent 2222 00:30	00:10
Agent 3333 00:15	00:00

How are Daylight Savings Time and other significant time changes handled?

Daylight Savings Time (DST) and other significant time changes are handled differently for summarized historical statistics, event statistics, and contact statistics.

Summarized historical statistics:

When a DST occurs, summarized historical statistics are pegged as follows:

1. All statistics for the current interval are pegged and wrapped up using the pre-DST timestamp. The event time of this message is the pre-DST time. For example, if the time is 10:19 a.m. and a DST occurs on the PABX, statistics are pegged for the interval from 10:15 a.m. to 10:30 a.m. The pegged interval includes 4 minutes of statistics.
2. All statistics for the new interval are now pegged. In the case of DST occurring at 10:19 a.m., statistics are pegged after the DST change for the interval from 11:15 a.m. to 11:30 a.m. The pegged interval includes 11 minutes of statistics.

Event statistics:

Event statistics are handled in much the same way as summarized historical statistics. The only difference is that a DST event or a significant time change event is written to each statistic

object (for example, Call, Agent and IVR Port) in each event-based statistic group (for example, CallByCall, Agent Login/ Logout and IVR Port Login/Logout).

When a DST occurs and the time is pushed forward to the next day, the daily maintenance routines are carried out for the day in which the DST occurred. The maintenance routines are carried out after the pre-DST statistics are wrapped up as described for summarized historical statistics.

Contact statistics:

For all contacts whose Contact Summary data has not yet been written to the database, timestamps within Contact Summary data are adjusted to the new clock settings. DST and other significant time changes have no effect on when Contact Summary data is written to the database. Timestamps in the Contact Summary data reflect the clock settings at the time the data is written to the database, not the clock settings at the time contacts originated, were answered, released, or otherwise handled.

Why does exporting large reports cause the error message: Out of Memory?

If you export a report with more than 2000 pages, you receive the failure message error: Out of Memory.

In this case, you cannot go back to the report that initially runs successfully. The system shows an error message that states: An error has occurred. You have to close the report and run the report again.

To export a report that has more than 2000 pages, you must use the page selection fields to export the report in several parts.

Questions about intervals

This section lists interval questions.

What time period does the interval from 7:00 to 7:15 represent?

When you generate a report for the interval from 7:00 to 7:15, the data included in the report includes events occurring between 7:00 and 7:14:59. Events that occur in the next second after 7:14:59 peg in the 7:15 to 7:30 interval.

Can I change the length of the interval from 15 minutes to 60 minutes?

You cannot change the interval length; it is fixed at 15 minutes. However, you can use Report Creation Wizard to create a report that sums the data into 60-minute lengths (hourly).

In the Crosstab reports, can I customize the time intervals in the histograms?

The time intervals in the histograms are predefined, and cannot be changed. However, using the Microsoft SQL Server Report Builder, you can design your own report that combines the predefined intervals to create new intervals. In the report, you use Calculated Fields to combine the intervals, and insert these Calculated Fields into the histogram. You can import the report into Contact Center Manager Administration, and run it like any other report.

What happens to the midnight interval in reporting?

The report interval closes at 23:59 and the information is written to the database. At 24:00 or 12:00 midnight, Contact Center Manager creates a new record for the current interval, for the current day.

What happens when an agent logs on and off during this interval?

The Agent Login report shows agent logon and logoff if you select both days.

If you select today, a message warns that “there is no login for this agent for today,” and asks you to expand the reporting time frame.

If a message is lost—for example, if a logoff event occurs, but no logon event occurs—the logon time is the logoff time.

I want to run a report from 11:00 p.m. to 1:00 a.m. Can I run a single report that spans the midnight time frame?

You can run a report that includes all intervals between the start and end time, even if the time spans over midnight.

For example, if you select all intervals from 11:00 p.m. to 1:00 a.m. from 27/08/2012 to 29/08/2012, the results are as follows:

- 27/08/2012 - intervals from 11:00 p.m. to 11:45 p.m.
- 28/08/2012 - intervals from 12:00 a.m. to 11:45 p.m.
- 29/08/2012 - intervals from 12:00 a.m. to 12:45 a.m.

If you configure the same report interval and select the option **Only include intervals between 23:00:00 and 01:00:00 for each day**, the results are as follows:

- 27/08/2012 - intervals from 11:00 p.m. to 11:45 p.m.
- 28/08/2012 - intervals from 12:00 a.m. to 12:45 a.m.
- 28/08/2012 - intervals from 11:00 p.m. to 11:45 p.m.
- 29/08/2012 - intervals from 12:00 a.m. to 12:45 a.m.

Questions about agent statistics

This section lists agent statistic questions.

Why does agent activity time not add up to logged on time?

All agent state timers are maintained independently. For example, the following events occur.

9:00:00	The agent logs on.
9:00:10	The agent answers a DN call from an internal number.
9:00:20	The agent places the DN call on hold and answers a Contact Center Manager call.
9:01:20	The agent releases the Contact Center Manager call and resumes the DN call.
9:01:30	The agent releases the DN call and logs off.

At the end of this period, the agent timers possess the following values.

LoggedInTime	90 seconds
WaitingTime	10 seconds
DNInIntCallsTalkTime (Avaya Communication Server 1000 PABX)	80 seconds
TalkTime	60 seconds

The total activity time for the agent, as calculated in the following example, exceeds the agent logon time of 90 seconds.

Total Activity Time <= ACD Talk Time + Break Time + Busy on Miscellaneous Time + Consultation Time + NACD Talk Time + Not Ready Time + Reserved Time + Ring Time + Talk Time + Waiting Time + Busy on DN Time

In this example, you have:

WaitingTime + DNInCallsTalkTime or DNInIntCallsTalkTime + TalkTime

= 10 + 80 + 60

= 150 seconds

To calculate agent busy time, use the following formula (fields are from the AgentBySkillset view):
TotalStaffedTime – WaitTime

To calculate agent LoggedInTime, use the following formula: Logged In Time = Agent Log-out time – Agent Log-in time

How is WaitTime pegged if the agent places a DN call on hold and uses alternate call answer to accept another contact?

In AgentBySkillsetStat, AgentByApplicationStat, Application, and Skillset views, WaitTime pegs against the previous answered skillset and application for that agent, if any. WaitTime also pegs as WaitingTime in AgentPerformanceStat views regardless of whether the agent previously answered a skillset or application contact.

The following scenario shows how WaitTime pegs in AgentBySkillset, and assumes that the agent's call presentation class is not set for Break time or Variable Wrap.

Call Scenario:

10:00 Agent logs on	Skillsets sales and support now in service.
10:02 Agent gets queued a skillset sales call and answers	At this stage, no wait time pegs because no previous skillset exists to associate with it. The answered skillset and application for subsequent idle/wait time is noted.
10:04 Agent releases call and goes idle	Idle/wait timestamp noted.
10:06 Agent gets queued a skillset support call and answers	Idle/wait time from 10:04 to 10:06, 2 minutes, pegs to the previous skillset, which is skillset sales. The new answered skillset and application is noted to use in subsequent idle/wait time calculation.
10:10 Agent releases call and goes idle	Idle/wait timestamp noted.
10:15 Enter new interval	The following is written to database: "AgentBySkillset Skillset sales: WaitTime = 2mins Skillset support: WaitTime = 5mins (Idle/wait time from 10:10 to 10:15)"
10:20 Agent gets queued a skillset support call and answers	Idle/wait time from 10:15 to 10:20, 5 minutes, pegs to the previous skillset, which is skillset support. The new answered skillset and application is noted to use in subsequent idle/wait time calculation.
10:23 Agent releases call and goes idle	Idle/wait timestamp noted.
10:24 Agent makes DN outcall	Idle/wait time from 10:23 to 10:24, 1 minutes, pegs to the previous skillset, which is skillset support. No skillset exists to note as previous skillset/application remain the same.
10:28 Agent releases call and goes idle	Idle/wait timestamp noted.
10:32 Agent makes DN outcall	Idle/wait time from 10:30 to 10:32, 2 minutes, pegs to the previous skillset, which is skillset support. No skillset exists previous skillset/application remain the same.
Agent places DN call on hold at 10:33	
10:34 Agent presses ACD agent key	This makes the agent available for skillset calls. Agent is idle so idle/wait timestamp noted.

Table continues...

Frequently Asked Questions

10:36 Agent gets queued a skillset sales call and answers	Idle/wait time from 10:34 to 10:36, 2 minutes, pegs to the previous skillset, which is skillset support. The new answered skillset and application is noted to use in subsequent idle/wait time calculation.
10:39 Agent releases skillset sales call Agent is now in idle state. DNcall still on hold	Idle/wait timestamp noted.
10:42 Agent restores DN call	Agent goes busy when call is restored, therefore Idle/wait time from 10:39 to 10:42, 3 minutes, pegs to the previous skillset, which is skillset sales. No skillset exists previous skillset/application remain the same.
10:43 Agent releases DN call and goes idle	Idle/wait timestamp noted.
10:45 Enter new interval	The following is written to database: "AgentBySkillset Skillset sales: WaitTime = 3mins + 2mins (idle time after DN call up until end of interval) = 5mins Skillset support: WaitTime = 2mins + 2mins = 4mins"

These actions reset the wait timestamp. This means the wait time is calculated on these actions and pegs against the previous skillset/application:

- CallAnswered
- CallPresentedToAgent
- AgentBusy
- AgentNotReady
- ACDCallAnswered
- NACDCallAnswered
- DNOutCallInitiated (handling for DNInCallAnswered is not required as the Agent Busy event always precedes it and thus pegs the wait time).

The Agent Idle message (when the agent enters idle state) is used to set the idle/wait timestamp.

The previous skillset/application detail is set upon answering a skillset call.

The basic formula to calculate AgentBySkillset/AgentByApplication wait time is the event timestamp for any of the following:

- CallAnswered
- CallPresentedToAgent
- AgentBusy
- AgentNotReady
- ACDCallAnswered
- NACDCallAnswered

- DNOutCallInitiated
- minus
- Agent Idle event timestamp

How does PostCallProcessingTime handle interval crossover?

Call Scenario:

10:10 Agent answers call	
10:20 Agent releases call	
10:30 Enter new interval	The following is written to the database: "AgentBySkillset Skillset sales: PCP = 0 No PCP as Agent never entered Not Ready state following call release in that interval."
10:35 Agent goes Not Ready	Enter PCP.
10:40 Agent goes Ready	Exit PCP, PCP of 5 minutes pegs.
10:45 Enter new interval	The following is written to the database: "AgentBySkillset Skillset sales: PCP = 5mins"

What is the difference between ReturnedToQ and ReturnedToQDueToTimeout?

Contacts peg as ReturnedToQ under the following conditions:

- An agent manually returns the call to the queue.
- An agent presses a key just as a call is presented (this occurs rarely).

Calls peg as ReturnedToQDueToTimeout if they are not answered within the period of time specified in the agent's call presentation class.

How do I calculate contacts abandoned while being presented?

Calls abandoned while being presented

To calculate the number of calls abandoned while they are presented, use the following formula:

$\text{CallsOffered} - (\text{CallsAnswered} + \text{CallsReturnedToQ} + \text{CallsReturnedToQDueToTimeout})$

Number of network calls not answered

To calculate the number of network calls not answered, use the following formula:

$(\text{ReservedForCall} - \text{NACDCallsAnswered}) - \text{NetworkCallsAnswered}$

A call can peg more than once if it returns to the queue and then presented to another agent.

With the call force option, why does RingTime peg for calls?

When you configure the Call Force option, you can set a Call Force Timer. This timer indicates wait time after an agent becomes available before presenting the agent with a call. During this time, the caller hears ringing, but the agent is unaware of the waiting call. This time pegs as RingTime.

Important:

If agents press Not Ready during this period, the call is sent to the back of the queue and loses priority unless the skillset is configured with the “oldest call” option instead of “first in queue”.

Avaya recommends that you set the Call Force Timer to 0, and use the Break Timer to provide agents with a break between calls.

Why is the agent name field blank on an agent statistical report?

If an agent record is deleted, the agent name appears blank in any reports based on the AgentPerformanceStat, AgentByApplication, or AgentBySkillset views. Contact Center Manager pegs statistics against an agent ID. When you generate this report, the server retrieves the corresponding agent name in the database. If the agent record is deleted, the server cannot retrieve the agent name.

Questions about Activity and Not Ready statistics

When an agent is in the Not Ready state, the agent can account for time spent in this state using Not Ready reason codes. The codes entered by the agent identify the reason why the agent is in the Not Ready state.

Not Ready reason code statistics provide accounting information based on a combination of Not Ready reason code and agent. These statistics provide a means to monitor an agent's Not Ready time distribution within their working hours.

Not Ready reason codes are activated by pressing the Not Ready key. However, unlike activity codes, NRR codes are applied only after the agent enters the Not Ready state.

When does an agent enter the Not Ready state?

An agent immediately enters the Not Ready state when:

- The agent does not currently have any active contacts and selects:
 - Not Ready
 - Not Ready with a Not Ready Reason code
 - Not Ready with an After Call Work code

An agent enters the Not Ready state after their last contact is released when:

- The agent currently has active contacts and selects:
 - Not Ready
 - Not Ready with a Not Ready Reason code
 - Not Ready with an After Call Work code

How do I prevent Not Ready times from pegging as post call processing time?

Consider a scenario in which the following events occur.

1. An agent finishes a call for a skillset.
2. The agent presses the Not Ready key and leaves for a coffee break.
3. The agent returns 15 minutes later and presses the Not Ready key again.

The following statistics peg:

View	Statistics	Value
AgentBySkillset	PostCallProcessingTime	15 minutes
AgentByApplication	PostCallProcessingTime	15 minutes
ActivityCodeStat	PostCallProcessingTime	15 minutes
AgentPerformanceStat	PostCallProcessingTime	15 minutes

To prevent coffee break (Not Ready) time from accumulating as post call processing time, after completing the call, the agent:

1. Presses the Not Ready key.
2. Enters the Not Ready reason code for coffee break.

This procedure stops accumulating post call processing time, and the true Not Ready time pegs against the agent activity (coffee break).

Why is the number of skillset calls answered (on the Agent Performance report) not equal to the number of activity code occurrences (on Activity Code by Agent report)?

Agents enter an activity code for each separate transaction that they handle. They can enter multiple activity codes on one call. For example, during one call, an agent makes five reservations. For each reservation, the agent presses the Activity key and enters the correct activity code. The Agent Performance report shows one call answered, and the Activity Code by Agent report shows five reservation activities. These statistics help you determine the average time required to handle each transaction.

Can I change the default Not Ready reason codes?

No. The default Not Ready reason code is 000 and you cannot change it. See [ActivityCodeStat views](#) on page 50 for a description of how this code is used.

When does Activity Time start after an agent enters Activity codes or Not Ready codes?

For each Activity Code active in this interval, Activity Time that pegs in this interval starts from the beginning of the call, the beginning of the interval, or the end of the previous Activity Code, whichever is later. If the agent enters no Activity Code for the call, the system default Activity Code pegs in the last interval of the call, and starts from the beginning of the call.

For each Not Ready Reason Code that an agent uses, Activity Time that pegs in this interval starts from the beginning of the Not Ready period, the beginning of the interval, or the end of the previous Not Ready Reason Code - whichever is later. If the agent enters no Not Ready Reason Code in a Not Ready period, the system default Not Ready Reason Code pegs when the Not Ready period ends, and starts from the beginning of the Not Ready period. If an agent enters a Not Ready Reason Code while active on a contact, this code remains in a pending state until the Not Ready period begins.

Note:

If an agent enters an ACW code while active on a contact, time starts to peg against the ACW code once all contacts are released.

Questions about skillset and application statistics

This section lists skillset and application statistic questions.

How does Contact Center Manager peg calls that use IVR transfers?

If you use Avaya Media Processing Server, or another IVR system that uses a two-stage transfer (IVR Transfer) rather than a hookflash transfer, the CallsOffered statistic pegs each time the IVR system transfers a call.

Your ApplicationStat view contains the following statistics:

- CallsOffered = 1000
- CallsAnswered = 600
- IVRTransferred = 400

In this case, although CallsOffered is 1000, the number of calls from outside callers is actually 600.

How do I determine hold time for a skillset?

To determine hold time for a skillset, use the AgentBySkillsetStat view.

How does Contact Center Manager peg a call that is abandoned during IVR treatment?

There are three types of voice treatments (IVR, Broadcast messages, and Voice Sessions), but only calls receiving IVR or Broadcast treatment peg in the Application Statistics, and only IVR calls peg if the call reaches a voice port. Also, if the caller disconnects during IVR treatment, the call pegs as an abandoned call, even though the call can be abandoned because the caller obtained the information needed.

If a call receives the GIVE IVR treatment and the messaging system gives a choice to leave a message or hold, and the caller chooses to leave a message and hang up, the following statistics are recorded:

- ApplicationStat views: CallsOffered, CallsAbandoned, CallsGivenIVR, IVRCallsAbandoned, and IVRTerminated statistics are incremented.
- IVRStat views: CallsAnswered, CallsOffered, and IVRAbandoned statistics are incremented. IVRCompleted is not affected. IVRCompleted increments only if call control returns to the application script after IVR treatment, for example, upon return from a GIVE IVR with recorded announcement command.
- IVRPortStat views: CallsAnswered is incremented.

Does IVRCompleted peg when the customer selects to leave a message or when the IVR port disconnects?

No. IVRCompleted increments only if call control returns to the application script after IVR treatment, for example, upon return from a GIVE IVR with recorded announcement command.

If a caller chooses to leave a message during Give IVR treatment, or if the IVR port disconnects, the following pegging occurs:

- IVRCompleted and IVRAbandoned in the IVRStat views are not affected.
- CallsAnswered in the IVRPortStat views is incremented.
- CallsOffered and CallsAbandoned in the ApplicationStat views are incremented.

What if the caller disconnects in the middle of a GIVE IVR message?

If a caller disconnects (hangs up) in the middle of a GIVE IVR message, the following statistics are recorded:

- ApplicationStat views—one call pegs against CallsAbandoned and IVRAbandoned.
- IVRStat views—one call pegs against CallsAnswered and one call pegs against IVRAbandoned.

- IVRPortStat views—one call pegs against CallsAnswered.

Why do calls that receive the Route Call treatment peg as Routed even though they return to the script for further processing?

When a call receives the Route Call treatment, it is considered terminated by Contact Center Manager (responsibility for the call is handed over to the destination system). If the call returns to Contact Center Manager Server, it is treated as a new call, even though it maintains the call ID.

What is the difference between service level threshold for an application and service level threshold for a skillset?

In the application statistics, the time delay until calls are abandoned or answered is calculated from the time the call is handed off by the Master script to a primary application. The time spent in the Master script is not included. If menus and recorded announcements are given in the master script and the call is handed off to another application, time required navigating menus and listening to recorded announcements is not included.

In the skillset statistics, the time delay until calls are abandoned or answered is calculated from the time the call queues to the skillset. It does not include the time required for the caller to navigate menus and listen to recorded announcements, or time spent processing the script in the primary or secondary applications, if any.

Why has my application service level increased in this release compared to previous versions, even though all call traffic parameters and handling times are similar?

The method of counting calls answered or abandoned after the service level threshold changes affects the calculation of application service level. In the application statistics, the time delay until calls are abandoned or answered is calculated from the time the call is handed off by the master script to a primary application. If menus and recorded announcements are given in the master script and the call is handed off to another application, time required navigating menus and listening to recorded announcements is not included.

In previous versions, these delays are calculated from the time the call entered the master script. Therefore, for an application service level threshold, CallsAnsweredAfterThreshold and CallsAbandonedAfterThreshold application statistics have smaller values in this release than in previous versions, thus leading to inflated application service levels.

If you previously decreased your application service level threshold by the average amount of time required for a caller to navigate menus and listen to recorded announcements, reset the service level to your objectives. If you want to see time spent in master application, refer to TimeBeforeInterflow statistics.

Why is my service level 0 percent for intervals with no calls?

About this task

The formula for service level is:

$$\frac{((\text{CallsAnswered} + \text{CallsAbandoned}) - (\text{CallsAnsweredAftThreshold} + \text{CallsAbandonedAftThreshold}))}{(\text{CallsAnswered} + \text{CallsAbandoned})} \times 100$$

If CallsAnswered and CallsAbandoned equal 0, service level equals 0 x 100, or 0.

For user-created reports

If you want service level to display as 100 percent for intervals in which no calls are answered, you can create a custom (user-created) report in Microsoft SQL Server Report Builder.

For example, if you build the report against the iApplicationStat table, this report must contain the following custom formula:

```
NumberVar TotalCallsapp:=0;
```

```
NumberVar CallsDelayedapp:=0;
```

```
TotalCallsapp:=Sum({iApplicationStat.CallsAnswered}, {iApplicationStat.ApplicationID}) +  
Sum({iApplicationStat.CallsAbandoned}, {iApplicationStat.ApplicationID});
```

```
CallsDelayedapp:=Sum({iApplicationStat.CallsAnsweredAftThreshold},  
{iApplicationStat.ApplicationID}) +
```

```
Sum({iApplicationStat.CallsAbandonedAftThreshold}, {iApplicationStat.ApplicationID});
```

```
//Service level percent
```

```
If (TotalCallsapp <= 0) Then
```

```
100 //old formula sets this to 0
```

```
Else
```

```
((TotalCallsapp - CallsDelayedapp)/TotalCallsapp)*100
```

For Report Creation Wizard

If you want service level to display as 100 percent for intervals in which no calls are answered, you can create your own formula in Report Creation Wizard.

1. Start **Report Creation Wizard** from Historical Reporting.
2. In the **Report Type** window, select **Created Simplified Report** (through Report Definition).
3. Click **Next**.
4. In the **Data Source** window, select the **Application Stat.rdl** report definition in the Other folder of the selected PABX type (such as Avaya Communication Server 1000).
5. Click **Next**.
6. On the Field Selection page, click the **Formulas** icon in the toolbar. The Formula Editor appears.
7. Select the standard Service Level formula provided with Report Creation Wizard, which is named RCW_PctServiceLevel. This displays the current text for the standard formula.

8. Click **Copy** to create a copy of this formula.
9. Enter a new name for the formula; for example, %ServiceLevel100.
10. Move to the end of the formula and modify as follows:

Current Text

```
RCWDivideByZero(CallsDelayed, TotalCalls) * 100/[ ] >
```

New Text

```
If (TotalCalls <= 0) Then
```

```
100
```

```
Else
```

```
RCWDivideByZero(CallsDelayed, TotalCalls) * 100/[ ] >
```

11. Click **Save** to save the new formula.
12. Use this formula on reports created with Report Creation Wizard in place of the standard formula provided.

If I change the name of an application or skillset, can I still retrieve information about it?

If you change the name of a skillset, data from before the name change is associated with the new name, and is accessible with that name only.

If you change the name of an application, data from before the name change continues to be associated with the old name. However, this name no longer appears on reports. Therefore, data from before the time of the name change does not appear on reports.

You cannot select deleted names to include in reports.

Why do the number of Control Directory Number (CDN) calls offered not equal the number of application calls offered?

When matching CDN calls offered to application calls offered, keep in mind the following facts:

- All calls answered in a primary application peg as CallsOffered in both the Master application and the primary application.
- Incoming network calls peg as CallsOffered in the Network_Script only.
- NACD and Automatic Call Distribution (ACD) calls do not arrive on a CDN and, therefore, do not peg in the CDN statistics.

How do Wait statements in the scripts affect reports?

Wait statements cause different pegging depending on the location in the scripts. For example, you can include the following commands in the Master script:

```
GIVE RINGBACK  
WAIT 6
```

```
IF CDN = test_cdn THEN
  EXECUTE SCRIPT Sales_App
END IF
```

and the primary script (Sales_App) can include the following commands:

```
WAIT 3
QUEUE TO SKILLSET Sales_Sk
WAIT 2
REMOVE FROM SKILLSET Sales_Sk
```

If a call arrives on the test CDN and agents are available in Sales_Sk, the application statistics show an average delay of at least 3 seconds (depending on the timing queue), and the skillset statistics show a delay of 0 to 2 seconds. Time spent in the Master script is not included in the application statistics.

If an agent is logged on to multiple skillsets and a contact queues in more than one of these skillsets, in which skillset do CallsAnswered and related statistics peg when the agent answers the contact?

If the contact queues to multiple skillsets through a single script command, for example, QUEUE TO SKILLSET Sales_sk, Support_sk, the answering skillset is the first skillset listed in the command.

If the contact queues to multiple skillsets through separate script commands (or through separate scripts), the answering skillset is the one in which the contact first queued. Thus the CallsAnsweredDelay delay statistic measurement always includes the longest queuing time a contact queues to multiple skillsets.

How can I report on Business Unit performance if multiple contact types are used?

When multiple contact types are handled, you must use multiple skillsets even when contacts are all associated with the same line of business. For example, if email and voice contacts are handled by the Sales team, skillsets Sales_sk and EM_Sales_sk are required. To report totals for all Sales skillsets, use the Report Creation Wizard contains operation in a selection filter. Report Creation Wizard selects all skillsets whose names contain a specified word, such as Sales.

If a call queues to multiple skillsets, and the caller subsequently abandons it, does the call peg as abandoned against all the skillsets in which it queued?

Yes, with one exception. The SkillsetAbandoned, SkillsetAbandonedDelay, MaxSkillsetAbandonedDelay, and SkillsetAbandonedAftThreshold statistics peg against all the skillsets in which the call queued at the time it was abandoned. The VirtualCallsAbandoned and VirtualCallsAbdAftThreshold statistic pegs only against the first skillset in which the call was queued.

How do I calculate calls given IVR that do not complete IVR treatment?

To calculate the number of calls given IVR that did not complete IVR treatment, use the following formula (ApplicationStat views):

$$\text{CallsGivenIVR} - (\text{IVRAbandoned} + \text{IVRTerminated})$$

How do I calculate Network outcalls blocked by All Trunks Busy?

To calculate the number of calls that are not networked because all trunks are busy, use the following formula (ApplicationStat views):

$$\text{NetOutCalls} - (\text{NetOutCallsAnswered} + \text{NetOutCallsAbandoned} + \text{NetOutCallsReachNonISDN})$$

How does Contact Center Manager peg calls offered in the Skillset Statistics if a call returns to queue?

If a call returns to queue due to timeout or the agent returns the call to queue, the calls offered for the skillset does not increment again.

Why are skillsets missing from my Skillset Performance report?

Contact Center Manager Server does not peg data for skillsets that are out of service (not staffed) until an agent logs on to the skillset. After this happens, if all agents in that skillset log off, causing the skillset to go out of service, Contact Center Manager Server pegs zeros for that skillset.

Are there any limits on the reported length of any duration values

Yes. The interval duration statistics cap at a maximum value so the monthly consolidated statistics are not too large to store in the database. After, the Window Application Event log displays the event 46873.

The following table lists the interval duration statistics.

Type	Fields
Skillset	CallsAnsweredDelay MaxAnsweredDelay TotalStaffedTime PostCallProcessingTime TalkTime WaitingTime DNOutExtTalkTime DNOutIntTalkTime

Table continues...

Type	Fields
Application	CallsAnsweredDelay CallsAnsweredDelayAtSkillset MaxCallsAbandonedDelay MaxCallsAnsDelay MaxCallsAnsDelayAtSkillset TimeBeforeDefault TimeBeforeForceBusy TimeBeforeForceDisconnect TimeBeforeForceOverflow TimeBeforeInterflow TimeBeforeIVRTransferred TimeBeforeNACDOut TimeBeforeNetOut TimeBeforeReachNonISDN TimeBeforeRouteTo PostCallProcessingTime TalkTime DNOutExtTalkTime DNOutIntTalkTime

Questions about DNIS statistics

This section lists DNIS statistic questions.

How do I track call volume and work time for DNIS numbers?

This information is available in the DNISStat view, and in the DNIS Statistics report.

In a Contact Center Manager network, do I define DNISs at all nodes?

The DNIS follows a call that is networked; therefore, define the name on each node if you want the DNIS name to appear in reports generated at that node.

If the name is not defined, the DNIS number appears.

Questions about call-by-call statistics

This section lists the following call-by-call statistic question.

What causes an event reason code of Unknown to appear in the Call By Call report?

The following events can cause this reason code to appear:

- leave the queue
- return to queue
- IVR session interrupted
- unknown call type

For more information about Call by Call Events; see [Call Events](#) on page 196.

Questions about ACD calls

This section lists the following ACD call question.

How are ACD statistics sent to the server?

Contact Center Manager does not report on statistics relating to the ACD queue. The server does not have delay or abandon information for ACD calls.

However, the server can provide the following statistics for ACD calls presented to a phone that is acquired by the server:

- the number of ACD calls answered
- the number of ACD calls conferenced and transferred
- the amount of time spent on ACD calls

You can also map each ACD-DN to a skillset. If you map each ACD-DN to a skillset, NACD calls peg against this skillset. All calls to that ACD-DN that are answered on a phone acquired by the server peg against the skillset. (If you do not map an ACD-DN, calls to that ACD-DN peg against the Default_ACD skillset.)

Questions about DN calls

This section lists the following DN call questions.

How does Contact Center Manager peg DNOutIntTalkTime/ DNOutExtTalkTime in the AgentBySkillset and AgentByApplication statistics?

The following examples show how DNOutIntTalkTime and DNOutExtTalkTime peg in the AgentBySkillset and AgentByApplication statistics.

Example 1:

Agent answers a call in the Sales Skillset	
Agent releases the call	
Agent enters Not Ready	PCP pegs against the Sales Skillset
Agent then makes an external DN outcall	DNOutExtTalkTime pegs against the Sales Skillset

Example 2:

Agent answers a call in the Sales Skillset	
Agent releases the call	
Agent presses the DN key and makes an internal DN outcall which connects	DNOutIntTalkTime pegs against the Sales Skillset

Example 3:

Agent answers a call in the Sales Skillset	
Agent releases the call	
Agent presses the DN key and makes a DN outcall which does not connect	No DN out talktime pegs against the Sales Skillset

What happens if an agent receives a call on a multiple appearance DN, places the call on hold, and then, a non-CCMS agent answers the call using the call pickup feature?

If a non-Contact Center Manager Server agent answers the call, Contact Center Manager Server no longer knows about the call, which compromises reporting.

Questions about custom reports

This section lists custom report questions.

What is the maximum number of custom reports I can create?

Contact Center Manager does not limit the number of reports you can create.

What join type do I use to join tables?

When you link views to generate a custom report, use ANSI-SQL left outer join syntax, for example, FROM lhs_view LEFT OUTER JOIN rhs_view ON lhs_view.key = rhs_view.key.

Can I create a report that accumulates totals for a month?

As long as the data is still stored in the database, you can generate a report that accumulates the total up to the current date.

For example, you want to generate a weekly report, and have the total accumulate for that month only. To do so, assign the data range start time to the beginning of the month, and the end time to the time when you generate the report. The total value for the week 3 report consists of the cumulative total for that month up to week 3.

Can I import reports using Contact Center Manager Administration?

You can import custom Contact Center Manager Server reports using Contact Center Manager Administration. See the Contact Center Manager Administration Online Help for more information about importing reports.

Can I create a report that contains statistics from more than one view?

Data from multiple views link into one report by using the specified linkage keys in each view. See [Linking views](#) on page 40.

Questions about Multimedia reporting

This section lists Multimedia reporting questions.

Do statistics in the Contact Center Manager database include the effect of contacts originated through Contact Center Multimedia?

Yes. The summarized historical statistics and event statistics, where relevant, also contain information about multimedia contacts. They apply to contacts such as email messages, text chat sessions, and Web communication sessions originating from the Contact Center Multimedia

server. Some limitations apply and are discussed in the description of individual statistics and views.

Additional statistics about multimedia contacts are recorded in the Contact Center Multimedia database. See [Contact Center Multimedia Data dictionary](#) on page 381.

How are statistics names interpreted when Contact Center Multimedia is installed?

The names of many of the statistics and statistics views reflect the terminology used in voice telephony contact centers, even though these statistics and views can capture information about other than voice-telephony contact. Do not take the names of the statistics and statistics views literally. Where applicable, the descriptions of these statistics and statistics views are generalized in this document to reflect the possible contact types in a multimedia contact center. The actual names of the statistics and statistics views, however, are not changed to more generalized forms so that legacy reporting applications continue to function with this release. For more information, see [Multimedia contacts](#) on page 46.

Questions about Contact Center Outbound campaign reporting

This section lists Outbound campaign reporting questions.

How does the DN outcall part of an outbound campaign contact peg?

The DN outcall does not peg independently of the outbound campaign contact. Neither DNOut count statistics nor DNOut TalkTime statistics peg. The outbound campaign contact is not placed on hold during the DN outcall, so HoldTime also does not peg.

How can the DN outcall part of an outbound campaign contact be differentiated from other DN outcalls?

The DN Call Initiated call event pegs in the eCallByCallStat view with a reason code of OUTBOUND CAMPAIGN. You can also refer to the agent real time display, where the agent's Incalls key is Active, and the DN key is Active. This is different from a standard DN outcall, where the Incalls key shows Hold.

How are statistics affected when an outbound campaign ends while outbound campaign contacts are stilled queued?

All queuing outbound campaign contacts related to a complete campaign receive Force Disconnect treatment and peg. Service level formulas are not affected because the contact was neither answered nor abandoned.

Questions about Contact Summary reports

This section lists the following Contact Summary reports questions.

When does contact information appear in the statistic views?

Contact statistics are written into the database at the next 15-minute interval boundary after the contact ends and intercontact data for the agent accumulates. Typically, the contact statistics are not written to the database until the agent who handles the contact makes or accepts another contact, and the current interval ends.

For network out contacts answered by an agent at a remote site, contact statistics are written to the database when the contact has ended and the next interval begins, without accumulating intercontact data for the remote agent. Contact statistics for network contacts that are queued at a remote site are not saved at the remote site unless the contact is subsequently routed to an agent at the remote site, or unless the incoming network call is blocked by an all-trunk busy condition.

For transferred voice calls, contact statistics are not written to the database unless details about the next leg of the transfer are available when the current interval ends after the agent makes or receives another contact, or another event triggers a write to the database. Agent logout and graceful shutdown also cause contact statistics to be written to the database. These events save the contact statistics at the next available interval boundary, without waiting for details about the next transfer leg, if applicable, or for the agent to make or receive another contact. Contact statistics for all pending contacts are saved, regardless of whether an agent accepted the contact. On graceful shutdown, the contact statistics are in temporary files on the hard drive but are not written to the database until the system restarts.

Alternatively, contact statistics for the agent's previous contact are written to the database at the next interval boundary if an agent is in Post Contact Processing state for more than 1 hour, or leaves the Post Contact Processing state and enters the Not Ready state.

When an agent at a remote site receives network outgoing contacts, contact statistics are written to the database when the contact ends and the next interval begins, without accumulating intercontact data for the remote agent. Contact statistics for network contacts that are queued at a remote site are not saved at the remote site unless the contact is subsequently routed to an agent at the remote site. This happens for all remote sites that are not selected as the routing destination for the network out contact.

Finally, if a contact arriving at a CDN or Route Point is abandoned by the originator, the contact statistics data is written to the database when the next interval arrives. This feature does not track and save information about unanswered incoming our outgoing DN calls, ACD calls, and NACD calls.

Which contacts appear in reports, which are created for a specific time frame or date interval?

Contacts are included in the report if the contact statistics are in the range selected for the report. Using the CCMA historical reporting feature, the selected time and date range refers to the time the contact originated. Contacts that originated in this time range are included only if all the data for the contact, including intercall agent statistics and data for associated contact segments, is accumulated. It is possible that a contact handled by an agent might not appear in the report for the selected time frame, even though the contact originated within the selected time frame. This is a temporary situation and happens because the intercall agent data is still being accumulated for the contact. Rerunning this report after all the contact statistics data accumulates ensures that all contacts originated in this time frame are included.

How can I determine if the contact is accepted?

If a contact was accepted, it has a FinalDisposition of RL (Released), RH (Released on Hold), RC (Released during Consult/Transfer) or XF (Transferred).

Questions about Pull-mode contacts

This section lists the following Pull-mode contact question.

How are Pull-mode contacts reported?

Pull-mode contacts are pegged in one of two ways, depending on the state of the contact when it is pulled.

1. If Contact Center Manager is processing the contact at the time the contact is pulled (for example, if a New or New Reply email is pulled), the standard statistics calculation occurred. For example, the CallsOffered statistic incremented for the appropriate application. Other statistics appropriate to the contact life cycle history within Contact Center Manager, such as TimeBeforeInterflow, were also calculated.

If the Pull-mode contact queues in a skillset at the time the contact is pulled, the contact is removed from the skillset and the Dequeued From Skillset event pegs to the eCallByCallStat view with a reason code of PULLED.

The contact then queues directly to the agent. Pegging then proceeds in a similar way as when a contact receives a QUEUE TO AGENT command in a script. In particular, AgentPerformanceStat CallsAnswered and TalkTime statistics peg when the contact is

accepted. The contact pegs against the Agent Queue To dummy skillset for this contact type.

2. If Contact Center Manager is not processing the Pull-mode contact (for example, if a Closed email is pulled), then when the contact enters Contact Center Manager, standard Route Point and Application statistics for new contacts, such as CallsOffered and possibly TimeBeforeInterflow, are calculated. Beyond that, pegging depends on contact treatment within the scripts.

If the recommended multimedia scripts are used, the contact queues to the agent using the QUEUE TO AGENT command. When this occurs, the contact pegs using standard reporting for the QUEUE TO AGENT command. In particular, AgentPerformanceStat CallsAnswered and TalkTime statistics peg after the agent accepts the contact.

The contact pegs against the Agent Queue To dummy skillset for this contact type.

Index

A

abandoned delay [328](#)
abbreviation [411](#)
access key [488](#)
acquire [235](#), [248](#), [249](#), [271](#), [306](#)
acquired time [438](#)
action [413](#), [449](#)
action id [414](#)
active time [365](#)
activity code [218](#), [242](#), [284](#), [392](#), [494](#)
 activity code by contact type [219](#)
activity code name [218](#)
activity display name [392](#)
activity name [392](#)
address [167](#), [458](#), [487](#)
address line [394](#)
addresses [451](#), [459](#)
agent [386](#), [422](#), [438](#), [474](#)
agent by application [242](#)
agent comment [222](#), [422](#)
agent department [222](#)
agent given name [167](#), [190](#), [302](#)
agent id [167](#), [276](#), [304](#), [414](#)
agent interval [266](#)
agent login [242](#)
agent login id [190](#)
agent moving window format [266](#)
agent performance [242](#)
agent reserve timer [307](#)
agent surname [167](#), [190](#), [302](#)
agent telset login id [302](#)
agent to supervisor status [276](#)
agent user id [302](#)
agent writing [513](#)
agents [457](#), [494](#)
all agent busy time [365](#)
allowed answers [475](#)
allowed free text [475](#)
alternate call answer [222](#), [311](#)
AnchoredMediaServer [169](#)
answer [398](#)
answered delay [328](#)
answers [438](#)
application [242](#), [365](#)
application abandoned delay [167](#)
application accepted delay [167](#)
application id [167](#), [231](#), [328](#), [365](#)
application interval [266](#)
application moving window format [266](#)
application name [167](#), [231](#), [253](#), [328](#)
application start stamp [167](#)
ApprovalCheck [438](#)

ApprovalSkillsetID [439](#)
archive content [406](#)
archive progress [406](#)
archive status [406](#)
archived audits [406](#)
archived contacts [406](#)
archived previous status [406](#)
area code [411](#), [471](#)
arrival time [438](#)
assign id [273](#), [276](#), [290](#), [304](#)
assign name [257](#), [273](#), [276](#), [290](#), [304](#)
assign type [276](#), [304](#)
assignment type [276](#), [304](#)
associated data [193](#), [376](#)
attachments [417](#)
attempt [386](#)
audit restore complete [406](#)
auto dial time out [423](#)
auto response [418](#), [438](#), [469](#)
auto signature [494](#)
automatic response id [478](#)
Avaya support website support [25](#)

B

back up host [485](#)
barred outbound addresses [419](#)
body [417](#)
build version [488](#)
business days per week [244](#)
business hours per day [244](#)

C

call age preference [284](#)
call by call [231](#), [253](#), [270](#)
call end time [386](#)
call event [193](#), [376](#)
call event name [193](#), [376](#)
call force delay answer [222](#)
call force delay timer [311](#)
call force option [222](#), [311](#)
call id [193](#), [438](#)
call request queue size [284](#)
call request queue size threshold [284](#)
call source preference [284](#)
call start time [386](#)
call type [235](#)
callback media [386](#)
callback status [386](#)
callback time [386](#)
calls abandon after threshold [355](#)
calls abandoned [346](#), [349](#), [355](#), [360](#)

date	504
date created	398, 423, 432
date time stamp	414
date time stamp for updates	504
day	477
days of agent login	244
days of call by call	244
days of daily	244
days of interval	244
days of IVR port login	244
days of skillset state	244
default	394, 458, 471, 487
default answer	475
default closed reason	448
default priority	481
default skillset	448
definition	240
deletable	455
delete customer data	406
delete flag	504
deleted on CCMS	506
deletion time stamp	392, 436, 448, 477, 494, 506
department of agent	222
department of supervisor	294
deploy flag	504
description	406, 423, 470
description of contact type	237
description of provider	263
destination	193, 376
destination application	355, 360
destination application id	355, 360
destination site	355, 360
destination site id	252, 257, 263, 355, 360
destination site name	252, 257, 263
dial end time	386
dial start time	386
dialable DN	307
dialing prefix	423
DialTime	442
direction	413
disconnect service	167
display file name	413, 418
display name	455, 461
display type name	262
disposition code	386, 438
disposition code name	455
disposition codes	423
DN	284, 396
DN out external calls talk time	365
DN out internal calls talk time	365
DN outbound external calls talk time	328
DN outbound internal calls talk time	328
DNIS	238, 242, 349
DNIS name	238, 349
DNIS prefix	238, 349
do not call	471
duration	457

duration of contact	190
duration of contact code	184

E

eCSRIntrinsicStat	188
eCSRObserveBargelnStat	187
email address	396, 419, 506
email address group id	478
email address group name	459
email addresses	451, 458
email blind copy	386
email carbon copy	438
email copy	386
email from	386, 438
email inbox name	461
email to	386, 438
enable security banner	488
enabled	461, 467, 469
end date time	423
end time stamp	212
end time stamp GMT	212
error code	257, 273, 276, 290, 304
error description	212
event data	193, 376
event type	190, 208
execute access	215
execute agent access	215
execute all agent access	215
expiry date	422

F

fax number	396, 506
feature changes	26
field	234, 261, 272, 292, 293
field descriptions	
activity code by contact type	219
activity code by skillset	220
URIExceptions	310
user validation report	314
user validation stats	317
field id	272, 292, 293, 313
field name	262, 437
file changed	504
file contents	413, 418
filter status	259
final disposition	167
final disposition interval	167
final disposition stamp	167
first day of week	244
first event time stamp	190, 193, 208, 376
first name	396, 506
first name customer	451
first name users	232
flow control status	259
format	240, 265

formula id	240 , 265
formula name	240
free text	398
friendly name	503
full address	394
full number	471

G

given name	215 , 222 , 278
given name of supervisor	294
group name	215
grouping	279
GUI	475
GUID	167

H

handling time	167
heteronetworking	282
history flag	386
hold time	167
holiday date	460

I

icon	437
idle agents priority	250 , 284
Importance	442
imported	394
inbound mail threshold	461
inbox id	478
inbox name	461
initial disposition	167
intercall id	167
internal file name	413 , 418
international code	411 , 471
interval duration	266
interval start time	266
interval to date agent	266
interval to date application	266
interval to date IVR	266
interval to date network call	266
interval to date nodal call	266
interval to date route	266
interval to date skillset	266
introduction	432
invalid XML field	463
is closed	478
is error	212
is local	282
is networked	284
is text visible	449
IVR	242
IVR abandoned	328
IVR ACD-DN name	249

IVR interval	266
IVR moving window format	266
IVR port	242
IVR port id	208 , 248
IVR port login	242
IVR queue id	248 , 249
IVR terminated	328
IVR transferred	328 , 349

J

job OK	406
job P id	406

K

keyword group id	484
keyword group name	465

L

label	265
landing pad option	255
landing pad options	282 , 307
last agent poll	513
last customer poll	513
last error	406
last loaded date	423
last modified	278
last modified time	481
last name	506
last name customer	451
last query build time	481
last treatment id	167
last treatment stamp	167
last treatment time	167
last updated	212
LastAction	443
length of field	320
level 1 threshold	234 , 261 , 272 , 292 , 293 , 313
level 2 threshold	234 , 261 , 272 , 292 , 293 , 313
license	486
license feature name	467
lines for address	394
load interval	423
loaded contacts per interval	423
local user id	167
location	411
locked	423
locked by	423
locked date time	423
login page	451
login time	487
logon id	396 , 506

M

mail blind copy	386
mail carbon copy	386 , 438
mail from	386 , 438
mail to	386 , 438
mailbox	494
mapping	494
mark as deleted	392 , 411 , 436 , 448 , 455 , 477 , 494 , 506
maximum abandoned delay	349 , 355
maximum abandoned delay at destination	355
maximum answered delay	349 , 355 , 365
maximum answered delay at destination	355
maximum call abandoned delay	360
maximum call answered delay	360
maximum call answered delay at destination	360
maximum calls abandoned delay	328
maximum calls answered delay	328
maximum calls answered delay at skillset	328
maximum network outbound calls abandoned delay	328
maximum network outbound calls answered delay	328
maximum retry count	455
maximum skillset abandoned delay	365
Media Server Call Distribution report	648
Media Server IP address	212
message	236 , 512
messages	513
minimum refresh rate	266
minimum ring time	423
minimum short call delay	284 , 292
months of monthly	244
moving window format agent	266
moving window format application	266
moving window format IVR	266
moving window format network call	266
moving window format nodal call	266
moving window format skillset	266
moving window route	266
multimedia key code	488
multimedia network URI	307
multimedia switch serial number	488

N

name	269 , 270 , 449 , 491
name agent threshold class	313
name for closed reason	436
name for email address group	459
name for rule	478
name of application	253 , 328
name of auto response	417
name of campaign	423
name of campaign script	432
name of CDN	235
name of contact type	237
name of disposition code	455
name of DNIS	238

name of formula	240
name of holiday	460
name of inbox	461
name of IVR ACD-DN	249
name of keyword group	465
name of license feature	467
name of network threshold	261
name of nodal threshold class	293
name of phone	306
name of provider	263
name of script	278
name of script variable	279
name of server	485
name of site	282 , 488
name of skillset	494
name of skillset threshold	292
name of threshold	272
name of threshold class	240
name of view	320
name of voice port	248
name route	271
NCC site	257
network call	242
network call interval	266
network call moving window format	266
network calls answered	365
network CDN	349
network out call	242
network outbound calls	328
network outbound calls abandoned	328
network outbound calls abandoned delay	328
network outbound calls answered	328
network outbound calls answered delay	328
network outbound calls reach non-ISDN	328
network skillset	250 , 259
network skillset comment	284
network skillset id	250 , 252 , 257 , 259 , 263 , 284
network skillset name	252 , 257 , 263 , 284
network threshold name	261
new type	485
new value	414
new XML characters	463
next address	167
next segment id	167
night service type	284
NNCC application id	438
NNCC site name	488
NNCC switch serial number	488
nodal call interval	266
nodal call moving window format	266
node id	193 , 376
NoOfCallAttempts	443
note text	406
NROSDN	222 , 311
NT name	486
number	471
number of characters	481

number of contacts	423	predictive wrap time limit	506
number of contacts closed	423	preferences	474
number of contacts processed	423	preferred agent	451
number of retries	307	preferred callback media	438
number of times on hold	167	PreferredMediaServer	179
number of times ready to queue	167	PreferredMediaServerFailed	119
number used	386	PreferredMediaServerResult	179
numeric value	437	PreferredMediaServerResultDesc	179
numeric value for contact type	448	prefix for contact type	237

O

object key	215	progress archive campaigns	406
object name	215	progress archive contacts	406
offset	471	progress archive customers	406
old code mapping id	436	progress delete campaigns	406
old value	414	progress delete contacts	406
old XML characters	463	progress delete customers	406
open duration	438	provider	167
open time	386, 438, 460, 477	provider contact id	167
operator	484	provider description	263
originated stamp	167	provider id	237, 263
original subject	438	provider name	263
originated interval	167	purchased	246
originated stamp	184		
originating site	365		
originating site id	365		
originator	167		
out of service timer	255, 282		
outbound mail threshold	461		
outbound originator	438		
owner	278, 423		

P

page push URLs	494	query	465
parent	448	question id	398
parent comment	232	questions	432, 475
parent name	232	QueueType	445
parent status	232		
parent user first name	232		
parent user last name	232		
password	396, 451, 461, 506		
password reset	509		
pc login name	215, 294		
personal DN	222, 294		
phone numbers	451		
phone type	306		
phrases	494		
port	485		
port address	306		
position id	190, 306		
post call processing time	328, 365		
post contact processing first code	167		
post contact processing time	167		
predictive agent	506		
predictive reporting enabled	506		

Q

R

RAN music route	242
rank	252, 257, 263
rank assign id	257
read access	215
read agent access	215
read all agent access	215
records copied	212
refresh rate	269
register date	451
regular hours	477
related documentation	18, 22
relative GMT	255, 282
remote application id	253, 270
remote site id	167
remote site name	167
reporting type	302
requested by	504
restore progress	406
retry timeout	455
retry timer	307
return to queue mode	222, 311
return to queue no answer	311
return to queue on no answer	222

return to queue wait interval	222 , 311	skillset abandoned after threshold	365
route	242	skillset abandoned delay	167 , 365
route id	271	skillset accepted delay	167
route interval	266	skillset assign name	273
route moving window format	266	skillset by agent	242
route name	271	skillset comment	284
route point	167 , 477 , 494 , 506	skillset id	167 , 273 , 284 , 289 , 290 , 365 , 478
RouteSummary	445	skillset ids	406
row	262	skillset interval	266
rule	438	skillset moving window format	266
rule id	484	skillset name	167 , 237 , 273 , 290 , 494
rule ids	406	skillset prefix	488
rule name	478	skillset queued stamp	167
rule query	478	skillset state	242 , 273 , 289 , 290
S		Skillsets for Agents	517
save agent script	455	SMTP authorized logon	461
scale from	265	SMTP server	461
scale to	265	SocialMediaHeader	445
scheduled time stamp	406	source	193 , 376 , 386 , 438
script	281	source application	355 , 360
script id	278	source application id	355 , 360
script name	278	source application name	167 , 218
script status	281	source site	355 , 360
script type	278 , 281	source site id	252 , 257 , 263 , 355 , 360 , 376
script variable	281	source site name	252 , 257 , 263
script varriable name	279	start date time	423
search address	458 , 487	start of run	423
search body	481	start time stamp	212
search subject	481	start time stamp GMT	212
secondary DN	222 , 306	status	248 , 249 , 257 , 271 , 273 , 290 , 306 , 396 , 423 , 494 , 506
security banner	488	status of agent to supervisor assignment	276 , 304
sequence	478 , 484	status of CDN	235
sequence id	167	status of variable	278 , 279
sequence number	190 , 193 , 208 , 376	subject	386
serial number	497	subject of auto response	417
server	461	supervisor	506
server name	485	supervisor department	294
service interval	167	supervisor given name	167 , 276 , 294 , 302 , 304
service level threshold	231 , 234 , 238 , 240 , 249 , 253 , 261 , 270 , 284 , 292	supervisor id	167 , 276 , 304
service name	486	supervisor surname	167 , 276 , 302 , 304
service stamp	167	supervisor telset login id	302
session	512	supervisor user id	302
session key	487	support	25
SIP terminal	506	surname	215 , 222 , 278 , 396
SIP uri	506	surname of supervisor	294
site	190 , 193 , 208 , 328 , 346 , 349 , 376 , 449	switch id	222 , 248 , 294 , 306
site comment	282	switch port address	222 , 248 , 294
site component	491	switch port name	222 , 248 , 294
site id	167 , 190 , 193 , 208 , 253 , 255 , 270 , 282 , 307 , 328 , 346 , 349 , 376	switch type	282
site name	167 , 253 , 259 , 270 , 282 , 307 , 488	system	246
skillset	242 , 284 , 365 , 423 , 438 , 470 , 473 , 497	T	
skillset abandoned	365	talk time	328 , 349 , 365
		telset login id	193 , 222 , 294 , 376
		telset logon id	506
		telset show reserve	222 , 311

template id	
....	222 , 231 , 234 , 238 , 240 , 249 , 261 , 265 , 269 ,
	271 , 272 , 282 , 284 , 292-294 , 311
template location	386
template name	222 , 282 , 294 , 311
terminating site	365
terminating site id	365
text	386 , 449 , 473 , 491
text description	437
text value of type	448
threshold	494
threshold class name	240
threshold name	234 , 272
threshold template id	222 , 294 , 313
threshold template name	222 , 294
time	190 , 193 , 208 , 328 , 346 , 349 , 355 , 360 , 365 , 376
time allocated	386
time before default	328
time before force busy	328
time before force disconnect	328
time before force overflow	328
time before interflow	328
time before IVR transferred	328
time before NACD outbound	328
time before network outbound	328
time before reach non-ISDN	328
time before route to	328
time sone	503
time stamp	190 , 208 , 346 , 349 , 355 , 360 , 365 , 376
time zone	411 , 438
time zone id	471
timestamp	193 , 328
title	222
title customer	451
title for supervisor	294
total archive campaigns	406
total archive contacts	406
total archive customers	406
total call abandoned delay	360
total call answered delay	360
total staffed time	365
treatment	167
trunk	242
type	349 , 386 , 414 , 438 , 455 , 471
type field	320
type of assignment	276 , 304
type of field	320
type of phone	306
type of reporting	302
type of script	278
U	
union break timer	222 , 311
URI	
URIExceptions	310
URIException	310
URIExceptions	310
Example	311
URL	346 , 349 , 470
use best node	250 , 284
use original address	494
use out of hours rule	478
use round robin	250 , 284
use time zone	423
user given name	273 , 290
user glass	506
user id	190 , 222 , 273 , 289 , 290 , 294 , 487 , 509
user modified	411
user resets	509
user surname	273 , 290
user telset login	273
user telset login id	290
user type	487
username for customer	451
UTC offset	503
V	
variable	281
variable status	278 , 279 , 281
variable type	279 , 281
variable wrap	222 , 311
videos	24
view	
AgentCap	230
Contact Barge In	187
Contact Intrinsic	188
Contact Observe	187
treatment	309
URIByAgent	310
view mode	269
views	
activity code by contact type	218
activity code by skillset	220
user validation report	314
user validation status	317
virtual calls abandoned	365
virtual calls offered	365
virtual statistics	31 , 322
voice port name	248
W	
wait time	167 , 328 , 365
web description	494
WebCommsSessionsParticipants	516
Agent	516
AgentDisconnect	516
ID	516
Session	517
UserType	517
WebOnHoldTag	447
weeks of weekly	244

welcome message	494
width	262
Windows NT account	461
wrap up message	494
write access	215
write agent access	215
write all agent access	215
write time	512

Z

zip code	394
----------------	---------------------